

(19) World Intellectual Property  
Organization  
International Bureau



(43) International Publication Date  
21 October 2004 (21.10.2004)

PCT

(10) International Publication Number  
**WO 2004/090159 A1**

(51) International Patent Classification<sup>7</sup>: C12Q 1/68, 1:46)

TEDA, Tianjin 300457 (CN). TAO, Jiang [CN/CN]; 55 MuNan Road, HePing District, Tianjin 300050 (CN).

(21) International Application Number:

PCT/AU2004/000480

(74) Agent: FB RICE & CO; 139 Rathdowne Street, Carlton, Victoria 3053 (AU).

(22) International Filing Date: 13 April 2004 (13.04.2004)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data:

2003901717

10 April 2003 (10.04.2003) AU

(81) Designated States (*unless otherwise indicated, for every kind of national protection available*): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.

(71) Applicants (*for all designated States except US*): WESTERN SYDNEY AREA HEALTH SERVICE [AU/AU]; Westmead Hospital, Westmead, New South Wales 2145 (AU). TIANJIN BIOCHIP TECHNOLOGY CORPORATION [CN/CN]; No. 23 HongDa Street, TEDA, Tianjin 300457 (CN).

(72) Inventors; and

(75) Inventors/Applicants (*for US only*): KONG, Fanrong [AU/AU]; Villa 23, 93 Bridge Road, Westmead, New South Wales 2145 (AU). GILBERT, Gwendolyn [AU/AU]; 27 Kooyong Road, Riverview, New South Wales 2066 (AU). WANG, Lei [AU/CN]; 63 FengJing Subzone, No. 80 the 5th Street, TEDA, Tianjin 300457 (CN). LIU, Dan [AU/CN]; Room 402, Building 9, No. 23 HongDa Street,

(84) Designated States (*unless otherwise indicated, for every kind of regional protection available*): ARIPO (BW, GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

— with international search report

*For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.*

(54) Title: IDENTIFICATION OF *STREPTOCOCCUS PNEUMONIAE* SEROTYPES

(57) Abstract: The present invention relates to molecular methods of serotyping *Streptococcus pneumoniae*, as well as polynucleotides useful in such methods. These methods rely on analysing at least a portion of the nucleotide sequence between the 3' end of the *cpsA* gene and the 5' end of the *cpsB* gene, and/or analysing at least a portion of the *szx* and/or *wzx* gene(s).

WO 2004/090159 A1

10/552394

1

**IDENTIFICATION OF *STREPTOCOCCUS PNEUMONIAE* SEROTYPES****FIELD OF THE INVENTION**

The present invention relates to molecular methods of serotyping *Streptococcus*  
5 *pneumoniae*, as well as polynucleotides useful in such methods.

**BACKGROUND OF THE INVENTION**

*Streptococcus pneumoniae* is a leading cause of morbidity and mortality causing  
invasive disease such as meningitis and pneumonia as well as more localised disease  
10 such as acute otitis media and sinusitis. Polysaccharide and protein-conjugate  
pneumococcal vaccines have the potential to prevent a significant proportion of cases.  
Effective protein-conjugate vaccines are particularly important because of the dramatic  
increase in prevalence and international dissemination of antibiotic resistant *S.*  
*pneumoniae* serotypes that commonly cause invasive disease in children (Hausdorff et  
15 el., 2001; Huebner, et al., 2000). However these vaccines protect against only the  
relatively small minority (Dunne et al., 2001; Hausdorff et al., 2001) of pneumococcal  
serotypes that most commonly cause disease. There is theoretical and limited empirical  
evidence that widespread use of these vaccines could lead to substitution of "vaccine"  
serotypes with other nonvaccine serotypes, against which the vaccines do not provide  
20 protection. Continued surveillance will be critical to monitor vaccine efficacy and  
changes in incidence and distribution of colonising and invasive serotypes (Hausdorff  
et al., 2001; Rubins et al., 1999). Any increase in disease caused by previously  
uncommon nonvaccine serotypes could necessitate a change in vaccine composition  
(Lipsitch, 2001).

25 *S. pneumoniae* comprises at least 90 serotypes, distinguished by capsular  
polysaccharide antigens. Pneumococcal serotype/group identification is currently  
performed, using large panels of expensive antisera, by various methods, including  
capsular swelling (Quellung) reaction - the traditional "gold standard" - latex  
agglutination and coagglutination (Arai et al., 2001; Lalitha et al., 1999). Cross-  
30 reactions between serotypes and discrepancies between methods can occur and some  
strains are nonserotypable (Henrichsen, 1999).

The capsular polysaccharide synthesis (*cps*) gene clusters for at least 16  
pneumococcal serotypes have been sequenced and serotype-specific genes identified  
(Jiang et al., 2001; van Selm et al., 2002). The *cps* gene cluster contains genes  
35 responsible for synthesis of the serotype-specific polysaccharide including - except in  
serotype 3 - *wzy* (polysaccharide polymerase gene) and *wzx* (polysaccharide flippase

gene). At the 5'-end of the *cps* gene cluster are four relatively conserved open reading frames - *cpsA* (*wzg*)-*cpsB* (*wzh*)-*cpsC* (*wzd*)-*cpsD* (*wze*). Sequence differences in this region were used to classify 11 *S. pneumoniae* serotypes into two classes and, in the region between the 3'-end of *cpsA* and the 5'-end of *cpsB*, there were sites of  
5 heterogeneity between and within serotypes (Jiang et al., 2001; Lawrence et al., 2000). *S. pneumoniae* is characterised by high frequency recombination within the *cps* gene cluster, leading to serotype "switching" among isolates within genetic lineages defined by relationships between their more conserved housekeeping genes (Coffey et al., 1998; Jiang et al., 2001).

10 The relatively low percentage of polymorphisms between strains which is linked to actual serotype, and the large number of different serotypes, has made the development of assays which can be used for typing a significant portion of *S. pneumoniae* strains difficult. Accordingly, there is a need for further methods which can be used to identify different *Streptococcus pneumoniae* serotypes.

15

#### SUMMARY OF THE INVENTION

Through the complex analysis of a large number of polymorphisms which exist between at least 132 molecular capsular sequence types of *Streptococcus pneumoniae* the present inventors have devised methods which can be used to distinguish between a  
20 majority of different *S. pneumoniae* serotypes. In particular, prior art methods of nucleic acid based typing techniques could serotype only about 20 serotypes of *S. pneumoniae*. In contrast, the methods of the invention can be used to serotype most of the about 90 serotypes of *S. pneumoniae*. The methods of the invention can also be used to subtype some serotypes.

25 Thus, in a first aspect, the present invention provides a method of distinguishing between at least 25 different serotypes of *Streptococcus pneumoniae* in a sample, the method comprising,

- i) analysing at least a portion of the nucleotide sequence between the 3' end of the *cpsA* gene and the 5' end of the *cpsB* gene, and/or  
30 ii) analysing at least a portion of the *wzy* and/or *wzx* gene(s).

Preferably, the method can be used to type at least 40, more preferably at least 50, more preferably at least 70, more preferably at least 90, more preferably at least 100, even more preferably at least about 132 different molecular capsular sequence types of *S. pneumoniae*.

35 The present inventors are the first to provide suitable nucleic acid based techniques for typing a large number of *Streptococcus pneumoniae* serotypes.

Accordingly, in another aspect the present invention provides a method of determining the serotype of *Streptococcus pneumoniae* in a sample, the method comprising,

i) analysing at least a portion of the nucleotide sequence between the 3' end of the *cpsA* gene and the 5' end of the *cpsB* gene, and/or

- 5        ii) analysing at least a portion of the *wzy* and/or *wzx* gene(s),  
wherein the serotype is selected from the group consisting of: 2, 7A, 7B, 7C, 9A, 9L, 10F, 10A, 10B, 10C, 11F, 11A, 11B, 11C, 11D, 12F, 12A, 12B, 13, 15F, 15A, 15B, 15C, 16A, 17F, 17A, 18F, 18A, 18B, 21, 22F, 22A, 24F, 24A, 24B, 25F, 25A, 27, 28F, 28A, 31, 32F, 32A, 33F, 33A, 33B, 33C, 33D, 34, 35A, 35B, 35C, 36, 37, 38, 39, 40,  
10 41F, 41A, 42, 43, 44, 45, 46, 47, 47A and 48.

The present inventors have surprisingly found that at least about 102 molecular capsular sequence types of *S. pneumoniae* can be directly serotyped by analysing the 3' end of the *cpsA* gene and the 5' end of the *cpsB* gene of the *S. pneumoniae* genome.

- Thus, in another aspect the present invention provides a method of determining  
15 the serotype of *Streptococcus pneumoniae* in a sample, the method comprising analysing at least a portion of the nucleotide sequence between the 3' end of the *cpsA* gene and the 5' end of the *cpsB* gene.

- In a preferred embodiment, the portion of the nucleotide sequence between the 3' end of the *cpsA* gene and the 5' end of the *cpsB* gene which is analysed is any  
20 nucleotide which is polymorphic between at least some of the *S. pneumoniae* serotypes referred to in Figure 2.

- In a particularly preferred embodiment, the method comprises amplifying at least a portion of the nucleotide sequence between the 3' end of the *cpsA* gene and the 5' end of the *cpsB* gene, and sequencing the amplification product. More preferably,  
25 the entire approximate 800 bp region as provided in Figure 2 is amplified and sequenced.

- In the case of sequencing to identify the serotype, the sequencing primers are selected such that they hybridise specifically to a region within or near to a region within which a polymorphism is present. The primers need not be specific to particular  
30 serotypes since it is the actual sequence information obtained during the sequencing process which is used to determine the *S. pneumoniae* serotype. Thus the primers may hybridise specifically to genomic DNA from all *S. pneumoniae* serotypes (or at least those serotypes referred to in Figure 2), or to genomic DNA from some, but not all, *S. pneumoniae* serotypes.

- 35        When a portion of the nucleotide sequence between the 3' end of the *cpsA* gene and the 5' end of the *cpsB* gene is amplified, it is preferable that the amplification is



performed using primer pairs comprising a sequence selected from the group consisting of:

- 1) GGCATT(/C)TATGGAGTTGATTCG(/A)TCCATT(/C)CACAC(C/T)TTAG  
(SEQ ID NO:68) and  
5 GC(/T)TCAATG(/A)TGG(/A)GCAATG(/T)ACTGGA(/C)GTA(/G)ATTCCCA(/G)A  
CATC (SEQ ID NO:73) ,
- 2) GGCATT(/C)TATGGAGTTGATTCG(/A)TCCATT(/C)CACACC(T)  
TTAG (SEQ ID NO:68) and  
CCATCAC(T)ATAGAGGTTAC(/A)TG(/A)TCTGGCATT(/C)GC (SEQ ID NO:71),
- 10 3) GAAAGTGGG(/A/T)GGG(/A/T)A(/G)A(/C)T(/G)TAT(/C)AAAGTA(/G)  
AATTCT(/G)CAAGAT(/C)TTA(/G)AAA(/G)G (SEQ ID NO:70) and  
T(/G)CATG(/A)CTA(/G)AAC(T)TCT(/A)ATC(/T)AAG(/A)GCATAACGACTATC(/  
T) (SEQ ID NO:72), and
- 15 4) primer pairs that amplify the same region, or diagnostic portion thereof, from  
the genome of a strain of *S. pneumoniae* as the primers provided in 1) to 3).

In an alternate embodiment, the nucleotide sequence analysis step comprises determining whether a polynucleotide obtained from *S. pneumoniae* selectively hybridises to a polynucleotide probe comprising one or more polymorphic regions of the nucleotide sequence between the 3' end of the *cpsA* gene and the 5' end of the *cpsB* gene, wherein such polymorphic regions are shown in Figure 2. More preferably, the nucleotide sequence analysis step comprises a plurality of said polynucleotide probes. In a particularly preferred embodiment, where hybridisation to a plurality of probes is used as a means of analysis, the plurality of polynucleotide probes are present as a microarray.

25 It has been noted that the method of analysing at least a portion of the nucleotide sequence between the 3' end of the *cpsA* gene and the 5' end of the *cpsB* gene does not enable the identification of all known *S. pneumoniae* serotypes, for example shared sequences were noted in the following cases; 6A and 6B; 10A and 17A, 10A and 23F, 23F and 23A; 15B, 15C, 22F and 22A; 17F, 35B, 35C and 42. Accordingly, in these  
30 instances further analysis will need to be performed to determine the correct serotype. To this end, the present inventors have discovered that polymorphisms in the *wzy* and/or *wzx* genes can also be useful for *S. pneumoniae* serotyping.

Accordingly, in a further aspect the present invention provides a method of determining the serotype of *Streptococcus pneumoniae* in a sample, the method  
35 comprising analysing at least a portion of the *wzy* and/or *wzx* gene(s).

In a preferred embodiment, the method comprises amplifying at least a portion of the *wzy* and/or *wzx* gene(s), and determining the length of the amplification product.

In a particularly preferred embodiment, at least a portion of the *wzy* and/or *wzx* gene(s) is amplified using primer pairs comprising a sequence selected from the group consisting of:

- 1) GTAGGTGTAGTTTTTTCAGGGACTTTAATTTTATGCAGTG (SEQ ID NO:74) and TCGCTTAACACAATGGCTTTAGAAGGTAGAG (SEQ ID NO:75),
- 2) GTTATTTTATTTTTTTTGTGCGCATTGTATTCTTTATATCG (SEQ ID NO:76) and CAAATTCATCGTTTGTATCCATTAACTGCATC (SEQ ID NO:77),
- 3) CTTATATCTAATTATGTTCCGTCTATATTTATATGGGTTTGCTTTC (SEQ ID NO:78) and TTTCTCTTCATTTTCCTGATAATTTTGTACTTCTGAATG (SEQ ID NO:79),
- 4) ATGCTTTTAAATTTCTTATTCATATCTATTTTTTC (SEQ ID NO:80) and GTAAACAGAGAGCGAGTGATCATTTTAAACTTTTGG (SEQ ID NO:83),
- 5) G(/A)GATTTT(/G)TTTCAACCT(/C)GCAGTAATTTTAAACAA(/C)TC(/T) G(/A) (SEQ ID NO:81) and CCTGAAAACAA(/G)TACT(/C)ACTTTCTGAATTCAC(/T)GGA(/G)TATAAAG (SEQ ID NO:82),
- 6) GTTTTATTGACTTTTAAAGATGTTAGTTTCTTCGATTCCAG (SEQ ID NO:84) and TTTTATTACTCTTCTTAAATCATAATGAATCGTACCAATCAAC (SEQ ID NO:85),
- 7) GGATCAATGGCAACTATATTTACCCTACTCTCCACAG (SEQ ID NO:86) and GAGTCGAAACCAACCGGAAAAAGCAATTGAG (SEQ ID NO:87),
- 8) CCTTTGGTTTATTATCCTACTTCCAAAACAGTTTATGC (SEQ ID NO:88) and CATATATCTCTTTATCCTGTCAATATTGATTGGCATTTC (SEQ ID NO:89),
- 9) GATATTAGCTATACCAACAATTGTTCTTTTCCTGTACTCAGTC (SEQ ID NO:91) and GCATTTCTAGTACCGAACCATTGAAACTATCATCTG (SEQ ID NO:93),
- 10) GAAATTATAGTCGGAGCTTTTCATTTATATTAGTTTACTGGTTCTG (SEQ ID NO:90) and CAGAATAAAGAGAGCTGTAATAGGTGCAACTTCATGC (SEQ ID NO:93),
- 11) CTGTAATGTTTCTAATTAGTTCAGTATTTGCACTGGTTAATTC (SEQ ID NO:94) and

CCCGTATATCCATTACTAAGAACAAGGTTGTATATTTCTTC (SEQ ID NO:95),

12) GTTCTCATTAGTTCTGTATTTGCCCTTATTAATGTGC (SEQ ID NO:96) and CCATGGCTAAGTGCAAGATTATGAATCTCTCTC (SEQ ID NO:97),

5 13) GTTCTTATGTTTACCCTCAGCTTATATTGGCACAG (SEQ ID NO:98) and GATACCACAAATCTCCGAATTCTCTTAAAATAGATGG (SEQ ID NO:99),

14) TTAAGTAGTTCACAAGTGATAGTGAAGTTGGGATTGTC (SEQ ID NO:100) and CACTGAGATTATTTATTAGCTTTATCGGTAAGGTGGATAAG  
10 (SEQ ID NO:101),

15) ATTACTTGTAATACTATGTATTCAACTAGTCA(/C)AGGATTTGATGG (SEQ ID NO:103) and GAACAAATTTCCGTATCAGATTTGCGATTTTC (SEQ ID NO:104),

16) CCAATGAAAAGGAAAGTTCAATGTGTTTTGTTTCTGC (SEQ ID NO:102) and GGTGCTTCAGCAAAAATCCCCGTATTTCTTATCAG (SEQ ID NO:105),

17) TAGCTGATGTTCCGATAAATTATGGTGGGGTAATAATAG (SEQ ID NO:106) and CTGCGACACTGTATATACCTACATTATAACTACTAGACATTTGC (SEQ ID NO:107),

20 18) GCAACTTTGGTTCTAAAATTTTAGTCTTTTAAATGGTTCC (SEQ ID NO:108) and TGTAAACCCCAATATAGAAATTGTATTGAGAATAGCAGC (SEQ ID NO:109),

19) CGTTAATAGCTTATGTTCAACTGGTGATTGATTTTGG (SEQ ID NO:110) and TGATAGTTTTAGAAATAATATAAGGAATTGCAACTGCATGC  
25 (SEQ ID NO:111),

20) TTCATGTC(/T)T(/C)TTTTG(/A)TCTAATCTGATTACAATTG(/C)TC(/T)A CAT CG(/A) (SEQ ID NO:113) and T(/C)GCATTTG(/T)GATCTGTCACAA(/G)TCAATAAGTTAAAACC (SEQ ID NO:114),

30 21) GGTAGGTATTTAATTGGAGGAAGAGAGTCTTGAATGG (SEQ ID NO:112) and ATCTTCCCTTCATAAATTGACATAGGAAAAATAAGAGCC (SEQ ID NO:115),

22) CAATTCTAACTATGTCCAGTTTTATTTTCCACTCATCAG (SEQ ID NO:116) and GACGTGATAATAATAAGCTGCCATTCCTGTCTAAAACG (SEQ ID  
35 NO:117),

23) CGGCGGTATTAAGTAGAATATTAACACCTGAAGAGTATGGC (SEQ ID NO:118) and GGCAATCAGACTCAATAAGTTCATCCGTTTAAAGTTC (SEQ ID NO:119),

24) GGTATTGCCTTTCCTTTGATAACTTCTCCTTATTTATCAC (SEQ ID NO:120) and TGAACCTGTAACCTCGACACCCAAAAATATAAATAAATGAG (SEQ ID NO:121),

25) GAATCGGACAATAGCACAGGTACGAACAAG (SEQ ID NO:123) and GCCATGTAATCAACTGACCAAGCAGGGTACTC (SEQ ID NO:124),

26) CAAAGGAACGTTATCAGCAATTGTGTCAAATTTTACAG (SEQ ID NO:122) and AAGATTAGGGCGCACAAAGTTTACTTGTTTTAGC (SEQ ID NO:125),

27) GTTATTTCTTCAAATCTGCTCATAGTTTAAACCTCATCAC (SEQ ID NO:126) and TATCTTGCGTTTTTCATCCCTTACAGTTATTAGGTTCAAAG (SEQ ID NO:127),

28) TTCTTCAAATCTTTTGACAGTCTTGACCTCTTCCTTG (SEQ ID NO:128) and TATCGTGCATTTCGAATCTGTTACAGCTAATACATTTAAAC (SEQ ID NO:129),

29) GTCCTGACGCTATCAAATATCATTTTCCCATTAATCAC (SEQ ID NO:130) and CCCACATGTGATCAATAGGAGTGAAAATTCTCTATTC (SEQ ID NO:131),

30) GCTTTGGCTAACTTTTCATCAAAGATTTTAATTTTTTTGTTAG (SEQ ID NO:133) and CCAGAGATAGCTGTAACACCAATTTTATCAATTCCCTTAG (SEQ ID NO:134),

31) CCTTTGGCTAATTTCTTGGACGATAATGAATTTGTATATG (SEQ ID NO:132) and CCACAAACATTAGCAATAAAGAAACCTAACAATCCC (SEQ ID NO:135),

32) GATCATACTCCCTATCATTACGACTCCCTATGTAACG (SEQ ID NO:137) and CCAAGAAATATCCAAACCTTTTGACACTAACTTAATCC (SEQ ID NO:138),

33) GTTGTTTTAGCTCAAGGAGGGATAATGTTGGCTTCG (SEQ ID NO:136) and GCTGATTTTACAAATAGGAAAATAGAGATTGCACCAAC (SEQ ID NO:139), and

34) a primer comprising a sequence selected from any one of SEQ ID NO's 144 to 333, and

35) a primer that can be used to amplify the same region, or diagnostic portion thereof, from the genome of a strain of *S. pneumoniae* as a primer provided as any one of SEQ ID NO's 75 to 139 or 144 to 333.

Guidance regarding the serotypes these primer pairs target, and the length of  
5 resulting amplification products, is provided in Tables 2, 3 and 7.

It has been noted that some of the above primer pairs formed non-serotype specific amplicons, for example; PCR targeting serotype 6B also amplified 6A; PCR targeting 18C amplified all serotypes in serogroup 18; PCR targeting *wzx* (but not *wzy*) of serotype 23F, amplified three serotype 23A strains; PCR targeting *wzx* and *wzy* of  
10 serotypes 33/37 amplified a 33A isolate and that targeting *wzx* amplified a serotype 33B isolate. Accordingly, in these instances further analysis will need to be performed to determine the correct serotype. For instance, traditional serological typing can be performed.

Serotype 3 does not contain *wzy* and *wzx* genes. Accordingly, upon obtaining  
15 results using the method of analysing at least a portion of the nucleotide sequence between the 3' end of the *cpsA* gene and the 5' end of the *cpsB* gene, the presence of serotype 3 can be confirmed by analysing the *orf2 (wze)-cap3A-cap3B* region. Preferably, serotype 3 is identified by amplifying a portion of the *orf2 (wze)-cap3A-cap3B* region using primer pairs selected from the group consisting of:

20 1) GCACAAAAAAAAGTTTGATATTCCTTGACAATAG (SEQ ID NO:140) and GCAGGATCTAAGGAGGCTTCAAGATTCAACTC (SEQ ID NO:141),

2) CGAACCTACTATTGAGTGTGATACTTTTATGGGATACAGAG (SEQ ID NO:142) and CTGACAGCATGAAAATATATAACCGCCCAACGAATAAG  
25 (SEQ ID NO:143), and

3) primer pairs that amplify the same region, or diagnostic portion thereof, from the genome of a strain of *S. pneumoniae* as the primers provided in 1) or 2).

During routine analysis of a sample comprising bacteria it will typically be desirable to ensure that the sample being analysed actually contains *Streptococcus pneumoniae*. Thus, it is preferred that the methods of the present invention include  
30 detecting any serotype of *Streptococcus pneumoniae* in the sample.

Such methods are known in the art and include, but are not limited to, amplifying portions of the *psaA* and/or pneumolysin genes followed by detection of the amplification products.

35 In a preferred embodiment, a portion of the *psaA* gene is amplified using primers comprising the sequence

TACATTACTCGTTCTCTTTCTTTCTGCAATCATTCTTG (SEQ ID NO:64) and TAGTAGCTGTCGCCTTCTTTACCTTGTTCTGC (SEQ ID NO:65), or primer pairs that amplify the same region, or diagnostic portion thereof, from the genome of a strain of *S. pneumoniae* as SEQ ID NO:64 and SEQ ID NO:65. In another preferred  
 5 embodiment, a portion of the pneumolysin gene is amplified using primers comprising the sequence AGAATAATCCCACTCTTCTTGCGGTTGA (SEQ ID NO:66) and CATGCTGTGAGCCGTTATTTTTTCATACTG (SEQ ID NO:67) or primer pairs that amplify the same region, or diagnostic portion thereof, from the genome of a strain of *S. pneumoniae* as SEQ ID NO:66 and SEQ ID NO:67.

10 The present inventors have observed a strong correlation between the molecular capsular sequence typing techniques of the invention and the actual serotype of a strain as determined by traditional antibody based serological typing. However, the typing methods of the invention may be assisted by further serotyping the *S. pneumoniae* strain. For instance, to ensure recombination events have not occurred, upon typing  
 15 with the methods of the invention the serotype can be confirmed by serologically typing for the strain suggested by the methods of the invention. Furthermore, the inventors have noted that a few serotypes are difficult to resolve using the methods of the invention, for example; 6A and 6B; 15B and 15C; 22F and 22A; and 35C and 42. Upon identification of any of these serotypes by the molecular techniques of the  
 20 invention the serotype can be unequivocally typed using traditional serological methods.

In another aspect, the present invention provides an isolated polynucleotide comprising a sequence of nucleotides selected from those provided as SEQ ID NO's 2 to 63, or a fragment thereof which is at least 10 nucleotides in length, with the proviso  
 25 that the polynucleotide does not comprise the entire *wzy* and/or *wzx* gene(s) of a *S. pneumoniae* serotype selected from the group consisting of: 1, 2, 4, 6A, 6B, 8, 9V, 14, 18C, 19F, 19A, 19B, 23F, 33F and 37, or the entire *wzx* gene of *S. pneumoniae* serotype 19C.

In a further aspect, the present invention provides an isolated polynucleotide  
 30 comprising a sequence of nucleotides selected from the group consisting of: 1-AF532632, 10A-AF532633, 10A-AF532634, 10B-AY508586, 10F-AF532635, 10F-AF532636, 10F-AY508587, 11A-AF532637, 11A-AF532638, 11B-AF532639, 11C-AY508588, 11C-AY508589, 12A-AY508590, 12A-AY508591, 12F-AF532640, 12F-AF532641, 13-AF532642, 14-AF532643, 14-AF532644, 14-AF532645, 15A-  
 35 AF532646, 15A-AF532647, 15B-AF532648, 15B-AF532649, 15B-AF532650, 15C-AF532651, 15C-AF532652, 15C-AY330714, 15C-AY330715, 15C-AY508592, 15C-

AY508593, 15F-AY508594, 15F-AY508595, 16A-AY508596, 16F-AF532653, 16F-AF532654, 17A-AF532655, 17A-AY508597, 17F-AF532656, 17F-AF532657, 18A-AF532658, 18A-AF532659, 18B-AF532660, 18C-AF532661, 18F-AF532662, 18F-AY330716, 18F-AY508598, 19A-AF532663, 19A-AF532664, 19B-AY508599, 19C-AY508600, 19C-AY508601, 19F-AF532665, 19F-AF532666, 19F-AF532667, 19F-AF532668, 2-AF532669, 20-AF532670, 21-AF532671, 21-AY508602, 22A-AF532672, 22F-AF532673, 23A-AF532674, 23A-AF532675, 23B-AF532676, 23B-AY330717, 23F-AF532677, 23F-AF532678, 23 F-AF532679, 24A-AY508603, 24B-AY508604, 24F-AY508605, 24F-AY508606, 24F-AY508607, 25F-AF532711, 27-AY508608, 28A-AY508609, 28F-AY508610, 28F-AY508611, 29-AF532680, 29-AY330718, 3-AF532681, 3-AF532682, 3-AF532683, 31-AF532684, 32A-AY508612, 32A-AY508613, 32F-AY508614, 33A-AF532685, 33B-AF532686, 33B-AY508615, 33C-AY508616, 33F-AF532687, 33F-AF532688, 33F-AF532689, 34-AF532690, 35A-AY508617, 35B-AF532691, 35C-AY508618, 35F-AF532692, 36-AY508619, 37-AF532713, 38-AF532712, 39-AY508620, 39-AY508621, 4-AF532693, 40-AY508622, 41A-AY508623, 41F-AY508624, 42-AY508625, 43-AY508626, 45-AY508628, 46-AY508629, 47A-AY508630, 47F-AY508631, 48-AY508632, 48-AY508633, 5-AF532696, 5-AF532697, 5-AY508634, 6A-AF532698, 6A-AF532699, 6A-AF532700, 6A-AF532701, 6A-AF532702, 6A-AY508641, 6B-AF532703, 6B-AF532704, 6B-AF532705, 7A-AY508635, 7B-AY508636, 7C-AF532706, 7F-AF532707, 8-AF532708, 9A-AY508637, 9L-AY508638, 9N-AF532709, 9V-AF532710 and 9V-AY508639 as provided in Figure 2, or a fragment thereof which is at least 10 nucleotides in length, with the proviso the polynucleotide does not comprise the 3' end of the *cpsA* gene to the 5' end of the *cpsB* gene of a *S. pneumoniae* serotype selected from the group consisting of: 1, 2, 3, 4, 6A, 6B, 8, 9V, 14, 18C, 19F, 19A, 23F, 33F and 37.

In a preferred embodiment, the polynucleotide of these aspects is at least 15 nucleotides, more preferably at least 20 nucleotides, more preferably at least 25 nucleotides, more preferably at least 30 nucleotides, more preferably at least 50 nucleotides in length, and even more preferably at least 100 nucleotides in length.

In a further aspect, the present invention provides an isolated polynucleotide consisting essentially of 10 to 50 contiguous nucleotides corresponding to a portion of the 3' end of the *cpsA* *S. pneumoniae* gene or the 5' end of the *cpsB* *S. pneumoniae* gene.

In a further aspect, the present invention provides a polynucleotide consisting essentially of 10 to 50 contiguous nucleotides corresponding to a portion of the *S. pneumoniae* *wzy* and/or *wzx* gene(s).

Preferably, said polynucleotide of 10 to 50 contiguous nucleotides comprises  
5 one or more nucleotides which differ between different *S. pneumoniae* serotypes.

Polynucleotides of 10 to 50 contiguous nucleotides can be used as amplification primers, or as probes, for the identification of different *S. pneumoniae* serotypes.

Preferably the nucleotides which differ between *S. pneumoniae* serotypes correspond to one or more of positions as shown in Figure 2.

10 Preferably, the polynucleotide is detectably labelled. The label can be any suitable label known in the art including, but not limited to, radionuclides, enzymes, fluorescent, and chemiluminescent labels.

Also provided is a vector comprising a polynucleotide of the invention. Preferably, the vector is an expression vector. Furthermore, provided is a host cell  
15 comprising a vector of the invention. Suitable vectors and host cells would be well known to those skilled in the art.

In yet another aspect, the present invention provides a composition comprising a plurality of polynucleotides according to the invention and an acceptable carrier or excipient. Preferably, the carrier or excipient is water or a suitable buffer. The  
20 composition may be used in methods of typing different *S. pneumoniae* serotypes.

In a further aspect the present invention provides a microarray comprising a plurality of polynucleotides according to the invention. The microarray may be used in methods of typing different *S. pneumoniae* serotypes.

In another aspect, the present invention provides a kit comprising at least one  
25 polynucleotide of the present invention.

Preferably, the polynucleotide is 10 to 50 nucleotides in length. In one embodiment, the kit further comprises reagents necessary for nucleic acid amplification. In another embodiment, the polynucleotide is detectably labelled and the kit further comprises means for detecting the labelled polynucleotide.

30 As will be apparent, preferred features and characteristics of one aspect of the invention are applicable to many other aspects of the invention.

Throughout this specification the word "comprise", or variations such as "comprises" or "comprising", will be understood to imply the inclusion of a stated element, integer or step, or group of elements, integers or steps, but not the exclusion of  
35 any other element, integer or step, or group of elements, integers or steps.



The invention is hereinafter described by way of the following non-limiting examples and with reference to the accompanying figures.

#### **BRIEF DESCRIPTION OF THE ACCOMPANYING DRAWINGS**

5 Figure 1. The genomic sequence of *cpsA* (*wzg*) and *cpsB* (*wzh*) genes of serotype 4 of *S. pneumoniae* as published by Jiang et al. (2001) and deposited as GenBank Accession Number AF316639. The remaining 3' sequence of GenBank Accession Number AF316639 has not been provided. Nucleotides 1520 to 2965 encode *cpsA* whilst nucleotides 2967 to 3698 encode *cpsB*.

10

Figure 2. Multiple sequence alignments for the region between the 3'-end of *cpsA* (*wzg*) and the 5'-end of *cpsB* (*wzh*) of 132 molecular capsular sequence types of *S. pneumoniae*. The alignment numbering start point "1" refer to the position "2470" of *S. pneumoniae* serotype 4 *cpsA* (*wzg*) gene (GenBank accession number: AF316639) (Figure 1).

15

Figure 3. Phylogenetic tree inferred from sequences in the region between the 3'-end of *cpsA* (*wzg*) and the 5'-end of *cpsB* (*wzh*) genes for 132 molecular capsular sequence types of *S. pneumoniae*. Most of the tree input sequences are from Figure 2; for GenBank accession numbers see Tables 1 and 8.

20

Figure 4. Phylogenetic tree of *wzx* genes of 83 *S. pneumoniae cps* serotypes. The tree is generated by the neighbour-joining method based on all nucleotide sites.

25 Figure 5. Phylogenetic tree of *wzy* genes of total 83 *S. pneumoniae cps* serotypes. The tree is generated by the neighbour-joining method based on all nucleotide sites.

Figure 6. Schematic representation of the closely related *wzx* genes. Each block represents *wzx* genes from one or more *S. pneumoniae* serotype *cps* gene cluster. Similar patterns and shading represent regions with DNA sequence identity > 75% among different nucleotide sequences.

30

#### **KEY TO THE SEQUENCE LISTING**

SEQ ID NO:1 - Genomic sequence of *cpsA* (*wzg*) and *cpsB* (*wzh*) genes of serotype 4 of *S. pneumoniae* (Figure 1).

35

SEQ ID NO:2 - Partial sequence of strain 00-251-3185 *wzx* gene.

- SEQ ID NO:3 - Partial sequence of strain 01-122-0226 *wzx* gene.  
SEQ ID NO:4 - Partial sequence of strain 01-192-2471 *wzx* gene.  
SEQ ID NO:5 - Partial sequence of strain MA055100 *wzx* gene.  
SEQ ID NO:6 - Partial sequence of strain NZSPN01/329 *wzx* gene.
- 5 SEQ ID NO:7 - Partial sequence of strain 00-256-1986 *wzx* gene.  
SEQ ID NO:8 - Partial sequence of strain NZSPN01/276 *wzx* gene.  
SEQ ID NO:9 - Partial sequence of strain 00-201-1422 *wzx* gene.  
SEQ ID NO:10 - Partial sequence of strain 00-211-1669 *wzx* gene.  
SEQ ID NO:11 - Partial sequence of strain 00S002 *wzx* gene.
- 10 SEQ ID NO:12 - Partial sequence of strain 00-251-3185 *wzy* gene.  
SEQ ID NO:13 - Partial sequence of strain 01-122-0226 *wzy* gene.  
SEQ ID NO:14 - Partial sequence of strain 01-192-2471 *wzy* gene.  
SEQ ID NO:15 - Partial sequence of strain MA055100 *wzy* gene.  
SEQ ID NO:16 - Partial sequence of strain NZSPN01/329 *wzy* gene.
- 15 SEQ ID NO:17 - Partial sequence of strain 00-256-1986 *wzy* gene.  
SEQ ID NO:18 - Partial sequence of strain NZSPN01/276 *wzy* gene.  
SEQ ID NO:19 - Partial sequence of strain 00-201-1422 *wzy* gene.  
SEQ ID NO:20 - Partial sequence of strain 00-211-1669 *wzy* gene.  
SEQ ID NO:21 - Partial sequence of strain 00S002 *wzy* gene.
- 20 SEQ ID NO:22 - Partial sequence of strain NZSPN01/509 *cpsI* and *wzx* genes.  
SEQ ID NO:23 - Partial sequence of strain MA050408 *cpsI* and *wzx* genes.  
SEQ ID NO:24 - Partial sequence of strain MA052433 *cpsI* and *wzx* genes.  
SEQ ID NO:25 - Partial sequence of strain 00S009 *cpsI* and *wzx* genes.  
SEQ ID NO:26 - Partial sequence of strain 99-325-0373 *cpsI* and *wzx* genes.
- 25 SEQ ID NO:27 - Partial sequence of strain NZSPN00/454 *cpsI* and *wzx* genes.  
SEQ ID NO:28 - Partial sequence of strain NZSPN00/484 *cpsI* and *wzx* genes.  
SEQ ID NO:29 - Partial sequence of strain 00-081-2291 *wzy* and *wzx* genes.  
SEQ ID NO:30 - Partial sequence of strain 00S168 *wzy* and *wzx* genes.  
SEQ ID NO:31 - Partial sequence of strain 00-280-1493 *wzy* and *wzx* genes.
- 30 SEQ ID NO:32 - Partial sequence of strain MA063073 *wzy* and *wzx* genes.  
SEQ ID NO:33 - Partial sequence of strain NZSPN00/410 *wzy* and *wzx* genes.  
SEQ ID NO:34 - Partial sequence of strain NZSPN01/243 *wzy* and *wzx* genes.  
SEQ ID NO:35 - Partial sequence of strain MA063087 *wzy* and *wzx* genes.  
SEQ ID NO:36 - Partial sequence of strain MA063207 *wzy* and *wzx* genes.
- 35 SEQ ID NO:37 - Partial sequence of strain 01S333 *wzx* gene.  
SEQ ID NO:38 - Partial sequence of strain MA050663 *wciW* and *wzx* genes.

- SEQ ID NO:39 - Partial sequence of strain 01S319 *wciW* and *wzx* genes.  
SEQ ID NO:40 - Partial sequence of strain NZSPN00/353 *wciW* and *wzx* genes.  
SEQ ID NO:41 - Partial sequence of strain MA062610 *wciW* and *wzx* genes.  
SEQ ID NO:42 - Partial sequence of strain MA053392 *wciW* and *wzx* genes.  
5 SEQ ID NO:43 - Partial sequence of strain NZSPN00/319 *wciW* and *wzx* genes.  
SEQ ID NO:44 - Partial sequence of strain NZSPN01/278 *wciW* and *wzx* genes.  
SEQ ID NO:45 - Partial sequence of strain 01S009 *wciW* and *wzx* genes.  
SEQ ID NO:46 - Partial sequence of strain MA052628 *wciW* and *wzx* genes.  
SEQ ID NO:47 - Partial sequence of strain 00-081-2291 *cpsJ* and *wzy* genes.  
10 SEQ ID NO:48 - Partial sequence of strain 00-280-1493 *cpsJ* and *wzy* genes.  
SEQ ID NO:49 - Partial sequence of strain NZSPN00/410 *cpsJ* and *wzy* genes.  
SEQ ID NO:50 - Partial sequence of strain NZSPN01/243 *cpsJ* and *wzy* genes.  
SEQ ID NO:51 - Partial sequence of strain MA063073 *cpsJ* and *wzy* genes.  
SEQ ID NO:52 - Partial sequence of strain 00S168 *cpsJ* and *wzy* genes.  
15 SEQ ID NO:53 - Partial sequence of strain MA063087 *cpsJ* and *wzy* genes.  
SEQ ID NO:54 - Partial sequence of strain MA063207 *cpsJ* and *wzy* genes.  
SEQ ID NO:55 - Partial sequence of strain 01S319 *wzx* and *wzy* genes.  
SEQ ID NO:56 - Partial sequence of strain NZSPN00/353 *wzx* and *wzy* genes.  
SEQ ID NO:57 - Partial sequence of strain MA062610 *wzx* and *wzy* genes.  
20 SEQ ID NO:58 - Partial sequence of strain MA053392 *wzx* and *wzy* genes.  
SEQ ID NO:59 - Partial sequence of strain NZSPN00/319 *wzx* and *wzy* genes.  
SEQ ID NO:60 - Partial sequence of strain NZSPN01/278 *wzx* and *wzy* genes.  
SEQ ID NO:61 - Partial sequence of strain MA050663 *wzx* and *wzy* genes.  
SEQ ID NO:62 - Partial sequence of strain MA052628 *wzx* and *wzy* genes.  
25 SEQ ID NO:63 - Partial sequence of strain 01S009 *wzx* and *wzy* genes.  
SEQ ID NO's 64 to 143 - Oligonucleotide primers provided in Table 2.  
SEQ ID NO's 144 to 333 - Oligonucleotide primers provided in Table 7.  
SEQ ID NO:334\* - Sequence of serotype 33C *wzx* gene.  
SEQ ID NO:335\* - Sequence of serotype 10B *wzx* gene.  
30 SEQ ID NO:336\* - Sequence of serotype 10C *wzx* gene.  
SEQ ID NO:337\* - Sequence of serotype 10F *wzx* gene.  
SEQ ID NO:338\* - Sequence of serotype 11A *wzx* gene.  
SEQ ID NO:339\* - Sequence of serotype 11D *wzx* gene.  
SEQ ID NO:340\* - Sequence of serotype 12A *wzx* gene.  
35 SEQ ID NO:341\* - Sequence of serotype 12B *wzx* gene.  
SEQ ID NO:342\* - Sequence of serotype 12F *wzx* gene.

- SEQ ID NO:343\* - Sequence of serotype 13 *wzx* gene.  
SEQ ID NO:344\* - Sequence of serotype 14 *wzx* gene.  
SEQ ID NO:345\* - Sequence of serotype 15A *wzx* gene.  
SEQ ID NO:346\* - Sequence of serotype 15B *wzx* gene.  
5 SEQ ID NO:347\* - Sequence of serotype 15C *wzx* gene.  
SEQ ID NO:348\* - Sequence of serotype 15F *wzx* gene.  
SEQ ID NO:349\* - Sequence of serotype 16A *wzx* gene.  
SEQ ID NO:350\* - Sequence of serotype 16F *wzx* gene.  
SEQ ID NO:351\* - Sequence of serotype 17A *wzx* gene.  
10 SEQ ID NO:352\* - Sequence of serotype 17F *wzx* gene.  
SEQ ID NO:353\* - Sequence of serotype 18A *wzx* gene.  
SEQ ID NO:354\* - Sequence of serotype 18B *wzx* gene.  
SEQ ID NO:355\* - Sequence of serotype 18F *wzx* gene.  
SEQ ID NO:356\* - Sequence of serotype 20 *wzx* gene.  
15 SEQ ID NO:357\* - Sequence of serotype 22A *wzx* gene.  
SEQ ID NO:358\* - Sequence of serotype 22F *wzx* gene.  
SEQ ID NO:359\* - Sequence of serotype 23A *wzx* gene.  
SEQ ID NO:360\* - Sequence of serotype 23B *wzx* gene.  
SEQ ID NO:361\* - Sequence of serotype 24B *wzx* gene.  
20 SEQ ID NO:362\* - Sequence of serotype 25A *wzx* gene.  
SEQ ID NO:363\* - Sequence of serotype 25F *wzx* gene.  
SEQ ID NO:364\* - Sequence of serotype 27 *wzx* gene.  
SEQ ID NO:365\* - Sequence of serotype 28A *wzx* gene.  
SEQ ID NO:366\* - Sequence of serotype 28F *wzx* gene.  
25 SEQ ID NO:367\* - Sequence of serotype 29 *wzx* gene.  
SEQ ID NO:368\* - Sequence of serotype 31 *wzx* gene.  
SEQ ID NO:369\* - Sequence of serotype 32A *wzx* gene.  
SEQ ID NO:370\* - Sequence of serotype 32F *wzx* gene.  
SEQ ID NO:371\* - Sequence of serotype 33A *wzx* gene.  
30 SEQ ID NO:372\* - Sequence of serotype 33B *wzx* gene.  
SEQ ID NO:373\* - Sequence of serotype 10A *wzx* gene.  
SEQ ID NO:374\* - Sequence of serotype 9N *wzx* gene.  
SEQ ID NO:375\* - Sequence of serotype 34 *wzx* gene.  
SEQ ID NO:376\* - Sequence of serotype 35A *wzx* gene.  
35 SEQ ID NO:377\* - Sequence of serotype 35B *wzx* gene.  
SEQ ID NO:378\* - Sequence of serotype 35C *wzx* gene.

- SEQ ID NO:379\* - Sequence of serotype 35F *wzx* gene.  
SEQ ID NO:380\* - Sequence of serotype 36 *wzx* gene.  
SEQ ID NO:381\* - Sequence of serotype 38 *wzx* gene.  
SEQ ID NO:382\* - Sequence of serotype 39 *wzx* gene.  
5 SEQ ID NO:383\* - Sequence of serotype 40 *wzx* gene.  
SEQ ID NO:384\* - Sequence of serotype 41A *wzx* gene.  
SEQ ID NO:385\* - Sequence of serotype 41F *wzx* gene.  
SEQ ID NO:386\* - Sequence of serotype 42 *wzx* gene.  
SEQ ID NO:387\* - Sequence of serotype 43 *wzx* gene.  
10 SEQ ID NO:388\* - Sequence of serotype 44 *wzx* gene.  
SEQ ID NO:389\* - Sequence of serotype 45 *wzx* gene.  
SEQ ID NO:390\* - Sequence of serotype 46 *wzx* gene.  
SEQ ID NO:391\* - Sequence of serotype 47A *wzx* gene.  
SEQ ID NO:392\* - Sequence of serotype 47F *wzx* gene.  
15 SEQ ID NO:393\* - Sequence of serotype 48 *wzx* gene.  
SEQ ID NO:394\* - Sequence of serotype 48(1) *wzx* gene.  
SEQ ID NO:395\* - Sequence of serotype 7A *wzx* gene.  
SEQ ID NO:396\* - Sequence of serotype 7C *wzx* gene.  
SEQ ID NO:397\* - Sequence of serotype 7F *wzx* gene.  
20 SEQ ID NO:398\* - Sequence of serotype 9A *wzx* gene.  
SEQ ID NO:399\* - Sequence of serotype 9L *wzx* gene.  
SEQ ID NO:400\* - Sequence of serotype 33D *wzx* gene.  
SEQ ID NO:401\* - Sequence of serotype 33B *wzy* gene.  
SEQ ID NO:402\* - Sequence of serotype 10B *wzy* gene.  
25 SEQ ID NO:403\* - Sequence of serotype 10C *wzy* gene.  
SEQ ID NO:404\* - Sequence of serotype 10F *wzy* gene.  
SEQ ID NO:405\* - Sequence of serotype 11A *wzy* gene.  
SEQ ID NO:406\* - Sequence of serotype 11D *wzy* gene.  
SEQ ID NO:407\* - Sequence of serotype 12A *wzy* gene.  
30 SEQ ID NO:408\* - Sequence of serotype 12B *wzy* gene.  
SEQ ID NO:409\* - Sequence of serotype 12F *wzy* gene.  
SEQ ID NO:410\* - Sequence of serotype 13 *wzy* gene.  
SEQ ID NO:411\* - Sequence of serotype 14 *wzy* gene.  
SEQ ID NO:412\* - Sequence of serotype 15A *wzy* gene.  
35 SEQ ID NO:413\* - Sequence of serotype 15B *wzy* gene.  
SEQ ID NO:414\* - Sequence of serotype 15C *wzy* gene.

- SEQ ID NO:415\* - Sequence of serotype 15F *wzy* gene.  
SEQ ID NO:416\* - Sequence of serotype 16A *wzy* gene.  
SEQ ID NO:417\* - Sequence of serotype 16F *wzy* gene.  
SEQ ID NO:418\* - Sequence of serotype 17A *wzy* gene.  
5 SEQ ID NO:419\* - Sequence of serotype 17F *wzy* gene.  
SEQ ID NO:420\* - Sequence of serotype 18A *wzy* gene.  
SEQ ID NO:421\* - Sequence of serotype 18B *wzy* gene.  
SEQ ID NO:422\* - Sequence of serotype 18F *wzy* gene.  
SEQ ID NO:423\* - Sequence of serotype 19C *wzy* gene.  
10 SEQ ID NO:424\* - Sequence of serotype 20 *wzy* gene.  
SEQ ID NO:425\* - Sequence of serotype 22A *wzy* gene.  
SEQ ID NO:426\* - Sequence of serotype 22F *wzy* gene.  
SEQ ID NO:427\* - Sequence of serotype 23A *wzy* gene.  
SEQ ID NO:428\* - Sequence of serotype 23B *wzy* gene.  
15 SEQ ID NO:429\* - Sequence of serotype 24B *wzy* gene.  
SEQ ID NO:430\* - Sequence of serotype 25A *wzy* gene.  
SEQ ID NO:431\* - Sequence of serotype 25F *wzy* gene.  
SEQ ID NO:432\* - Sequence of serotype 27 *wzy* gene.  
SEQ ID NO:433\* - Sequence of serotype 28A *wzy* gene.  
20 SEQ ID NO:434\* - Sequence of seotype 28F *wzy* gene.  
SEQ ID NO:435\* - Sequence of serotype 29 *wzy* gene.  
SEQ ID NO:436\* - Sequence of serotype 31 *wzy* gene.  
SEQ ID NO:437\* - Sequence of serotype 32A *wzy* gene.  
SEQ ID NO:438\* - Sequence of serotype 32F *wzy* gene.  
25 SEQ ID NO:439\* - Sequence of serotype 33A *wzy* gene.  
SEQ ID NO:440\* - Sequence of serotype 10A *wzy* gene.  
SEQ ID NO:441\* - Sequence of serotype 9N *wzy* gene.  
SEQ ID NO:442\* - Sequence of serotype 33D *wzy* gene.  
SEQ ID NO:443\* - Sequence of serotype 34 *wzy* gene.  
30 SEQ ID NO:444\* - Sequence of serotype 35A *wzy* gene.  
SEQ ID NO:445\* - Sequence of serotype 35B *wzy* gene.  
SEQ ID NO:446\* - Sequence of serotype 35C *wzy* gene.  
SEQ ID NO:447\* - Sequence of serotype 35F *wzy* gene.  
SEQ ID NO:448\* - Sequence of serotype 36 *wzy* gene.  
35 SEQ ID NO:449\* - Sequence of serotype 38 *wzy* gene.  
SEQ ID NO:450\* - Sequence of serotype 39 *wzy* gene.

- SEQ ID NO:451\* - Sequence of serotype 40 *wzy* gene.  
SEQ ID NO:452\* - Sequence of serotype 41A *wzy* gene.  
SEQ ID NO:453\* - Sequence of serotype 41F *wzy* gene.  
SEQ ID NO:454\* - Sequence of serotype 42 *wzy* gene.  
5 SEQ ID NO:455\* - Sequence of serotype 43 *wzy* gene.  
SEQ ID NO:456\* - Sequence of serotype 44 *wzy* gene.  
SEQ ID NO:457\* - Sequence of serotype 45 *wzy* gene.  
SEQ ID NO:458\* - Sequence of serotype 46 *wzy* gene.  
SEQ ID NO:459\* - Sequence of serotype 47A *wzy* gene.  
10 SEQ ID NO:460\* - Sequence of serotype 47F *wzy* gene.  
SEQ ID NO:461\* - Sequence of serotype 48 *wzy* gene.  
SEQ ID NO:462\* - Sequence of serotype 48(1) *wzy* gene.  
SEQ ID NO:463\* - Sequence of serotype 7A *wzy* gene.  
SEQ ID NO:464\* - Sequence of serotype 7C *wzy* gene.  
15 SEQ ID NO:465\* - Sequence of serotype 7F *wzy* gene.  
SEQ ID NO:466\* - Sequence of serotype 9A *wzy* gene.  
SEQ ID NO:467\* - Sequence of serotype 9L *wzy* gene.  
SEQ ID NO:468\* - Sequence of serotype 33C *wzy* gene.  
SEQ ID NO:469 - Sequence of serotype 9V *wzx* gene (Genbank accession no.  
20 AF402095).  
SEQ ID NO:470 - Sequence of serotype 19B *wzx* gene (Genbank accession no.  
AF004325).  
SEQ ID NO:471 - Sequence of serotype 19C *wzx* gene (Genbank accession no.  
AF105116).  
25 SEQ ID NO:472 - Sequence of serotype 19F *wzx* gene (Genbank accession no. U09239).  
SEQ ID NO:473 - Sequence of serotype 2 *wzx* gene (Genbank accession no. AF026471).  
SEQ ID NO:474 - Sequence of serotype 23F *wzx* gene (Genbank accession no.  
AF057294).  
SEQ ID NO:475 - Sequence of serotype 33F *wzx* gene (Genbank accession no.  
30 AFAJ006986).  
SEQ ID NO:476 - Sequence of serotype 37 *wzx* gene (Genbank accession no.  
AJ131984).  
SEQ ID NO:477 - Sequence of serotype 6A *wzx* gene (Genbank accession  
no. AY078347).  
35 SEQ ID NO:478 - Sequence of serotype 6B *wzx* gene (Genbank accession no.  
AF316640).

- SEQ ID NO:479 - Sequence of serotype 8 *wzx* gene (Genbank accession no. AF316641).  
SEQ ID NO:480 - Sequence of serotype 18C *wzx* gene (Genbank accession no. AF316642).  
SEQ ID NO:481 - Sequence of serotype 9V *wzy* gene (Genbank accession no. AF402095).  
5 SEQ ID NO:482 - Sequence of serotype 19B *wzy* gene (Genbank accession no. AF004325).  
SEQ ID NO:483 - Sequence of serotype 19F *wzy* gene (Genbank accession no. U09239).  
SEQ ID NO:484 - Sequence of serotype 2 *wzy* gene (Genbank accession no. AF026471).  
10 SEQ ID NO:485 - Sequence of serotype 23F *wzy* gene (Genbank accession no. AF057294).  
SEQ ID NO:486 - Sequence of serotype 33F *wzy* gene (Genbank accession no. AFAJ006986).  
SEQ ID NO:487 - Sequence of serotype 37 *wzy* gene (Genbank accession no. AJ131984).  
15 SEQ ID NO:488 - Sequence of serotype 6A *wzy* gene (Genbank accession no. AY078347).  
SEQ ID NO:489 - Sequence of serotype 6B *wzy* gene (Genbank accession no. AF316640).  
20 SEQ ID NO:490 - Sequence of serotype 8 *wzy* gene (Genbank accession no. AF316641).  
SEQ ID NO:491 - Sequence of serotype 18C *wzy* gene (Genbank accession no. AF316642).  
SEQ ID NO:492 - Consensus sequence for 3' end of the *cpsA* gene and the 5' end of the *cpsB* gene of *S. pneumoniae* strains that were analysed.

25

\* Indicates that these sequences were extracted from unannotated sequence data from the Sanger Institute website.

### **DETAILED DESCRIPTION OF THE INVENTION**

#### **30 Definitions**

Unless defined otherwise, all technical and scientific terms used herein have the same meaning as commonly understood by one of ordinary skill in the art (e.g., in cell culture, molecular genetics, nucleic acid chemistry, hybridization techniques and biochemistry).

- 35 As used herein, the term "nucleotide sequence between the 3' end of the *cpsA* gene and the 5' end of the *cpsB* gene" at least refers to the region spanning from



nucleotide 2470 to nucleotide 3268 of Figure 1. Figure 1 provides the genomic sequence of *cpsA* (*wzg*) and *cpsB* (*wzh*) genes of serotype 4 as published by Jiang et al. (2001) and submitted as GenBank Accession Number AF316639. As the skilled addressee would be aware, the same region from other serotypes of *S. pneumoniae* can be identified using standard techniques such as DNA cloning, sequencing and nucleotide sequence alignment. Such techniques are described in further detail in the Examples section. In addition, these techniques have been used to determine the nucleotide sequence between the 3' end of the *cpsA* gene and the 5' end of the *cpsB* gene from many different serotypes of *S. pneumoniae*, the results of which, including a consensus sequence for this region, are also provided in Figure 2.

As used herein, the term "primer pairs that amplify the same region, or diagnostic portion thereof, from the genome of a strain of *S. pneumoniae*", or variations thereof, refers to the capability of the skilled addressee to determine where the identified primers of the claimed invention hybridize the *S. pneumoniae* genome of a particular strain(s), and subsequent ability to design alternate primers which can be used for the same purpose as the primers defined herein. Typically, these alternate primers will hybridize the same region of the genome but be larger or smaller in size, or these alternate primers will hybridize to a region of the genome which is in close proximity, for example within 500 basepairs, to where the specifically defined primers hybridize. Naturally, the term "diagnostic portion thereof" refers to the alternate primers being capable of amplifying a portion of the region of the defined primers but still capable of amplifying enough of the region to determine the serotype of a particular *S. pneumoniae* isolate.

## 25 General Techniques

Unless otherwise indicated, the recombinant DNA and immunological techniques utilized in the present invention are standard procedures, well known to those skilled in the art. Such techniques are described and explained throughout the literature in sources such as, J. Perbal, A Practical Guide to Molecular Cloning, John Wiley and Sons (1984), J. Sambrook et al., Molecular Cloning: A Laboratory Manual, Cold Spring Harbour Laboratory Press (1989), T.A. Brown (editor), Essential Molecular Biology: A Practical Approach, Volumes 1 and 2, IRL Press (1991), D.M. Glover and B.D. Hames (editors), DNA Cloning: A Practical Approach, Volumes 1-4, IRL Press (1995 and 1996), and F.M. Ausubel et al. (editors), Current Protocols in Molecular Biology, Greene Pub. Associates and Wiley-Interscience (1988, including all updates until present), Ed Harlow and David Lane (editors) Antibodies: A

Laboratory Manual, Cold Spring Harbour Laboratory, (1988), and J.E. Coligan et al. (editors) Current Protocols in Immunology, John Wiley & Sons (including all updates until present), and are incorporated herein by reference.

5 Detection of Polymorphisms

- Any technique known in the art can be used to detect a polymorphism described herein. Examples of such techniques include, but are not limited to, sequencing of the DNA at one or more of the relevant positions; differential hybridisation of an oligonucleotide probe designed to hybridise at the relevant positions of a particular *S. pneumoniae* serotype(s); denaturing gel electrophoresis following digestion with an appropriate restriction enzyme, preferably following amplification of the relevant DNA regions; S1 nuclease sequence analysis; non-denaturing gel electrophoresis, preferably following amplification of the relevant DNA regions; conventional RFLP (restriction fragment length polymorphism) assays; selective DNA amplification using oligonucleotides which are matched for a particular *S. pneumoniae* serotype(s) unmatched for other *S. pneumoniae* serotype(s); or the selective introduction of a restriction site using a PCR (or similar) primer matched for a particular *S. pneumoniae* serotype(s), followed by a restriction digest. As outlined above, it is preferred that the nucleotide sequence between the 3' end of the *cpsA* gene and the 5' end of the *cpsB* gene is characterized by DNA sequencing, whilst the analysis at least a portion of the *wzy* and/or *wzx* gene is performed by procedures involving the detection of amplification products.

- In one embodiment, the informative serotyping information provided herein is adapted to produce a molecular capsular sequence typing database as generally described by Robertson et al. (2004).

- PCR-based methods of detection may rely upon the use of primer pairs, at least one of which binds specifically to a region of interest in one or more, but not all, serotypes. Unless both primers bind, no PCR product will be obtained. Consequently, the presence or absence of a specific PCR product may be used to determine the presence of a sequence indicative of a specific *S. pneumoniae* serotype(s). However, as mentioned, only one primer need correspond to a region of heterogeneity in the genes/regions of interest. The other primer may bind to a conserved or heterogenous region within said gene/region or even a region within another part of the *S. pneumoniae* genome, whether said region is conserved or heterogeneous between serotypes.

Alternatively, primers that bind to conserved regions of the *S. pneumoniae* genome but which flank a region whose length varies between serotypes may be used. In this case, a PCR product will always be obtained when *S. pneumoniae* bacteria are present but the size of the PCR product varies between serotypes. Examples of such  
5 varying amplification product lengths are disclosed herein in relation to the *wzy* and *wzx* genes.

Furthermore, a combination of specific binding of one or both primers and variations in the length of PCR primer may be used as a means of identifying particular molecular serotypes.

10 In some cases, PCR and other specific hybridisation- based serotyping methods will involve the use of nucleotide primers/probes which bind specifically to a region of the genome of a *S. pneumoniae* serotype which includes a nucleotide which varies between two or more serotypes. Thus the primers/probes may comprise a sequence which is complementary to one of such regions. Where positions of heterogeneity are  
15 close together (for instance within 5 or so nucleotides), it may be desirable to use a primer/probe which hybridises specifically to a region of the *S. pneumoniae* genome that comprises two or more positions of heterogeneity. Such primers/probes are likely to have improved specificity and reduce the likelihood of false positives.

PCR techniques that utilize fluorescent dyes may be used in the detection  
20 methods of the present invention. These include, but are not limited to, the following five techniques.

i) Fluorescent dyes can be used to detect specific PCR amplified double stranded DNA product (e.g. ethidium bromide, or SYBR Green I).

ii) The 5' nuclease (TaqMan) assay can be used which utilizes a specially  
25 constructed primer whose fluorescence is quenched until it is released by the nuclease activity of the Taq DNA polymerase during extension of the PCR product.

iii) Assays based on Molecular Beacon technology can be used which rely on a specially constructed oligonucleotide that when self-hybridized quenches fluorescence (fluorescent dye and quencher molecule are adjacent). Upon hybridization to a specific  
30 amplified PCR product, fluorescence is increased due to separation of the quencher from the fluorescent molecule.

iv) Assays based on Amplifluor (Intergen) technology can be used which utilize specially prepared primers, where again fluorescence is quenched due to self-hybridization. In this case, fluorescence is released during PCR amplification by  
35 extension through the primer sequence, which results in the separation of fluorescent and quencher molecules.

v) Assays that rely on an increase in fluorescence resonance energy transfer can be used which utilize two specially designed adjacent primers, which have different fluorochromes on their ends. When these primers anneal to a specific PCR amplified product, the two fluorochromes are brought together. The excitation of one  
5 fluorochrome results in an increase in fluorescence of the other fluorochrome.

Probes and primers may be fragments of DNA isolated from nature or may be synthetic. In one embodiment, primers/probes have a high melting temperature of  $>70^{\circ}\text{C}$  so that they may be used in rapid cycle PCR. Preferably, the primers/probes comprise at least 10, 15 or 20 nucleotides. Typically, primers/probes consist of fewer  
10 than 50 or 30 nucleotides. Primers/probes are generally polynucleotides comprising deoxynucleotides. They may also be polynucleotides which include within them synthetic or modified nucleotides. A number of different types of modification to oligonucleotides are known in the art. These include methylphosphonate and phosphorothioate backbones, addition of acridine or polylysine chains at the 3' and/or 5'  
15 ends of the molecule. For the purposes of the present invention, it is to be understood that the polynucleotides described herein may be modified by any method available in the art. Primers/probes may be labelled with any suitable detectable label such as radioactive atoms, fluorescent molecules or biotin.

The primers be synthesized using techniques which are well known in the art.  
20 Generally, the primers can be made using synthesizing machines which are commercially available.

If required, in order to facilitate subsequent cloning of amplified sequences, primers may have restriction enzyme sites appended to their 5' ends. Thus, all nucleotides of the primers are derived from the gene sequence of interest or sequences  
25 adjacent to that gene except the few nucleotides necessary to form a restriction enzyme site. Such enzymes and sites are well known in the art.

A sample to be typed for the presence and/or identification of a *S. pneumoniae* serotype may be from a bacterial culture or a clinical sample from a patient, typically a human patient. Clinical samples may be cultured to produce a bacterial culture.  
30 However, it is also possible to test clinical samples directly with a culturing step.

The methods of the present invention can be used in a multi-step serotyping strategy. An example of such a multi-step serotyping strategy (algorithm) is shown in Table 6. However, a variety of other strategies are envisaged and can be designed by the skilled person using the sequence heterogeneity information presented herein. In  
35 particular, it is preferred that the serotyping procedure comprise at least one analysis step based on analysing one or regions between the 3' end of the *cpsA* gene and the 5'

end of the *cpsB* gene. This analysis may optionally be combined with an analysis of one or more regions within the *wzy* and/or *wzx* genes.

#### Microarrays

- 5        Analysis of *S. pneumoniae* genomic sequences using the above techniques may take place in solution followed by standard resolution using methods such as gel electrophoresis. However in a preferred aspect of the invention, the primers/probes are immobilised onto a solid substrate to form arrays.

10        The polynucleotide probes are typically immobilised onto or in discrete regions of a solid substrate. The substrate may be porous to allow immobilisation within the substrate or substantially non-porous, in which case the probes are typically immobilised on the surface of the substrate. Examples of suitable solid substrates include flat glass (such as borosilicate glass), silicon wafers, mica, ceramics and organic polymers such as plastics, including polystyrene and polymethacrylate. It may  
15        also be possible to use semi-permeable membranes such as nitrocellulose or nylon membranes, which are widely available. The semi-permeable membranes may be mounted on a more robust solid surface such as glass. The surfaces may optionally be coated with a layer of metal, such as gold, platinum or other transition metal.

20        Preferably, the solid substrate is generally a material having a rigid or semi-rigid surface. In preferred embodiments, at least one surface of the substrate will be substantially flat, although in some embodiments it may be desirable to physically separate synthesis regions for different polymers with, for example, raised regions or etched trenches. It is also preferred that the solid substrate is suitable for the high density application of DNA sequences in discrete areas of typically from 50 to 100  $\mu\text{m}$ ,  
25        giving a density of 10000 to 40000  $\text{cm}^{-2}$ .

30        The solid substrate is conveniently divided up into sections. This may be achieved by techniques such as photoetching, or by the application of hydrophobic inks, for example teflon-based inks (Cel-line, USA). Discrete positions, in which each different probes are located may have any convenient shape, e.g., circular, rectangular, elliptical, wedge-shaped, etc.

35        Attachment of the library sequences to the substrate may be by covalent or non-covalent means. The library sequences may be attached to the substrate via a layer of molecules to which the library sequences bind. For example, the probes may be labelled with biotin and the substrate coated with avidin and/or streptavidin. A convenient feature of using biotinylated probes is that the efficiency of coupling to the solid substrate can be determined easily. Since the polynucleotide probes may bind

only poorly to some solid substrates, it is often necessary to provide a chemical interface between the solid substrate (such as in the case of glass) and the probes. Thus, the surface of the substrate may be prepared by, for example, coating with a chemical that increases or decreases the hydrophobicity or coating with a chemical that  
5 allows covalent linkage of the polynucleotide probes. Some chemical coatings may both alter the hydrophobicity and allow covalent linkage. Hydrophobicity on a solid substrate may readily be increased by silane treatment or other treatments known in the art. Examples of suitable chemical coatings include polylysine and poly(ethyleneimine). Further details of methods for the attachment of are provided in  
10 US 6,248,521.

Techniques for producing immobilised arrays of nucleic acid molecules have been described in the art. A useful review is provided in Schena *et al.* (1998), which also gives references for the techniques described therein.

Microarray-manufacturing technologies fall into two main categories—synthesis  
15 and delivery. In the synthesis approaches, microarrays are prepared in a stepwise fashion by the *in situ* synthesis of nucleic acids from biochemical building blocks. With each round of synthesis, nucleotides are added to growing chains until the desired length is achieved. A number of prior art methods describe how to synthesise single-stranded nucleic acid molecule libraries *in situ*, using for example masking techniques  
20 (photolithography) to build up various permutations of sequences at the various discrete positions on the solid substrate. US 5,837,832 describes an improved method for producing DNA arrays immobilised to silicon substrates based on very large scale integration technology. In particular, U.S. Patent No. 5,837,832 describes a strategy called "tiling" to synthesize specific sets of probes at spatially-defined locations on a  
25 substrate which may be used to produced the immobilised DNA libraries of the present invention. US 5,837,832 also provides references for earlier techniques that may also be used.

The delivery technologies, by contrast, use the exogenous deposition of prepared biochemical substances for chip fabrication. For example, DNA may also be  
30 printed directly onto the substrate using for example robotic devices equipped with either pins (mechanical microspotting) or piezo electric devices (ink jetting). In mechanical microspotting, a biochemical sample is loaded into a spotting pin by capillary action, and a small volume is transferred to a solid surface by physical contact between the pin and the solid substrate. After the first spotting cycle, the pin is washed  
35 and a second sample is loaded and deposited to an adjacent address. Robotic control systems and multiplexed printheads allow automated microarray fabrication. Ink jetting

involves loading a biochemical sample, such as a polynucleotide into a miniature nozzle equipped with a piezoelectric fitting and an electrical current is used to expel a precise amount of liquid from the jet onto the substrate. After the first jetting step, the jet is washed and a second sample is loaded and deposited to an adjacent address. A  
5 repeated series of cycles with multiple jets enables rapid microarray production.

In one embodiment, the microarray is a high density array, comprising greater than about 50, preferably greater than about 100 or 200 different nucleic acid probes. Such high density probes comprise a probe density of greater than about 50, preferably greater than about 500, more preferably greater than about 1,000, most preferably  
10 greater than about 2,000 different nucleic acid probes per cm<sup>2</sup>. The array may further comprise mismatch control probes and/or reference probes (such as positive controls).

Microarrays of the invention will typically comprise a plurality of primers/probes as described above. The primers/probes may be grouped on the array in any order.

15 Elements in an array may contain only one type of probe/primer or a number of different probes/primers.

Detection of binding of *S. pneumoniae* DNA to immobilised probes/primers may be performed using a number of techniques. For example, the immobilised probes which are specific for one or a number of serotypes, may function as capture probes.  
20 Following binding of the genomic DNA to the array, the array is washed and incubated with one or more labelled detection probes which hybridise specifically to regions of the *S. pneumoniae* genome which are conserved (for example the *S. pneumoniae* *psaA* or pneumolysin probes/primers described herein could be utilized for this purpose). The binding of these detection probes may then be determined by detecting the  
25 presence of the label. For example, the label may be a fluorescent label and the array may be placed in an X-Y reader under a charge-coupled device (CCD) camera.

Other techniques include labelling the genomic DNA prior to contact with the array (using nick-translation and labelled dNTPs for example). Binding of the genomic DNA can then be detected directly.

30 It is also possible to employ a single PCR amplification step using labelled dNTPs. In this embodiment, the genomic DNA fragment binds to a first primer present in the array. The addition of polymerase, dNTPs, including some labelled dNTPs and a second primer results in synthesis of a PCR product incorporating labelled nucleotides. The labelled PCR fragment captured on the plate may then be detected.

35 A number of available detection techniques do not require labels but instead rely on changes in mass upon ligand binding (e.g. surface plasmon resonance- SPR). The

principles of SPR and the types of solid substrates required for use in SPR (e.g. BIACore chips) are described in Ausubel *et al.*, Short Protocols in Molecular Biology (1999) 4<sup>th</sup> Ed, John Wiley & Sons, Inc.

Examples of the utilization of microarrays in genotyping include the use of  
5 microarrays to differentiate between closely related *Cryptosporidium parvum* isolates and *Cryptosporidium* species (Straub *et al.*, 2002), the use of microarrays to differentiate between species of *Listeria* (Volokhov *et al.*, 2002), and the use of microarrays to differentiate within species of *Staphylococcus aureus* (van Leeuwen *et al.*, 2003). The detection principles applied in these studies can be used with the  
10 polymorphisms/primers/probes identified by the present inventors to identify different serotypes of *S. pneumoniae* in a sample.

In the present instance, according to 800bp *cpsA-cpsB* alignment results (Figure 2) regions, such as the first 20 nucleotides provided in Figure 2, are scanned to see whether they contains polymorphisms. Where polymorphisms occur, probes can be  
15 designed for each "type" (allele)-specific probes (and name them as 1-1, 1-2 , etc.), which will cover all the *cpsA-cpsB* regions for all the known sequence types. The combination of all the above allele-specific probes (about or less than 20 allele x 40~50 =800~1000 probes all together) hybridisation results will define the microarray hybridisation types like MLST (1-0-10-----etc), which would be nearly equal to the  
20 sequencing results. Bioinformatics software will tell which sequence type the "specimen/strain" is.

#### Kits

In one embodiment, kits of the present invention include, in an amount  
25 sufficient for at least one assay, a polynucleotide probe of the invention which preferentially hybridizes to a target nucleic acid sequence in a test sample under hybridization assay conditions. Kits containing multiple probes are also contemplated by the present invention where the multiple probes are designed to target different nucleic acid sequences from different *S. pneumoniae* serotypes and may include  
30 distinct labels which permit the probes to be differentially detected in a test sample. Kits according to the present invention may further comprise at least one of the following: (i) one or more amplification primers for amplifying a target sequence contained in or derived from the target nucleic acid; (ii) a capture probe for isolating and purifying target nucleic acid present in a test sample; and (iii) if a capture probe is  
35 included, a solid support material (e.g., magnetically responsive particles) for



immobilizing the capture probe, either directly or indirectly, in a test sample. Kits of the present invention may further include one or more helper probes.

Typically, the kits will also include instructions recorded in a tangible form (e.g., contained on paper or an electronic medium) for using the packaged polynucleotide in a detection assay for determining the presence or amount of a target nucleic acid sequence in a test sample. The assay described in the written instructions may include steps for isolating and purifying the target nucleic acid prior to detection with the polynucleotide probe, and/or amplifying a target sequence contained in the target nucleic acid. The instructions will typically indicate the reagents and/or concentrations of reagents and at least one assay method parameter which might be, for example, the relative amounts of reagents to use per amount of sample. In addition, such specifics as maintenance, time periods, temperature and buffer conditions may also be included.

#### 15 Uses

As discussed above, *S. pneumoniae* is a leading cause of morbidity and mortality causing invasive disease such as meningitis and pneumonia as well as more localised disease such as acute otitis media and sinusitis. Continued surveillance is critical to monitor vaccine efficacy and changes in incidence and distribution of colonising and invasive serotypes. Any increase in disease caused by previously uncommon nonvaccine serotypes could necessitate a change in vaccine composition. Thus, the detection methods, probes/primer and microarrays of the invention may be used to monitor the epidemiology of invasive *S. pneumoniae* infections to assist in disease control and to inform vaccine policy.

25 The molecular typing methods of the invention may also assist in comprehensive serotype identification that will be useful for epidemiological and other related studies that will be needed to monitor *S. pneumoniae* before and after introduction of *S. pneumoniae* vaccines.

30

35

## EXAMPLES

### EXAMPLE 1 - Serotyping based on the polymorphisms of the 3' end of the *cpsA* gene and the 5' end of the *cpsB* gene, combined in some instances with the analysis of the *wzx* and/or *wzy* genes

#### 5 MATERIALS AND METHODS

##### Pneumococcal reference panels (Table 1)

Reference panels 1-4, which consisted of 118 isolates, were kindly provided and serotyped by colleagues in Australia and Canada. All had been serotyped using the standard Quellung method and included all 23 serotypes represented in the polysaccharide vaccine, and 28 additional serotypes; there were multiple isolates of 40 serotypes and five isolates that could not be serotyped with available antisera. Reference panel 5 consisted of 21 invasive isolates from our diagnostic laboratory at the Centre for Infectious Diseases and Microbiology (CIDM), Sydney, for which serotypes were known at the beginning of the study. These five reference panels were used for the development and preliminary evaluation of molecular capsular sequence methods. Panels 2 and 4 were tested by molecular capsular sequence, initially, without knowledge of the conventional serotyping (CS) results.

##### Clinical isolates

20 179 consecutive *S. pneumoniae* clinical isolates from normally sterile sites, collected during the period January 1999 to June 2001, by the CIDM diagnostic laboratory, were studied; 21 were randomly selected to make up reference panel 5 (see above). Dr Diana Martin, Institute of Environmental Science and Research (ESR), Wellington, New Zealand provided 103 clinical isolates from diagnostic laboratories throughout New Zealand. Clinical isolates were initially tested using the MCT method, without knowledge of their CS results (single-blind study). Isolates were retrieved from storage by subculture on blood agar plates (Columbia II agar base supplemented with 5% horse blood) and incubated overnight at 37°C CO<sub>2</sub> incubator.

30

35

**Table 1. Conventional serotyping (CS) and molecular capsular typing (MCT)**  
**results of *S. pneumoniae* strains used in this study.**

Strain numbers and geographic origin	CS <sup>1</sup>	MCT-Seq <sup>2</sup>	MCT-PCR <sup>2</sup>	GenBank <sup>2</sup> accession numbers
<b>Reference panel 1<sup>3</sup></b>				
<b>Queensland</b>				
00S001	19F	19F	19F	AF532666
00S002	6B	6B-q	6B	AF532705;
				AY163180, AY163190
00S006	19A	19A	19A	AF532663
00S009	23F	23F-g	23F	AF532677;
				AY163214, AY163232
00S014	1	1	1	AF532632
00S016	9V	9V	9V	AF532710
00S023	5	5-q		AF532697
00S033	17F	17F-35B		AF532657
00S036	11A	11A-q		AF532637
00S042	18C	18C/18B	18C	AF532661
00S059	9N	9N		AF532709
00S063	12F	12F		AF532640
00S067	8	8	8	AF532708
00S124	7F	7F		AF532707
00S154	15B	15B-q		AF532649
00S159	4	4	4	
00S168	33F	33F-q	33F/37	AF532687;
				AY163199, AY163221
00S246	22F	22F		AF532673
00S259	2	2-q	2	AF532669
00S300	22A	22A		AF532672
01S009	18C	18C/18B	18C	
01S020	7C	7C		AF532706
01S043	10A	10A-q		AF532633
01S143	3	3	3	AF532682
01S146	10F	10F		AF532635
01S305	20	20/13		AF532670
01S319	18A	18A	18C	AF532658;
				AY163208, AY163224
01S333	33B	33B	33F-X; 33F-Y-NEG	AF532686
01S358	35B	35B		AF532691
01S666	14	14-g	14	AF532643
01S682	16F	16F		AF532653
01S691	15C	15C-q		AF532651
01S753	4	4	4	AF532693
<b>Reference panel 2<sup>4</sup></b>				
<b>Victoria</b>				
0013856	35B	35B		
0013976	6A	6A-ca	6B	
0017666	9V	9V	9V	
0019532	23F	23F-g	23F	
0102206	8	8	8	
0103678	19F	19F	19F	
0104603	6B	6B-q	6B	
0104604	22F	22F		

0104912	4	4	4	
0105015	14	14-g	14	AF532644
Reference panel 3 <sup>5</sup>				
Canada				
MA007753	31	31		AF532684
MA007765	5	5-q		
MA008229	10F	10F		AF532636
MA008562	11A	11A-q		
MA008622	31	31		
MA050408	23A	23A-23F	23F-X; 23F-Y-NEG	AF532674
MA050663	18F	18F	18C	AF532662; AY163207, AY163230
MA050910	2	2-q	2	
MA050947	38	38/25F		AF532712
MA051117	22A	22A		
MA051617	35F	35F		AF532692
MA051950	31 (see Example 2)	31		AF532695
MA052002	15A	15A-ca1		AF532646
MA052150	11B	11B		AF532639
MA052217	7C	7C		
MA052253	17F	17F-35B		
MA052433	23A	23A-ca	23F-X; 23F-Y-NEG	AF532675
MA052434	15A	15A-ca2		AF532647
MA052628	18C	18C/18B	18C	-, AY163215, AY163231
MA052979	15C	15C-ca		AF532652
MA053096	20	20/13		
MA053188	15B	15B-q		
MA053392	18B	18B/18C	18C	AF532660; AY163211, AY163227
MA053567	12F	12F		
MA053684	38	38/25F		
MA053782	13	13/20		AF532642
MA053909	35B	35B		
MA054004	13	13/20		
MA054006	13	13/20		
MA054242	38	38/25F		
MA054294	16F	16F		
MA054338	35F	35F		
MA054357	1	1	1	
MA054490	34	34		AF532690
MA054545	3	3	3	
MA054735	10A	10A-q		
MA054832	34	34		
MA054883	7F	7F		
MA055006	9V	9V	9V	
MA055054	22F	22F		
MA055100	6A	6A-ca	6B	AF532702; AY163174, AY163184
MA056382	19A	19A	19A	AF532664
MA059287	25F	25F/38		AF532711
MA061296	41A (see Example 2)	41A		AF532694
MA061378	17A	17A		AF532655

MA061938	21	21		AF532671
MA062028	29	29		AF532680
MA062610	18B	18B/18C	18C	-;
				AY163210, AY163226
MA063013	9N	9N		
MA063073	33F	33F-g/33A	33F/37	AF532689;
				AY163201, AY163220
MA063087	33A	33A/33F-g	33F/37	AF532685;
				AY163204, AY163222
MA063189	Nonserotypeable	No-amplicon		
MA063207	37	37	33F/37	AF532713;
				AY163205, AY163223
MA063745	Nonserotypeable	Nonserotypeable-ca		AF532715
<b>Reference panel 4<sup>6</sup></b>				
<b>New South Wales</b>				
00-177-0145	19A	19A	19A	
01-184-0091	18C	18C/18B	18C	
00-237-0230	17F	17F-35B		AF532656
01-273-0175	16F	16F		
00-201-0306	14	14-g	14	
01-117-0176	13	13/20		
01-239-0283	12F	12F		
00-206-0233	11A	11A-q		
00-222-0342	10A	10A-23F	23F-NEG	AF532634
01-180-0149	1	1	1	
01-122-0226	6A	6A-ca	6B	AF532698;
				AY163172, AY163182
99-308-0385	4	4		
00-234-0199	38	38/25F		
00-074-0065	35F	35F		
00-280-0121	3	3	3	
99-308-0290	23F	23F-g	23F	
00-244-0101	22F	22F		
00-250-0302	22A	22A		
00-244-0108	20	20/13		
01-009-0101	19F	19F	19F	AF532668
01-254-0150	7F	7F		
<b>Reference panel 5<sup>7</sup></b>				
<b>New South Wales, (CIDM)</b>				
00-163-0650	14	14-g	14	
00-141-1399	19F	19F	19F	
00-070-0212	23F	23F-g	23F	
01-018-1842	4	4	4	
00-201-1422	6B	6B-g	6B	AF532703;
				AY163178, AY163188
00-180-2749	9V	9V	9V	
00-339-3084	9N	9N		
00-017-0985	11A	11A-q		
01-072-0391	12F	12F		AF532641
00-315-3100	15B	15B-c		AF532648
99-259-1456	18C	18C/18B	18C	
00-273-2862	4	4	4	
00-081-2291	33F	33F-g/33A	33F/37	-;
				AY163198, AY163216
00-118-2067	5	5-c		AF532696

01-175-0822	7F	7F		
00-324-0978	8	8	8	
00-152-1664	22F	22F		
00-211-1414	22F	22F		
00-200-0078	14	14-g	14	
00-118-0159	19F	19F	19F	
00-310-1104	4	4	4	
Clinical isolates				
New South Wales,				
(CIDM) <sup>8</sup>				
01-192-3558	6B	6B-g	6B	
01-192-2471	6A	6A-c	6B	AF532699; AY163173, AY163183
01-192-1205	6B	6B-g	6B	
01-191-1265	14	14-g	14	
01-189-0296	19F	19F	19F	
01-185-0511	15B	15B-22F		AF532650
01-184-0328	8	8	8	
01-179-2448	14	14-g	14	
01-178-0165	14	14-g	14	
01-176-3302	1	1	1	
01-173-2782	4	4	4	
01-170-0873	9V	9V	9V	
01-159-0505	14	14-g	14	
01-157-3399	4	4	4	
01-157-3394	4	4	4	
01-157-2062	4	4	4	
01-152-3295	14	14-g	14	
01-150-3706	14	14-g	14	
01-144-1862	7F	7F		
01-143-3353	4	4	4	
01-124-2300	12F	12F		
01-117-1910	4	4	4	
01-096-2050a	9V	9V	9V	
01-096-2050b	9V	9V	9V	
01-096-2027	9V	9V	9V	
01-077-1533	7F	7F		
01-075-3257	9N	9N		
01-058-3662	14	14-g	14	
01-048-1320	19A	19A	19A	
01-005-0764	19F	19F	19F	AF532650
00-361-1217	6B	6B-q	6B	
00-357-1164	14	14-g	14	
00-339-2918	9N	9N		
00-324-0977	8	8	8	
00-315-2993	23F	23F-g= 10A-23F	23F	
00-315-2254	23F	23F-g= 10A-23F	23F	
00-310-0630	14	14-g	14	
00-303-0303	19F	19F	19F	
00-293-1660	19F	19F	19F	
00-280-1493	33F	33F-q	33F/37	-; AY163200, AY163217
00-267-0653	8	8	8	

00-258-1120	14	14-g	14	
00-257-0881	9V	9V	9V	
00-256-1986	6A	6A-ca	6B	-;
				AY163176, AY163186
00-251-3185	6A	6A-6B-g=	6B	AF532700;
		6B-g		AY163171, AY163181
00-245-3950	23F	23F-g=	23F	
		10A-23F		
00-243-2229	3	3	3	
00-242-0394	14	14-g	14	
00-241-2964	9V	9V	9V	
00-238-3448	23F	23F-g=	23F	
		10A-23F		
00-235-3584	19F	19F	19F	AF532665
00-228-3777	35B	35B		
00-225-1482	3	3	3	
00-225-0333	19F	19F	19F	
00-217-3003	4	4	4	
00-211-1669	6B	6B-c	6B	AF532704;
				AY163179, AY163189
00-211-0475	22F	22F		
00-211-0469	22F	22F		
00-209-3409	3	3	3	
00-208-0179	4	4	4	
00-200-1013	14	14-g	14	
00-200-1012	14	14-g	14	
00-199-0498	4	4	4	
00-196-2923	9V	9V	9V	
00-192-2087	19A	19A	19A	
00-184-1203	6B	6B-q	6B	
00-181-1568	23F	23F-g=	23F	
		10A-23F		
00-181-1567	23F	23F-g=	23F	
		10A-23F		
00-173-3686	4	4	4	
00-164-1705	6B	6B-q	6B	
00-163-1533	14	14-g	14	
00-149-1265	7F	7F		
00-149-1264	7F	7F		
00-143-1473	15B	15B-22F		
00-138-3435	3	3	3	
00-118-2891	19F	19F	19F	
00-093-1315	3	3	3	AF532681
00-078-0883	14	14-g	14	
00-074-3370	14	14-g	14	
00-070-0212	23F	23F-g=	23F	
		10A-23F		
00-066-3506	4	4	4	
00-043-0876	19A	19A	19A	
00-036-1378	19F	19F	19F	
00-008-0865	8	8	8	
99-348-3354	6A	6A-ca	6B	
99-338-1052	19F	19F	19F	
99-325-0373	23F	23F-c	23F	AF532678
99-324-1010	4	4	4	
99-404-0191	4	4	4	

99-310-0070	4	4	4	
99-302-1894	9V	9V	9V	
99-293-1704	19A	19A	19A	
99-287-2376	35B	35B		
99-287-2320	35B	35B		
99-287-2298	35B	35B		
99-284-1034	14	14-c	14	AF532645
99-276-0568	9V	9V	9V	
99-242-0442A	6B	6B-q	6B	
99-241-1187A	4	4	4	
99-237-2839	9V	9V	9V	
99-235-2193	4	4	4	
99-226-1026B	7F	7F		
99-221-2755	9V	9V	9V	
99-221-2745A1	23F	23F-g= 10A-23F	23F	
99-221-0278	4	4	4	
99-218-2527	23F	23F-g= 10A-23F	23F	
99-201-1708	3	3	3	
99-196-2909B	10A	10A-23F =23F-g	23F-NEG	
99-196-2908B	10A	10A-23F= 23F-g	23F-NEG	
99-196-2882A	10A	10A-23F =23F-g	23F-NEG	
99-196-2880A	10A	10A-23F =23F-g	23F-NEG	
99-195-0430	14	14-g	14	
99-193-2919A	4	4	4	
99-193-2918B	4	4	4	
99-193-2747B	4	4	4	
99-193-2491A	18C	18C/18B	18C	
99-192-0047B	23F	23F-g= 10A-23F	23F	
99-188-2369A	4	4	4	
99-186-2831	7F	7F		
99-186-1038	14	14-g	14	
99-186-0417	14	14-g	14	
99-184-0894	14	14-g	14	
99-182-1919	4	4	4	
99-180-2653	4	4	4	
99-178-0901	14	14-g	14	
99-177-1060	11A	11A-q		
99-176-1983	18C	18C/18B	18C	
99-173-2956	4	4	4	
99-169-0432	6B	6B-g	6B	
99-159-2018	7F	7F		
99-158-1250	14	14-g	14	
99-157-0650	19F	19F	19F	
99-146-2324	19F	19F	19F	
99-144-1497	22F	22F		
99-134-2273	3	3	3	
99-132-2724	15B	15B-q		
99-132-2558	15B	15B-q		
99-132-2557	15B	15B-q		



99-130-2037	14	14-g	14	
99-110-2820	9N	9N		
99-108-0976	23F	23F-g= 10A-23F	23F	
99-107-0715	14	14-g	14	
99-104-1860	4	4	4	
99-099-0423	19F	19F	19F	
99-095-1044	20	20/13		
99-091-2295	23B	23B	23F-NEG	AF532676
99-090-2551	14	14-g	14	
99-090-2390	3	3	3	
99-090-2387	3	3	3	
99-033-2630	23F	23F-g= 10A-23F	23F	
99-028-0057	7C	7C		
99-011-0311A	4	4	4	
<b>Clinical isolates</b>				
<b>New Zealand</b>				
<b>(ESR) <sup>9</sup></b>				
NZSPN00/9	4	4	4	
NZSPN00/42	18C	18C/18B	18C	
NZSPN00/59	5	5-q		
NZSPN00/87	13	13/20		
NZSPN00/88	6B	6B-g	6B	
NZSPN00/91	8	8	8	
NZSPN00/319	18B	18B/18C	18C	-;
				AY163212, AY163228
NZSPN00/366	7F	7F		
NZSPN00/426	3	3	3	
NZSPN00/454	23F	23F-23A= 23A-23F	23F	AF532679
NZSPN00/470	9V	9V	9V	
NZSPN00/480	6A	6A-ca	6B	
NZSPN00/484	23F	23F-g= 10A-23F	23F	
NZSPN00/499	19F	19F	19F	
NZSPN01/162	2	2-q	2	
NZSPN01/243	33F	33F-q	33F/37	-;
				AY163203, AY163219
NZSPN01/393	35F	35F		
NZSPN01/468	11A	11A-q		
NZSPN01/481	16F	16F		
NZSPN01/484	23F	23F-g= 10A-23F	23F	
NZSPN01/490	22F	22F		
NZSPN01/493	9N	9N		
NZSPN01/509	23A	23A-ca	23F-X; 23F-Y-NEG	
NZSPN01/510	12F	12F		
NZSPN01/520	9V	9V	9V	
NZSPN01/531	8	8	8	
NZSPN01/534	3	3	3	
NZSPN01/538	38	38/25F		
NZSPN01/543	10A	10A-q		
NZSPN01/546	4	4	4	
NZSPN01/547	20	20/13		

NZSPN01/548	7F	7F		
NZSPN01/549	1	1	1	
NZSPN01/553	17F	17F-c		
NZSPN01/554	19F	19F	19F	
NZSPN01/555	18C	18C/18B	18C	
NZSPN01/557	19A	19A	19A	
NZSPN01/559	6A	6A-c	6B	
NZSPN01/560	14	14-g	14	
NZSPN01/561	6B	6B-q	6B	
NZSPN00/12	17F	17F-c		
NZSPN00/50	Nonserotypeable	Nonserotypeable-nz		AF532714
NZSPN00/59	5	5-q		
NZSPN00/75	Nonserotypeable	No-amplicon		
NZSPN00/180	9V+14	9V	9V+14	
NZSPN00/221	38	38/25F		
NZSPN00/225	13	13/20		
NZSPN00/242	35F	35F		
NZSPN00/353	18A	18A	18C	AF532659; AY163209, AY163225
NZSPN00/410	33F	33F-q	33F/37	AF532688; AY163202, AY163218
NZSPN01/93	16F	16F		
NZSPN01/122	10A	10A-q		
NZSPN01/146	38	38/25F		
NZSPN01/166	16F	16F		AF532654
NZSPN01/204	35B	35B		
NZSPN01/209	22A	22A		
NZSPN01/240	12F	12F		
NZSPN01/254	35F	35F		
NZSPN01/262	8	8	8	
NZSPN01/276	6A	6A-6B-q =6B-q	6B	-; AY163177, AY163187
NZSPN01/278	18B	18B/18C	18C	-; AY163213, AY163229
NZSPN01/291	6B	6B-q	6B	
NZSPN01/303	Nonserotypeable	No-amplicon		
NZSPN01/313	18C	18C/18B	18C	
NZSPN01/329	6A	6A-6B-g =6B-g	6B	AF532701; AY163175, AY163185
NZSPN01/335	19A	19A	19A	
NZSPN01/344	18C	18C/18B	18C	
NZSPN01/361	9N	9N		
NZSPN01/363	18C	18C/18B	18C	
NZSPN01/366	6A	6A-ca	6B	
NZSPN01/369	18C	18C/18B	18C	
NZSPN01/374	35B	35B		
NZSPN01/387	22F	22F		
NZSPN01/388	12F	12F		
NZSPN01/389	20	20/13		
NZSPN01/403	20	20/13		
NZSPN01/411	11A	11A-nz		AF532638
NZSPN01/418	8	8	8	
NZSPN01/428	3	3	3	AF532683
NZSPN01/431	1	1	1	
NZSPN01/437	1	1	1	
NZSPN01/438	22F	22F		

NZSPN01/448	11A	11A-q	
NZSPN01/455	19A	19A	19A
NZSPN01/463	10A	10A-q	
NZSPN01/465	22F	22F	
NZSPN01/477	10A	10A-23F =23F-g	23F-NEG
NZSPN01/478	20	20/13	
NZSPN01/483	8	8	8
NZSPN01/485	12F	12F	
NZSPN01/489	3	3	3
NZSPN01/497	9N	9N	
NZSPN01/505	19A	19A	19A
NZSPN01/512	7F	7F	
NZSPN01/515	3	3	3
NZSPN01/516	1	1	1
NZSPN01/529	1	1	1
NZSPN01/532	4	4	4
NZSPN01/535	7F	7F	
NZSPN01/539	19F	19F	19F
NZSPN01/545	18C	18C/18B	18C
NZSPN01/556	6B	6B-q	6B
NZSPN01/558	14	14-g	14

*Notes.*

1. CS of selected *S. pneumoniae* isolates from reference panels 1 and 3 was repeated by Gail Stewart and Robert Gange at Department of Microbiology, Children's Hospital at Westmead, New South Wales, Australia.
2. MCT was performed and GenBank accession numbers generated by Fanrong Kong at Centre for Infectious Diseases and Microbiology (CIDM), Institute of Clinical Pathology and Medical Research (ICPMR), Westmead Hospital, Westmead, New South Wales, Australia. See text for molecular capsular subtype (mctsp) nomenclature.
3. Provided by Denise Murphy, Pneumococcal Reference Laboratory, Public Health Microbiology, Queensland Health Scientific Services, Queensland, Australia.
4. Provided by Associate Professor Geoff Hogg and Jenny Davis, Microbiological Diagnostic Unit (MDU), Public Health Laboratory, Department of Microbiology and Immunology, University of Melbourne, Victoria, Australia.
5. Provided by Dr. Louise P. Jette, Institut National de Sante Publique du Quebec-Laboratoire de Sante Publique du Quebec, Sainte-Anne-de-Bellevue, Quebec H9X 3R5, Canada.
6. Provided by Dr. Michael Watson, Department of Microbiology, Children's Hospital at Westmead, New South Wales, Australia.
7. Selected 21 *S. pneumoniae* clinical isolates, of which CS results were known, from the CIDM diagnostic laboratory.

8. 152 Australian *S. pneumoniae* clinical isolates, of which CS results were known, from the CIDM diagnostic laboratory.
9. 103 New Zealand *S. pneumoniae* clinical isolates Provided by Dr. Diana Martin, from Streptococcus Reference Laboratory, at Institute of Environmental Science and
- 5 Research (ESR), Wellington, New Zealand.

#### Conventional serotyping (CS)

- CS was performed by the Quellung reaction using rabbit polyclonal antisera
- 10 from the Statens Serum Institute, Copenhagen, Denmark (Sorensen, 1993). Briefly, 2  $\mu$ L of a suspension of isolate, in 10% formalin saline, and 1  $\mu$ L of antisera, under a glass coverslip were examined for capsular swelling using a light microscope at 400x magnification. Clinical isolates from CIDM were serotyped at Department of Microbiology, Children's Hospital at Westmead, Sydney, Australia and those from
  - 15 New Zealand by the Streptococcus Reference Laboratory, at ESR, Wellington, New Zealand. Selected New Zealand clinical isolates for which only serogroup results were available and selected isolates from reference panels 1 and 3 were re-tested at Children's Hospital at Westmead.

#### 20 Molecular capsular sequence typing - development of method

##### Oligonucleotide primers

- The oligonucleotide primers used in this study, their target sites and melting temperatures are shown in Table 2 and the primer pair specificities and expected amplicon lengths in Table 3. Primers were designed with high melting temperatures to
- 25 be used in rapid cycle PCR (Kong et al., 2000).

- Four previously published *S. pneumoniae*-specific primers, targeting *psaA* (P1, P2) (Morrison et al., 2000) and pneumolysin (IIa, IIb) (Salo et al., 1995) were modified to give high melting temperatures and used to confirm that isolates were *S. pneumoniae*. Primers were designed to amplify and sequence portion of the *cpsA-cpsB*
- 30 gene region and to amplify serotype/serogroup-specific sequences in the *wzy* and *wzx* genes of 16 *S. pneumoniae* serotypes for which *cps* gene cluster sequences were available. In order to further explore the sequence heterogeneity, part of the *wzx* and *wzy* genes of isolates belonging to serogroups 6, 18, 23 and 33/37 were also sequenced. For serotype 3, which does not contain *wzy* and *wzx* genes, serotype-specific PCR
  - 35 targeted the *orf2 (wze)-cap3A-cap3B* region (Arrecubieta et al., 1996).

Table 2. Oligonucleotide primers used in this study.

Primer	Target gene	T <sub>m</sub> °C <sup>1</sup>	GenBank accession numbers	Sequence <sup>2,4</sup>
*P1 <sup>5</sup>	<i>psaA</i>	72.9	U53509	203TACATTACTCGTCTCTCTTCTTCTTCTTGC AAT CAT TCT TG240 (SEQ ID NO:64)
*P2 <sup>5</sup>	<i>psaA</i>	72.7	U53509	1066TAGTAGCTGTCG CCT TCT TTA CCT TGT TCT GC1035 (SEQ ID NO:65)
*IIa <sup>6</sup>	<i>pneumobysin</i>	71.9	M17717	457AGA ATA ATC CCA CTC TTC TTG CGG TTG A484 (SEQ ID NO:66)
*IIb <sup>6</sup>	<i>pneumobysin</i>	71.4	M17717	680CAT GCT GTG AGC CGT TAT TTT TTC ATA CTG651 (SEQ ID NO:67)
cpsS1 <sup>7</sup>	<i>cpsA (wzg)</i>	75.4	U09239	1030GGC ATT(C) TAT GGA GTT GAT TCG(A) TCC ATT(C) CAC ACC(T) TTA GAA AAT(C) CTC TAT GGA
cpsS2 <sup>7</sup>	<i>cpsA (wzg)</i>	71.9	U09239	1057CAC ACC(T) TTA GAA AAT(C) CTC TAT GGA GTG GAT ATC AAT TAC TAT G1099 (SEQ ID NO:69)
cpsS3 <sup>7</sup>	<i>cpsA (wzg)</i>	68.7	U09239	1447GAA AGT GGG(A/T) GGG(A/T) A(G)A(C)T(G) TAT(C) AAA GTA(G) AAT TCT(G) CAA GAT(C) TTA(G) AAA(G) G1489 (SEQ ID NO:70)
cpsA1 <sup>7</sup>	<i>cpsA (wzg)</i>	71.5	U09239	1549CCA TCA C(T)AT AGA GGT TAC(A) TG(A)T CTG GCA TT(C)G C1519 (SEQ ID NO:71)
cpsA2 <sup>7</sup>	<i>cpsB (wzh)</i>	67.0	U09239	1949T(G)CA TG(A)C TA(G)A AC(T)T CT(A)A TC(T)A AG(A)G CAT AAC GAC TAT C(T)1916 (SEQ ID NO:72)
cpsA3 <sup>7</sup>	<i>cpsB (wzh)</i>	75.6	U09239	2030GC(T)T CAA TG(A)T GG(A)G CAA TG(T)A CTG GA(C)G TA(G)A TTC CCA(G) ACA TC1993 (SEQ ID NO:73)
1YS	<i>cap1H (wzy)</i>	72.1	Z83335	10289GTA GGT GTA GTT TTT TCA GGG ACT TTA ATT TTA TGC AGT G10328 (SEQ ID NO:74)

1YA	<i>cap1H</i> (wzy)	70.4	Z83335	10584 TCG CTT AAC ACA ATG GCT TTA GAA GGT AGA G10554 (SEQ ID NO:75)
2YS	<i>cps2H</i> (wzy)	70.5	AF026471	9711GTT ATT TTA TTT TTT TTT TCG GCA TTG TAT TCT TTA TAT CG9751 (SEQ ID NO:76)
2YA	<i>cps2H</i> (wzy)	71.3	AF026471	10058CAA ATT CAT CGT TTG TAT CCA TTT AAC TGC ATC10026 (SEQ ID NO:77)
4YS	wzy	70.2	AF316639	9601CTT ATA TCT AAT TAT GTT CCG TCT ATA TTT ATA TGG GTT TGC TTT C9646 (SEQ ID NO:78)
4YA	wzy	71.1	AF316639	9948TTT CTC TTC ATT TTC CTG ATA ATT TTG TAC TTC TGA ATG9910 (SEQ ID NO:79)
6A6BYS0 <sup>7</sup>	wzy	62.6	AY078347 & AF316640	8196/9186ATG CTT TTA AAT TTC TTA TTC ATA TCT ATT TTT C8229/9219 (SEQ ID NO:80)
6A6BYS	wzy	72.0	AY078347 & AF316640	8264/9254G(A)GA TTT T(G)TT TCA ACC T(C)GC AGT AAT TTT AAC AA(C)T C(T)G(A)8298/9288 (SEQ ID NO:81)
6A6BYA	wzy	71.4	AY078347 & AF316640	8578/9568CCT GAA AAC AA(G)T ACT(C) ACT TTC TGA ATT TCA C(T)GG A(G)TA TAA AG8538/9528 (SEQ ID NO:82)
6A6BYA1 <sup>7</sup>	wzy	72.4	AY078347 & AF316640	8944/9934GTA AAC AGA GAG CGA GTG ATC ATT TTA AAA CTT TTG G8808/9898 (SEQ ID NO:83)
8YS	wzy	70.5	AF316641	10810GTT TTA TTG ACT TTA AAG ATG TTA GTT TCT TCG ATT CCA G10849 (SEQ ID NO:84)
8YA	wzy	70.5	AF316641	11086TTT TTA TTA CTC TTC TTA AAT CAT AAT GAA TCG TAC CAA TCA AC11043 (SEQ ID NO:85)
9VYS	<i>cps9vI</i> (wzy)	73.5	AF402095	8535GGA TCA ATG GCA ACT ATA TTT ACC CTA CTC TCC ACA G8571 (SEQ ID NO:86)
9VYA	<i>cps9vI</i> (wzy)	76.3	AF402095	8872GAG TCG AAA CCA ACC GGA AAA AGC AAT TGA G8842 (SEQ ID NO:87)
14YS	<i>cps14H</i> (wzy)	71.5	X85787	7361CCT TTG GTT TAT TAT CCT ACT TCC AAA ACA GTT TAT GC7398 (SEQ ID NO:88)

14YA	<i>cps14H (wzy)</i>	71.4	X85787	7670CAT ATA TCT CTT TAT CCT GTC AAT ATT GAT TGG CAT TTT C7631 (SEQ ID NO:89)
18CYS0 <sup>7</sup>	<i>wzx</i>	71.3	AF316642	11856GAA ATT ATA GTC GGA GCT TTC ATT TAT ATT AGT TTA CTG GTT CTG11900 (SEQ ID NO:90)
18CYS	<i>wzy</i>	71.5	AF316642	12190GAT ATT AGC TAT ACC AAC AAT TGT TCT TTT CCT GTA CTC AGT C12232 (SEQ ID NO:91)
18CYA	<i>wzy</i>	72.5	AF316642	12491GCA TTT CTA GTA CCG AAC CAT TGA AAC TAT CAT CTG12456 (SEQ ID NO:92)
18CYA1 <sup>7</sup>	<i>wzy</i>	73.3	AF316642	12536CAG AAT AAA GAG AGC TGT AAT AGG TGC AAC TTC ATG C12490 (SEQ ID NO:93)
19FYS	<i>cps19H (wzy)</i>	70.6	U09239	7673CTG TAA TGT TTC TAA TTA GTT CAG TAT TTG CAC TGG TTA ATT C7715 (SEQ ID NO:94)
19FYA	<i>cps19H (wzy)</i>	72.0	U09239	7958CCC GTA TAT CCA TTA CTA AGA ACA AGG TTG TAT ATT TCC TTC7917 (SEQ ID NO:95)
19AYS	<i>cps19aI (wzy)</i>	71.2	AF094575	9245GTT TCT CAT TAG TTC TGT ATT TGC CCT TAT TAA TGT GC9282 (SEQ ID NO:96)
19AYA	<i>cps19aI (wzy)</i>	72.2	AF094575	9514CCA TGG CTA AGT GCA AGA TTA TGA ATC TCT CTC9482 (SEQ ID NO:97)
19B19CYS	<i>cps19bI (wzy)</i>	71.6	AF004325	3519GTT TCT TAT GTT TAC CCT CAG CTT ATA TTG GCA CAG3554 (SEQ ID NO:98)
19B19CYA	<i>cps19bI (wzy)</i>	71.5	AF004325	3946GAT ACC ACA AAT CTC CGA ATT CTC TTA AAA TAG ATG G3910 (SEQ ID NO:99)
23FYS	<i>cps23G (wzy)</i>	71.6	AF057294	8567TTA AGT AGT TCA CAA GTG ATA GTG AAC TTG GGA TTG TC8604 (SEQ ID NO:100)
23FYA	<i>cps23G (wzy)</i>	70.7	AF057294	8846CAC TGA GAT TAT TTA TTA GCT TTA TCG GTA AGG TGG ATA AG8806 (SEQ ID NO:101)
33F37YS0 <sup>7</sup>	<i>cap33J</i>	76.0	AJ006986	11191CCA ATG AAA AGG AAA GTT CAA TGT GTT TTG TTT CTG C11227 (SEQ ID NO:102)

33F37YS	<i>cap33fK &amp; cap37K (wzy)</i>	70.7	AJ006986 & AJ131984	11341/11708ATT ACT TGT AAT ACT ATG TAT TCA ACT AGT CA(C)A GGA TTT GAT GG11384/11751 (SEQ ID NO:103)
33F37YA	<i>cap33fK &amp; cap37K (wzy)</i>	71.7	AJ006986 & AJ131984	11650/12017GAACAAATTTCCGTATCAGATTTGCGA TTTTC11620/11987 (SEQ ID NO:104)
33F37YA1 <sup>7</sup>	<i>cap33fK (wzy)</i>	72.2	AJ006986	11858GGT GCT TCA GCA AAA ATC CCC GTA TTT CTT ATC AG11824 (SEQ ID NO:105)
1XS	<i>cap11 (wzx)</i>	72.6	Z83335	12017TAG CTG ATG TTC CGA TAA ATT ATG GTG GGG TAA TAA TAG12055 (SEQ ID NO:106)
1XA	<i>cap11 (wzx)</i>	70.6	Z83335	12442CTG CGA CAC TGT ATA TAC CTA CAT TAT AAC TAC TAG ACA TTT GC12399 (SEQ ID NO:107)
2XS	<i>cps2J (wzx)</i>	71.8	AF026471	12167GCA ACT TTG GTT CTA AAA TTT TAG TCT TTT TAA TGG TTC C12206 (SEQ ID NO:108)
2XA	<i>cps2J (wzx)</i>	72.1	AF026471	12595TGT TAA ACC CCA ATA TAG AAA TTG TAT TGA GAA TAG CAG C12556 (SEQ ID NO:109)
4XS	<i>wzx</i>	73.2	AF316639	12119CG TTA ATA GCT TAT GTT CAA CTG GTG ATT GAT TTT GG12155 (SEQ ID NO:110)
4XA	<i>wzx</i>	72.0	AF316639	12442TGA TAG TTT TAG AAA TAA TAT AAG GAA TTG CAA CTG CAT GC12402 (SEQ ID NO:111)
6A6BXS0 <sup>7</sup>	<i>cpsI-wzx spacer</i>	72.7	AY078347 & AF246898	9581/4550GGT AGG TAT TTT AAT TGG AGG AAG AGA GTC TTG AAT GG9618/4587 (SEQ ID NO:112)
6A6BXS	<i>wzx</i>	72.5	AY078347 & AF316640	9695/10685TTC ATG TC(T)T(C) TTT TG(A)T CTA ATC TGA TTA CAA TTG(C) TC(T)A CAT CG(A)9735/10725 (SEQ ID NO:113)
6A6BXA	<i>wzx</i>	74.1	AY078347 & AF316640	9999/10989T(C)GC ATT TG(T)G ATC TGT CAC AA(G)T CAA TAA GTT AAA ACC9964/10954 (SEQ ID NO:114)
6A6BXA1 <sup>7</sup>	<i>wzx</i>	72.5	AY078347 & AF246898	10682/5651ATC TTC CCT TCA TAA ATT GAC ATA GGA AAA ATA AGA GCC10644/ 5613 (SEQ ID NO:115)



8XS	wzx	71.8	AF316641	8602CAA TTC TAA CTA TGT CCA GTT TTA TTT TTC CAC TCA TCA G8641 (SEQ ID NO:116)
8XA	wzx	74.2	AF316641	8926GAC GTG ATA ATA AGC TGC CAT TCC TGT CTA AAA CG8889 (SEQ ID NO:117)
9VXS	<i>cps9vK</i> (wzx)	74.5	AF402095	10543CGG CGG TAT TAA GTA GAA TAT TAA CAC CTG AAG AGT ATG GC10583 (SEQ ID NO:118)
9VXA	<i>cps9vK</i> (wzx)	73.6	AF402095	10910GGC AAT CAG ACT CAA TAA GTT CAT CCG TTT AAA GTT C10874 (SEQ ID NO:119)
14XS	<i>cps14L</i> (wzx)	72.1	X85787	11463GGT ATT GCC TTT CCT TTG ATA ACT TCT CCT TAT TTA TCA C11502 (SEQ ID NO:120)
14XA	<i>cps14L</i> (wzx)	71.6	X85787	11751TGA ACT TGT AAC TCG ACA CCC AAA AAT ATA AAT AAA TGA G11712 (SEQ ID NO:121)
18CXS0 <sup>7</sup>	<i>wciW</i>	75.0	AF316642	10403CAA AGG AAC GTT ATC AGC AAT TGT GTC AAA TTT CAG10438 (SEQ ID NO:122)
18CXS	wzx	72.5	AF316642	10715GAA TCG GAC AAT AGC ACA GGT ACG AAC AAG10744 (SEQ ID NO:123)
18CXA	wzx	75.2	AF316642	11082GCC ATG TAA TCA ACT GAC CAA GCA GGG TAC TC11051 (SEQ ID NO:124)
18CXA1 <sup>7</sup>	wzx	72.2	AF316642	11123AAG ATT AGG GCG CAC AAA GTT TAC TTG TTT TAG C11090 (SEQ ID NO:125)
19FXS	<i>cps19fJ</i> (wzx)	71.3	U09239	8975GTT ATT TCT TCA AAT CTG CTC ATA GTT TTA ACC TCA TCA C9014 (SEQ ID NO:126)
19FXA	<i>cps19fJ</i> (wzx)	73.5	U09239	9279TAT CTT GCG TTT TCA TCC CTT ACA GTT ATT AGG TTC AAA G9240 (SEQ ID NO:127)
19AXS	<i>cps19aJ</i> (wzx)	74.7	AF094575	10547TTC TTC AAA TCT TTT GAC AGT CTT GAC CTC TTC CTT G10583 (SEQ ID NO:128)
19AXA	<i>cps19aJ</i> (wzx)	72.3	AF094575	10846TAT CGT GCA TTC GAA TCT GTT ACA GCT AAT ACA TTT AAA C10807 (SEQ ID NO:129)
19BI9CXS	<i>cps19bJ</i> (wzx)	74.3	AF004325 & AF105116	7778/373GTC CTG ACG CTA TCA AAT ATC ATT TTC CCA TTA ATC AC7815/410 (SEQ ID NO:130)

19B19CXA	<i>cps19bJ (wzx)</i>	73.2	AF004325 & AF105116	8104/699CCC ACA TGT GAT CAA TAG GAG TGA AAA TTC TCT ATT C8068/663 (SEQ ID NO:131)
23FXS0 <sup>7</sup>	<i>cps23FI</i>	73.4	AF057294	11714CCT TTG GCT AAT TTC TTG GAC GAT AAT GAA TTT GTA TAT G11753 (SEQ ID NO:132)
23FXS	<i>cps23fJ (wzx)</i>	72.3	AF057294	11961GCT TTG GCT AAC TTT TCA TCA AAG ATT TTA ATT TTT TTG TTA G12003 (SEQ ID NO:133)
23FXA	<i>cps23fJ (wzx)</i>	73.3	AF057294	12361CCA GAG ATA GCT GTA ACA CCA ATT TTA TCA ATT CCC TTA G12322 (SEQ ID NO:134)
23FXA1 <sup>7</sup>	<i>cps23fJ (wzx)</i>	72.5	AF057294	12457CCA CAA ACA TTA GCA ATA AAG AAA CCT AAC AAT CCC12422 (SEQ ID NO:135)
33F37XS0 <sup>7</sup>	<i>cap33fK (wzy)</i>	76.7	AJ006986	12271GTT GTT TTA GCT CAA GGA GGG ATA ATG TTG GCT TCG12306 (SEQ ID NO:136)
33F37XS	<i>cap33fI &amp; cap37L (wzx)</i>	72.2	AJ006986 & AJ131984	12591/12958GAT CAT ACT CCC TAT CAT TAC GAC TCC CTA TGT AAC G12627/12994 (SEQ ID NO:137)
33F37XA	<i>cap33fI &amp; cap37L (wzx)</i>	72.1	AJ006986 & AJ131984	12918/13285CCA AGA AAT ATC CAA ACC TTT TGA CAC TAA ACT TAA TCC12880/13247 (SEQ ID NO:138)
33F37XA1 <sup>7</sup>	<i>cap33fL (wzx)</i>	73.3	AJ006986	13016GCT GAT TTT ACA AAT AGG AAA ATA GAG ATT GCA CCA AC12979 (SEQ ID NO:139)
3S1	<i>orf2 (wze) - cap3A spacer</i>	72.6	Z47210	5793GCA CAA AAA AAA GTT TGA TAT TCC CCT TGA CAA TAG5828 (SEQ ID NO:140)
3A1	<i>cap3A</i>	73.3	Z47210	6113GCA GGA TCT AAG GAG GCT TCA AGA TTC AAC TC6082 (SEQ ID NO:141)
3S2	<i>cap3A</i>	72.4	Z47210	6933CGA ACC TAC TAT TGA GTG TGA TAC TTT TAT GGG ATA CAG AG6973 (SEQ ID NO:142)
3A2	<i>cap3B</i>	75.7	Z47210	7229CTG ACA GCA TGA AAA TAT ATA ACC GCC CAA CGA ATA AG7192 (SEQ ID NO:143)

## Notes.

1. Primer Tm values provided by the primer synthesiser (Sigma-Aldrich).

2. Numbers represent the numbered base positions at which primer sequences start and finish (starting at point "1" of the corresponding gene GenBank sequence).
3. Underlined sequences show bases added to modify previously published primers.
4. Letters in parentheses indicate alternative nucleotides in different serotypes.
5. Morrison, et al. 2000.
6. Salo, et al. 1995.
7. For sequencing use only.
- \* Primers have been previously published. All others primers designed specifically for this study.

**Table 3. Specificity and expected lengths of amplicons of primer pairs used in this study.**

Primer pairs <sup>1</sup>	Specificity	Length of amplicons (base pairs)
P1/P2	<i>S. pneumoniae</i>	864
IIa/IIb	<i>S. pneumoniae</i>	224
cpsS1/cpsA3 <sup>2</sup>	<i>S. pneumoniae</i>	1001
cpsS1/cpsA1 <sup>2</sup>	<i>S. pneumoniae</i>	520
cpsS3/cpsA2 <sup>2</sup>	<i>S. pneumoniae</i>	503
1YS/1YA	serotype 1	296
2YS/2YA	serotype 2	348
4YS/4YA	serotype 4	348
6A6BYS/6A6BYA	serogroup 6	315
6A6BYS0/6A6BYA1 <sup>2</sup>	serogroup 6	747
8YS/8YA	serotype 8	277
9V9AYS/9V9AYA	serotypes 9V and 9A	338
14YS/14YA	serotype 14	310
18CYS/18CYA	serogroup 18	302
18CYS0/18CYA1 <sup>2</sup>	serogroup 18	671
19FYS/19FYA	serotype 19F	286
19AYS/19AYA	serotype 19A	270
19B19CYS/19B19CYA	serotypes 19B and 19C	428
23FYS/23FYA	serotype 23F	280
33F37YS/33F37YA	serotypes 33F/33A/37	310
33F37YS0/33F37YA1 <sup>2</sup>	serotypes 33F/33A/37	668
1XS/1XA	serotype 1	426
2XS/2XA	serotype 2	429
4XS/4XA	serotype 4	324
6A6BXS/6A6BXA	serogroup 6	305
6A6BXS0/6A6BXA1 <sup>2</sup>	serogroup 6	1102
8XS/8XA	serotype 8	325
9V9AXS/9V9AXA	serotypes 9V and 9A	368
14XS/14XA	serotype 14	289
18CXS/18CXA	serogroup 18	368
18CXS0/18CXA1 <sup>2</sup>	serogroup 18	721
19FXS/19FXA	serotype 19F	305

19AXS/19AXA	serotype 19A	300
19B19CXS/19B19CXA	serotypes 19B and 19C	327
23FXS/23FXA	serotypes 23F/23A	401
23FXS0/23FXA1 <sup>2</sup>	serotypes 23F/23A	744
33F37XS/33F37XA	serogroups 33/37	328
33F37XS0/33F37XA1 <sup>2</sup>	serotypes 33F/33A/37	746
3S1/3A1	serotype 3	321
3S2/3A2	serotype 3	297

*Notes.*

1. See Table 2 for primer sequences.
2. For sequencing use only.

5

*DNA preparation, PCR and sequencing*

DNA extraction, PCR and sequencing were performed as previously described (Kong et al., 2002).

10

*Sequence comparison, multiple sequence alignments, and phylogenetic analysis*

Sequences were compared using Bestfit in Comparison program group. Multiple sequence alignments were performed with Pileup and Pretty in Multiple Sequence Analysis program group. Phylogenetic relationships were studied using Ednadist and Ekitsch in Evolutionary Analysis program group. All programs are provided in WebANGIS, ANGIS (Australian National Genomic Information Service), 3<sup>rd</sup> version.

15

*Nucleotide sequence accession numbers*

The new partial sequence data for *cpsA-cpsB*, *wzy* (polymerase) and *wzx* (flippase) genes for selected reference and clinical isolates reported in this paper have appeared in the GenBank Nucleotide Sequence Databases, with accession numbers AF532632-AF532715, and AF163171-AF163232, respectively (Table 1).

20

Previously reported sequence data used in this paper, in addition to those listed in Table 2, have appeared in GenBank Nucleotide Sequence Databases with the following accession numbers: U15171, U66846 and U66845 (*cps* gene cluster for serotype 3); NC\_003028 (serotype 4 genome); AJ239004 (*cps* gene cluster for serotype 8); AF030367-AF030372 (*cps* gene cluster for serotype 19F); AF105113 (partial *cps* gene cluster for serotype 19A); AF105114 and AF106137 (partial *cps* gene

25

clusters for serotype 19B); AF105115 (partial *cps* gene clusters for serotype 19C); AF030373 and AF030374 (*cps* gene clusters for serotype 23F).

## RESULTS

5 Both pairs of *S. pneumoniae* species-specific primers (targeting *psaA* and pneumolysin genes) produced amplicons of the expected size from all reference and clinical isolates except six of 179 CIDM isolates, which, on retesting, were optochin resistant and therefore excluded from further study as they were not *S. pneumoniae*.

10 The sequencing primers, *cpsS1/cpsA3*, formed amplicons from all but 13 reference and clinical isolates. Of these 13 isolates, 10 (eight belonging to serotypes 38/25F and two that were nonserotypable) formed amplicons with primer pairs *cpsS1/cpsA1* and *cpsS3/cpsA2*. Three nonserotypable isolates did not form amplicons using any of the primer pairs targeting the *cpsA-cpsB* region, although they had been confirmed to be *S. pneumoniae* using both species-specific PCR.

15

### Sequence heterogeneity in the region between the 3'-end of *cpsA* and the 5'-end of *cpsB*

The present inventors sequenced and analyzed 800 bp fragments of the region between the 3'-end of *cpsA* (starting at base pair 951) and the 5'-end of *cpsB* (see 20 Figure 2). Representative sequences were deposited into GenBank (see Table 1 for accession numbers). There were 424 sites that were identical for all 51 serotypes represented among the isolates examined, leaving 376 (47%) heterogeneity sites.

### Intra- and inter-serotype/subtype heterogeneity

25 Only single isolates were available for 11 serotypes and the mixed serotype 9V/14 (see below). Among 40 serotypes, for which multiple isolates were available, 14 were divided into molecular capsular sequence types, on the basis of major and/or stable intra-serotype heterogeneity. Molecular capsular sequence types were named according to their conventional serotype (cs) and, generally, the source of the isolate in 30 which the sequence difference was first identified [-g = Genbank sequence; -c (CIDM); -q (Queensland); -ca (Canada); -nz (New Zealand)]. When sequences characteristic of two serotypes were present in the *cpsA-cpsB* region subtype names included both, with the CS first (e.g 23F-23A when CS was 23F; 23A-23F when CS was 23A). Seventeen serotypes had no intra-serotype heterogeneity and in nine there were minor and/or less 35 stable variations between isolates and/or between sequences disclosed herein with corresponding sequences in GenBank (Table 4, Figure 2).

Table 4. Molecular capsular type (MCT) heterogeneity sites in the region between the 3'-end of *cpsA* and the 5'-end of *cpsB* of 51 *S. pneumoniae* serotypes.

MCT (n) <sup>a</sup>	Intra-MCT <sup>b</sup> Heterogeneity Site - base	Identity between MCT (%)	MCT <sup>b</sup> -specific heterogeneity site - base	Selected heterogeneity sites shared with other MCT <sup>b</sup> - base
1 (9+g)	133 - T <sup>g</sup> / A <sup>9</sup>		289 - A, 452 - A	122 - T, 152 - A, 495 - A, 600 - A
2-g (g)	-		705, 706 - CG	287 - G, 507 - G, 534 - A
2-q (3)	Nil	95.9%	239 - C, 293 - T, 386 - A, 404 - G	232 - G, 286 - C, 600 - A
3 (17+g)	262 - C <sup>g+16</sup> / T <sup>1</sup> , 292 - G <sup>16</sup> / A <sup>g+1</sup> , 293 - A <sup>16</sup> / G <sup>g+1</sup> , 539 - C <sup>16</sup> / T <sup>g+1</sup> , 545 - C <sup>g+16</sup> / A <sup>1</sup>		485 - A, 487 - A	27 - A, 90 - A, 231 - A, 590 - T, 686 - T
4 (36)	Nil		179 - C	231, 232 - TG, 611 - T, 743 - T
5-q (4)	Nil			428 - T, 599 - A
5-c (1)	-	94.0%		122 - T, 152 - A, 247 - C, 605 - T
6A-g (g)	463-5 - AGC <sup>12</sup> /GCA <sup>g</sup> , 534 - A <sup>g</sup> / G <sup>12</sup> , 542 - C <sup>g</sup> / T <sup>12</sup> , 545 - A <sup>g</sup> / C <sup>12</sup>			62 - A, 209 - A, 534 - A, 542 - C
6A-ca (7)	55 - A <sup>5</sup> / G <sup>2</sup> , 331 - A <sup>2</sup> / G <sup>5</sup> , 434 - A <sup>5</sup> / G <sup>2</sup>	6A-ca : 6A-g=99.1%		62 - A, 209 - A
6A-c (2)	Nil	6A-c : 6A-ca=99.5%		62 - A, 209 - A, 337 - G
6A-6B-g (2)	(see 6B-g) 772 - A <sup>g+1</sup> / G <sup>1</sup>			(see 6B-g)
6A-6B-q (1)	(see 6B-q)			(see 6B-q)

6B-g (4+g)	31 - A <sup>1</sup> /G <sup>3</sup>	6B-q : 6B-g=84.7%	749 - G	209 - A, 337 - G, 341 - G, 52 - G, 58 - C, 68 - G, 82 - C, 85 - T, 94 - T, 104 - T, 116 - G, 160 - T, 209 - C, 286 - C, 343 - G, 375 - G, 478 - C, 490 - C, 521 - T, 563 - T, 704 - C, 776 - C
6B-q (9)	383 - A <sup>8</sup> /G <sup>1</sup>			193 - T, 209 - C
6B-c (1)	-	6B-c : 6B-g=92.1%	66 - C, 445 - C	722 - C, 731 - A
7F (15)	Nil			49 - C, 731 - A
7C (3)	Nil			425 - A
8 (12)	Nil		340 - T, 670 - G	352 - G, 409 - T, 590 - T, 722 - A
9N (9)	Nil		81 - T, 378 - A	428 - C, 704 - C, 750 - T, 776 - C
9V (17)	Nil		245 - G	704 - C, 750 - T, 776 - C
10F (2)	309 - G <sup>1</sup> /A <sup>1</sup> , 335 - G <sup>1</sup> /A <sup>1</sup>			232 - G
10A-q (5)	Nil		222 - T, 663 - T	(see 23F-g)
10A-23F (6)	(see 23F-g)	91.2%		122 - T, 232 - G, 478 - C, 490 - C, 521 - T, 704 - C
11A-q (7)	Nil			597 - A
11A-nz (1)	-	94.0%	316 - T	10 - G, 52 - G, 58 - C, 68 - G, 82 - C, 85 - T, 94 - T, 104 - T, 116 - G, 148 - T, 160 - T, 231, 232 - TG, 247 - C, 250 - A, 286 - C, 292 - C, 343 - G, 375 - G, 425 - A, 521 - T, 563 - T, 704 - C
11B (1)	-		269 - A, 490 - G, 776 - T	287 - G, 497 - G, 577 - T, 722 - C
12F (9)	268 - A <sup>1</sup> /C <sup>8</sup> , 572 - C <sup>1</sup> /T <sup>8</sup> , 781 - G <sup>1</sup> /T <sup>8</sup>		274 - C	



13 (6)/20 (8)	Nil; Nil			590 - T, 686 - T, 722 - A
14-g (32+g)	249 - T <sup>23</sup> /C <sup>g+g</sup> , 250 - G <sup>32</sup> /T <sup>g</sup> , 320 - G <sup>32</sup> /A <sup>g</sup>			577 - T
14-c (1)	-	98.1%	613 - G	16 - C, 49 - C, 54 - T, 62 - T, 406 - G, 577 - T
15A-ca1 (1)	-		473 - G	49 - C, 337 - G, 507 - G
15A-ca2 (1)	-	95.1%	406 - A, 473 - G	337 - G, 507 - G
15B-q (5)	Nil			232 - G
15B-c (1)	-	15B-c : 15B-q=97.4%	235 - T, 351 - G	49 - C, 247 - C, 352 - G, 428 - T, 542 - C
15B-22F (2)	(see 22F)	15B-22F : 15B-q=95.2%		(see 22F)
15C-q (1)	as for 15B-q plus 104 - T <sup>C</sup> /C <sup>B</sup>			232 - G
15C-CA (1)	as for 15B-q plus 232 - A <sup>C</sup> /G <sup>B</sup> , 757 - T <sup>C</sup> /C <sup>B</sup>	99.6%		pattern
16F (6)	149 - C <sup>5</sup> /T <sup>1</sup> , 232 - A <sup>5</sup> /G <sup>1</sup>			122 - T, 232 - G, 352 - G, 548 - A
17F-c (3)	Nil			199 - A, 247 - C, 600 - C
17F-35B (2)	(see 35B)	99.8%	728 - C	(see 35B)
17A (1)	-		122 - A	85 - T, 554 - G, 567 - A
18F (1)	-		65 - A, 161 - T, 469 - C, 684 - A	722 - C, 786 - C
18A (2)	63 - T <sup>1</sup> /A <sup>1</sup>		99 - C, 202 - G, 232 - C, 239 - G, 322 - C, 334 - C,	122 - T, 307 - G, 563 - T, 686 - T

18B (4)/18C (14)	Nil; Nil	138 - G, 459 - C, 478 - C 750 - A	
19F (20+gx7)	164 - C $g^{7+17}/\Gamma^3$ , 169 - C $g^{6+11}/\Gamma^{g+9}$ , 387 - A $g^{6+20}/\Gamma^g$ , 414 - G $g^{5+20}/\Gamma^{g^2}$ , 479 - G $g^{7+16}/A^4$	169 - T, 337 - G	
19A (11+g)	70 - T <sup>g</sup> /C <sup>11</sup> , 479 - A <sup>8</sup> /G <sup>g+3</sup>	202 - C	49 - C, 54 - T, 62 - T, 94 - A, 103 - C, 104 - T, 160 - T, 198 - C, 232 - G, 286 - C, 343 - G, 352 - G, 375 - T, 425 - A, 490 - C, 750 - T 428 - C, 548 - A, 629 - T, 717 - A 428 - T, 567 - G, 599 - A, 731 - A 428 - T, 567 - A, 599 - A, 731 - A 193 - T 249 - A, 337 - G 495 - A 247 - C, 495 - A (as for 23F-23A) 49 - C, 55 - T, 58 - C, 62 - T, 103 - C, 104 - T, 160 - T, 198 - C, 223 - G, 232 - G, 249 - T, 286 - C, 292 - C, 343 - G, 375 - G, 376 - G, 425 - A, 490 - C, 521 - T, 563 - T, 704 - C
21 (1)	-		3
22F (13)	Nil		
22A (4)	Nil		
23F-g (17+gx3)	Nil		
23F-c (1)	-	23F-c : 23F-g=91.2% 23F-23A : 23F-g=98.7%	88 - G
23F-23A (1)	-		
23A-ca (2)	Nil	96.6%	
23A-23F (1)	(as for 23F-23A)		
23B (1)	-	734 - C, 763 - G	

54

25F (1)/38 (7)	-; Nil		Numerous sites	Numerous sites
29 (1)	-		310 - A	335 - A
31 (2)/42 (1)	Nil; -			122 - T, 152 - A, 605 - T
33F-g (2+g)/33A (1)	534 - A <sup>g</sup> /G <sup>2</sup> ; -			247 - C, 600 - A, 728 - T
33F-q (4)	313 - T <sup>1</sup> /G <sup>3</sup>	94.7%	313 - T	169 - T, 717 - A
33B (1)	-		578 - G	169 - T, 717 - A
34 (2)	Nil			85 - C, 122 - C, 554 - G, 567 - A
35F (6)	Nil			232 - G, 343 - G, 554 - G, 577 - T
35B (9)	Nil			199 - G, 247 - C, 600 - A, 728 - C
37 (1+g)	231 - A <sup>g</sup> /C <sup>1</sup>		54 - G	90 - A, 231 - A, 743 - T
41F (1)	-			287 - G, 507 - G

54

## Notes.

- a. Key to mcst: -g = Genbank sequence; -c (CIDM); -q (Queensland); -ca (Canada); -nz (New Zealand)
- b. The superscript numbers = number of isolates studied; superscript g = base present in corresponding GenBank sequence

There were 368 heterogeneity sites that allowed differentiation between molecular capsular sequence types, including both specific and shared sites (Table 4, Figure 2).

#### 5 Phylogenetic tree based on region of the 3'-end of *cpsA*-the 5'-end of *cpsB* genes

Using these 800bp sequences, a phylogenetic tree was inferred for the 132 (included the new sequences from Example 2) *S. pneumoniae* molecular capsular sequence type analysis of the *cpsA-cpsB* region (Figure 3 - it should be noted that in Figure 3 the sequence types were renamed based on serotype and their GenBank  
10 accession numbers). Typical class I serotypes (e.g. 1, 18C, 19F), a typical class II serotype (e.g 33F, represented by 33F-g) and a nontypical class II serotype (19A) were each in different clusters of the tree (Jiang et al., 2001).

The phylogenetic tree provides evidence for, and suggests possible sources of, recombination between *cpsA-cpsB* genes of classes I and II. For example, subtype 23F-  
15 c (or 23F-AF532678) clustered with 15A-c2 (or 15A-AF532647), but in a separate cluster from other 23F and 15A subtypes, suggesting that they may have arisen by recombination between 23F and 15A, respectively, and other serotypes.

#### Molecular capsular sequence typing based on *cpsA-cpsB* region sequences

20 The molecular capsular sequence type, assigned on the basis of *cpsA-cpsB* sequence, was the same as the CS for all isolates belonging to 36 of 51 serotypes (or 304 of 394 [77%] isolates), and for the majority of isolates (25 of 39) belonging to another five serotypes (Table 5). The remaining isolates in these serotypes shared sequences with other serotypes, namely 6A with 6B, 10A and 23A with 23F, 15B with  
25 22F and 17F with 35B, presumably as a result of recombination. There were five serotype pairs, represented by 46 isolates, whose members had identical sequences: namely 20/13, 18C/18B, 38/25F, 31/42 and 33F-g/33A.

Table 5. Comparison of molecular capsular typing (MCT) and conventional serotyping (CS) results of 394 *S.pneumoniae* isolates.

CS	N=	MCT-seq: a) <i>cpsA-cpsB</i> or b) <i>wzx, wzy</i> type(s) (n) <sup>1</sup>	MCT-PCR ( <i>wzy</i> & <i>wzx</i> )	Final MCT	Comment
1	9	1	1	1	Correlate
2	3	2	2	2	"
3	17	3	3	3	"
4	36	4	4	4	"
5	5	5	NA	5	"
6A	12	6A(9); 6B-g (2); 6B-q (1) 6A (11) <sup>2</sup> ; 6B-q (1)	Serogroup 6	6A (11) 6B (1)	1 of 12 results discrepant <sup>2</sup>
6B	15	6B	Serogroup 6	6B	Correlate
7C	3	7C	NA	7C	"
7F	15	7F	NA	7F	"
8	12	8	NA	8	"
9N	9	9N	NA	9N	"
9V	17	9V	9V	9V	"
9V/14	1	9V	9V/14	9V/14	See text
10A	11	10A (5); 23F-g (6) <sup>3</sup>	23F <i>wzy/wzx</i> PCR negative (6) <sup>3</sup>	10A (11) <sup>3</sup>	Correlate <sup>3</sup>
10F	2	10F	NA	10F	Correlate
11A	8	11A	NA	11A	"
11B	1	11B	NA	11B	"
12F	9	12F	NA	12F	"

13	6	13/20	NA	13/20	Consistent
14	33	14	14	14	Correlate
15A	2	15A	NA	15A	Correlate
15B	8	15B (6); 22F (2)	NA	15B (6); 22F (2)	2 of 8 results discrepant
15C	2	15C	NA	15C	Correlate
16F	6	16F	NA	16F	"
17A	1	17A	NA	17A	"
17F	5	17F (3); 35B (2)	NA	17F (3); 35 (2)	2 of 5 results discrepant
18A	2	18A	Serogroup 18	18A	Correlate
18B	4	18C/18B	"	18B/C	Consistent
18C	14	C/18B	"	18B/C	"
18F	1	18F	"	18F	Correlate
19A	11	19A	19A	19A	"
19F	20	19F	19F	19F	"
20	8	13/20	NA	20	Consistent
21	1	21	NA	21	Correlate
22A	4	22A	NA	22A	"
22F	13	22F	NA	22F	"
23A	3	23A (2); 23F-g (1)	23F wzy PCR negative/23F wzr PCR	23A <sup>4</sup>	"
		23A (3) <sup>4</sup>	positive <sup>4</sup>		
23B	1	23B	NA	23B	"

23F	20	23F	23F	23F	“
25F	1	25F/38	NA	25F/38	Consistent
29	1	29	NA	29	Correlate
31	2	31/42	NA	31/42	Consistent
33A	1	33A/33F-g <sup>5</sup>	Serogroup 33/37 <sup>5</sup>	33A/33F <sup>5</sup>	“ <sup>5</sup>
33B	1	33B	Serogroup 33/37 PCR (wzy) negative <sup>6</sup>	33B	Correlate <sup>6</sup>
33F	6	33A/33F-g <sup>5</sup> , 33F-q	Serogroup 33/37 <sup>5</sup>	33A/33F <sup>5</sup>	Correlate <sup>5</sup>
34	2	34	NA	34	Correlate
35B	9	35B	NA	35B	“
35F	6	35F	NA	35F	“
37	1	37	Serogroup 33/37	37	“
38	7	25F/38	NA	25F/38	Consistent
41F	1	41F	NA	41F	Correlate
42	1	31/42	NA	31/42	Consistent
Nonserotypa	5	Non-typable <sup>7</sup>	NA <sup>7</sup>	Non-typable <sup>7</sup>	Correlate <sup>7</sup>
ble					
TOTAL	394				<b>Results:</b>
					Correlate = 343
					Consistent = 46
					Discrepant = 5

*Notes.*

1. For nomenclature, see Table 4 and text.
2. *cpsA-cpsB* sequence 3 discrepancies; 2 resolved by *wzx*, *wzy* gene sequences.
3. Six serotype 10A isolates shared *cpsA-cpsB* sequence with 23F-g, but 23F specific PCR (targeting both *wzy* and *wzx*) was negative; 10A-23F was identified by exclusion of 23F in our existing database. However, this relationship needs to be confirmed by examination of a larger collection isolates.
4. *cpsA-cpsB* sequence 1 discrepancy; resolved by *wzx* gene sequence; 23F *wzx* PCR positive/23F negative *wzy* PCR negative also support its identification by exclusion.
5. For one serotype 33A isolate, *cpsA-cpsB* and *wzx* and *wzy* sequences were identical with 33F-g but different from 33F-q; 33F/37 *wzx* and *wzy* PCR were both positive.
6. One serotype 33B strain identified by exclusion: 33F/37 *wzx* PCR positive/33/37 *wzy* PCR negative.
7. All isolates confirmed to be *S. pneumoniae*. These isolates may belong to rare serotypes not represented among our reference isolates.



Molecular capsular sequence typing based on PCR targeting *wzy* and *wzx* (*orf2* [*wze*]-*cap3A-cap3B* for serotype 3)

There is significant sequence heterogeneity in *wzy* and *wzx* (data not shown), which made them suitable PCR targets for serogroup or serotype identification (Tables 2 and 3). With few exceptions, primer pairs targeting these genes formed amplicons only from the corresponding serotypes represented in the five reference panels. Exceptions were: PCR targeting serotype 6B also amplified 6A; PCR targeting 18C amplified all serotypes in serogroup 18; PCR targeting *wzx* (but not *wzy*) of serotype 23F, amplified three serotype 23A strains; PCR targeting *wzx* and *wzy* of serotypes 33/37 amplified a 33A isolate and that targeting *wzx* amplified a serotype 33B isolate.

The specificity of serotype 3-specific primers targeting the *orf2* (*wze*)-*cap3A-cap3B* genes (Arrecubieta et al., 1996) was confirmed by production of an amplicon of the expected size from all 17 serotype 3 isolates. Thus, a serotype or serogroup was assigned by PCR to all 239 isolates belonging to serotypes/serogroups for which specific PCR was developed (Table 5).

Comparison of molecular capsular sequence typing based on *cpsA-cpsB* sequencing and PCR/sequencing targeting *wzx* and *wzy*

The results of PCR and *cpsA-cpsB* sequencing were consistent except that PCR could not distinguish between some members of serogroups 6, 18, 23 and 33/37 and further sequencing (of *wzx*, *wzy*) was required to identify individual molecular capsular sequence types (see below). The *cpsA-cpsB* sequences of six 10A isolates were identical to those of 23F, but the isolates were negative in the 23F-specific PCR targeting *wzx* and *wzy* (10A-23F).

Relationships within serogroups

Sequence analysis of the *cpsA-cpsB* region and *wzy* and *wzx* genes (data not shown) showed variable phylogenetic relationships between members of different serogroups.

*Serogroup 6*

Serotypes 6A and 6B were divided into five and three subtypes, respectively, based on different sequence patterns in the *cpsA-cpsB* region. Three 6A isolates had sequences in this region characteristic of serotype 6B (Table 4). Serotypes 6A and 6B could not be distinguished by PCR targeting *wzx* and *wzy*. Sequencing of these genes correctly identified all except one 6A isolates, but some 6A and 6B subtypes share

identical or very similar sequences. The serotype of the discrepant isolate (serotype 6A, 6B-q) was checked independently by two laboratories (Vakevainen et al., 2001).

#### *Serogroup 18*

5 Serotypes 18C and 18B had identical *cspA-cpsB* region sequences and were close to 18A and 18F in the class I cluster (Figure 3). PCR targeting both *wzx* and *wzy* genes amplified all four serotypes. Sequences of 18C and 18B were identical to each other, but different from those of serotypes 18A and 18F, which were also distinguishable from each other.

10

#### *Serogroup 23*

Serotypes 23F, 23A (except 23F-23A and 23A-23F) and 23B were separated into different clusters based on *cpsA-cpsB* sequence differences. Serotype 23A (including 23A-23F) was identified on the basis of a positive result with 23F-specific  
15 primers targeting *wzx* and a negative result with the corresponding *wzy* PCR. Sequencing could differentiate individual serotypes (23A, 23F and 23B) except 23F-23A and 23A-23F. Most 23F-c, 23A-23F and 23F-23A have apparently arisen by recombination between 23F, 23A and/or others, producing sequences in the *cpsA-cpsB* regions that are quite different from their parental types.

20

#### *Serogroups 33 and 37*

Serotypes 33A and 33F-g share identical *cpsA-cpsB* sequences and that of 33B is similar; 37 and 33F-g cluster together, as do 33B and 33F-q (Figure 3). The 33F/37-specific *wzx* PCR amplified 37, 33F, 33A and 33B, indicating similarities at that site,  
25 although sequencing showed clear differences between 33B and the others. The 33F/37-specific *wzy* PCR amplified 37, 33F and 33A but not 33B. Thus, mct 33B was identified on the basis of a positive result with 33F/37-specific primers targeting *wzx* and a negative result with the corresponding *wzy* PCR.

#### 30 *Other serogroups*

Despite antigenic similarities that determine their membership of the same serogroup, serotypes 9N and 9V appear to be genetically distant, on the basis of significant differences between their *cpsA-cpsB* sequences and the fact that 9V-specific PCR did not amplify 9N.

35 Similarly, mct 19F and 19A had quite different *cpsA-cpsB* region sequences and separated into different clusters. 19F-specific PCR did not amplify 19A and vice versa.

There were differences between mct 19F, 19A, 19B, 19C in *wzx* and *wzy* sequences (except *wzy* sequence of 19C was not available in GenBank), but they formed two groups - 19F, 19A and 19B, 19C.

Serotypes 7F and 7C separated into different clusters based on *cpsA-cpsB* sequences, as did 11A and 11B (Figure 3). Serotypes 15B and 15C had similar *cpsA-cpsB* sequences and clustered together, except for 15B-22F. Serotypes 17F (including 17F-c and 17F-35B) and 17A were clustered together. Serotypes 35F and 35B are closely related based on similar *cpsA-cpsB* sequences.

#### 10 Mixed culture

One clinical isolate identified as serotype 9/14 using antisera was positive in 9V- and 14-specific PCR (targeting both *wzx* and *wzy*), but was identified as mct 9V by sequencing. The isolate was subcultured and 16 individual colonies were rested. All 16 colonies were positive in both mct 9V-specific and negative in both 14-specific PCR assays and were identified as mct 9V by sequencing. The serotype of the original isolate was rechecked and the results (mixed serotype 9/14) were as before. It was therefore assumed that the original isolate was a mixture, predominantly of serotype 9V with a minor component of serotype 14.

#### 20 Comparison of serotype identification results between molecular capsular sequence typing and CS

After CS and molecular capsular sequence typing had been completed, the results were compared. Initial results were discrepant for 29 isolates; repeat serotyping and/or correction of clerical errors resolved all but five discrepancies. Final results correlated between CS and molecular capsular sequence typing methods for all isolates of 38 serotypes (318 isolates), 20 of 25 of another three serotypes and all five nonserotypable isolates (total 343 isolates). In addition, there were 46 isolates belonging to pairs of serotypes whose members could not be distinguished from each other by molecular capsular sequence typing but all were assigned to the pair that included the serotype to which they had been assigned by CS. These results were classified as consistent.

The five discrepant results were: one isolate of serotype 6A was identified as 6B-q, two isolates of serotype 15B were identified as 22F and two isolates of serotype 17F as 35B.

Algorithm for serotype assignment of *S. pneumoniae* by molecular capsular sequence typing

An algorithm for practical use of the molecular capsular sequence typing method for the identification of *S. pneumoniae* serotypes is shown in Table 6.

5

DISCUSSION

Sequences of 16 *cps* gene clusters showed that all have the same four genes at their 5' ends - *cpsA* (*wzg*)-*cpsB* (*wzh*)-*cpsC* (*wzd*)-*cpsD* (*wze*) - which are the sites for recombination events that generate new forms of capsular polysaccharide. The sequences for different serotypes can be divided into two classes and show evidence of interesting recombination patterns.

The study of 51 serotypes, of which 40 were represented by more than one isolate, showed that the *cpsA-cpsB* sequences for the same serotypes were generally stable or could be consistently divided into a small number of subtypes. This shows that sequence patterns in this region can be used to identify different serotypes/serosubtypes.

It has been shown previously that PCR-RFLP based on the *cpsA-cpsB* region can predict *S. pneumoniae* serotypes (Lawrence et al., 2000). However, the method generates a long amplicon (1.8kbp), requires the use of three restriction enzymes and special equipment and has limited discriminatory ability.

The present inventors identified 376 sequence heterogeneity sites, in the *cpsA-cpsB* region, among the 51 serotypes studied (Table 4, Figure 2), which allowed a practical MCT assay based on sequencing to be developed. Several pairs of primers were designed to amplify a 1001 bp segment within the *cpsA-cpsB* region, based on the following considerations. The primers formed amplicons from virtually all, *S. pneumoniae* isolates (>99% of those examined); the amplicon is small enough to be amplified using normal PCR protocols; the region of interest (800bp) can be sequenced using a single reaction and the method is objective. The target included most of the variable sites (bp 951 to 1747), providing maximum discrimination between closely related serotypes (e.g. members of serogroups 33 and 37 that could not be distinguished by serotype/group-specific PCR).

Table 6. Algorithm for *S. pneumoniae* molecular capsular sequence type identification by sequencing and serotype/group-specific PCR.

Amplification primer pairs*	PCR product size (base pairs)	Interpretation
<i>S. pneumoniae</i> identification primer pairs		
P1/P2	864	<i>S. pneumoniae</i>
<i>S. pneumoniae</i> mct identification by sequencing		
cpsI/cpsA3 (for most MCT)	1001	1. Purification PCR amplicons
or	or	2. Sequencing PCR amplicons
cpsI/cpsA1+ cpsS3/cpsA2 (for MCT 38/25F and some nontypable isolates)	520+503	3. Using programmes (Pileup & Pretty or Ednadist & Ekitsch etc.) in ANGIS to analyse sequences to identify mct/mcst
		4. Refer to Figure 1/Table 4 to identify/confirm mct/mcst.
<i>S. pneumoniae</i> mct identification by serotype/group-specific PCR		
See Table 2 for primer sequences* and Table 3 for specificity and amplicon lengths of primer pairs. Only selected molecular capsular sequence types and isolates need to be identified using the full testing algorithm.		

Some of the 376 heterogeneity sites in the *cpsA-cpsB* region were specific for individual molecular capsular sequence type (Table 4, Figure 2), while others were shared between several. Based on these patterns, plus PCR and selective sequencing of type-specific regions of *wzx* and *wzy*, most of the 51 serotypes represented among our 394 isolates could be distinguished and further divide them into a total of 71 molecular capsular sequence types, with the aid of sequence analysis software. The final CS and molecular capsular sequence typing results correlated for 343 isolates of 389 (88%) for which results for both methods were available, including five that were nontypable by either method. For 46 isolates belonging to five serotype pairs, members of which could not be distinguished by sequencing, results were classified as consistent leaving unresolved discrepancies between methods for only five (1.2%) isolates.

Sequence analysis of the *cps* gene clusters of 16 serotypes showed that *wzy* (capsular polysaccharide polymerase gene) and *wzx* (capsular polysaccharide flippase gene) are highly variable, making them suitable targets for direct serotype identification by PCR. The present inventors designed serotype-specific PCR primers for these serotypes, targeting *wzx* and *wzy* and, for serotype 3, which has no *wzy* and *wzx* genes, targeting *orf2 (wze)-cap3A-cap3B* (Arrecubieta et al., 1996). It was found that presumed serotype-specific primers for 6A, 18C, 23F and 33F/37 were not serotype-specific, but amplified other related serotypes. To improve the molecular capsular sequence typing methods, portions of the *wzy* and *wzx* genes of serotypes within these groups were sequenced, which allowed molecular capsular sequence types to be distinguished within these serotypes/groups and demonstrate relationships between them.

The present inventors have recognized that the large number of pneumococcal serotypes would make it impractical to use serotype-specific PCR for all of them. Nevertheless, *wzy* and *wzx* PCR can be used to resolve discrepancies between CS and *cpsA-cpsB* region sequencing assays e.g. for molecular capsular sequence types 10A-23F and 23A-23F. Moreover, the use of two target regions in the *cps* gene cluster helps to clarify the relationships between mcs that have apparently arisen by recombination. Serotype/group-specific primers were evaluated using three reference panels, which had been characterised by CS and used to identify clinical isolates of unknown cs. By PCR alone, 239 (61%) of our 394 clinical isolates were assigned to a serotype or serogroup (Table 5). This method can be extended to other mcs, when additional *wzx* and *wzy* sequences are available.

In some circumstances, sequencing of the *cpsA-cpsB* region may be more practical than type-specific PCR. For most serotypes only a single method and fewer primers (*cpsS1/cpsA3*-for most serotypes/isolates) are needed.

Previous studies have shown that serotypes included in 23-valent polysaccharide and 11-, 9-, 7-valent protein conjugate vaccines are those most frequently isolated from normally sterile sites (CSF, blood) (Colman et al., 1998; Huebner et al., 2000). Among 173 consecutive pneumococcal "sterile site" isolates from adults in the CIDM diagnostic laboratory, over a 2.5-year period, correlation between the mct and cs was good (171/173 CIDM isolates were correctly identified). The exceptions were two serotype 15B isolates that were identified as molecular capsular sequence type 22F. Five serotypes (4, 14, 19F, 23F, 9V –covered by all pneumococcal vaccines) accounted for 57% of isolates.

Five of 394 isolates studied were nontypable by both CS and molecular capsular sequence typing (Barker et al., 1999). Isolates may be nonserotypable because of decreased type-specific-antigen synthesis, nonencapsulated phase variation or insertion or mutation of genes of *cps* gene clusters. Failure to type them by molecular capsular sequence typing reflects the fact that the sequence database is still incomplete (also the reason for the further research in Example 2), although the target regions of two of the five nonserotypable isolates have been sequenced.

In summary, the present inventors have developed a molecular capsular sequence typing system for *S. pneumoniae*, which is reproducible, can be performed by any laboratory with access to PCR/sequencing and does not require large panels of expensive serotype-specific antisera. Work on an international collection of isolates in our reference panels demonstrated a strong correlation between the *cpsA-cpsB* sequence and CS. Heterogeneity in a relatively short sequence (800bp) in this region, supplemented by serotype/group-specific PCR targeting *wzx* and *wzy*, correctly predicted the serotype of most unknown isolates belonging to 51 serotypes. These novel molecular capsular sequence typing methods provide comprehensive strain identification that will be useful for epidemiological studies that will be needed to monitor serotype distribution and detect serotype switching, if any, among *S. pneumoniae* isolates before and following introduction and widespread use of conjugate vaccines.

**EXAMPLE 2 - Identification of *S. pneumoniae* serotypes by analysis of the *wzx* and/or *wzy* genes**

**MATERIALS AND METHODS**

**Pneumococcal clinical isolates**

5        This study was based on 92 well-characterized *S. pneumoniae* isolates, which represented 55 serotypes and including about 31 of 39 serotypes that were not included in Example 1. The sources of these isolates were 72 from China Medical Bacteria Culture Collection Center, Beijing, PR China; 17 from Royal College of Pathologists of Australasia, Quality Assurance Program Pty Limited, New South Wales, Australia; 10 three from Associate Professor Geoff Hogg and Ms Jenny Davis, Microbiological Diagnostic Unit (MDU), Public Health Laboratory, Department of Microbiology and Immunology, University of Melbourne, Victoria. Conventional serotyping (CS) had been performed by donor laboratory and serotypes of the 75 strains were known at time of receipt and 23 selected isolates (including all of serotypes 27, 28F and 16A isolates 15 and two from Example 1 – which had been identified as one each of serotype 42 and 41F strains each) were re-tested by the Quellung reaction – as described above – at Department of Microbiology, Children's Hospital at Westmead (Henrichsen, 1999).

Isolates were retrieved from storage by subculture on blood agar plates (Columbia II agar base supplemented with 5% horse blood) and incubated overnight at 20 37°C in 5% CO<sub>2</sub>.

**Annotation and analysis of *wzx* and *wzy***

Analysis of homology and protein hydrophobicity was performed to annotate the *wzx* and *wzy* genes in *S. pneumoniae* *cps* gene cluster. Blast and PSI-blast (Altschul 25 et al., 1997) were used for searching databases including GenBank and Pfam protein motif database (Bateman et al., 2002) for possible gene functions. The TMHMM v2.0 analysis program (Chen et al., 2003) was used to identify potential transmembrane segments from the amino acid sequence. Sequence alignment and comparison were done using the program ClustalW (Thompson et al., 1994). The phylogenetic trees were 30 generated by neighbour-joining method using programme MEGA (Kumar et al. 1994) (Figures 4 and 5).

**Oligonucleotide primers**

In addition to our previous MCT primers (Example 1) numerous serotype(s)- 35 specific oligonucleotide primers, targeting *wzy* and *wzx* (one pair), were designed for this study. The specificity, sequences, numbered base positions and melting



temperatures ( $T_m$ ) are shown in Table 7. Expected amplicon lengths of different primer pairs can be calculated from the 5'-end positions of the corresponding primers.

#### DNA preparation, PCR, sequencing and sequence analysis

- 5 DNA extraction, PCR, sequencing and sequence analysis were performed as described Example 1. The only exception was that, for the new PCRs, 55-60°C was used as annealing temperature because of the low  $T_m$  values of the new primers.

#### Nucleotide sequence accession numbers

- 10 56 new sequences generated in this study, for partial *cpsA* (*wzg*)-*cpsB* (*wzh*) genes were deposited in GenBank with accession numbers: AY508586-AY508641. These sequences form part of the present invention.

### RESULTS AND DISCUSSION

#### 15 Conventional serotyping (CS) results

- Conventional serotyping, of 23 strains, was repeated because of apparent sharing of sequence types between two or more serotypes. After careful repetitions by two different persons, a previous serotype 42 isolate was confirmed to be serotype 31 and a previous serotype 41F isolate to be serotype 41A (Example 1); serotypes of three  
20 additional isolates were also corrected. The serotypes of the other 15 isolates were confirmed to be as previously defined (including all the serotypes 27, 28F and 16A isolates, one each of serotypes 6A, 38 and 25F isolate). The final results are shown in Table 8.

#### 25 Partial *cpsA-cpsB* sequencing primers

- The sequencing primers *cpsS1-cpsA3* produced amplicons from all strains studied in this and our previous study, except for two belonging to rare serotypes, 25F and 38, and five that were non-serotypeable (Example 1). Two additional primer pairs, *cpsS1-cpsA1* and *cpsS3-cpsA2*, formed amplicons from strains belonging to serotypes  
30 25F and 38 and two non-serotypeable isolates.

Table 7. Oligonucleotide primers used in this study.

Name of primers	Sequence and orientation of oligo-nucleotides	Positions	Tm
10A-10B-wzy-sense	5'-TTGAGCTATTTAAGGACCTGGG-3' (SEQ ID NO:144)	395	58.4
10A-10B-wzy-antisense	3'-AGTTCTTTCACTGCGAACGATT-5' (SEQ ID NO:145)	677	58.4
10C-10F-wzy-sense	5'-GTCAATAAGTTTAAAGTGTATAGGGC-3' (SEQ ID NO:146)	51	59.0
10C-10F-wzy-antisense	3'-CAAGCGTTGTGGGTAGTGATAT-5' (SEQ ID NO:147)	337	63.5
13-wzy-sense	5'-GATGGGAAAATACGATATGCTC-3' (SEQ ID NO:148)	427	56.1
13-wzy-antisense	3'-CGACCTCAAACAGTACCTCAA-5' (SEQ ID NO:149)	736	58.5
20-wzy-sense	5'-CTTTATCAGGAATACGCCAATC-3' (SEQ ID NO:150)	383	56.5
20-wzy-antisense	3'-GCAACCAAGAGCAATAATATGTCC-5' (SEQ ID NO:151)	683	58.3
13-wzx-sense	5'-CTTTCTTCGTATGCTTTAGGG-3' (SEQ ID NO:152)	93	56.3
13-wzx-antisense	3'-GACTATCCACATTAGAGATAGAAGG-5' (SEQ ID NO:153)	460	53.9
20-wzx-sense	5'-GTTCTTTGTTTGACCCTTCCTT-3' (SEQ ID NO:154)	289	57.2
20-wzx-antisense	3'-TATCTTATGCGGTCTGTCGTAA-5' (SEQ ID NO:155)	604	56.4
16F-wzy-sense	5'-TTGTTCTTACATTTAGCCGTAGTG-3' (SEQ ID NO:156)	434	56.9
16F-wzy-antisense	3'-GACAGTGAGATAGTGAGTCGTTTA-5' (SEQ ID NO:157)	777	55.9
27-wzy-sense	5'-CAGAGTTTGGTCGAGGTTCCCTA-3' (SEQ ID NO:158)	455	58.7
27-wzy-antisense	3'-GAGTTAGTTGCTGCCTTTAGTG-5' (SEQ ID NO:159)	782	59.7
28F-16A-wzy-sense	5'-GATCCGCTCACGGTATGGACTA-3' (SEQ ID NO:160)	261	61.6
28F-16A-wzy-antisense	3'-GAATAACCGACTGTCGTTTTAA-5' (SEQ ID NO:161)	581	57.1
16F-wzx-sense	5'-TTTATGAGGAGAGTACTGTATCAGA-3' (SEQ ID NO:162)	1219	53.1
16F-wzx-antisense	3'-ACTCAAGCTATCGATAGTAATTTGT-5' (SEQ ID NO:163)	1433	56.6
27-wzx-sense	5'-TACATTTTTATGAGAAGAGCATTG-3' (SEQ ID NO:164)	1213	54.6
27-wzx-antisense	3'-GCTATCAGTACTATTTTTTTGTCAC-5' (SEQ ID NO:165)	1439	56.4
33A-specific-sense	5'-TTGTTGTTGGGATTGTCTTGGG-3' (SEQ ID NO:166)	length	62.1

33A-specific-antisense	3'-GTTTCAAGGCTTTAGGTTTCCG-5' (SEQ ID NO:167)	246bp	62.9
9V-specific-sense	5'-TCTTTGATTTTCATCAGGGATTG-3' (SEQ ID NO:168)	length	57.0
9V-specific-antisense	3'-ATCACCATTGACGCAATCAGGA-5' (SEQ ID NO:169)	545bp	54.2
15A-15B-15C-wzx-sense	5'-ATTGCGACTGTAAACGAGAAG-3' (SEQ ID NO:170)	202	57.0
15A-15B-15C-wzx-antisense	3'-CCGTGTCTAAATACCTTTATGT-5' (SEQ ID NO:171)	514	55.0
15B-15C-wzy-sense	5'-TAATAAGCGGATGATTGTAGCG-3' (SEQ ID NO:172)	693	58.1
15B-15C-wzy-antisense	3'-GGGTAGACCTTTCAATTAGTCA-5' (SEQ ID NO:173)	1041	55.5
15A-wzy-sense	5'-TATTCCTTCCTATGGGACAAC-3' (SEQ ID NO:174)	840	55.6
15A-wzy-antisense	3'-CACCCTACTAATCGTAATAACA-5' (SEQ ID NO:175)	1100	54.2
22F-22A-wzy-sense	5'-AGGATGCAGTAGATACCAGTGG-3' (SEQ ID NO:176)	398	56.1
22F-22A-wzy-antisense	3'-CCTGTTGTTGGAGGCAAATATC-5' (SEQ ID NO:177)	752	56.2
22F-22A-wzx-sense	5'-GGTCTATCAAGGAAAAGAGGAC-3' (SEQ ID NO:178)	404	56.3
22F-22A-wzx-antisense	3'-CAACCCAAGTCACTAACGATAA-5' (SEQ ID NO:179)	672	56.3
11A-specific-sense	5'-CACTTCCATATCCAGCAT-3' (SEQ ID NO:180)	727-744	47.5
11A-specific-antisense	3'-GACAGAGGACTATCAAGAGT-5' (SEQ ID NO:181)	970-989	46.4
7A-wzy-specific-sense	5'-GCAAGTGTTCATGGGAGTA-3' (SEQ ID NO:182)	76	55.3
7A-wzy-specific-antisense	3'-GAATAACATACCAGGGAGGCA-5' (SEQ ID NO:183)	420	56.1
7A-wzx-specific-sense	5'-TTTGAGAATGCGGATAAGGTG-3' (SEQ ID NO:184)	730	58.0
7A-wzx-specific-antisense	3'-GAGTAACATTGTCCCGTTTGAA-5' (SEQ ID NO:185)	1060	56.7
11A-11D-wzy-specific-sense	5'-CGAAATATCGCCATTCATCAG-3' (SEQ ID NO:186)	190	58.4
11A-11D-wzy-specific-antisense	3'-TCACCGTGTCACGACAATAA-5' (SEQ ID NO:187)	570	59.8
11A-11D-wzx-specific-sense	5'-CAATCAATAATGCCGCATAC-3' (SEQ ID NO:188)	856	54.3
11A-11D-wzx-specific-antisense	3'-CTAAAGCAATCAAAGGTGTCCA-5' (SEQ ID NO:189)	1140	55.6
12B-wzy-specific-sense	5'-TGGAGGAGCAACTGACGTATT-3' (SEQ ID NO:190)	518	57.3
12B-wzy-specific-antisense	3'-GAGAACTTATACCTGCCACCT-5' (SEQ ID NO:191)	783	57.5

12B-wzx-specific-sense	5'-GTATGTTATTCGTTAGACAAACTGG-3' (SEQ ID NO:192)	1058	55.6
12B-wzx-specific-antisense	3'-GACATCCAAATACATAACGCTCAA-5' (SEQ ID NO:193)	1363	56.0
17F-wzy-specific-sense	5'-CTATTTACCTTGTTTCCTGCAAC-3' (SEQ ID NO:194)	490	56.1
17F-wzy-specific-antisense	3'-CTATTGCGATACAGTCGTTAAG-5' (SEQ ID NO:195)	838	54.9
17F-wzx-specific-sense	5'-GGATTACAAGAAATCCCTCG-3' (SEQ ID NO:196)	722	56.0
17F-wzx-specific-antisense	3'-TCCACTATACGCCTCGGTTAT-5' (SEQ ID NO:197)	1094	59.8
47F-wzy-specific-sense	5'-TTTGGGTCTCCTTTACCTATC-3' (SEQ ID NO:198)	725	53.2
47F-wzy-specific-antisense	3'-CACTACTTCTCAATCCCCTTT-5' (SEQ ID NO:199)	1195	53.7
25A-29-wzy-specific-sense	5'-CCGAAAATTGTTACAGGATAC-3' (SEQ ID NO:200)	112	56.8
25A-29-wzy-specific-antisense	3'-CTATACGGAACATAGGTAGTTAG-5' (SEQ ID NO:201)	474	55.9
47F-wzx-specific-sense	5'-AGCAGCAATTGTTTCTGTCTTAACA-3' (SEQ ID NO:202)	1128	60.6
47F-wzx-specific-antisense	3'-GAGATTTTCACTATCTACACTATCTT-5' (SEQ ID NO:203)	1389	52.8
25A-29-wzx-specific-sense	5'-CTCCCTATCATTACTACTCCCTATG-3' (SEQ ID NO:204)	58	56.2
25A-29-wzx-specific-antisense	3'-AATCCACGCTGTCAAGAAAGTG-5' (SEQ ID NO:205)	274	57.4
10C-10F-wzy-specific-sense	5'-GTCAATAAGTTTAAGTGTATAGGGC-3' (SEQ ID NO:206)	51	56.2
10C-10F-wzy-specific-antisense	3'-CAAGCGTTGTGGGTAGTGATAT-5' (SEQ ID NO:207)	337	57.8
7C-wzy-sense	5'-ACTCAAGTATCTGTGC/TCACCTT-3' (SEQ ID NO:208)	453	55.7
7C-wzy-antisense	3'-CCTCGTCCATCTCCTTCACTAA-5' (SEQ ID NO:209)	703	57.1
7C-wzx-sense	5'-TGAGTTTCCGATTAGAGCAG-3' (SEQ ID NO:210)	317	53.0
7C-wzx-antisense	3'-CCTTTACTACGCCATCCATA-5' (SEQ ID NO:211)	740	54.4
9L-9N-wzy-sense	5'-TCAATGGCGACTTTATTTGC-3' (SEQ ID NO:212)	72	55.0
9L-9N-wzy-antisense	3'-CGTGGGATGTCCTCTATTATCTGA-5' (SEQ ID NO:213)	434	56.2
9L-9N-wzx-sense	5'-GTACCGCAAGCTATTCTAATGA-3' (SEQ ID NO:214)	388	54.9
9L-9N-wzx-antisense	3'-GTCATTCTATCCGCTTCAAATAG-5' (SEQ ID NO:215)	853	53.4
17A-wzy-sense	5'-TAGACTTCTTAGAGCCTATTGTGG-3' (SEQ ID NO:216)	722	55.3

17A-wzy-antisense	3'-CTGGTTATCGCGTTTGACAATA-5' (SEQ ID NO:217)	1040	56.9
17A-wzx-sense	5'-CAAACCCTTAGTCCAATATGGCTG-3' (SEQ ID NO:218)	624	62.2
17A-wzx-antisense	3'-CCGATGGATAATAAGGGAAGCAAC-5' (SEQ ID NO:219)	988	61.0
23A-wzy-sense	5'-CATTTGGTATGGGAGTAGGGAG-3' (SEQ ID NO:220)	1049	58.1
23A-wzy-antisense	3'-GTGAAAGAGGATTGAGTACGTGG-5' (SEQ ID NO:221)	1326	58.5
33B-48-wzy-sense	5'-TAATCAA/GTGGTCTGGTGGTCA/GA-3' (SEQ ID NO:222)	453	57.9
33B-48-wzy-antisense	3'-GAAAC/TAAT/CGAGGATAACT/CGACT-5' (SEQ ID NO:223)	815	57.2
23F-wzy-sense	5'-TGTCAGCAGAAAATATGACGC-3' (SEQ ID NO:224)	402	56.4
23F-wzy-antisense	3'-CCTTTATGCTGCTTCCCAATAC-5' (SEQ ID NO:225)	766	58.4
34-wzy-sense	5'-TTGTTGTAGTGGCAGTTGCTCC-3' (SEQ ID NO:226)	740	60.4
34-wzy-antisense	3'-CGGATGTCCCTTACAGAAATGTTG-5' (SEQ ID NO:227)	1070	59.4
35A-wzy-sense	5'-TCCTGATTATG/ATTGAGATTTG/CG-3' (SEQ ID NO:228)	399	54.7
35A-wzy-antisense	3'-GACCTAACGCTTCTGAATGAAT-5' (SEQ ID NO:229)	747	54.8
36-wzy-sense	5'-CAATTTCCCTTATTCTGTAGTTC-3' (SEQ ID NO:230)	692	56.8
36-wzy-antisense	3'-CTCTCTGTGCATATTTGTCCCAGTT-5' (SEQ ID NO:231)	1026	57.0
39(1)-wzy-sense	5'-GATTGGTTTGGGAACCTGATGTC-3' (SEQ ID NO:232)	232	60.2
39-wzy-antisense	3'-CACCATACTCCATAGTAAATCGTCC-5' (SEQ ID NO:233)	518	59.5
41A-wzy-sense	5'-GTAGTTACTGGCCCTTTCTTATTCC-3' (SEQ ID NO:234)	511	59.7
41A-wzy-antisense	3'-GTTCTACGTCTATCAAAGAGCGAT-5' (SEQ ID NO:235)	828	59.0
41A-wzx-sense	5'-CAGCAAATGCAGGTTCTCAAA-3' (SEQ ID NO:236)	278	59.0
41A-wzx-antisense	3'-ACTGTGGAGCAGATCGTATAGTAAT-5' (SEQ ID NO:237)	566	58.9
43-wzy-sense	5'-GATCAAATGGTGGTATTAGGAA-3' (SEQ ID NO:238)	251	54.0
43-wzy-antisense	3'-CGGTCAGTATAAAAGGTTAAGA-5' (SEQ ID NO:239)	601	55.8
43-wzx-sense	5'-TTCTTATCGCTTCCATTGTCAG-3' (SEQ ID NO:240)	907	57.5
43-wzx-antisense	3'-CCACATTCACCTCGTCGTAAA-5' (SEQ ID NO:241)	1182	57.1

47A-wzy-sense	5'-TATTTGCCATAACGGACTCTAGAAC-3' (SEQ ID NO:242)	485	59.5
47A-wzy-antisense	3'-CACCAATACACCCAAATTAAGAAGC-5' (SEQ ID NO:243)	830	61.5
47A-wzx-sense	5'-TTTGGGCTCTTTAGGTAGTGTAT-3' (SEQ ID NO:244)	687	55.4
47A-wzx-antisense	3'-CTGCCTATTACAAGCTATGAAATG-5' (SEQ ID NO:245)	1064	55.3
48-wzy-sense	5'-CATTTGGAGTTATTGCCCTAC-3' (SEQ ID NO:246)	602	54.5
48-wzy-antisense	3'-CCCCAGAATTAAATCTTATACCC-5' (SEQ ID NO:247)	909	56.6
48-wzx-sense	5'-AGGGCTTAACGTGTTTCAGTGTT-3' (SEQ ID NO:248)	782	55.5
48-wzx-antisense	3'-CTAAACCATATCGTCCTGACTT-5' (SEQ ID NO:249)	1113	54.2
33C-wzy-sense	5'-TTATCTATATGTTAGGGCTG-3' (SEQ ID NO:250)	197	45.3
33C-wzy-antisense	3'-CTGTGAAGACTTACAACATG-5' (SEQ ID NO:251)	445	43.7
23B-wzy-sense	5'-TTGGATCGTTGTTTCATAGCGG-3' (SEQ ID NO:252)	639	61.0
23B-wzy-antisense	3'-GACACCTTTACGGCAACGATTC-5' (SEQ ID NO:253)	947	62.5
23B-wzx-sense	5'-AGCGAGCGGTATCATTCTATTTG-3' (SEQ ID NO:254)	897	60.8
23B-wzx-antisense	3'-CTATCACAACCTCTTTAACGAGGTC-5' (SEQ ID NO:255)	1219	59.6
24B-wzy-sense	5'-TCAACACTTATGATGGTGCCTG-3' (SEQ ID NO:256)	685	58.5
24B-wzy-antisense	3'-ATCTTCACCCTAATAGCCCGA-5' (SEQ ID NO:257)	1025	58.3
25F-38-wzy-sense	5'-AATCTGAGGAACTTGGAGCAA-3' (SEQ ID NO:258)	641	58.5
25F-38-wzy-antisense	3'-GCATAATTGCTAATCTTAACAAGG-5' (SEQ ID NO:259)	977	55.8
25F-38-wzx-sense	5'-GCAATGGTTTATGGATGATAGAGCG-3' (SEQ ID NO:260)	702	64.3
25F-38-wzx-antisense	3'-TGTGCTGCTAACGACCACGAAA-5' (SEQ ID NO:261)	1088	64.4
31-wzy-sense	5'-TGAAAATCCCTTAGTGACATCTG-3' (SEQ ID NO:262)	492	56.5
31-wzy-antisense	3'-GACCAGCATCGTAAAGAGTCTA-5' (SEQ ID NO:263)	794	56.5
32A-32F-wzy-sense	5'-CGGTATGCTTACAATGAGACGC-3' (SEQ ID NO:264)	813	60.2
32A-32F-wzy-antisense	3'-GTAGAATAGGCCCTTGCTTAAG-5' (SEQ ID NO:265)	1163	60.5
32A-32F-wzx-sense	5'-GTAACGATGCCTAGAATGACTT-3' (SEQ ID NO:266)	799	53.6

32A-32F-wzx-antisense	3'-CACACCATTATCCACGACAATAG-5' (SEQ ID NO:267)	1107	53.9
35B-wzy-sense	5'-CTAATTTGGCTATGAAGCTAATCCC-3' (SEQ ID NO:268)	626	60.6
35B-wzy-antisense	3'-CAAATGACTGACGCTGAAATCACTT-5' (SEQ ID NO:269)	1019	58.2
45-wzy-sense	5'-CTATGCAGGAAATATCCGAGAAGG-3' (SEQ ID NO:270)	111	61.7
45-wzy-antisense	3'-GTATCGCAAAGACAAAGTGCCTAG-5' (SEQ ID NO:271)	497	63.0
45-wzx-sense	5'-AATGGCTTGCTCCTATTGCTGT-3' (SEQ ID NO:272)	929	60.9
45-wzx-antisense	3'-CGTTTAGCAAGAACCCTATCATC-5' (SEQ ID NO:273)	1306	58.1
41F-wzx-sense	5'-GTCAAAGACAGGAATGACATCTATG-3' (SEQ ID NO:274)	493	57.7
41F-wzx-antisense	3'-CCCTCCTTCACGAAAATAAAGA-5' (SEQ ID NO:275)	972	56.9
18A-18-B-18C-18F-wzx-sense	5'-GGAATCGGACAATAGCAC-3' (SEQ ID NO:276)	35	50.2
18A-18-B-18C-18F-wzx-antisense	3'-ACCAGAACTTCTCAAAGCAT-5' (SEQ ID NO:277)	265	50.5
19B-19C-wzx-sense	5'-GGCATCAAAGGTTAAGTG-3' (SEQ ID NO:278)	744	48.0
19B-19C-wzx-antisense	3'-GAAGACAGCGTTGAGAAA-5' (SEQ ID NO:279)	1171	47.5
19F-wzx-sense	5'-GCTATCTAACATTGCGAGTA-3' (SEQ ID NO:280)	672	48.4
19F-wzx-antisense	3'-AAACCGAAGGACGAATAT-5' (SEQ ID NO:281)	967	49.1
2-wzx-sense	5'-TAGCGGTGAATGGCATCT-3' (SEQ ID NO:282)	644	54.1
2-wzx-antisense	3'-AGTTGGAATCATCCTCGCT-5' (SEQ ID NO:283)	1012	50.6
23A-23F-wzx-sense	5'-GGGAAATGGTTTACTATGC-3' (SEQ ID NO:284)	623	49.7
23A-23F-wzx-antisense	3'-GTTCTTCTATTCTCGCC(T)A-5' (SEQ ID NO:285)	843	47.0
6A-6B-wzx-sense	5'-ATTTATGAAGGGAAGATGG-3' (SEQ ID NO:286)	1003	49.0
6A-6B-wzx-antisense	3'-CCGAGCGTCATTATCAAA-5' (SEQ ID NO:287)	1324	47.6
8-wzx-sense	5'-TATGTTTCAAGGGTTCTG-3' (SEQ ID NO:288)	88	45.2
8-wzx-antisense	3'-CCTTACCGTCGAATAATA-5' (SEQ ID NO:289)	356	47.4
9A-9V-wzx-sense	5'-TGATAAGGCTTACCAGTT-3' (SEQ ID NO:290)	732	44.6
9A-9V-wzx-antisense	3'-CTGACCATAACCCTGATT-5' (SEQ ID NO:291)	1360	44.0

12F-12B-44-46-wzy-sense	5'-TGAATATGGACGGTGGAG-3' (SEQ ID NO:292)	767	51.1
12F-12B-44-46-wzy-antisense	3'-GAAAGCCGAAAGAAACGA-5' (SEQ ID NO:293)	1008	53.1
14-wzy-sense	5'-GATTGGCTGTTCAAGTGT-3' (SEQ ID NO:294)	230	47.3
14-wzy-antisense	3'-CCCTGCCTAAATGTAATC-5' (SEQ ID NO:295)	463	47.2
16F-wzy-sense	5'-TTGTTCTTACATTTAGCCGT-3' (SEQ ID NO:296)	434	50.6
16F-wzy-antisense	3'-CCCTGAACCTAAACCATT-5' (SEQ ID NO:297)	737	49.9
18A-18-B-18C-18F-wzy-sense	5'-CATGAAGTTGCACCTATT-3' (SEQ ID NO:298)	409	45.2
18A-18-B-18C-18F-wzy-antisense	3'-CCCTATCCCAAACATTGT-5' (SEQ ID NO:299)	840	47.2
19F-wzy-sense	5'-AAACGGAAAGTTGGATGG-3' (SEQ ID NO:300)	667	52.8
19F-wzy-antisense	3'-CAGAAACGACATCCACGAA-5' (SEQ ID NO:301)	1075	49.9
2-3-wzy-sense	5'-TGTCGGCATTGTATTCTTTA-3' (SEQ ID NO:302)	59	51.9
2-3-wzy-antisense	3'-CCCAGTCCTAAACCACCA-5' (SEQ ID NO:303)	855	54.4
37-33F-33A-wzy-sense	5'-TAGGGAAATGGGCGACTC-3' (SEQ ID NO:304)	101	55.4
37-33F-33A-wzy-antisense	3'-ACCTCAAACCATAACTCGGA-5' (SEQ ID NO:305)	596	54.7
6A-6B-wzy-sense	5'-ATTCCAGCGACTACACTT-3' (SEQ ID NO:306)	496	46.7
6A-6B-wzy-antisense	3'-AATCACCACCATCTAACG-5' (SEQ ID NO:307)	634	45.2
8-wzy-sense	5'-CACGCAGACTAGAACAGC-3' (SEQ ID NO:308)	606	48.5
8-wzy-antisense	3'-GAACCAGATACATACGCCA-5' (SEQ ID NO:309)	1055	50.5
9A-9V-wzy-sense	5'-GTTGGTTTCGACTCTTTG-3' (SEQ ID NO:310)	394	47.5
9A-9V-wzy-antisense	3'-TTTTGCGATGACTGTTAC-5' (SEQ ID NO:311)	1017	45.7
19B-19C-wzy-sense	5'-TTCGGAGATTTGTGGTAT-3' (SEQ ID NO:312)	478	47.5
19B-19C-wzy-antisense	3'-AGCAAATACCTCCACCTA-5' (SEQ ID NO:313)	772	50.0
1-wzx-sense	5'-TGGAGAATTTGCGATTACG-3' (SEQ ID NO:314)	744	54.5
1-wzx-antisense	3'-TAGAGTCCCATTTGTCTCAC-5' (SEQ ID NO:315)	886	48.6
4-wzx-sense	5'-AATGCTTGTA TACTCCCTC-3' (SEQ ID NO:316)	88	48.5



4-wzx-antisense	3'-GATACTAAATGCCTACCG-5' (SEQ ID NO:317)	898	48.1
19A-wzx-sense	5'-TTCCCTATGTCAGTCTATGAA-3' (SEQ ID NO:318)	1000	49.7
19A-wzx-antisense	3'-TCTTCATAGTATCGGCTTAA-5' (SEQ ID NO:319)	1214	48.8
1-wzy-sense	5'-TATTCTATTCTTACCCGCTAC-3' (SEQ ID NO:320)	211	51.6
1-wzy-antisense	3'-ATTCACCCGTTCAAAGTAGA-5' (SEQ ID NO:321)	801	52.4
4-wzy-sense	5'-GTGCCTAGTAGCATTCCATA-3' (SEQ ID NO:322)	1003	50.5
4-wzy-antisense	3'-GAAACCAATGATACCACCAC-5' (SEQ ID NO:323)	1198	50.4
19A-wzy-sense	5'-TCGCCTAGTCTAAATACCAA-3' (SEQ ID NO:324)	235	50.7
19A-wzy-antisense	3'-AAGTGAATCTTAAAGCCGTC-5' (SEQ ID NO:325)	975	53.4
17F-YS2-sense	5'-AGAGGGATTGTTGAAGGTATTC-3' (SEQ ID NO:326)	754	59.8
17F-YA2-antisense	3'-CCTACTATCTTTACGCTCTGAT-5' (SEQ ID NO:327)	1060	59.7
25F-38-YS-sense	5'-GGCGTTGTCTAGTGCTAGTTAG-3' (SEQ ID NO:328)	121	62.6
25F-38-YA-antisense	3'-CTCATATTACCGACGAAATTGTCC-5' (SEQ ID NO:329)	713	61.6
35F-47F-YS-sense	5'-ATAAAAAGAAAGTCTTTGCCAGAG-3' (SEQ ID NO:330)	13	60.6
35F-47F-YA-antisense	3'-CTACTACTTGATCAGCGATAAC-5' (SEQ ID NO:331)	499	60.0
25A-29-YS-sense	5'-CCGAAAATTGTTACAGGATAC-3' (SEQ ID NO:332)	112	62.0
25A-29-YA-antisense	3'-CTATACGGAACATAGGTAGTTAG-5' (SEQ ID NO:333)	474	60.9

#### Updated sequence type nomenclature (compared with Example 1)

Sequence types were generally named according to the corresponding serotype, with a suffix representing the source of the isolate for which the sequence type was first identified. When sequences characteristic of two to five serotypes were identified, the sequence type name included all, with the lower number serotype first (e.g 15B-15C-22F-22A etc.) (Henrichsen, 1995). Representative sequences of all sequence types were deposited into GenBank (see Table 8 for sequence type nomenclature and corresponding GenBank accession numbers).

Table 8. *S. pneumoniae* partial *cpsA-cpsB* sequence (~800 bp) database and comparison of molecular capsular typing (MCT) and conventional serotyping (CS) results of 519 *S. pneumoniae* isolates (and also including 24 GenBank sequences and 92 Sanger Institute sequences).

CS <sup>a</sup>	Sequence types (n=) <sup>ab</sup>	GenBank (positions) <sup>c</sup>	No. (n=) <sup>a</sup>	Serotype/group-specific (n=) <sup>a</sup>	PCR	Final MCT (n=) <sup>ab</sup>	Comments <sup>ad</sup>
1	1-g (g)	Z83335 (4545-5343)	1 (1)	1 (1)		1 (1)	Correlate
	1-q (9+1A)	AF532632	1 (9+1A)	1 (9+1A)		1 (9+1A)	Correlate
2	2-g (g)	AF026471 3210)	(2412- 3210)	2 (1)		2 (1)	Correlate
	2-q (3)	AF532669	2 (3)	2 (3)		2 (3)	Correlate
	2-41A (s)	20602 (2612-3410)	2 (1)	2 (1)		2 (1)	Correlate
3	3-g (g)	Z47210 (2413- 3210)	3 (1)	3 (1)		3 (1)	Correlate
	3-q (15+qap)	AF532682	3 (16)	3 (16)		3 (16)	Correlate
	3-c (1)	AF532681	3 (1)	3 (1)		3 (1)	Correlate
	3-nz (1)	AF532683	3 (1)	3 (1)		3 (1)	Correlate
4	4 (gx2+36+qap)	AF316639 3268), NC_003028 (genome); AF532693	(2470- 3268), NC_003028 (genome); AF532693	4 (39)		4 (39)	Correlate
5	5-q (4)	AF532697	NA	NA		5 (4)	Correlate
	5-c (1)	AF532696	NA	NA		5 (1)	Correlate
	5-qap (qap)	AY508634	NA	NA		5 (1)	Correlate

6A	6A-g (g)	AY078347 1967)	(1169-	Serogroup 6 (1)	6 (1)	Correlate
	6A-c1 (2)	AF532699		Serogroup 6 (2)	6A (2)	Correlate
	6A-c2 (1)	AF532700		Serogroup 6 (1)	6A (1)	Correlate
	6A-n (2)	AF532698		Serogroup 6 (2)	6A (2)	Correlate
	6A-qap (qap)	AY508641		Serogroup 6 (1)	6A (1)	Correlate
	6A-6B-g (1)	AF532701		Serogroup 6 (1)	6A or 6B (1)	Consistent
	6A-6B-q (1)	AY330713		Serogroup 6 (1)	6A or 6B (1)	Consistent
	6A-6B-s (5+s)	AF532702/ 17611 (2259-3057)		Serogroup 6 (6)	6A or 6B (6)	Consistent
6B	6B-c (1)	AF532704		Serogroup 6 (1)	6B (1)	Correlate
	6A-6B-g (g+5)	AF316640 2952); AF532703	(2154-	Serogroup 6 (6)	6A or 6B (6)	Consistent
	6A-6B-q (9)	AF532705		Serogroup 6 (9)	6A or 6B (9)	Consistent
	6A-6B-s (s)	17506 (2157-2955)		Serogroup 6 (1)	6A or 6B (1)	Consistent
7F	7F-7A (15+qap+s)	AF532707/ 20024 (2531-3329)		NA	7F or 7A (17)	Consistent
7A	7A-cn (cn)	AY508635		NA	7A (1)	Correlate
	7F-7A (s)	24019 (2502-3300)		NA	7F or 7A (1)	Consistent
7B	7B-40(cnx2)	AY508636, AY508627		7B or 7C or 40 (2)	7B or 40 (2)	Consistent
7C	7C-19C-24B (7+s)	AF532706/ 21759 (2804-3602)		7B or 7C or 40 (8)	7C (8)	Correlate

8	8-g (gx2+12)	AF31664 (2511-3309), AF532708	8 (14)	Correlate
	8-s (s)	13844 (2518-3316)	8 (1)	Correlate
9A	9A-9V (cn+s)	AY508637/ 20538 (2486-3284)	9A or 9V (2)	Consistent
9L	9L-cn (cn+s)	AY508638/ 17618 (2805-3603)	9L (2)	Correlate
9N	9N (9+s)	AF532709/ 17619 (2805-3603)	9N (10)	Correlate
9V	9V (g+17)	AF402095 (1520-2318); AF532710	9V (18)	Correlate
	9A-9V (cn+s)	AY508639/ 20856 (2803-3601)	9A or 9V (2)	Consistent
9V and 14	9V (1)	AF402095 (1520-2318); AF532710	9V and 14 (1)	Correlate
10F	10F-q (3)	AF532635	10F (3)	Correlate
	10F-ca (2)	AF532636	10F (2)	Correlate
	10F-10C (qap+s)	AY508587/ 18532 (2201-2999)	10F or 10C (2)	Consistent
10A	10A-17A (5+cn+s)	AF532633/ 17290 (2451-3249)	10A (7)	Correlate
	10A-23F (6)	AF532634	10A (6)	Correlate

10B	10B-10C (cn+s)	AY508586/ 16991 (2154-2952)	10A or 10B (2)	10B (2)	Correlate
10C	10F-10C (s)	18126 (2095-2893)	10F or 10C (1)	10F or 10C (1)	Consistent
11F					
11A	11A-nz (1)	AF532638	11A or 11D (1)	11A (1)	Correlate
	11A-11D-18F (7+s)	AF532637/ 17948 (3506-4304)	11A or 11D (8)	11A or 11D (8)	Consistent
11B	11B-11C (1+cn)	AF532639	NA	11B or 11C (2)	Consistent
11C	11B-11C (cn)	AY508588	NA	11B or 11C (1)	Consistent
	11C-cn (cn)	AY508589	NA	11C (1)	Correlate
11D	11A-11D-18F (s)	17213 (2852-3650)	11A or 11D (1)	11A or 11D (1)	Consistent
12F	12F-q (8+1B)	AF532640	Serogroup 12 or 44 or 46 (8+1B)	12F (8+1B)	Correlate
	12F-12A-12B (1+s)	AF532641/ 23778 (2154-2952)	Serogroup 12 or 44 or 46 (2)	12F or 12A or 12B (2)	Consistent
12A	12A-cn (cn)	AY508590	Serogroup 12 or 44 or 46 (1)	12A (1)	Correlate
	12A-46 (s)	27104 (4224-5022)	Serogroup 12 or 44 or 46 (1)	12A or 46 (1)	Consistent
	12F-12A-12B (cnx2)	AY508591	Serogroup 12 or 44 or 46 (2)	12F or 12A or 12B (2)	Consistent
12B	12F-12A-12B (s)	23673 (2153-2951)	Serogroup 12 or 44 or 46 (1)	12F or 12A or 12B (1)	Consistent
13	13-20 (6+s)	AF532642/ 17717 (2486-3284)	13 (7)	13 (7)	Correlate
14	14-g (g)	X85787 (2369-3167)	14 (1)	14 (1)	Correlate
	14-q (23+1C)	AF532643	14 (23+1C)	14 (23+1C)	Correlate

	14-v (9+s)	AF532644/ 19918 (2150-2948)	14 (10)	14 (10)	Correlate
	14-c (1)	AF532645	14 (1)	14 (1)	Correlate
15F	15F-cn1 (cnx2+s)	AY508594/ 22405 (2503-3301)	15F or 15A (3)	15F (3)	Correlate
	15F-cn2 (cn)	AY508595	15F or 15A (1)	15F (1)	Correlate
15A	15A-ca1 (1+v)	AF532646	15F or 15A (2)	15A (2)	Correlate
	15A-ca2 (3+s)	AF532647/ 18517 (2152-2950)	15F or 15A (4)	15A (4)	Correlate
15B	15B-c (1)	AF532648	15B or 15C (1)	15B (1)	Correlate
	15B-15C (6)	AF532649	15B or 15C (6)	15B or 15C (6)	Consistent
	15B-15C-22F-22A (2+s)	AF532650/ 18624 (2154-2952)	15B or 15C (3)	15B or 15C (3)	Consistent
15C	15C-ca (1)	AF532652	15B or 15C (1)	15C (1)	Correlate
	15C-q1 (1)	AF532651	15B or 15C (1)	15C (1)	Correlate
	15C-q2 (2)	AY330714	15B or 15C (2)	15C (2)	Correlate
	15C-q3 (1)	AY330715	15B or 15C (1)	15C (1)	Correlate
	15C-s (s)	18262 (2154-2952)	15B or 15C (1)	15C (1)	Correlate
	15B-15C (v)	AY508593	15B or 15C (1)	15B or 15C (1)	Consistent
	15B-15C-22F-22A (v)	AY508592	15B or 15C (1)	15B or 15C (1)	Consistent
16F	16F-q (5+cn+s)	AF532653/ 21481 (2508-3306)	NA	16F (7)	Correlate
	16F-nz (1)	AF532654	NA	16F (1)	Correlate

16A	16A-28F (cn+s)	AY508596/ 21730 (2147-2945)	16A (2)	16A (2)	Correlate
17F	17F-n (3+s+1D)	AF532656/ 22896 (2489-3287)	17F-n (4+1D)	17F (4+1D)	Correlate
17A	17F-35B-35C-42 (2) 17A-ca (1+s)	AF532657 AF532655/ 23198 (1645-2443)	17F (2) 17A (2)	17F (2) 17A (2)	Correlate Correlate
18F	10A-17A (cn) 18F-ca (1) 18F-w (1) 11A-11D-18F (cn+s)	AY508597 AF532662 AY330716 AY508598/ 22849 (2530-3328)	17A (1) Serogroup 18 (1) Serogroup 18 (1) 18F (2) <sup>e</sup>	17A (1) 18F (1) 18F (1) 18F (2)	Correlate Correlate Correlate Correlate
18A	18A-nz (5+qap+s)	AF532659/ 21887 (2247-3045)	Serogroup 18 (7)	18A-nz (7)	Correlate
18B	18A-q (1) 18B-18C (4+s)	AF532658 AF532660/ 21819 (2153-2951)	Serogroup 18 (1) Serogroup 18 (5)	18A (1) 18B or 18C (5)	Correlate Consistent
18C	18B-18C (g+14+s)	AF316642 (2052- 2850); AF532661/ 21819 (2153-2951)	Serogroup 18 (16)	18B or 18C (16)	Consistent

19F	19F-g1 (gx4+7+s)	AF030367 (4724-5522), AF030368, AF030370, AF030371; AF532667//	19F (12)	Correlate
	19F-g2 (gx2)	19798 (4425-5223) AF030369 (2455-3253), AF030372	19F (2)	Correlate
	19F-g3 (g)	U09239 (1119-1917)	19F (1)	Correlate
	19F-q (9)	AF532666	19F (9)	Correlate
	19F-n (3)	AF532668	19F (3)	Correlate
	19F-c (1)	AF532665	19F (1)	Correlate
19A	19A-g (g)	AF094575 (2683-3481)	19A (1)	Correlate
	19A-q (8)	AF532663	19A (8)	Correlate
	19A-ca (3)	AF532664	19A (3)	Correlate
19B	19B-cn (cnx3+s)	AY508599/ 21568 (2171-2969)	19B (4)	Correlate
19C	19C-cn1 (cn)	AY508600	19C (1)	Correlate
	19C-cn2 (cnx2)	AY508601	19C (2)	Correlate
	7C-19C-24B (s)	25632 (4069-4867)	19C (1)	Correlate



20	13-20 (8+s)	AF532670/ 20453 (2486-3284)	20 (9)	20 (9)	Correlate
21	21-ca (1)	AF532671	NA	21 (1)	Correlate
	21-cn (cn)	AY508602	NA	21 (1)	Correlate
22F	15B-15C-22F-22A (13+qap+s)	AF532673/ 22696 (2486-3284)	22F or 22A (15)	22F or 22A (15)	Consistent
22A	22A (4)	AF532672	22F or 22A (4)	22A (4)	Correlate
	15B-15C-22F-22A (s)	22591 (2486-3284)	22F or 22A (1)	22F or 22A (1)	Consistent
23F	23F-c (1)	AF532678	23F (1)	23F (1)	Correlate
	10A-23F (gx3+18+s)	AF057294 (2991- 3789), AF030373, AF030374; AF532677/ 22330 (2852-3650)	23F (22)	23F (22)	Correlate
	23F-23A (1)	AF532679	23F (1)	23F (1)	Correlate
23A	23A-ca (3+s)	AF532675/ 21475 (2154-2952)	23A (4)	23A (4)	Correlate
	23F-23A (1)	AF532674	23A (1)	23A (1)	Correlate
23B	23B-c (2+s)	AF532676/ 23047 (3537-4335)	NA	23B (3)	Correlate
	23B-q (2)	AY330717	NA	23B (2)	Correlate
24F	24F-cn1 (cn)	AY508605	NA	24F (1)	Correlate
	24F-cn2 (cn)	AY508606	NA	24F (1)	Correlate

	24F-cn3 (cn)	AY508607	NA	24F (1)	Correlate
24A	24A-cn (cn)	AY508603	NA	24A (1)	Correlate
24B	7C-19C-24B (cn+s)	AY508604/ 23976 (2534-3332)	24B (2) <sup>g</sup>	24B (2)	Correlate
25F	25F-38 (1+cn+s)	AF532711/ 28389 (9131-9922)	25F or 38 (3)	25F or 38 (3)	Consistent
25A	25A-29 (s)	15096 (2153-2951)	NA	25A or 29 (1)	Consistent
27	?27-28F-28A (s)	22978 (2486-3284)	27 or 28A (1)	27 or 28A (1)	Consistent
	27-cn (cnx4)	AY508608	NA	27 (4)	Correlate
28F	16A-28F (s)	21731 (2147-2945)	16A or 28F (1)	16A or 28F (1)	Consistent
	?27-28F-28A (cnx3)	AY508610	28F or 28A (3)	28F or 28A (3)	Consistent
	28F-cn (cn)	AY508611	28F or 28A (1)	28F (1)	Correlate
28A	?27-28F-28A (cnx3+s)	AY508609/ 22978 (2486-3284)	28F or 28A (4)	28F or 28A (4)	Consistent
29	29-ca (1)	AF532680	NA	29 (1)	Correlate
	25A-29 (3+s)	AY330718/ 15096 (2153-2951)	NA	25A or 29 (4)	Consistent
31 <sup>h</sup>	31 (6+1 <sup>h</sup> +s+1E)	AF532684, AF532695/ 22164 (2538-3336)	31 (6+1 <sup>h</sup> +s+1E)	31 (8+1E)	Correlate
32F	32F-32A (cn+s)	AY508614/ 25372 (5428-6226)	NA	32F or 32A (2)	Consistent
32A	32A-cn (cn)	AY508613	NA	32A (1)	Correlate

33F	32F-32A (cn+s)	AY508612/ 25363 (5327-6125)	NA	32A or 32F (2)	Consistent
	33F-g (g)	AJ006986 (2483- 3281)	33F or 33A or 37 (1)	33F (1)	Correlate
	33F-q (1)	AF532687	33F or 33A or 37 (1)	33F (1)	Correlate
	33F-33B (3)	AF532688	33F or 33A or 37 (3)	33F (3)	Correlate
	33F-33A-35A (2+s)	AF532689/ 16989 (2155-2953)	33F or 33A or 37 (3)	33F or 33A (3)	Consistent
33A	33F-33A-35A (1+cn+s)	AF532685/ 18409 (2155-2953)	33F or 33A or 37 (3)	33F or 33A (3)	Consistent
33B	33B-q (3+qap)	AF532686	33B or 33C or 33D (4)	33B (4)	Correlate
	33B-s (s)	19039 (2508-3306)	33B or 33C or 33D (1)	33B (1)	Correlate
	33F-33B (cn)	AY508615	33B or 33C or 33D (1)	33B (1)	Correlate
33C	33C-s (s)	15918 (2155-2953)	33B or 33 C or 33D (1)	33C (1)	Correlate
	33C-cn (cn)	AY508616	33B or 33C or 33D (1)	33C (1)	Correlate
33D	33D-48 (s)	17583 (2508-3306)	33B or 33C or 33D (1)	33D or 48 (1)	Consistent
34	34-ca (4+qap)	AF532690	NA	34 (5)	Correlate
	34-s (s)	15938 (2425-3223)	NA	34 (1)	Correlate
35F	35F-47F (6+s)	AF532692/ 15137 (2807-3605)	35F or 47F (7)	35F or 47F (7)	Consistent
35A	33F-33A-35A (cn+s)	AY508617/ 21463 (2200-2998)	35A or 35C or 42 (2)	35A (2)	Correlate

<b>35B</b>	<b>17F-35B-35C-42 (9+s)</b>	AF532691/ 16658 (2186-2984)	<b>35B (10)<sup>f</sup></b>	<b>35B (10)<sup>f</sup></b>	<b>Correlate</b>
<b>35C</b>	<b>17F-35B-35C-42 (cnx2+s+qap)</b>	AY508618, AY508640/ 19741 (2518-3316)	<b>35C or 42 (4)<sup>f</sup></b>	<b>35C or 42 (4)<sup>f</sup></b>	<b>Consistent</b>
<b>36</b>	<b>36-cn (cnx2+s)</b>	AY508619/ 19113 (2805-3603)	NA	<b>36-s (3)</b>	<b>Correlate</b>
<b>37</b>	<b>37-g (g)</b>	AJ131984 (2849- 3648)	<b>33F or 33A or 37 (1)</b>	<b>37 (1)</b>	<b>Correlate</b>
	<b>37-ca (1+cnx2+qap+s)</b>	AF532713/ 17777 (2557-3355)	<b>33F or 33A or 37 (5)</b>	<b>37 (5)</b>	<b>Correlate</b>
<b>38</b>	<b>25F-38 (7+s)</b>	AF532712/ 30298 (10688-11479)	<b>25F or 38 (8)</b>	<b>25F or 38 (8)</b>	<b>Consistent</b>
<b>39</b>	<b>39-cn (cn+s)</b>	AY508620/ 17810 (2202-3000)	NA	<b>39 (2)</b>	<b>Correlate</b>
	<b>39-cn (cn)</b>	AY508621	NA	<b>39 (1)</b>	<b>Correlate</b>
<b>40</b>	<b>7B-40(cn+s)</b>	AY508622/ 22089 (2833-3631)	<b>7C or 40 (2)</b>	<b>40 (2)</b>	<b>Consistent</b>
<b>41F</b>	<b>41F-cn (cn)</b>	AY508624	<b>41F-wzx (1)</b>	<b>41F (1)</b>	<b>Correlate</b>
	<b>41F-s (s)</b>	22917 (2848-3646)	<b>41F-wzx (1)</b>	<b>41F (1)</b>	<b>Correlate</b>
<b>41A<sup>i</sup></b>	<b>2-41A (1<sup>1</sup>+cn+s)</b>	AY508623, AF532694 <sup>m</sup> / 22520 (2554-3352)	<b>(41F-wzx)41A (3)</b>	<b>41A (3)</b>	<b>Correlate</b>

42	17F-35B-35C-42 (cn+s)	AY508625/ 19403 (2387-3185)	35A or 35C or 42 (2) <sup>f</sup>	35B or 35C or 42 (2) <sup>f</sup>	Consistent				
43	43-cn (cnx2+s)	AY508626/ 22097 (2018-2816)	NA	43 (3)	Correlate				
44	44-s (s)	24095 (2181-2979)	Serogroup 12 or 44 or 46 (1)	44 (1)	Correlate				
45	45-cn (cn+s)	AY508628/ 27591 (2540-3338)	NA	45 (2)	Correlate				
46	46-s (s)	25070 (2186-2984)	Serogroup 12 or 44 or 46 (1)	46 (1)	Correlate				
47F	12A-46 (cnx2)	AY508629	Serogroup 12 or 44 or 46 (1)	12A or 46 (2)	Consistent				
	35F-47F (cn+s)	AY508631/ 16064 (2538-3336)	35F or 47F (2)	35F or 47F (2)	Consistent				
47A	47A-cn (cn+s)	AY508630/ 17250 (2535-3333)	NA	47A (2)	Correlate				
48	48-cn (cn)	AY508633	NA	48 (1)	Correlate				
48(1)	33D-48 (s)	17583 (2508-3306)	33B or 33 C or 33D or 48(1)	33D or 48 (1)	Consistent				
	48(1)-cn (cn+s)	AY508632/ 22062 (2372-3170)	NA	48(1) (2)	Correlate				
NT	NT-nz (1) <sup>j</sup>	AF532714	NA	NT (1) <sup>e</sup>	Correlate				
	NT-ca (1) <sup>j</sup>	AF532715	NA	NT (1) <sup>e</sup>	Correlate				
	NT (3) <sup>j</sup>	NA	NA	NT (3) <sup>e</sup>	Correlate				

## Notes.

a. Bold letter/numbers indicate results "consistent" (see below for their definition) between MCT and CS; limited CS is needed to distinguish 2-5 serotypes within sequence types, also see text for further explanations. NT=nonserotypeable or nontypeable. Figures in parentheses indicate number of isolate and strain source for the 87 strains used in the study, the GenBank and Sanger Institute strains were also calculated into the total numbers.

b. For explanation of sequence type nomenclature, see text. Key: -g (GenBank sequence); -c (CIDM); -n (New South Wales); -q (Queensland); -w (Western Australia); -v (Victoria); -ca (Canada); -nz (New Zealand); -cn (China); -qap (QAP programme); -s (Sanger). Different serotypes/sequence types that share the same sequences are bolded.

c. GenBank sequence accession numbers for corresponding sequence type: Those before "," are described by the others, one sequence start and stop positions corresponding the ~800 bp regions were given; those behind "," are the sequences we studied; the sequence behind "7" were got from Sanger Institute Streptococcus pneumoniae capsular loci sequence project sequence start and stop positions corresponding the ~800 bp regions are given.

d. "Correlate" means that MCT and CS results were identical; "consistent" means that components of MCT results (sequence type or PCR) correlated with more than one (2-5) CS result.

e. Serogroup 18 PCR positive and 11A-11D specific PCR negative, which can confirm the strains would be 18F.

f. Serotype 17F PCR negative.

g. 7C and 19B-19C PCR negative, 24B could be identified by exclusion.

h. One previous 42 strain (Example 1) was finally proved to be 31 – after twice repeat conventional serotyping and serotype 31-specific PCR positive.

i. One previous 41F strain (Example 1) was finally proved to be 41A – after twice repeat conventional serotyping.

j. Some of these isolates may belong to rare sequence types or even serotypes (other than the known 90 serotypes) not represented among our reference isolates.

Are the shared sequence types plausible?

In order to explain the many shared sequence types, we studied their antigenic formula (Henrichsen, 1995). Among the 31 shared sequence types (Table 9), six were shared between unrelated serotypes (2-41A, 10A-17A, 10A-23F, 13-20, 25A-29, 33D-48), three were shared between two to three related and at least another unrelated serotype (7B-40, 11A-11D-18F, 27-28F-28A, 17F-35B-35C-42) and 20 were shared between antigenically related serotypes. The remaining shared sequence type involved serotypes 16A and 28F; although they are not directly related, 28F is related to serogroup 16 (Table 9) (Henrichsen, 1995). Thus most shared molecular capsular or sequence types (genotypes) involve closely related serotypes (or phenotypes). The 10 shared sequence types that involve unrelated or more distantly related (such as 16A-28F) serotypes probably can be explained by recombination events between serotypes.

Are *wzx* and *wzy* helpful?

In Example 1 it was shown that *wzy* and *wzx* based PCRs increase the accuracy of *cpsA-cpsB* sequence-based serotype prediction. Thus, in order to extend our serotype-prediction strategy to all 90 serotypes, we examined the *wzx* and *wzy* sequences of the 90 serotypes, especially the 31 shared sequence types (Tables 7 and 9). In addition to the sequences we have determined, the unannotated sequences from the *cps* gene clusters of all 90 serotypes as determined by the Sanger Institute was used to determine the 90 *wzx* and *wzy* sequences. The identical of suitable serotype-specific *wzx* and *wzy* based primers was far from straightforward. For most of the 90 serotypes, *wzy* is shorter but more heterogeneous than *wzx* and therefore a more suitable single target for serotype-specific PCR. The *wzy* sequencing results showed that it would be helpful for the discrimination of 7C-40, 10F-10C, 12A/46 (identical)-12F/12B/44 (identical), 35A-35C/42 (identical), 35F-47F serotype(s) pairs.

It is shown that *wzx* genes from 28 different serotypes share high-level homology (72% to 100%). We found three main recombination sites in these 28 *wzx* (base positions 395, 775 and 1150) using the programme PhylPro 1.0 (Weiller 1998), which generated the diagrammatic representation of polymorphic sites and hypothetical recombination events of the *wzx* gene shown in Figure 6.

Table 9. The relationship between shared *S. pneumoniae* partial *cpsA-cpsB* sequence (798-800 bp) type and conventional serotyping (CS) antigenic formulas.

Involved CS <sup>a</sup>	Involved sequence types <sup>b</sup>	Antigenic formulas <sup>cd</sup>	wzx identity (%) <sup>e</sup>	wzy identity (%) <sup>e</sup>	Selected PCR <sup>f</sup>	cps gene cluster (%) <sup>g</sup>
2	2-41A	2a (NCR)	-	-	2	-
41A		41a (NCR)	SD	SD	41F-41A	-
6A	6A-6B-g, 6A-6B-q, 6A-6B-s	6a, 6b	-	-	IP	-
6B		6a, 6c	99.929	99.851	IP	99,079
7F	7F-7A	7a, 7b	-	-	IP	-
7A		7a, 7b, 7c	100.000	100.000	IP	SD
7B	7B-40	7a, 7d, 7e, 7h	-	-	7B-7C-40	-
40		40a, 7g, 7h	-	-	7B-7C-40	-
7C	7C-19C-24B	7a, 7d, 7f, 7g, 7h	-	-	7B-7C-40	-
19C		19a, 19c, 19f, 7h	67.002	SD	19B-19C	-
24B		24a, 24b, 24c, 7h	98.903	SD	24B	-
9A	9A-9V	9a, 9c, 9d	-	-	IP	-
9V		9a, 9c, 9d, 9g	100.000	100.000	IP	99,990 (except beginning)
10F	10F-10C	10a, 10b	-	-	Seq-wzy	-
10C		10a, 10b, 10c, 10f (NCR)	99.293	98.801	Seq-wzy	96,970
10A	10A-17A	10a, 10c, 10d (NCR)	-	-	10A-10B	-
17A		17a, 17c (NCR)	SD	SD	17A	-
10A	10A-23F	10a, 10c, 10d (NCR)	-	-	10A-10B	-
23F		23a, 23b, 18b (NCR)	SD	SD (>wzx)	23F	-
10B	10B-10C	10a, 10b, 10c, 10d, 10e	-	-	10A-10B	-
10C		10a, 10b, 10c, 10f	83.156	95.843	10A-10B-neg& Seq-wzy	-



11A	11A-11D-18F	<u>11a</u> , <u>11c</u> , <u>11d</u> , <u>11e</u>	-	-	11A-11D	-
11D		<u>11a</u> , <u>11b</u> , <u>11c</u> , <u>11e</u>	100.000	100.000	11A-11D	99.393
18F		18a, 18b, 18c, 18f (NCR)	SD	SD	sergroup18	-
11B	11B-11C	<u>11a</u> , <u>11b</u> , <u>11f</u> , <u>11g</u>	-	-	NA	-
11C		<u>11a</u> , <u>11b</u> , <u>11c</u> , <u>11d</u> , <u>11f</u>	-	-	NA	-
12F	12F-12A-12B	<u>12a</u> , <u>12b</u> , <u>12d</u>	-	-	Seq-wzy	-
12A		<u>12a</u> , <u>12c</u> , <u>12d</u>	99.417	98.102	Seq-wzy	SD
12B		<u>12a</u> , <u>12b</u> , <u>12c</u> , <u>12e</u>	99.741	100.000	Seq-wzy	98.965
						(12B:12A=9
						6.939)
12A	12A-46	12a, 12c, 12d	-	-	Seq-wzy	-
46		46a, 12c, 44b	100.000	99.835	Seq-wzy	93.210
13	13-20	13a, 13b (NCR)	-	-	13	-
20		20a, 20b, 7g (NCR)	83.828	SD	20	-
15B	15B-15C	<u>15a</u> , <u>15b</u> , <u>15d</u> , <u>15e</u> , <u>15h</u>	-	-	IP	-
15C		<u>15a</u> , <u>15d</u> , <u>15e</u>	100.000	100.000	IP	99.979
15B	15B-15C-22F-22A	<u>15a</u> , <u>15b</u> , <u>15d</u> , <u>15e</u> , <u>15h</u>	-	-	15B-15C	-
15C		<u>15a</u> , <u>15d</u> , <u>15e</u>	100.000	100.000	15B-15C	-
22F		<u>22a</u> , <u>22b</u>	SD (55.623)	SD	22F-22A	-
22A		<u>22a</u> , <u>22c</u>	SD (22A:22F=	SD (22A:22F=	22F-22A	22F:22A=99
			100.000)	100.000)		.996
16A	16A-28F	16a, 16c (NCR) <sup>h</sup>	-	-	IP	-
28F		28a, 28b, 16b, 23d (NCR) <sup>h</sup>	100.000	99.900	IP	99.991
17F	17F-35B-35C-42	17a, 17b (NCR)	-	-	17F	-
35B		<u>35a</u> , <u>35c</u> , <u>29b</u>	SD	SD	35B	-
35C		<u>35a</u> , <u>35c</u> , <u>20b</u> , <u>42a</u>	SD	SD	Seq-wzy	35C:35A=96
			(35C:35B=77.189)	(35C:35B=75.990)		.135
			(35C:35A=99.859)	(35C:35B=98.995)		
42		<u>42a</u> , <u>20b</u> , <u>35c</u>	SD	SD	Seq-wzy	42:35C=99.8
			(42:35C=100.000)	(42:35C=99.916)		30

18B	18B-18C	18a, 18b, 18e, 18g	-	-	IP	-
18C		18a, 18b, 18c, 18e	100.000	100.000	IP	99.991
23F	23F-23A	23a, 23b, 18b	-	-	23F	-
23A		23a, 23c, 15a	99.928	SD	23A	-
25F	25F-38	25a, 25b	-	-	Seq-wzy	-
38		38a, 25b	99.506	99.581	Seq-wzy	97.378
25A	25A-29	25a, 25c, 38a (NCR)	-	-	25A-29	-
29		29a, 29b, 13b (NCR)	100.000	100.000	25A-29	100.000
27	27-28F-28A	27a, 27b (NCR)	-	-	28F-28A	-
28F		28a, 28b, 16b, 23d	SD	SD	28F-28A	-
28A		28a, 28c, 23d	100.000	100.000	28F-28A	99.991
			(28A:28F= SD)	(28A:28F= SD)		
32F	32F-32A	32a, 27b	-	-	IP	-
32A		32a, 32b, 27b	100.000	100.000	IP	99.996
33F	33F-33A-35A	33a, 33b, 33d	-	-	33F-33A-37	-
33A		33a, 33b, 33d, 20b	100.000	100.000	33F-33A-37	99.792
35A		35a, 35c, 20b	77.754	SD	35A-35C-42	-
33F	33F-33B	33a, 33b, 33d	-	-	33F-33A-37	-
33B		33a, 33c, 33d, 33f	77.951	SD	33B-33C-33D-48	-
33D	33D-48	33a, 33c, 33d, 33f, 6a (NCR)	-	-	IP	-
48		48a (NCR)	100.000	100.000	IP	99.989
35F	35F-47F	35a, 35b, 34b	-	-	Seq-wzy	-
47F		47a, 35a, 35b	99.859	99.754	Seq-wzy	94.749
						(except beginning and end)

## Notes.

- a. Those conventional serotypes (CS) that could share the same sequence types.
- b. Those sequence types that could be shared by different (2-5) conventional serotypes.
- c. Bold parts showed that the factor antiserum are shared by all the shared sequence types related serotypes; underline part showed that the factor antiserum are shared by partial (2-4) shared sequence types related serotypes.
- d. NCR: no cross-reaction of any factor antiserum in the antigenic formulas between serotypes that share sequence types (Henrichsen, 1995).
- e. Sequence identity was calculated by the comparison of wzx and wzy sequences – the others wzx and wzy compared the first CS in the several sharing ST CS. SD: significant length and sequence differences (heterogeneity) between wzx or wzy.
- f. Only selected some PCR to show cases and the “serotype-specific” PCR was only evaluated within the related CS that shared sequence types. IP=impossible (or unlikely) to design real serotype-specific PCR primers to differentiate between the share sequence serotypes because the very high wzx and wzy sequence similarity.
- g. Only those with very high wzx and wzy sequence similarity serotypes cps gene cluster comparison results are shown.

Comprehensive molecular capsular sequence typing results

The final molecular capsular sequence typing results for 519 isolates (427 previously studied and 92 new isolates) are shown in Table 9. Our database now includes 90 *S. pneumoniae* serotypes and 134 sequence types (including two non-serotypeable strains). 83 serotypes are represented by 2 or more strains. 102 sequence types (not including two nonserotypeable strains), including 47 that are represented by two or more isolates, correspond to a single serotype; 23 sequence types are shared by two serotypes, six are shared by three serotypes and two are shared by four serotypes (Table 8).

10

It will be appreciated by persons skilled in the art that numerous variations and/or modifications may be made to the invention as shown in the specific embodiments without departing from the spirit or scope of the invention as broadly described. The present embodiments are, therefore, to be considered in all respects as illustrative and not restrictive.

15

All publications discussed above are incorporated herein in their entirety.

Any discussion of documents, acts, materials, devices, articles or the like which has been included in the present specification is solely for the purpose of providing a context for the present invention. It is not to be taken as an admission that any or all of these matters form part of the prior art base or were common general knowledge in the field relevant to the present invention as it existed before the priority date of each claim of this application.

20

25

**REFERENCES**

- Arai, S. et al. (2001) *Microbiol. Immunol.* 45;159-62.
- Astschul, S.F. et al. (1997) *Nucl. Acids Res.* 25;3389-402.
- 5 Arrecubieta, C. et al. (1996) *J. Exp. Med.* 184;449-55.
- Barker, J.H. et al. (1999) *J. Clin. Microbiol.* 37;4039-41.
- Bateman, A. et al. (2002) *Nucl. Acids Res.* 30;276-80.
- Chen, Y. et al. (2003) *Mamm. Genome* 14;859-65.
- Coffey, T.J. et al. (1998) *Mol. Microbiol.* 27;73-83.
- 10 Colman, G. et al. (1998). *J. Med. Microbiol.* 47;17-27.
- Dunne, W.M., Jr. (2001) *J. Clin. Microbiol.* 39;1791-1795.
- Hausdorff, W.P. et al. (2001) *Lancet* 357;950-2.
- Henrichsen, J. (1995) *J. Clin. Microbiol.* 33;2759-62.
- Henrichsen, J. (1999) *Am. J. Med.* 107;50S-54S.
- 15 Huebner, R.E. et al. (2000) *S. Afr. Med. J.* 90;1116-21.
- Huebner, R.E. et al. (2000) *Int. J. Infect. Dis.* 4;214-8.
- Jiang, S M. et al. (2001) *Infect. Immun.* 69;1244-55.
- Kong, F. et al. (2000) *J. Clin. Microbiol.* 38;4256-9.
- Kong, F. et al. (2002) *J. Clin. Microbiol.* 40;216-26.
- 20 Kumar, S. et al. (1994) *Comput. Appl. Biosci.* 10;189-91.
- Lalitha, M.K. et al. (1999) *J. Clin. Microbiol.* 37;263-5.
- Lawrence, E.R. et al. (2000) *J. Clin. Microbiol.* 38;1319-23.
- Lipsitch, M. (2001) *Am. J. Epidemiol.* 154;85-92.
- Morrison, K.E. et al. (2000) *J. Clin. Microbiol.* 38;434-7.
- 25 Robertson, G.A. et al. (2004) *J. Med. Microbiol.* 53;35-45.
- Rubins, J.B. et al. (1999) *Infect. Immun.* 67;5979-84.
- Salo, P. et al. (1995). *J. Infect. Dis.* 171;479-82.
- Schena, M. et al. (1998) *Trends Biotechnol.* 16;301-6.
- Sorensen, U.B. (1993) *J. Clin. Microbiol.* 31;2097-2100.
- 30 Straub, T.M. et al. (2002) *Appl. Environ. Microbiol.* 68;1817-26.
- Thompson, J.D. et al. (1994) *Nucl. Acids Res.* 22;4673-80.
- Vakevainen, M. et al. (2001) *J. Infect. Dis.* 184;789-93.
- van Leeuwen, W.B. et al. (2003) *J. Clin. Microbiol.* 41;3323-6.
- van Selm, S. et al. (2002) *Microbiology* 148;1747-55.
- 35 Volokhov, D. et al. (2002) *J. Clin. Microbiol.* 40;4720-8.
- Weiller, G.F. (1998) *Mol. Biol. Evol.* 15;326-35.

### CLAIMS

1. A method of distinguishing between at least 25 different serotypes of *Streptococcus pneumoniae* in a sample, the method comprising,
  - 5 i) analysing at least a portion of the nucleotide sequence between the 3' end of the *cpsA* gene and the 5' end of the *cpsB* gene, and/or
  - ii) analysing at least a portion of the *wzy* and/or *wzx* gene(s).
2. The method of claim 1 which distinguishes between at least 70 different  
10 serotypes of *Streptococcus pneumoniae* in a sample.
3. A method of determining the serotype of *Streptococcus pneumoniae* in a sample, the method comprising,
  - 15 i) analysing at least a portion of the nucleotide sequence between the 3' end of the *cpsA* gene and the 5' end of the *cpsB* gene, and/or
  - ii) analysing at least a portion of the *wzy* and/or *wzx* gene(s),wherein the serotype is selected from the group consisting of: 2, 7A, 7B, 7C, 9A, 9L, 10F, 10A, 10B, 10C, 11F, 11A, 11B, 11C, 11D, 12F, 12A, 12B, 13, 15F, 15A, 15B, 15C, 16A, 17F, 17A, 18F, 18A, 18B, 21, 22F, 22A, 24F, 24A, 24B, 25F, 25A, 27, 28F,  
20 28A, 31, 32F, 32A, 33F, 33A, 33B, 33C, 33D, 34, 35A, 35B, 35C, 36, 37, 38, 39, 40, 41F, 41A, 42, 43, 44, 45, 46, 47, 47A and 48.
4. A method of determining the serotype of *Streptococcus pneumoniae* in a sample, the method comprising analysing at least a portion of the nucleotide sequence  
25 between the 3' end of the *cpsA* gene and the 5' end of the *cpsB* gene.
5. The method of claim 4, wherein the portion of the nucleotide sequence between the 3' end of the *cpsA* gene and the 5' end of the *cpsB* gene which is analysed is any nucleotide which is polymorphic between at least some of the *S. pneumoniae* serotypes  
30 referred to in Figure 2.
6. The method of claim 4 or claim 5, wherein the method comprises amplifying at least a portion of the nucleotide sequence between the 3' end of the *cpsA* gene and the 5' end of the *cpsB* gene, and sequencing the amplification product.  
35
7. The method of claim 6, wherein the entire approximate 800 bp region as provided in Figure 2 is amplified and sequenced.

8. The method of claim 7, wherein the amplification is performed using primer pairs comprising a sequence selected from the group consisting of:

- 1) GGCATT(/C)TATGGAGTTGATTTCG(/A)TCCATT(/C)CACAC(C/T)TTAG  
(SEQ ID NO:68) and  
5 GC(/T)TCAATG(/A)TGG(/A)GCAATG(/T)ACTGGA(/C)GTA(/G)ATTCCCA(/G)A  
CATC (SEQ ID NO:73),  
2) GGCATT(/C)TATGGAGTTGATTTCG(/A)TCCATT(/C)CACACC(/T)  
TTAG (SEQ ID NO:68) and  
CCATCAC(/T)ATAGAGGTTAC(/A)TG(/A)TCTGGCATT(/C)GC (SEQ ID NO:71),  
10 3) GAAAGTGGG(/A/T)GGG(/A/T)A(/G)A(/C)T(/G)TAT(/C)AAAGTA(/G)  
AATTCT(/G)CAAGAT(/C)TTA(/G)AAA(/G)G (SEQ ID NO:70) and  
T(/G)CATG(/A)CTA(/G)AAC(/T)TCT(/A)ATC(/T)AAG(/A)GCATAACGACTATC(/  
T) (SEQ ID NO:72), and  
4) primer pairs that amplify the same region, or diagnostic portion thereof, from  
15 the genome of a strain of *S. pneumoniae* as the primers provided in 1) to 3).

9. The method of claim 4, wherein the nucleotide sequence analysis step comprises determining whether a polynucleotide obtained from *S. pneumoniae* selectively hybridises to a polynucleotide probe comprising one or more polymorphic regions of  
20 the nucleotide sequence between the 3' end of the *cpsA* gene and the 5' end of the *cpsB* gene, wherein such polymorphic regions are shown in Figure 2.

10. The method of claim 9, wherein the nucleotide sequence analysis step comprises a plurality of said polynucleotide probes.

25

11. The method of claim 9 or claim 10, wherein the polynucleotide probe(s) is present as a microarray.

12. A method of determining the serotype of *Streptococcus pneumoniae* in a  
30 sample, the method comprising analysing at least a portion of the *wzy* and/or *wzx* gene(s).

13. The method of claim 12 which comprises amplifying at least a portion of the *wzy* and/or *wzx* gene(s), and determining the length of the amplification product.

35

14. The method of claim 13, wherein at least a portion of the *wzy* and/or *wzx* gene(s) is amplified using a primer comprising a sequence selected from any one of SEQ ID

NO's 75 to 139 or 144 to 333, or a primer that can be used to amplify the same region, or diagnostic portion thereof, from the genome of a strain of *S. pneumoniae* as a primers provided as any one of SEQ ID NO's 75 to 139 or 144 to 333.

- 5 15. A method of determining the serotype of *Streptococcus pneumoniae* in a sample, the method comprising performing a method according to any one of claims 4 to 11, and the method according to any one of claims 12 to 14.
16. A method of identifying serotype 3 of *Streptococcus pneumoniae* in a sample,  
10 the method comprising a method according to any one of claims 4 to 11, and analysing the *orf2 (wze)-cap3A-cap3B* region.
17. The method of claim 16, wherein the *orf2 (wze)-cap3A-cap3B* region is analysed by amplifying a portion of the *orf2 (wze)-cap3A-cap3B* region using primer  
15 pairs selected from the group consisting of:
  - 1) GCACAAAAAAAAGTTTGATATTCCCCTTGACAATAG (SEQ ID NO:140) and GCAGGATCTAAGGAGGCTTCAAGATTCAACTC (SEQ ID NO:141),
  - 2) CGAACCTACTATTGAGTGTGATACTTTTATGGGATACAGAG (SEQ  
20 ID NO:142) and CTGACAGCATGAAAATATATAACCGCCCAACGAATAAG (SEQ ID NO:143), and
  - 3) primer pairs that amplify the same region, or diagnostic portion thereof, from the genome of a strain of *S. pneumoniae* as the primers provided in 1) or 2)
- 25 18. The method according to any one of claims 1 to 17, the method further comprising detecting any serotype of *Streptococcus pneumoniae* in the sample.
19. The method of claim 18, wherein the *psaA* and/or pneumolysin genes, or a portion thereof, is amplified.
- 30 20. The method of claim 19, wherein a portion of the *psaA* gene is amplified using primers comprising the sequence  
TACATTACTCGTTCTCTTTCTTTCTGCAATCATTCTTG (SEQ ID NO:64) and  
TAGTAGCTGTGCGCTTCTTTACCTTGTTCTGC (SEQ ID NO:65), or primer pairs  
35 that amplify the same region, or diagnostic portion thereof, from the genome of a strain of *S. pneumoniae* as SEQ ID NO:64 and SEQ ID NO:65.



21. The method of claim 19, wherein a portion of the pneumolysin gene is amplified using primers comprising the sequence AGAATAATCCCACTCTTCTTGCGGTTGA (SEQ ID NO:66) and CATGCTGTGAGCCGTTATTTTTTCATACTG (SEQ ID NO:67) or primer pairs that amplify the same region, or diagnostic portion thereof, from the genome of a strain of *S. pneumoniae* as SEQ ID NO:66 and SEQ ID NO:67.
22. An isolated polynucleotide comprising a sequence of nucleotides selected from those provided as SEQ ID NO's 2 to 63, or a fragment thereof which is at least 10 nucleotides in length, with the proviso that the polynucleotide does not comprise the entire *wzy* and/or *wzx* gene(s) of a *S. pneumoniae* serotype selected from the group consisting of: 1, 2, 4, 6A, 6B, 8, 9V, 14, 18C, 19F, 19A, 19B, 23F, 33F and 37, or the entire *wzx* gene of *S. pneumoniae* serotype 19C.
23. An isolated polynucleotide comprising a sequence of nucleotides selected from the group consisting of: 1-AF532632, 10A-AF532633, 10A-AF532634, 10B-AY508586, 10F-AF532635, 10F-AF532636, 10F-AY508587, 11A-AF532637, 11A-AF532638, 11B-AF532639, 11C-AY508588, 11C-AY508589, 12A-AY508590, 12A-AY508591, 12F-AF532640, 12F-AF532641, 13-AF532642, 14-AF532643, 14-AF532644, 14-AF532645, 15A-AF532646, 15A-AF532647, 15B-AF532648, 15B-AF532649, 15B-AF532650, 15C-AF532651, 15C-AF532652, 15C-AY330714, 15C-AY330715, 15C-AY508592, 15C-AY508593, 15F-AY508594, 15F-AY508595, 16A-AY508596, 16F-AF532653, 16F-AF532654, 17A-AF532655, 17A-AY508597, 17F-AF532656, 17F-AF532657, 18A-AF532658, 18A-AF532659, 18B-AF532660, 18C-AF532661, 18F-AF532662, 18F-AY330716, 18F-AY508598, 19A-AF532663, 19A-AF532664, 19B-AY508599, 19C-AY508600, 19C-AY508601, 19F-AF532665, 19F-AF532666, 19F-AF532667, 19F-AF532668, 2-AF532669, 20-AF532670, 21-AF532671, 21-AY508602, 22A-AF532672, 22F-AF532673, 23A-AF532674, 23A-AF532675, 23B-AF532676, 23B-AY330717, 23F-AF532677, 23F-AF532678, 23 F-AF532679, 24A-AY508603, 24B-AY508604, 24F-AY508605, 24F-AY508606, 24F-AY508607, 25F-AF532711, 27-AY508608, 28A-AY508609, 28F-AY508610, 28F-AY508611, 29-AF532680, 29-AY330718, 3-AF532681, 3-AF532682, 3-AF532683, 31-AF532684, 32A-AY508612, 32A-AY508613, 32F-AY508614, 33A-AF532685, 33B-AF532686, 33B-AY508615, 33C-AY508616, 33F-AF532687, 33F-AF532688, 33F-AF532689, 34-AF532690, 35A-AY508617, 35B-AF532691, 35C-AY508618, 35F-AF532692, 36-AY508619, 37-AF532713, 38-AF532712, 39-AY508620, 39-AY508621, 4-AF532693, 40-AY508622, 41A-AY508623, 41F-AY508624, 42-AY508625, 43-AY508626, 45-AY508628, 46-AY508629, 47A-AY508630, 47F-

- AY508631, 48-AY508632, 48-AY508633, 5-AF532696, 5-AF532697, 5-AY508634, 6A-AF532698, 6A-AF532699, 6A-AF532700, 6A-AF532701, 6A-AF532702, 6A-AY508641, 6B-AF532703, 6B-AF532704, 6B-AF532705, 7A-AY508635, 7B-AY508636, 7C-AF532706, 7F-AF532707, 8-AF532708, 9A-AY508637, 9L-  
5 AY508638, 9N-AF532709, 9V-AF532710 and 9V-AY508639 as provided in Figure 2, or a fragment thereof which is at least 10 nucleotides in length, with the proviso the polynucleotide does not comprise the 3' end of the *cpsA* gene to the 5' end of the *cpsB* gene of a *S. pneumoniae* serotype selected from the group consisting of: 1, 2, 3, 4, 6A, 6B, 8, 9V, 14, 18C, 19F, 19A, 23F, 33F and 37.
- 10
24. An isolated polynucleotide consisting essentially of 10 to 50 contiguous nucleotides corresponding to a portion of the 3' end of the *cpsA* *S. pneumoniae* gene or the 5' end of the *cpsB* *S. pneumoniae* gene.
- 15 25. A polynucleotide consisting essentially of 10 to 50 contiguous nucleotides corresponding to a portion of the *S. pneumoniae* *wzy* and/or *wzx* gene(s).
26. The polynucleotide of claim 24 or claim 25, wherein said polynucleotide comprises one or more nucleotides which differ between different *S. pneumoniae*  
20 serotypes.
27. The polynucleotide of claim 26, wherein the nucleotides which differ between *S. pneumoniae* serotypes correspond to one or more of positions as shown in Figure 2.
- 25 28. A composition comprising a plurality of polynucleotides according to any one of claims 22 to 27 and an acceptable carrier or excipient.
29. A microarray comprising a plurality of polynucleotides according to any one of claims 22 to 27.
- 30 30. The use of a microarray according to claim 29 for serotyping a strain of *S. pneumoniae*.
31. A kit comprising at least one polynucleotide according to any one of claims 22  
35 to 27.

10/552394

```

1   gtcaaatctg tcttgattga aaaactgctg gctaaagaag tacttgaaaa acaggtcttg
61  gctccatggg atgctttctg tgtggaatta ctataaatat tttttgcaga aaaattttaa
121 attgaaatcg tataaaaaca agggaggact gtataaaaga cagaaatcct ttgtttttta
181 taaccaaagt ttataaaactt tcattcttga aattcaatta accttacaaa ttcccactat
241 taaggagaaa gaagatgaac ataaagaagc gtgtccttag tgcaggcctg acctttgcat
301 ctgctttgct tttagctgct tgcggccaat caggttcaga tacaaaaact tactcatcaa
361 ccttttagtg aaatccaact acatttaact atctattaga ctattacgct gataatatag
421 ttaattgaaa caagaacaag acaaaagagc ctcataaaag gtattgcaac ttggtaatac
481 ctttttgagg tgctttttga tatgagccca tgttttctca ataggattgt actcagggtga
541 gtagggagga agaggtaaaa gtttataccc aaactcttca cacaagagtt ctaacttacc
601 cattctatgg aatccttgcat tatccataat aataaccgat ggtgtgttta atgttggtta
661 gagaaatttc tgaaaccaag cttcaaaaaa gtgcgtcgtc atcgtctctt cgttaagttat
721 tggagcgtat aactcaccat ttggttagacc tgcaaccaaa gaaatcctct gatatcttct
781 tccagatact ttgcctcttc ttaactgacc ttttaatgag cgaccatatt ctcgataaaa
841 ataagtatcg aatcctgttt catcaatcta aacagggtgt aggtgcttta aactattaaa
901 attcttaaga aataaggcta ctttttctgg gttttgttca tagtaggtgt ggttcttttt
961 ttcgagtgtg gcccatagct ttgagcgcgt agtggatggt agttggatga cagccaaatt
1021 cagaagctat ttcagtcaaa taagcgtctg gattgtcagt aagatagttt ttaagtctat
1081 ctctatcaac ttttcttggt tttgttcctt ttacttggtg gtttagctct cctgttttct
1141 ctttttagctt taaccagcca taaatggtat tacgtgatat ttggaaaacg tgtgatgctt
1201 ctgttatact acctgttcgc tcacaataag agagaacttt ttacgaaaa tctattgaat
1261 atgccataag aagattatac cacattgtgt actatattag attgaaacta gaatagtaca
1321 cctctgcttc taaaacattg ttagaaatcg atttgactgt cctgaacgat ttgttctggt
1381 cttattttcat tttactatat ttttgtttcg cgggaagtct actaagatac ttaaagatgc
1441 agatagtaaa aataaagggtg tagacattac cgtaaaaaag tgatataatc gtatagtgtt
1501 caatgtatag gtattaatca tgagttagacg ttttaaaaaa tcacgttcac agaaagtga
1561 gcgaagtgtt aatatagttt tgctgactat ttatttattg ttagtttggt ttttattggt
1621 cttaatcttt aagtacaata tccttgcttt tagatatctt aatctagtgg taactgcgtt
1681 agtccacta gtigccttgg tagggctact cttgattatc tataaaaaag ctgaaaagtt
1741 tactattttt ctggttggtg tctctatcct gtgcagctct gtgtcgctct tgtagtaca
1801 gcagtttggt ggactgacca atcgtttaaa tgcgacttct aattactcag aatattcaat
1861 cagtgtcgct gttttagcag atagttagat cgaaaatggt acgcaactga cgagtgtgac
1921 agcaccgact gggactaata atgaaaatat tcagaaatta ctagtgtata tcaagtcaag
1981 tcagaatacc gatttgacgg tcaaccagag ttcgtcttac ttggcagctt acaagagttt
2041 gattgcaggg gagactaagg ccattgtcct aaatagtgtc tttgaaaaca tcatcgagtc
2101 agagtatcca gactacgcat cgaagataaa aaagatttat actaagggat tcaactaaaa
2161 agtagaagct cctaagacgt ctaagagtca gtctttcaat atctatgtta gtggaattga
2221 cacctatggt cctattagtt cgggtgcgcg atcagatgtc aacatcctga tgactgtcaa
2281 tcgagatacc aagaaaatcc tcttgaccac aacgccacgt gatgcctatg taccaatcgc
2341 agatggtgga aataatcaaa aagataaatt gactcatgct ggcatttatg gagttgattc
2401 gtccattcac accttagaaa atctctatgg agtggatatc aattactatg tgcgattgaa
2461 cttcacttcg tttttgaaat tgattgattt gttgggtgga attgatgttt ataatgatca
2521 agaatttact gcccatacga atggaaagta ttaccctgca ggcaatgttc atcttgattc
2581 agaacaggct ctcggttttg ttctgtgagc ctactcccta gcagatggcg atcgtgaccg
2641 cgggcgcat caacaaaagg tgattgtggc tatccttcaa aaattaacgt caaccgaagt
2701 gctgaaaaat tatagtacga tcattaatag cttgcaagat tctatccaaa caaatatgcc
2761 acttgagacc atgataaatt tggatcaatgc tcagttagaa agtggaggga attataaagt
2821 aaattctcaa gattttaaag ggacagggtc gatggatctt ccttctatg ccttgccaga
2881 cagtaacctc tatgtgatgg aaatagatga tagtagttta gctgtagtta aagcagctat
2941 acaggatgtg atggagggtg gatgaaatga tagacatcca ttgcgatatc gtttttgatg
3001 tagatgacgg tcccaagtca agagaggaaa gcaaggctct cttggcagaa tcctacagac

```

Continue next page

**10/552394**

2/63

```
3061 aggggggtgcg aaccattggt tctacctctc accgtcgcaa gggcatgttt gaaactccgg
3121 aagagaagat agcagaaaac tttcttcagg ttcgggaaat agctaaggaa gtggcgagtg
3181 acttggtcat tgcttacggg gctgaaatct attacacacc agatgttctg gataagctgg
3241 aaaaaaagcg gattccgacc ctcaatgata gtcgttatgc cttgatagag tttagtatga
3301 acactcctta tcgcgatatt catagcgctt tgagcaagat cttgatgttg ggaattactc
3361 cagtcattgc ccacattgag cgctatgatg ctcttgaaaa taatgaaaaa cgcgttcgag
3421 aactgatcga tatgggctgt tacacgcaag taaatagtct acatgtcctc aaacccaaac
3481 tttttggcga acgttataaa ttcatgaaaa aaagagctca gtatTTTTTA gagcaggatt
3541 tggttcatgt cattgcaagt gatatgcaca atctagacgg tagacctct catatggcag
3601 aagcatatga ccttgttacc caaaaatacg gagaagcgaa ggctcaggaa ctttttatag
3661 acaatcctcg aaaaattgta atggatcaac taatttagga gaaatgatga aagaacaaaa
3721 tacgatagaa atcgatgtat ttcaattagt taaaagcttg tggaaacgca agctaattgat
3781 tttaatagtg gcacttgtga cagggtcggg ggcttttgca tatagcactt ttattgttaa
3841 gccagaatat acgagtacca cgcgaattta cgtagtgaat cgcaatcaag gagacaagcc
3901 ggggttgaca aatcaggatt tgcaggcagg aacttatctg gtaaaagact accgtgagat
3961 tatcctttcg caggatgttt tggaggaagt tgtttctgat
```

**Figure 1**

10/552394

3/63

	1			50
25F-AF532711	-----a--g	--ag----	-----aat--	ta-t-----g g-c---ag--
38-AF532712	-----a--g	--ag----	-----aat--	ta-t-----g g-c---ag--
23B-AF532676	-----	t---c--t-	-g-----t-	-----t-----c-
23B-AY330717	-----	t---c--t-	-g-----g-	-----t-----c-
19A-AF094575	-----	t---c--t-	-g-----t-	-----t-----c-
19A-AF532664	-----	t---c--t-	-g-----t-	-----t-----c-
19A-AF532663	-----	t---c--t-	-g-----t-	-----t-----c-
11B-AF532639	-----g	t---c--t-	-g-----t-	-----t-----
11C-AY508588	-----g	t---c--t-	-g-----t-	-----t-----
6A-AY330713	g--t-----	t-----t-	-g-----t-	-----t-----
6B-AF532705	g--t-----	t-----t-	-g-----t-	-----t-----
11A-AF532637	-----	-----	-----	-a-----
11D-pne65-1S	-----	-----	-----	-a-----
18F-AY508598	-----	-----	-----	-a-----
39-AY508621	-----	t-----t-	-g-----t-	-----t-----
6A-AF532701	g--t-----	t-----t-	-g-----t-	aa-t-----t-----
6B-AF532703	g--t-----	t-----t-	-g-----t-	aa-t-----t-----
6A-AF532700	g--t-----	t-----t-	-g-----t-	aa-t-----t-----
35F-AF532692	g--t-----	t-----t-	-g-----t-	aa-t-----t-----
47F-AY508631	g--t-----	t-----t-	-g-----t-	aa-t-----t-----
10B-AY508586	g--t-----	t-----t-	-g-----t-	aa-t-----t-----
17A-AF532655	g--t-----	t-----t-	-g-----t-	aa-t-----t-----
34-AF532690	g--t-----	t-----t-	-g-----t-	aa-t-----t-----
34-pne73-1S	a--t-----	t-----t-	-g-----t-	aa-t-----t-----
19C-AY508600	g--t-----	t-----t-	-g-----t-	aa-t-----t-----
17F-AF532657	g--t-----	t-----t-	-g-----t-	aa-t-----t-----
35B-AF532691	g--t-----	t-----t-	-g-----t-	aa-t-----t-----
35C-AY508618	g--t-----	t-----t-	-g-----t-	aa-t-----t-----
42-AY508625	g--t-----	t-----t-	-g-----t-	aa-t-----t-----
33A-AF532685	g--t-----	t-----t-	-g-----t-	aa-t-----t-----
33F-AF532689	g--t-----	t-----t-	-g-----t-	aa-t-----t-----
35A-AY508617	g--t-----	t-----t-	-g-----t-	aa-t-----t-----
33F-AG006986	g--t-----	t-----t-	-g-----t-	aa-t-----t-----
17F-AF532656	g--t-----	t-----t-	-g-----t-	aa-t-----t-----
33C-pne62-1S	g--t-----	t-----t-	-g-----t-	aa-t-----t-----
33C-AY508616	g--t-----	t-----t-	-g-----t-	aa-t-----t-----
10A-AF532633	g--t-----	t-----t-	-g-----t-	aa-t-----t-----
17A-AY508597	g--t-----	t-----t-	-g-----t-	aa-t-----t-----
4-AF532693	g--t-----	t-----t-	-g-----t-	aa-t-----t-----
41F-AY508624	g--t-----	t-----t-	-g-----t-	aa-t-----t-----
37-AF532713	g--t-----	t-----t-	-g-----t-	aa-t-----t-----
37-AJ131984	g--t-----	t-----t-	-g-----t-	aa-t-----t-----
23A-AF532675	g--t-----	t-----t-	-g-----t-	aa-t-----t-----
43-AY508626	g--t-----	t-----t-	-g-----t-	aa-t-----t-----
6A-AF532702	-----	-----	-----	-----
6B-pne07-1S	-----	-----	-----	-----
15F-AY508594	-----	-----	-----	-----
15F-AY508595	-----	-----	-----	-----c-----
6A-AF532698	-----	-----	-----	-----
6A-AY508641	-----	-----	-----	-----
6A-AF532699	-----	-----	-----	a-----
6A-AY078347	-----	-----	-----	-----
15A-AF532647	-----	-----	-----	-----
23F-AF532678	g--t-----	t-----	-----	-----
7A-AY508635	-----	-----	-----	-----
18A-AF532658	-----	-----	-----	-----

Continue next page

**10/552394**

4/63

18A-AF532659	-----	-----	-----	-----	-----
1-AF532632	-----	-----	-----	-----	-----
1-Z83335	-----	-----	-----	-----	-----
18B-AF532660	-----	-----	-----	-----	-----
18C-AF532661	-----	-----	-----	-----	-----
18F-AY330716	-----	-----	-----	-----c	-----
16A-AY508596	-----	-----	-----	-----	-----
28F-pne56-1S	-----	-----	-----	-----	-----
19F-AF532666	-----	-----	-----	-----	-----
19F-U09239	-----	-----	-----	-----	-----
19F-AF030369	-----	-----	-----	-----	-----
19F-AF532667	-----	-----	-----	-----	-----
19F-AF532665	-----	-----	-----	-----	-----
19F-AF532668	-----	-----	-----	-----	-----
36-AY508619	-----	-----	-----	-----	-----
24F-AY508605	-----	-----	-----	-----	-----c
18F-AF532662	-----	-----	-----	-----	-----
24A-AY508603	-----	-----	-----	-----	-----
24F-AY508607	-----	-----	-----	-----a	-----
27-pne55-1S	a--t-----	t-----	-----	-----	-----
28A-AY508609	a--t-----	t-----	-----	-----	-----
28F-AY508610	a--t-----	t-----	-----	-----	-----
28F-AY508611	a--t-----	t-----	-----	-----	-----
31-AF532684	-----	-----	-----	-----	-----
5-AF532696	-----	-----	-----	-----	-----
8-AF532708	-----	-----	-----	-----	-----
8-pne12-1S	-----	-----	-----	-----	-----
2-pne02-1S	-----	-----	-----	-----	-----
41A-AY508623	-----	-----	-----	-----	-----
2-AF026471	-----	-----	-----	-----	-----
27-AY508608	-----	-----	-----	-----	-----
12A-pne66-1S	-----	-----	-----	-----	-----
46-AY508629	-----	-----	-----	-----	-----
46-pne89-1S	-----	-----	-----	-----	-----
12A-AY508590	-----	-----	-----	-----	-----
10C-pne19-1S	a--t-----	t-----	-----	-----	-----
10F-AY508587	a--t-----	t-----	-----	-----	-----
10F-AF532636	a--t-----	t-----	-----	-----	-----
10F-AF532635	a--t-----	t-----	-----	-----	-----
11C-AY508589	g--t-----	t-----	-----	-----	-----
12A-AY508591	a--t-----	t-----	-----	-----	-----
12B-pne24-1S	a--t-----	t-----	-----	-----	-----
12F-AF532641	a--t-----	t-----	-----	-----	-----
12F-AF532640	a--t-----	t-----	-----	-----	-----
21-AF532671	a--t-----	t-----	-----	-----	-----
21-AY508602	a--t-----	t-----	-----	-----	-----
48-AY508633	a--t-----	t-----	-----	-----	-----
15B-AF532650	-----	-----	-----	-----	-----
15C-AY508592	-----	-----	-----	-----	-----
22A-pne46-1S	-----	-----	-----	-----	-----
22F-AF532673	-----	-----	-----	-----	-----
15C-pne31-1S	-----	-----	-----	-----	-----
22A-AF532672	-----	-----	-----	-----	-----
44-pne87-1S	-----	-----	-----	-----	-----
19C-pne42-1S	-----	-----	-----	-----	-----c
24B-AY508604	-----	-----	-----	-----	-----c
7C-AF532706	-----	-----	-----	-----	-----c

Continue next page

10/552394

5/63

19C-AY508601	a--t-----	t-----	-----	-----	-----
15A-AF532646	-----	-----	-----	-----	-----c-
32A-AY508612	-----	-----	-----	-----	-----
32F-AY508614	-----	-----	-----	-----	-----
32A-AY508613	-----	-----	-----	-----	-----
9A-AY508637	-----	t-----	-----	-----	-----
9V-AY508639	-----	t-----	-----	-----	-----
9V-AF532710	-----	t-----	-----	-----	-----
6B-AF532704	-----	-----	-----	-----	-----
33D-pne72-1S	-----	-----	-----	-----	-----
48-pne63-1S	-----	-----	-----	-----	-----
33B-AF532686	-----	-----	-----	-----	-----
33B-AY508615	-----	-----	-----	-----	-----
33F-AF532688	-----	-----	-----	-----	-----
33B-pne61-1S	-----	-----	-----	-----	-----
33F-AF532687	-----	-----	-----	-----	-----
11A-AF532638	-----	-----	-----	-----	-----
41F-pne83-1S	-----	-----	-----	-----	-----
45-AY508628	g--t-----	t-----	-----	-----	-----
2-AF532669	-----	-----	-----	-----	-----
9L-AY508638	a--t-----	t-----	-----	-----	-----
9N-AF532709	a--t-----	t-----	-----	-----	-----
13-AF532642	-----	-----	-----	-----	-----
20-AF532670	-----	-----	-----	-----	-----
48-AY508632	a--t-----	t-----	-----	-----	-----
16F-AF532653	-----	-----	-----	-a-----	-----
16F-AF532654	-----	-----	-----	-a-----	-----
40-AY508622	-----	-----	-----	-----	-----
7B-AY508636	-----	-----	-----	-----	-----
15B-AF532648	-----	-----	-----	-----	-----c-
19B-AY508599	-----	-----	-----	-----	-----c-
5-AF532697	-----	-----	-----	-----	-----
5-AY508634	-----	-----	-----	-----	-----
7A-pne08-1S	-----	-----	-----	-----	-----
7F-AF532707	-----	-----	-----	-----	-----
23A-AF532674	-----	-----	-----	-----	-----
23F-AF532679	-----	-----	-----	-----	-----
25A-pne54-1S	a--t-----	t-----	-----	-----	-----
29-AY330718	a--t-----	t-----	-----	-----	-----
29-AF532680	a--t-----	t-----	-----	-----	-----
15B-AF532649	a--t-----	t-----	-----	-----	-----
15C-AY508593	a--t-----	t-----	-----	-----	-----
15C-AF532651	a--t-----	t-----	-----	-----	-----
15C-AF532652	a--t-----	t-----	-----	-----	-----
15C-AY330714	a--t-----	t-----	-----	-----	-----
15C-AY330715	a--t-----	t-----	-----	-----	-----
10A-AF532634	-----	-----	-----	-----	-----
23F-AF532677	-----	-----	-----	-----	-----
14-AF532643	-----	-----	-----	-----	-----
14-AF532644	-----	-----	-----	-----	-----
14-X85787	-----	-----	-----	-----	-----
47A-AY508630	-----	-----	-----	-----	-----
39-AY508620	a--t-----	t-----	-----	-----	-----
14-AF532645	-----	t---c--t-	-g---t-	-----	t-----c-
3-AF532681	g--t-----	t-----t-	-g---at--	aa-t-----	t-----
3-AF532682	g--t-----	t-----t-	-g---at--	aa-t-----	t-----
3-AF532683	g--t-----	t-----t-	-g---at--	aa-t-----	t-----

Continue next page

10/552394

6/63

```
3-Z47210 g--t-----t-----t- -g---at--aa-t-----t-----
24F-AY508606 a--t-----t-----c-----a-----t---c---
Consensus TTTCTTGAAA ATGATTGACT TATTGGGAGG GGTAGATGTT CATAATGATC
51 100
25F-AF532711 ----a---a- -.....at- -acgg-aa-g -c-at--t--t-a---c--
38-AF532712 ----a---a- -.....at- -acgg-aa-g -c-at--t--t-a---c--
23B-AF532676 ----t--ca- -t-----c-----t-a-----
23B-AY330717 ----t--ca- -t-----c-----t-a-----
19A-AF094575 ----t---a- -t-----c-----t-a-----
19A-AF532664 ----t---a- -t-----c-----t-a-----
19A-AF532663 ----t---a- -t-----c-----t-a-----
11B-AF532639 -g--a--ca- -----tgc- aat--aaaa- -c-att-ta- t-t-----
11C-AY508588 -g--a--ca- -----tgc- aat--aaaa- -c-att-ta- t-t-----
6A-AY330713 -g--a--ca- -----tgc- aat--aaaa- -c-att-ta- t-t-----
6B-AF532705 -g--a--ca- -----tgc- aat--aaaa- -c-att-ta- t-t-----
11A-AF532637 -----
11D-pne65-1S -----
18F-AY508598 -----
39-AY508621 -g--a--ca- -----c-----t- -g---t-- -c---t
6A-AF532701 ----a---a- t--c-atacg aatggaaaagt ---a---t-- -c---t
6B-AF532703 ----a---a- t--c-atacg aatggaaaagt ---a---t-- -c---t
6A-AF532700 ----a---a- t--c-atacg aatggaaaagt ---a---t-- -c---t
35F-AF532692 ----a---a- t--c-atacg aatggaaaagt ---a---t-c -c---t
47F-AY508631 ----a---a- t--c-atacg aatggaaaagt ---a---t-c -c---t
10B-AY508586 ----a---a- t--c-atacg aatggaaaagt ---at--t-c -c---t
17A-AF532655 ----a---a- t--c-atacg aatggaaaagt ---at--t-c -c---t
34-AF532690 ----a---a- t--c-atacg aatggaaaagt ---a---t-c -c---t
34-pne73-1S ----a---a- t--c-atacg aatggaaaagt ---at--t-c -c---t
19C-AY508600 ----a---a- t--c-atacg aatggaaaagt ---at--t-c -c---t
17F-AF532657 ----a---a- t--c-atacg aatggaaaagt ---a---t-c -c---t
35B-AF532691 ----a---a- t--c-atacg aatggaaaagt ---a---t-c -c---t
35C-AY508618 ----a---a- t--c-atacg aatggaaaagt ---a---t-c -c---t
42-AY508625 ----a---a- t--c-atacg aatggaaaagt ---a---t-c -c---t
33A-AF532685 ----a---a- t--c-atacg aatggaaaagt ---a---t-c -c---t
33F-AF532689 ----a---a- t--c-atacg aatggaaaagt ---a---t-c -c---t
35A-AY508617 ----a---a- t--c-atacg aatggaaaagt ---a---t-c -c---t
33F-AG006986 ----a---a- t--c-atacg aatggaaaagt ---a---t-c -c---t
17F-AF532656 ----a---a- t--c-atacg aatggaaaagt ---a---t-c -c---t
33C-pne62-1S ----a---a- t--c-atacg aatggaaaagt ---a---t-c -c---t
33C-AY508616 ----a---a- t--c-atacg aatggaaaagt ---a---t-c -c---t
10A-AF532633 ----a---a- t--c-atacg aatggaaaagt ---a---t-c -c---t
17A-AY508597 ----a---a- t--c-atacg aatggaaaagt ---a---t-c -c---t
4-AF532693 ----a---a- t--c-atacg aatggaaaagt ---a---t-c -c---t
41F-AY508624 ----a---a- t--c-atacg aatggaaaagt ---a---t-c -c---t
37-AF532713 ---ga---a- t--c-atacg aatggaaaagt ---a---t-a -c---t
37-AJ131984 ---ga---a- t--c-atacg aatggaaaagt ---a---t-a -c---t
23A-AF532675 ----a---a- t--c-atacg aatggaaaagt ---a---t-c -c---t
43-AY508626 ----a---a- t--c-atacg aatggaaaagt ---a---t-c -c---t
6A-AF532702 ----a-----a-----
6B-pne07-1S ----a-----a-----
15F-AY508594 ----a-----a-----
15F-AY508595 ----a-----a-----
6A-AF532698 ----a-----a-----
6A-AY508641 ----a-----a-----
6A-AF532699 ----a-----a-----
6A-AY078347 ----a-----a-----
15A-AF532647 ----a-----a-----
```

Continue next page



**10/552394**

7/63

23F-AF532678	-----	-----	-----	-----g-----	-----
7A-AY508635	-----	-----c-----	-----	-----	-----
18A-AF532658	-----	-----t-----	-----	-----	-----c-----
18A-AF532659	-----	-----a-----	-----	-----	-----c-----
1-AF532632	-----	-----	-----	-----	-----
1-Z83335	-----	-----	-----	-----	-----
18B-AF532660	-----	-----	-----	-----	-----
18C-AF532661	-----	-----	-----	-----	-----
18F-AY330716	-----	-----	-----	-----	-----
16A-AY508596	-----	-----	-----	-----	-----
28F-pne56-1S	-----	-----	-----	-----	-----
19F-AF532666	-----	-----	-----	-----	-----
19F-U09239	-----	-----	-----	-----	-----
19F-AF030369	-----	-----	-----	-----	-----
19F-AF532667	-----	-----	-----	-----	-----
19F-AF532665	-----	-----	-----	-----	-----
19F-AF532668	-----	-----	-----	-----	-----
36-AY508619	-----	-----	-----	-----	-----
24F-AY508605	-----	-----	-----	-----	-----
18F-AF532662	-----	-----a-----	-----	-----	-----
24A-AY508603	----a--a-	t--c-atacg	aatggaaagt	---a---t-c	---c----t
24F-AY508607	-----	-----	-----	-----	-----
27-pne55-1S	-----	-----	-----	-----	-----
28A-AY508609	-----	-----	-----	-----	-----
28F-AY508610	-----	-----	-----	-----	-----
28F-AY508611	-----	-----	-----	-----	-----
31-AF532684	-----	-----	-----	-----	-----
5-AF532696	-----	-----	-----	-----	-----
8-AF532708	-----	-----	-----	-----	-----
8-pne12-1S	-----	-----	-----	-----	-----
2-pne02-1S	-----	-----	-----	-----	-----
41A-AY508623	-----	-----	-----	-----	-----
2-AF026471	-----	-----	-----	-----	-----
27-AY508608	-----	-----	-----	-----	-----
12A-pne66-1S	-----	-----	-----	-----	-----
46-AY508629	-----	-----	-----	-----	-----
46-pne89-1S	-----	-----	-----	-----	-----
12A-AY508590	-----	-----	-----	-----	-----
10C-pne19-1S	-----	-----	-----	-----	-----
10F-AY508587	-----	-----	-----	-----	-----
10F-AF532636	-----	-----	-----	-----	-----
10F-AF532635	-----	-----	-----	-----	-----
11C-AY508589	-----	-----	-----	-----	-----
12A-AY508591	-----	-----	-----	-----	-----
12B-pne24-1S	-----	-----	-----	-----	-----
12F-AF532641	-----	-----	-----	-----	-----
12F-AF532640	-----	-----	-----	-----	-----
21-AF532671	-----	-----	-----	-----	-----
21-AY508602	-----	-----	-----	-----	-----
48-AY508633	-----	-----	-----	-----	-----
15B-AF532650	-----	-----	-----	-----	-----
15C-AY508592	-----	-----	-----	-----	-----
22A-pne46-1S	-----	-----	-----	-----	-----
22F-AF532673	-----	-----	-----	-----	-----
15C-pne31-1S	-----	-----	-----	-----	-----
22A-AF532672	-----	-----	-----	-----	-----
44-pne87-1S	-----	-----	-----t-----	-----	-----

Continue next page

**10/552394**

8/63

19C-pne42-1S	-----	-----	-----	-----
24B-AY508604	-----	-----	-----	-----
7C-AF532706	-----	-----	-----	-----
19C-AY508601	-----	-----	-----	-----
15A-AF532646	-----	-----	-----	-----
32A-AY508612	-----	-----	-----	-----
32F-AY508614	-----	-----	-----	-----
32A-AY508613	-----	-----	-----	-----
9A-AY508637	-----	-----	-----	-----
9V-AY508639	-----	-----	-----	-----
9V-AF532710	-----	-----	-----	-----
6B-AF532704	-----	-----	-----	-----
33D-pne72-1S	-----	-----	-----	-----
48-pne63-1S	-----	-----	-----	-----
33B-AF532686	-----	-----	-----	-----
33B-AY508615	-----	-----	-----	-----
33F-AF532688	-----	-----	-----	-----
33B-pne61-1S	-----	-----	-----	-----
33F-AF532687	-----	-----	-----	-----
11A-AF532638	-----	-----	-----	-----
41F-pne83-1S	-----	-----	-----	-----
45-AY508628	-----	-----	-----	-----
2-AF532669	-----	-----	-----	-----
9L-AY508638	-----	-----	-----	-----
9N-AF532709	-----	a-----	t-----	-----
13-AF532642	-----	-----t	-----	-----
20-AF532670	-----	-----t	-----	-----
48-AY508632	-----	-----	-----	-----
16F-AF532653	-----	-----	-----	-----
16F-AF532654	-----	-----	-----	-----
40-AY508622	-----	-----	-----	-----
7B-AY508636	-----	-----	-----	-----
15B-AF532648	-----	-----	-----	-----
19B-AY508599	-----	-----	-----	-----
5-AF532697	-----	-----	-----	-----
5-AY508634	-----	-----	-----	-----
7A-pne08-1S	-----	-----c	-----	-----
7F-AF532707	-----	-----c	-----	-----
23A-AF532674	-----	-----	-----	-----
23F-AF532679	-----	-----	-----	-----
25A-pne54-1S	-----	-----	-----	-----
29-AY330718	-----	-----	-----	-----
29-AF532680	-----	-----	-----	-----
15B-AF532649	-----	-----	-----	-----
15C-AY508593	-----	-----	-----	-----
15C-AF532651	-----	-----	-----	-----
15C-AF532652	-----	-----	-----	-----
15C-AY330714	-----	-----	-----	-----
15C-AY330715	-----	-----	-----	-----
10A-AF532634	-----	-----	-----	-----
23F-AF532677	-----	-----	-----	-----
14-AF532643	-----	-----	-----	-----
14-AF532644	-----	-----	-----	-----
14-X85787	-----	-----	-----	-----
47A-AY508630	-----	-----	-----	-----
39-AY508620	-----	-----	-----	-----
14-AF532645	-----t--a-	-t-----	-----	-----

Continue next page

10/552394

9/63

3-AF532681	----a---a	t--c-atacg	aatggaaaagt	---a---t-a	---c---t
3-AF532682	----a---a	t--c-atacg	aatggaaaagt	---a---t-a	---c---t
3-AF532683	----a---a	t--c-atacg	aatggaaaagt	---a---t-a	---c---t
3-Z47210	----a---a	t--c-atacg	aatggaaaagt	---a---t-a	---c---t
24F-AY508606	----c---a	-----	-----	---t---g	---a---t
Consensus	AAGAGTTTTTC	AGCTCTACAT	GGGAAGTTCC	ATTTCCCAGT	AGGGAATGTC
	101				150
25F-AF532711	-----a-t-	--a--tca--	a--t-----c	--t--a---t	-tc-t--t-
38-AF532712	-----a-t-	--a--tca--	a--t-----c	--t--a---t	-tc-t--t-
23B-AF532676	--ct---t-	-----	---g-a---	---t---g-	---t-c--
23B-AY330717	--ct---t-	-----	---g-a---	---t---g-	---t-c--
19A-AF094575	--ct---t-	-----	---g-a---	---t---g-	---t-c--
19A-AF532664	--ct---t-	-----	---g-a---	---t---g-	---t-c--
19A-AF532663	--ct---t-	-----	---g-a---	---t---g-	---t-c--
11B-AF532639	---t---t-	-a--ag---	a--c-c---	---t---g-	---t-c--
11C-AY508588	---t---t-	-a--ag---	a--c-c---	---t---g-	---t-c--
6A-AY330713	---t---t-	-a--ag---	a--c-c---	---t---g-	---t-c--
6B-AF532705	---t---t-	-a--ag---	a--c-c---	---t---g-	---t-c--
11A-AF532637	-----	-----a-	-t-----	---t---g-	---c--
11D-pne65-1S	-----	-----a-	-t-----	---t---g-	---c--
18F-AY508598	-----	-----a-	-t-----	---t---g-	---c--
39-AY508621	---t---t-	-a--a---	---c-----	---t---g-	---c--
6A-AF532701	---t---t-	-a--a---	---c-----	---t---g-	---c--
6B-AF532703	---t---t-	-a--a---	---c-----	---t---g-	---c--
6A-AF532700	---t---t-	-a--a---	---c-----	---t---g-	---c--
35F-AF532692	---t---t-	-a--a---	---c-----	---t---g-	---c--
47F-AY508631	---t---t-	-a--a---	---c-----	---t---g-	---c--
10B-AY508586	---t---t-	-a--a---	---c-----	---t---g-	---c--
17A-AF532655	---t---t-	-a--a---	-a-c-----	---t---g-	---c--
34-AF532690	---t---t-	-a--a---	---c-----	---t---g-	---c--
34-pne73-1S	---t---t-	-a--a---	---c-----	---t---g-	---c--
19C-AY508600	---t---t-	-a--a---	---c-----	---t---g-	---c--
17F-AF532657	---t---t-	-a--a---	---c-----	---t---g-	---c--
35B-AF532691	---t---t-	-a--a---	---c-----	---t---g-	---c--
35C-AY508618	---t---t-	-a--a---	---c-----	---t---g-	---c--
42-AY508625	---t---t-	-a--a---	---c-----	---t---g-	---c--
33A-AF532685	---t---t-	-a--a---	---c-----	---t---g-	---c--
33F-AF532689	---t---t-	-a--a---	---c-----	---t---g-	---c--
35A-AY508617	---t---t-	-a--a---	---c-----	---t---g-	---c--
33F-AG006986	---t---t-	-a--a---	---c-----	---t---g-	---c--
17F-AF532656	---t---t-	-a--a---	---c-----	---t---g-	---c--
33C-pne62-1S	---t---t-	-a--a---	---c-----	---t---g-	---c--
33C-AY508616	---t---t-	-a--a---	---c-----	---t---g-	---c--
10A-AF532633	---t---t-	-a--a---	---c-----	---t---g-	---c--
17A-AY508597	---t---t-	-a--a---	---c-----	---t---g-	---c--
4-AF532693	---t---t-	-a--a---	---c-----	---t---g-	---c--
41F-AY508624	---t---t-	-a--a---	---c-----	---t---g-	---c--
37-AF532713	---t---t-	-a--a---	---c-----	---t---g-	---c--
37-AJ131984	---t---t-	-a--a---	---c-----	---t---g-	---c--
23A-AF532675	---t---t-	-a--a---	---c-----	---t---g-	---c--
43-AY508626	---t---t-	-a--a---	---c-----	---t---g-	---c--
6A-AF532702	-----	-----	-----	-----	-----
6B-pne07-1S	-----	-----	-----	-----	-----
15F-AY508594	-----	-----	---c-----	-----	-----
15F-AY508595	-----	-----	---c-----	-----	-----
6A-AF532698	-----	-----	-----	-----	-----
6A-AY508641	-----	-----	-----	-----	-----

Continue next page

**10/552394**

10/63

6A-AF532699	-----	-----	-----	-----
6A-AY078347	-----	-----	-----	-----
15A-AF532647	-----	-----	-----	-----
23F-AF532678	-----	-a-	-----	-----
7A-AY508635	-----	-----	-c-	-t-g-c-
18A-AF532658	-----	-a-	-t-	-----
18A-AF532659	-----	-a-	-t-	-----
1-AF532632	-----	-a-	-t-	-----
1-Z83335	-----	-a-	-t-	-----
18B-AF532660	-----	-----	-----	-g-
18C-AF532661	-----	-----	-----	-g-
18F-AY330716	-----	-----	-----	-g-
16A-AY508596	-g-	-----	-----	-----
28F-pne56-1S	-g-	-----	-----	-----
19F-AF532666	-----	-----	-----	-----
19F-U09239	-----	-----	-----	-----
19F-AF030369	-----	-----	-----	-----
19F-AF532667	-----	-----	-----	-----
19F-AF532665	-----	-----	-----	-----
19F-AF532668	-----	-----	-----	-----
36-AY508619	-----	-----	-----	-----
24F-AY508605	-----	-a-	-t-	-----
18F-AF532662	-----	-----	-----	-----
24A-AY508603	-t-	-a-a-	-c-	-----
24F-AY508607	-----	-a-	-t-	-----
27-pne55-1S	-----	-a-	-t-	-t-g-c-
28A-AY508609	-----	-a-	-t-	-t-g-c-
28F-AY508610	-----	-a-	-t-	-t-g-c-
28F-AY508611	-----	-a-	-t-	-t-g-c-
31-AF532684	-----	-a-	-t-	-----
5-AF532696	-----	-a-	-t-	-----
8-AF532708	-----	-----	-----	-----
8-pne12-1S	-----	-----	-----	-----
2-pne02-1S	-----	-a-	-----	-----
41A-AY508623	-----	-a-	-----	-----
2-AF026471	-----	-a-	-----	-----
27-AY508608	-----	-----	-----	-----
12A-pne66-1S	-----	-----	-----	-c-
46-AY508629	-----	-----	-----	-c-
46-pne89-1S	-----	-----	-----	-c-
12A-AY508590	-----	-----	-----	-c-
10C-pne19-1S	-----	-----	-----	-----
10F-AY508587	-----	-----	-----	-----
10F-AF532636	-----	-----	-----	-----
10F-AF532635	-----	-----	-----	-----
11C-AY508589	-----	-----	-----	-----
12A-AY508591	-----	-----	-----	-----
12B-pne24-1S	-----	-----	-----	-----
12F-AF532641	-----	-----	-----	-----
12F-AF532640	-----	-----	-----	-----
21-AF532671	-----	-----	-----	-----
21-AY508602	-----	-----	-----	-----
48-AY508633	-----	-----	-----	-----
15B-AF532650	-----	-----	-----	-----
15C-AY508592	-----	-----	-----	-----
22A-pne46-1S	-----	-----	-----	-----
22F-AF532673	-----	-----	-----	-----

Continue next page

**10/552394**

11/63

15C-pne31-1S	-----	-----	-----	-----	-----
22A-AF532672	-----	-----	-----	-----	-----
44-pne87-1S	-----	-----	-----	-----	-----
19C-pne42-1S	-----	-a-	-----	-----	-----
24B-AY508604	-----	-a-	-----	-----	-----
7C-AF532706	-----	-a-	-----	-----	-----
19C-AY508601	-----	-a-	-----	-----	-----
15A-AF532646	-----	-a-	-----	-----	-----
32A-AY508612	-----	-----	-----	-----	-----
32F-AY508614	-----	-----	-----	-----	-----
32A-AY508613	-----	-----	-----	-----	-----
9A-AY508637	-----	-a-	-----	-----	-----
9V-AY508639	-----	-a-	-----	-----	-----
9V-AF532710	-----	-a-	-----	-----	-----
6B-AF532704	-----	-----	-----	-----	-----
33D-pne72-1S	-----	-----	-----	-----	-----
48-pne63-1S	-----	-----	-----	-----	-----
33B-AF532686	-----	-----	-----	-----	-----
33B-AY508615	-----	-----	-----	-----	-----
33F-AF532688	-----	-----	-----	-----	-----
33B-pne61-1S	-----	-----	-----	-----	-----
33F-AF532687	-----	-----	-----	-----	-----
11A-AF532638	-----	-----	-----	-----	-----
41F-pne83-1S	-----	-----	-t-	-g-	-----
45-AY508628	-----	-----	-----	-----	-----
2-AF532669	-----	-----	-c-	-----	-----
9L-AY508638	-----	-----	-----	-----	-----
9N-AF532709	-----	-----	-----	-----	-----
13-AF532642	-----	-----	-----	-----	-----
20-AF532670	-----	-----	-----	-----	-----
48-AY508632	-----	-----	-----	-----	-----
16F-AF532653	-----	-a-	-t-	-g-	-c-
16F-AF532654	-----	-a-	-t-	-g-	-ct-
40-AY508622	-c-	-----	-a-	-----	-----
7B-AY508636	-c-	-----	-a-	-----	-----
15B-AF532648	-----	-a-	-----	-----	-----
19B-AY508599	-----	-a-	-----	-----	-----
5-AF532697	-----	-----	-----	-----	-----
5-AY508634	-----	-----	-----	-----	-----
7A-pne08-1S	-----	-----	-----	-----	-----
7F-AF532707	-----	-----	-----	-----	-----
23A-AF532674	-----	-----	-----	-----	-----
23F-AF532679	-----	-----	-----	-----	-----
25A-pne54-1S	-----	-----	-----	-----	-----
29-AY330718	-----	-----	-----	-----	-----
29-AF532680	-----	-----	-----	-----	-----
15B-AF532649	-----	-a-	-----	-----	-----
15C-AY508593	-----	-a-	-----	-----	-----
15C-AF532651	-t-	-a-	-----	-----	-----
15C-AF532652	-----	-a-	-----	-----	-----
15C-AY330714	-----	-a-	-----	-----	-----
15C-AY330715	-----	-a-	-----	-----	-----
10A-AF532634	-----	-----	-----	-----	-----
23F-AF532677	-----	-----	-----	-----	-----
14-AF532643	-----	-----	-----	-----	-----
14-AF532644	-----	-----	-----	-----	-----
14-X85787	-----	-----	-----	-----	-----

Continue next page

10/552394

12/63

47A-AY508630	-----a-----c-----			
39-AY508620	-----a-----c-----			
14-AF532645	-----a-----c-----			
3-AF532681	----t--t--a--a-----c-----t---g---c---			
3-AF532682	----t--t--a--a-----c-----t---g---c---			
3-AF532683	----t--t--a--a-----c-----t---g---c---			
3-Z47210	----t--t--a--a-----c-----t---g---c---			
24F-AY508606	-----a-----g-----			
Consensus	CATCTAGACT	CTGAGCAGGC	TCTAGGTTTT	GTACGTGAAC
	151			200
25F-AF532711	---a-----t---t---a--a-g--t---g---c-c-ct-			
38-AF532712	---a-----t---t---a--a-g--t---g---c-c-ct-			
23B-AF532676	---g---t---t-a-----c-g---t-----c---			
23B-AY330717	---g---t---t-a-----c-g---t-----c---			
19A-AF094575	---g---t---t-a-----c-g---t-----c---			
19A-AF532664	---g---t---t-a-----c-g---t-----c---			
19A-AF532663	---g---t---t-a-----c-g---t-----c---			
11B-AF532639	---a---t---t-----g---t-----c---			
11C-AY508588	---a---t---t-----g---t-----c---			
6A-AY330713	---g---t---t-----g---t-----c---			
6B-AF532705	---g---t---t-----g---t-----c---			
11A-AF532637	---a---c---t-----g---t-----c---			
11D-pne65-1S	---a---c---t-----g---t-----c---			
18F-AY508598	---a---c---t-----g---t-----c---			
39-AY508621	---a---c---t-----c-g---t-----c---			
6A-AF532701	---a---c---t-----c-g---t-----c---			
6B-AF532703	---a---c---t-----c-g---t-----c---			
6A-AF532700	---a---c---t-----c-g---t-----c---			
35F-AF532692	---a---c---t-----g---t-----c---			
47F-AY508631	---a---c---t-----g---t-----c---			
10B-AY508586	---a---c---t-----g---t-----c---			
17A-AF532655	---a---c---t-----g---t-----c---			
34-AF532690	---a---c---t-----g---t-----c---			
34-pne73-1S	---a---c---t-----g---t-----c---			
19C-AY508600	---a---c---t-----g---t-----c---			
17F-AF532657	---a---c---t-----c-g---t-----c---			
35B-AF532691	---a---c---t-----c-g---t-----c---			
35C-AY508618	---a---c---t-----c-g---t-----c---			
42-AY508625	---a---c---t-----c-g---t-----c---			
33A-AF532685	---a---c---t-----c-g---t-----c---			
33F-AF532689	---a---c---t-----c-g---t-----c---			
35A-AY508617	---a---c---t-----c-g---t-----c---			
33F-AG006986	---a---c---t-----c-g---t-----c---			
17F-AF532656	---a---c---t-----c-g---t-----a---			
33C-pne62-1S	---a---c---t-----c-g---t-----a---			
33C-AY508616	---a---c---t-----c-g---t-----a---			
10A-AF532633	---a---c---t-----c-g---t-----a---			
17A-AY508597	---a---c---t-----c-g---t-----a---			
4-AF532693	---a---c---t-----c-g--c---t-----a---			
41F-AY508624	---a---c---t-----c-g---t-----a---			
37-AF532713	---a---c---t-----c-g---t-----a---			
37-AJ131984	---a---c---t-----c-g---t-----a---			
23A-AF532675	---a---c---t-----c-g---t-----a---			
43-AY508626	-----g-----c-----			
6A-AF532702	-----c-----a---			
6B-pne07-1S	-----c-----a---			
15F-AY508594	-----c-----a---			

Continue next page

13/63

15F-AY508595	-----	-----	-----	-----	--c---a-
6A-AF532698	-----	-----	-----	-----	--c---a-
6A-AY508641	-----	-----	-----	-----	--c---a-
6A-AF532699	-----	-----	-----	-----	--c---a-
6A-AY078347	-----	-----	-----	-----	--c---a-
15A-AF532647	-----	-----	-----	-----	--c---a-
23F-AF532678	---a---c	-t-----	-----	-----	--c---a-
7A-AY508635	---a---c	-t-----	-----	-----	--c---a-
18A-AF532658	-----	-----	-----	t-----	--c---a-
18A-AF532659	-----	-----	-----	t-----	--c---a-
1-AF532632	-a-----	-----	-----	-----	--c---a-
1-Z83335	-a-----	-----	-----	-----	--c---a-
18B-AF532660	-----	-----	-----	-----	--c---a-
18C-AF532661	-----	-----	-----	-----	--c---a-
18F-AY330716	-----	-----	-----	-----	--c---a-
16A-AY508596	-----	-----	-----	-----	a-c---a-
28F-pne56-1S	-----	-----	-----	-----	a-c---a-
19F-AF532666	-----	-----t-	-----	-----	--c---a-
19F-U09239	-----	-----t-	-----	-----	--c---a-
19F-AF030369	-----	-----	-----	-----	--c---a-
19F-AF532667	-----	-----	-----	-----	--c---a-
19F-AF532665	-----	-----	-----	-----	--c---a-
19F-AF532668	-----	---t-----	-----	-----	--c---a-
36-AY508619	-----	-----	-----	-----	--c---a-
24F-AY508605	-----	-----	-----	-----	--c---a-
18F-AF532662	-----	t-----	-----	-----	--c---a-
24A-AY508603	-----	-----	-----	-----	--c---a-
24F-AY508607	-----	-----	-----	-----	--c---a-
27-pne55-1S	---a---c	-t-----	-----	-----	-----
28A-AY508609	---a---c	-t-----	-----	-----	-----
28F-AY508610	---a---c	-t-----	-----	-----	-----
28F-AY508611	---a---c	-t-----	-----	-----	-----
31-AF532684	-a-----	-----	-----	-----	-----
5-AF532696	-a-----	-----	-----	-----	-----
8-AF532708	-----	-----	-----	-----	-----
8-pne12-1S	-----	-----	-----	-----	-----
2-pne02-1S	-----	-----	-c-g-----	t-----	-----
41A-AY508623	-----	-----	-c-g-----	t-----	-----
2-AF026471	-----	-----	-c-g-----	t-----	-----
27-AY508608	---a---c	-t-----	-c-g-----	t-----	--c-----
12A-pne66-1S	---a---c	-t-----	-----	-----	-----
46-AY508629	---a---c	-t-----	-----	-----	-----
46-pne89-1S	---a---c	-t-----	-----	-----	-----
12A-AY508590	---a---c	-t-----	-----	-----	-----
10C-pne19-1S	-----	-----	-----	-----	-----
10F-AY508587	-----	-----	-----	-----	-----
10F-AF532636	-----	-----	-----	-----	-----
10F-AF532635	-----	-----	-----	-----	-----
11C-AY508589	-----	-----	-----	-----	-----
12A-AY508591	-----	-----	-----	-----	-----
12B-pne24-1S	-----	-----	-----	-----	-----
12F-AF532641	-----	-----	-----	-----	-----
12F-AF532640	-----	-----	-----	-----	-----
21-AF532671	-----	-----	-----	-----	-----
21-AY508602	-----	-----	-----	-----	-----
48-AY508633	-----	-----	-----	-----	-----
15B-AF532650	-----	-----	-----	-----	-----

Continue next page

14/63

15C-AY508592	-----	-----	-----	-----	-----
22A-pne46-1S	-----	-----	-----	-----	-----
22F-AF532673	-----	-----	-----	-----	-----
15C-pne31-1S	-----	-----	-----	-----	-----
22A-AF532672	-----	-----	-----	-----	-----
44-pne87-1S	-----	-----	-----	-----	-----
19C-pne42-1S	-----	-----	-----	-----	-----
24B-AY508604	-----	-----	-----	-----	-----
7C-AF532706	-----	-----	-----	-----	-----
19C-AY508601	-----	-----	-----	-----	-----
15A-AF532646	-----	-----	-----	-----	-----
32A-AY508612	-----	-----	-----	-----	-----
32F-AY508614	-----	-----	-----	-----	-----
32A-AY508613	-----	-----	-----	-----	-----
9A-AY508637	-----	-----	-----	-----	-----
9V-AY508639	-----	-----	-----	-----	-----
9V-AF532710	-----	-----	-----	-----	-----
6B-AF532704	-----	-----	-----	-----	--t-----a-
33D-pne72-1S	-----	-----t-	-c-g-----	t-----	-----
48-pne63-1S	-----	-----t-	-c-g-----	t-----	-----
33B-AF532686	-----	-----t-	-c-g-----	t-----	-----
33B-AY508615	-----	-----t-	-c-g-----	t-----	-----
33F-AF532688	-----	-----t-	-c-g-----	t-----	-----
33B-pne61-1S	-----	-----t-	-c-g-----	t-----	-----
33F-AF532687	-----	-----t-	-c-g-----	t-----	-----
11A-AF532638	-----	-----	-----	-----	-----
41F-pne83-1S	---a-----c	--t-----	-c-g-----	t-----	-----
45-AY508628	-----	-----	-----	-----	-----
2-AF532669	-----	-----	-c-g-----	t-----	-----
9L-AY508638	-----	-----	-----	-----	-----
9N-AF532709	-----	-----	-----	-----	-----
13-AF532642	-----	-----	-----	-----	-----
20-AF532670	-----	-----	-----	-----	-----
48-AY508632	-----	-----	-----	-----	-----
16F-AF532653	---a-----c	--t-----	-----	-----	-----
16F-AF532654	---a-----c	--t-----	-----	-----	-----
40-AY508622	-----	-----	-----	-----	-----
7B-AY508636	-----	-----	-----	-----	-----
15B-AF532648	-----	-----	-----	-----	-----
19B-AY508599	-----	-----	-----	-----	-----
5-AF532697	-----	-----	-----	-----	-----
5-AY508634	-----	-----	-----	-----	-----
7A-pne08-1S	-----	-----	-----	-----	-----
7F-AF532707	-----	-----	-----	-----	-----
23A-AF532674	---a-----c	--t-----	-c-g-----	t-----	-----
23F-AF532679	---a-----c	--t-----	-c-g-----	t-----	-----
25A-pne54-1S	-----	-----	-----	-----	-----
29-AY330718	-----	-----	-----	-----	-----
29-AF532680	-----	-----	-----	-----	-----
15B-AF532649	-----	-----	-----	-----	-----
15C-AY508593	-----	-----	-----	-----	-----
15C-AF532651	-----	-----	-----	-----	-----
15C-AF532652	-----	-----	-----	-----	-----
15C-AY330714	-t-----	-----	-----	-----	-----
15C-AY330715	-----	-----	-----	-----	-----
10A-AF532634	-----	-----	-----	-----	--t-----a-
23F-AF532677	-----	-----	-----	-----	--t-----a-

Continue next page



15/63

14-AF532643	-----	-----	-----	-----	-----
14-AF532644	-----	-----	-----	-----	-----
14-X85787	-----	-----	-----	-----	-----
47A-AY508630	-----	-----	-----	-----	-----
39-AY508620	-----	-----	-----	-----	-----
14-AF532645	-----	-----	-----	-----	-----
3-AF532681	---a---c	--t-----	-c-g-----	t-----	-----
3-AF532682	---a---c	--t-----	-c-g-----	t-----	-----
3-AF532683	---a---c	--t-----	-c-g-----	t-----	-----
3-Z47210	---a---c	--t-----	-c-g-----	t-----	-----
24F-AY508606	-----	-----t-	-----	-----	--t-----a-
Consensus	AGCCGATGGA	GACCGTGACC	GTGGTCGCAA	CCAACAAAAG	GTGATTGTGG
	201				250
25F-AF532711	-a--ta----	-----c	---ta--t	--t-----	---c-cao
38-AF532712	-a--ta----	-----c	---ta--t	--t-----	---c-cao
23B-AF532676	-----	-----t	-g-g-----	-g-----	-----t
23B-AY330717	-----	-----t	-g-g-----	-g-----	-----t
19A-AF094575	-c-----	-----t	-g-g-----	-g-----	-----g-
19A-AF532664	-c-----	-----t	-g-g-----	-g-----	-----g-
19A-AF532663	-c-----	-----t	-g-g-----	-g-----	-----g-
11B-AF532639	-----	-----t	-g-----	tg-----	-----c-ga
11C-AY508588	-----	-----t	-g-----	tg-----	-----c-ga
6A-AY330713	-----	-----t	-g-----	t-----	-----
6B-AF532705	-----	-----t	-g-----	t-----	-----
11A-AF532637	-----	-----	-----	-g-----	-----
11D-pne65-1S	-----	-----	-----	-g-----	-----
18F-AY508598	-----	-----	-----	-g-----	-----
39-AY508621	-----	-----	-g-----	-----	-----
6A-AF532701	-a--ta-a-	g--g----t	--t-a-g-	ttt-----	c-----gt
6B-AF532703	-a--ta-a-	g--g----t	--t-a-g-	ttt-----	c-----gt
6A-AF532700	-a--ta-a-	g--g----t	--t-a-g-	ttt-----	c-----gt
35F-AF532692	-----	-----	-----	-g-----	-----
47F-AY508631	-----	-----	-----	-g-----	-----
10B-AY508586	-----	-----	-----	-----	-----
17A-AF532655	-----	-----	-----	-----	-----
34-AF532690	-----	-----	-----	-----	-----
34-pne73-1S	-----	-----	-----	-----	-----
19C-AY508600	-----	-----	-----	-----	-----
17F-AF532657	-----	-----	-----	-----	-----c--
35B-AF532691	-----	-----	-----	-----	-----c--
35C-AY508618	-----	-----	-----	-----	-----c--
42-AY508625	-----	-----	-----	-----	-----c--
33A-AF532685	-----	-----	-----	-----	-----c--
33F-AF532689	-----	-----	-----	-----	-----c--
35A-AY508617	-----	-----	-----	-----	-----c--
33F-AG006986	-----	-----	-----	-----	-----c--
17F-AF532656	-----	-----	-----	-----	-----c--
33C-pne62-1S	-----	-----	-----	-----	-----c--
33C-AY508616	-----	-----	-----	-----	-----c--
10A-AF532633	-----	-----	-t-----	-g-----	-----
17A-AY508597	-----	-----	-t-----	-g-----	-----
4-AF532693	-----	-----	-----	tg-----	-----
41F-AY508624	-----	-----	-----	-----	-----
37-AF532713	-----	-----	-----	-----	-----
37-AJ131984	-----	-----	-----	a-----	-----
23A-AF532675	-----	-----	-----	-----	-----c--
43-AY508626	-----	-----	-----	-----	-----c--

Continue next page

16/63

6A-AF532702	-a--ta--a-	g--g-----t	--t--a--g-	ttt-----	c-----gt
6B-pne07-1S	-a--ta--a-	g--g-----t	--t--a--g-	ttt-----	c-----gt
15F-AY508594	-a--ta--a-	g--g-----t	--t--a--g-	ttt-----	c-----gt
15F-AY508595	-a--ta--a-	g--g-----t	--t--a--g-	ttt-----	c-----gt
6A-AF532698	-a--ta--a-	g--g-----t	--t--a--g-	ttt-----	c-----gt
6A-AY508641	-a--ta--a-	g--g-----t	--t--a--g-	ttt-----	c-----gt
6A-AF532699	-a--ta--a-	g--g-----t	--t--a--g-	ttt-----	c-----gt
6A-AY078347	-a--ta--a-	g--g-----t	--t--a--g-	ttt-----	c-----gt
15A-AF532647	-a--ta-----	g--g-----t	--t--a--g-	ttt-----	c-----gt
23F-AF532678	-a--ta-----	g--g-----t	--t--a--g-	ttt-----	c-----at
7A-AY508635	-a--ta-----	g--g-----t	--t--a--g-	ttt-----	c-----gt
18A-AF532658	-g--ta-----	g--g-----t	--t--a--g-	tct-----g-	c-----gt
18A-AF532659	-g--ta-----	g--g-----t	--t--a--g-	tct-----g-	c-----gt
1-AF532632	-a--ta-----	g--g-----t	--t--a--g-	ttt-----	c-----gt
1-Z83335	-a--ta-----	g--g-----t	--t--a--g-	ttt-----	c-----gt
18B-AF532660	-a--ta-----	g--g-----t	--t--a--g-	ttt-----	c-----gt
18C-AF532661	-a--ta-----	g--g-----t	--t--a--g-	ttt-----	c-----gt
18F-AY330716	-a--ta-----	g--g-----t	--t--a--g-	ttt-g----	c-----gt
16A-AY508596	-a--ta-----	g--g-----t	--t--a--g-	ttt-----	c-----gt
28F-pne56-1S	-a--ta-----	g--g-----t	--t--a--g-	ttt-----	c-----gt
19F-AF532666	-a--ta-----	g--g-----t	--t--a--g-	ttt-----	c-----gt
19F-U09239	-a--ta-----	g--g-----t	--t--a--g-	ttt-----	c-----gt
19F-AF030369	-a--ta-----	g--g-----t	--t--a--g-	ttt-----	c-----gt
19F-AF532667	-a--ta-----	g--g-----t	--t--a--g-	ttt-----	c-----gt
19F-AF532665	-a--ta-----	g--g-----t	--t--a--g-	ttt-----	c-----gt
19F-AF532668	-a--ta-----	g--g-----t	--t--a--g-	ttt-----	c-----gt
36-AY508619	-a--ta-----	g--g-----t	--t--a--g-	ttt-----	c-----gt
24F-AY508605	-a--ta-----	g--g-----t	--t--a--g-	tct-----	c-----gt
18F-AF532662	-a--ta-----	g--g-----t	--t--a--g-	ttt-----	c-----gt
24A-AY508603	-a--ta--a-	g--g-----t	--t--a--g-	ttt-----	c-----gt
24F-AY508607	-a--ta-----	g--g-----t	--t--a--g-	tct-----	c-----gt
27-pne55-1S	-----	-----	-----	-----	-----
28A-AY508609	-----	-----	-----	-----	-----
28F-AY508610	-----	-----	-----	-----	-----
28F-AY508611	-----	-----	-----	-----	-----
31-AF532684	-----	-----	-----	t-----	-----
5-AF532696	-----	-----	-----	t-----	c-----
8-AF532708	-----	-----	-----	t-----	-----
8-pne12-1S	-----	-----	-----	t-----	-----
2-pne02-1S	-----	-----	-----	-----	-----
41A-AY508623	-----	-----	-----	-----	-----
2-AF026471	-----	-----	-----	-----	-----
27-AY508608	-----	-----	-----	-----	-----
12A-pne66-1S	-----	-----	-----	-----	-----
46-AY508629	-----	-----	-----	-----	-----
46-pne89-1S	-----	-----	-----	-----	-----
12A-AY508590	-----	-----	-----	-----	-----
10C-pne19-1S	-----	-----	-----	-----	-----
10F-AY508587	-----	-----	-----	-----	-----
10F-AF532636	-----	-----	-----	-----	-----
10F-AF532635	-----	-----	-----	-----	-----
11C-AY508589	-----	-----	-----	-----	-----
12A-AY508591	-----	-----	-----	-----	-----
12B-pne24-1S	-----	-----	-----	-----	-----
12F-AF532641	-----	-----	-----	-----	-----
12F-AF532640	-----	-----	-----	-----	-----
21-AF532671	-----	-----	-----	-----	-----

Continue next page

17/63

21-AY508602	-----	-----	-----	-----	-----
48-AY508633	-----	-----	-----	-----	-----
15B-AF532650	-----	-----	-----	-----	-----
15C-AY508592	-----	-----	-----	-----	-----
22A-pne46-1S	-----	-----	-----	-----	-----
22F-AF532673	-----	-----	-----	-----	-----
15C-pne31-1S	-----	-----	-----	-----	-----
22A-AF532672	-----	-----	-----	-----	-----
44-pne87-1S	-----	-----	-----	-----	-----
19C-pne42-1S	-----	-----	-----	-----	-----
24B-AY508604	-----	-----	-----	-----	-----
7C-AF532706	-----	-----	-----	-----	-----
19C-AY508601	-----	-----	-----	-----	-----
15A-AF532646	-----	-----	-----	-----	-----
32A-AY508612	-----	-----	-----	-----	g-----
32F-AY508614	-----	-----	-----	-----	g-----
32A-AY508613	-----	-----	-----	-----	g-----
9A-AY508637	-----	-----	-----	-----	g-----
9V-AY508639	-----	-----	-----	-----	g-----
9V-AF532710	-----	-----	-----	-----	g-----
6B-AF532704	-----	-----	-----	-----	-----
33D-pne72-1S	-----	-----	-----	-----	-----
48-pne63-1S	-----	-----	-----	-----	-----
33B-AF532686	-----	-----	-----	-----	-----
33B-AY508615	-----	-----	-----	-----	-----
33F-AF532688	-----	-----	-----	-----	-----
33B-pne61-1S	-----	-----	-----	-----	-----
33F-AF532687	-----	-----	-----	-----	-----
11A-AF532638	-----	-----	-----	-----	-----
41F-pne83-1S	-----	-----	-----	-----	-----
45-AY508628	-----	-----	-----	-----	-----
2-AF532669	-----	-----	-----	g-----	c-----
9L-AY508638	-----	-----	-----	-----	-----
9N-AF532709	-----t-----	-----	-----	-----	-----
13-AF532642	-----	-----	-----	-----	-----
20-AF532670	-----	-----	-----	-----	-----
48-AY508632	-----	-----	-----	-----	-----
16F-AF532653	-----	-----	-----	-----	-----
16F-AF532654	-----	-----	-----	g-----	-----
40-AY508622	-----	-----	-----	-----	-----
7B-AY508636	-----	-----	-----	-----	-----
15B-AF532648	-----	-----	-----	-----t-----	-----c-----
19B-AY508599	-----	-----	-----	-----t-----	-----c-----
5-AF532697	-----	-----	-----	-----	-----
5-AY508634	-----	-----	-----	-----	-----
7A-pne08-1S	-----	-----	-----	-----	-----
7F-AF532707	-----	-----	-----	-----	-----
23A-AF532674	-----	-----	-----	-----	-----
23F-AF532679	-----	-----	-----	-----	-----
25A-pne54-1S	-----	-----	-----	-----	-----
29-AY330718	-----	-----	-----	-----	-----
29-AF532680	-----	-----	-----	-----	-----
15B-AF532649	-----	-----	-----	g-----	-----
15C-AY508593	-----	-----	-----	g-----	-----
15C-AF532651	-----	-----	-----	g-----	-----
15C-AF532652	-----	-----	-----	-----	-----
15C-AY330714	-----	-----	-----	-----	-----

Continue next page

18/63

15C-AY330715	-----	-----	-----	-----	-----
10A-AF532634	-----	-----	-----	-----	-----
23F-AF532677	-----	-----	-----	-----	-----
14-AF532643	-----	-----	-----	-----	-t-
14-AF532644	-----	-----	-----	-----	-----
14-X85787	-----	-----	-----	-----	-t
47A-AY508630	-----	-----	-----	-----	-----
39-AY508620	-----	-----	-----	-----	-----
14-AF532645	-----	-----	-----	-----	-----
3-AF532681	-----	-----	-----	a-----	-----
3-AF532682	-----	-----	-----	a-----	-----
3-AF532683	-----	-----	-----	a-----	-----
3-Z47210	-----	-----	-----	a-----	-----
24F-AY508606	-a---a---	g--g-----t	--t--a--g-	--t-----	c---a--gt
Consensus	CTATCCTTCA	AAAATTAACG	TCAACCGAAG	CACTGAAAAA	TTATAGTACG
	251				300
25F-AF532711	-----gc-ag	-a--ag-g--	---a--a---	-----c-ct	-t-caaca--
38-AF532712	-----gc-ag	-a--ag-g--	---a--a---	-----c-ct	-t-caaca--
23B-AF532676	-----g---	-----	-----	-----c-ct	-c-----
23B-AY330717	-----g---	-----	-----	-----c---	-c-----
19A-AF094575	-----g---	-----	-----	-----c---	-----
19A-AF532664	-----g---	-----	-----	-----c---	-----
19A-AF532663	-----g---	-----	-----	-----c---	-----
11B-AF532639	-----g---	-----a-	-----	-----c---	-c-----
11C-AY508588	-----g---	-----a-	-----	-----c---	-c-----
6A-AY330713	-----g---	-----	-----	-----c---	-----
6B-AF532705	-----g---	-----	-----	-----c---	-----
11A-AF532637	-----g---	-----	-----	-----	-----
11D-pne65-1S	-----g---	-----	-----	-----	-----
18F-AY508598	-----g---	-----	-----	-----	-----
39-AY508621	-----g---	-----	-----	-----	-g-----
6A-AF532701	--tc--c-ag	-a-----g--	---c-t---	-----ga	-----
6B-AF532703	--tc--c-ag	-a-----g--	---c-t---	-----ga	-----
6A-AF532700	--tc--c-ag	-a-----g--	---c-t---	-----ga	-----
35F-AF532692	-----	-----	-----	-----	-----
47F-AY508631	-----	-----	-----	-----	-----
10B-AY508586	-----	-----	-----	-----	-----
17A-AF532655	-----	-----	-----	-----	-----
34-AF532690	-----	-----	-----	-----	-----
34-pne73-1S	-----	-----	-----	-----	-----
19C-AY508600	-----	-----	-----	-----	-----
17F-AF532657	-----	-----	-----	-----	-----
35B-AF532691	-----	-----	-----	-----	-----
35C-AY508618	-----	-----	-----	-----	-----
42-AY508625	-----	-----	-----	-----	-----
33A-AF532685	-----	-----	-----	-----	-----
33F-AF532689	-----	-----	-----	-----	-----
35A-AY508617	-----	-----	-----	-----	-----
33F-AG006986	-----	-----	-----	-----	-----
17F-AF532656	-----	-----	-----	-----	-----
33C-pne62-1S	-----	-----	-----	-----	-----
33C-AY508616	-----	-----	-----	-----	-----
10A-AF532633	-----	-----	-----	-----	-----
17A-AY508597	-----	-----	-----	-----	-----
4-AF532693	-----	-----	-----	-----	-----
41F-AY508624	-----	-----	-----	-----	-----
37-AF532713	-----	-----	-----	-----	-----

Continue next page

19/63

37-AJ131984	-----	-----	-----	-----	-----
23A-AF532675	-----	-----	-----	-----	-----
43-AY508626	-----g-----	-----a-----	-----	-----	-----
6A-AF532702	--tc--c-ag	-a-----g--	----c-t--	-----	-ga-----
6B-pne07-1S	--tc--c-ag	-a-----g--	----c-t--	-----	-ga-----
15F-AY508594	--tc--c-ag	-a-----g--	----c-t--	-----	-ga-----
15F-AY508595	--tc--c-ag	-a-----g--	----c-t--	-----	-ga-----
6A-AF532698	--tc--c-ag	-a-----g--	----c-t--	-----	-ga-----
6A-AY508641	--tc--c-ag	-a-----g--	----c-t--	-----	-ga-----
6A-AF532699	--tc--c-ag	-a-----g--	----c-t--	-----	-ga-----
6A-AY078347	--tc--c-ag	-a-----g--	----c-t--	-----	-ga-----
15A-AF532647	--tc--c-ag	-a-----g--	----c-t--	-----	-ga-----
23F-AF532678	--tc--c-ag	-a-----g--	----c-t--	-----	-ga-----
7A-AY508635	--tc--c-ag	-a-----g--	----c-t--	-----	-ga-----
18A-AF532658	--tc--c-ag	-a-----g--	----c-t--	-----	-ga-----
18A-AF532659	--tc--c-ag	-a-----g--	----c-t--	-----	-ga-----
1-AF532632	--tc--c-ag	-a-----g--	----c-t--	-----a-	-ga-----
1-Z83335	--tc--c-ag	-a-----g--	----c-t--	-----a-	-ga-----
18B-AF532660	--tc--c-ag	-a-----g--	----c-t--	-----	-ga-----
18C-AF532661	--tc--c-ag	-a-----g--	----c-t--	-----	-ga-----
18F-AY330716	--tc--c-ag	-a-----g--	----c-t--	-----	-ga-----
16A-AY508596	--tc--c-ag	-a-----g--	----c-t--	-----	-ga-----
28F-pne56-1S	--tc--c-ag	-a-----g--	----c-t--	-----	-ga-----
19F-AF532666	--tc--c-ag	-a-----g--	----c-t--	-----	-ga-----
19F-U09239	--tc--c-ag	-a-----g--	----c-t--	-----	-ga-----
19F-AF030369	--tc--c-ag	-a-----g--	----c-t--	-----	-ga-----
19F-AF532667	--tc--c-ag	-a-----g--	----c-t--	-----	-ga-----
19F-AF532665	--tc--c-ag	-a-----g--	----c-t--	-----	-ga-----
19F-AF532668	--tc--c-ag	-a-----g--	----c-t--	-----	-ga-----
36-AY508619	--tc--cc-ag	-a-----g--	----c-t--	-----	-ga-----
24F-AY508605	--tc--c-ag	-a-----g--	----c-t--	-----	-ga-----
18F-AF532662	--tc--c-ag	-a-----g--	----c-t--	-----	-ga-----
24A-AY508603	--tc--c-ag	-a-----g--	----c-t--	-----	-ga-----
24F-AY508607	--tc--c-ag	-a-----g--	----c-t--	-----	-ga-----
27-pne55-1S	-----g-----	-----	-----	-----	-----
28A-AY508609	-----g-----	-----	-----	-----	-----
28F-AY508610	-----g-----	-----	-----	-----	-----
28F-AY508611	-----g-----	-----	-----	-----	-----
31-AF532684	-----	-----	-----	-----	-ga-----
5-AF532696	-----	-----	-----	-----	-ga-----
8-AF532708	-----	-----	-----	-----	-ga-----
8-pne12-1S	-----	-----	-----	-----	-ga-----
2-pne02-1S	-----	-----	-----g-----	-----	-----
41A-AY508623	-----	-----	-----g-----	-----	-----
2-AF026471	-----	-----	-----g-----	-----	-----
27-AY508608	-----	-----	-----	-----	-----
12A-pne66-1S	-----g-----	-----a-----	-----	-----	-----
46-AY508629	-----g-----	-----a-----	-----	-----	-----
46-pne89-1S	-----g-----	-----a-----	-----	-----	-----
12A-AY508590	-----cg-----	-----a-----	-----	-----	-----
10C-pne19-1S	-----	-----	-----	-----	-----
10F-AY508587	-----	-----	-----	-----	-----
10F-AF532636	-----	-----	-----	-----	-----
10F-AF532635	-----	-----	-----	-----	-----
11C-AY508589	-----	-----	-----	-----	-----
12A-AY508591	-----	-----	----c-----	-----g-----	-----
12B-pne24-1S	-----	-----	----c-----	-----g-----	-----

Continue next page

20/63

12F-AF532641	-----	-----	-----c-----	-----g-----	-----
12F-AF532640	-----	-----	-----c-----	-----g-----	-----
21-AF532671	-----	-----	-----	-----	-----
21-AY508602	-----	-----	-----	-----	-----
48-AY508633	-----	-----	-----	-----	-----
15B-AF532650	-----	-----	-----	-----	-----
15C-AY508592	-----	-----	-----	-----	-----
22A-pne46-1S	-----	-----	-----	-----	-----
22F-AF532673	-----	-----	-----	-----	-----
15C-pne31-1S	-----	-----	-----	-----	-----
22A-AF532672	-----	-----	-----	-----	-----
44-pne87-1S	-----	-----	-----	-----	-----
19C-pne42-1S	-----g-----	-----	-----	-----	-----
24B-AY508604	-----g-----	-----	-----	-----	-----
7C-AF532706	-----g-----	-----	-----	-----	-----
19C-AY508601	-----g-----	-----	-----	-----	-----
15A-AF532646	-----g-----	-----	-----	-----	-----
32A-AY508612	-----	-----	-----	-----	-----
32F-AY508614	-----	-----	-----	-----	-----
32A-AY508613	-----	-----	-----	-----	-----
9A-AY508637	-----	-----	-----	-----	-----
9V-AY508639	-----	-----	-----	-----	-----
9V-AF532710	-----	-----	-----	-----	-----
6B-AF532704	-----g-----	-----	-----	-----	-----
33D-pne72-1S	-----	-----	-----	-----	-----
48-pne63-1S	-----	-----	-----	-----	-----
33B-AF532686	-----	-----	-----	-----	-----
33B-AY508615	-----	-----	-----	-----	-----
33F-AF532688	-----	-----	-----	-----	-----
33B-pne61-1S	-----	-----	-----	-----	-----
33F-AF532687	-----	-----	-----	-----	-----
11A-AF532638	-----	-----	-----	-----	-----
41F-pne83-1S	-----	-----	-----	-----	-----
45-AY508628	-----	-----	-----	-----ga-----	-----
2-AF532669	-----t-----	-----	-----c-----	-----t-----	-----
9L-AY508638	-----	-----	-----	-----	-----
9N-AF532709	-----	-----	-----	-----	-----
13-AF532642	-----	-----	-----	-----	-----
20-AF532670	-----	-----	-----	-----	-----
48-AY508632	-----	-----	-----	-----	-----
16F-AF532653	-----g-----	-----	-----	-----	-----
16F-AF532654	-----g-----	-----	-----	-----	-----
40-AY508622	-----g-----	-----	-----	-----	-----
7B-AY508636	-----g-----	-----	-----	-----	-----
15B-AF532648	-----g-----	-----	-----	-----	-----
19B-AY508599	-----g-----	-----	-----	-----	-----
5-AF532697	-----	-----	-----	-----	-----
5-AY508634	-----	-----	-----	-----	-----
7A-pne08-1S	-----	-----	-----	-----	-----
7F-AF532707	-----	-----	-----	-----	-----
23A-AF532674	-----	-----	-----	-----	-----
23F-AF532679	-----	-----	-----	-----	-----
25A-pne54-1S	-----	-----	-----	-----	-----
29-AY330718	-----	-----	-----	-----	-----
29-AF532680	-----	-----	-----	-----	-----
15B-AF532649	-----g-----	-----	-----	-----	-----
15C-AY508593	-----g-----	-----	-----	-----	-----

Continue next page

21/63

15C-AF532651	-----g-----	-----	-----	-----	-----
15C-AF532652	-----g-----	-----	-----	-----	-----
15C-AY330714	-----g-----	-----	-----	-----	-----
15C-AY330715	-----g-----	-----	-----	-----	-----
10A-AF532634	-----g-----	-----	-----	-----	-----
23F-AF532677	-----g-----	-----	-----	-----	-----
14-AF532643	-----g-----	-----	-----	-----	-----
14-AF532644	-----g-----	-----	-----	-----	-----
14-X85787	-----g-----	-----	-----	-----	-----
47A-AY508630	-----g-----	-----	-----	-----	-----
39-AY508620	-----	-----	-----	-----	-----
14-AF532645	-----g-----	-----	-----	-----	-----a-----
3-AF532681	-----g-----	-----	-----	-----	-----ga-----
3-AF532682	-----g-----	-----	-----	-----	-----ga-----
3-AF532683	-----g-----	-t-----	-----	-----	-----
3-Z47210	-----g-----	-----	-----	-----	-----
24F-AY508606	--tc--c-ag	-a----g--	---cc-t--g	-----	-----ga-----
Consensus	ATCATTAAATA	GCTTGCAAGA	TTCTATCCAA	ACAAATATGC	CACTTGAGAC
	301				350
25F-AF532711	---c--gg-c	--a-c---a	----a-g--	-----	-----a
38-AF532712	---c--gg-c	--a-c---a	----a-g--	-----	-----a
23B-AF532676	c-----c	-----	-----	-----t-a	-cg--c----
23B-AY330717	c-----c	-----	-----	-----t-a	-cg--c----
19A-AF094575	c-----c	-----	-----	-----t-a	-cg--c----
19A-AF532664	c-----c	-----	-----	-----t-a	-cg--c----
19A-AF532663	c-----c	-----	-----	-----t-a	-cg--c----
11B-AF532639	-----c	-----	-----	-----t-a	-cg--c----
11C-AY508588	-----c	-----	-----	-----t-a	-cg--c----
6A-AY330713	c-----c	-----	-----	-----t-a	-cg--c----
6B-AF532705	c-----c	-----	-----	-----t-a	-cg--c----
11A-AF532637	c-----	-----	-----	-----	-----
11D-pne65-1S	c-----	-----	-----	-----	-----
18F-AY508598	c-----	-----	-----	-----	-----
39-AY508621	c-----g-----	-----	-----	-----t-a	-c---c----
6A-AF532701	-----g-----	-a-g--a	-----g-----	-----g-----	g-----
6B-AF532703	-----g-----	-a-g--a	-----g-----	-----g-----	g-----
6A-AF532700	-----g-----	-a-g--a	-----g-----	-----g-----	g-----
35F-AF532692	-----g-----	-a-g--a	-----g-----	-----	-----g-----
47F-AY508631	-----g-----	-a-g--a	-----g-----	-----	-----g-----
10B-AY508586	-----	-----	-----	-----	-----
17A-AF532655	-----	-----	-----	-----	-----
34-AF532690	-----	-----	-----	-----	-----
34-pne73-1S	-----	-----	-----	-----	-----
19C-AY508600	-----	-----	-----	-----	-----
17F-AF532657	-----	-----	-----	-----	-----
35B-AF532691	-----	-----	-----	-----	-----
35C-AY508618	-----	-----	-----	-----	-----
42-AY508625	-----	-----	-----	-----	-----
33A-AF532685	-----	-----	-----	-----	-----
33F-AF532689	-----	-----	-----	-----	-----
35A-AY508617	-----	-----	-----	-----	-----
33F-AG006986	-----	-----	-----	-----	-----
17F-AF532656	-----	-----	-----	-----	-----
33C-pne62-1S	-----g-----	-----	-----	-----	-----
33C-AY508616	-----	-----	-----	-----	-----
10A-AF532633	c-----	-----	-----	-----	-----
17A-AY508597	c-----	-----	-----	-----	-----

Continue next page

22/63

4-AF532693	c-----	-----	-----	-----	-----
41F-AY508624	-----	-----	-----	-----	-----
37-AF532713	-----	-----	-----	-----	-----
37-AJ131984	-----	-----	-----	-----	-----
23A-AF532675	-----	-----	-----	-----	-----
43-AY508626	c-----	-----	-----	-----t-a	-c--c----
6A-AF532702	-----g--	--a-g--a	-----g--	g-----	-----
6B-pne07-1S	-----g--	--a-g--a	-----g--	g-----	-----
15F-AY508594	-----g--	--a-g--a	-----g--	g-----	-----
15F-AY508595	-----g--	--a-g--a	-----g--	g-----	-----
6A-AF532698	-----g--	--a-g--a	-----g--	-----	-----
6A-AY508641	-----g--	--a-g--a	-----g--	-----	-----
6A-AF532699	-----g--	--a-g--a	-----g--	-----g--	-----
6A-AY078347	-----g--	--a-g--a	-----g--	g-----	-----
15A-AF532647	-----g--	--a-g--a	-----g--	-----g--	-----
23F-AF532678	-----g--	--a-g--a	-----g--	-----g--	-----
7A-AY508635	-----g--	--a-g--a	-----g--	-----	-----
18A-AF532658	-----gg--	--a-g--a	-c-----g--	-----c--	-----
18A-AF532659	-----gg--	--a-g--a	-c-----g--	-----c--	-----
1-AF532632	-----g--	--a-g--a	-----g--	-----	-----
1-Z83335	-----g--	--a-g--a	-----g--	-----	-----
18B-AF532660	-----g--	--a-g--a	-----g--	-----	-----
18C-AF532661	-----g--	--a-g--a	-----g--	-----	-----
18F-AY330716	-----g--	--a-g--a	-----g--	-----	-----
16A-AY508596	-----g--	--a-g--a	-----g--	-----ag--	-----
28F-pne56-1S	-----g--	--a-g--a	-----g--	-----ag--	-----
19F-AF532666	-----g--	--a-g--a	-----g--	-----g--	-----
19F-U09239	-----g--	--a-g--a	-----g--	-----g--	-----
19F-AF030369	-----g--	--a-g--a	-----g--	-----g--	-----
19F-AF532667	-----g--	--a-g--a	-----g--	-----g--	-----
19F-AF532665	-----g--	--a-g--a	-----g--	-----g--	-----
19F-AF532668	-----g--	--a-g--a	-----g--	-----g--	-----
36-AY508619	-----g--	--a-g--a	-----g--	-----g--	-----
24F-AY508605	-----g--	--a-g--a	-----g--	-----	-----
18F-AF532662	-----g--	--a-g--a	-----g--	-----	-----
24A-AY508603	-----g--	--a-g--a	-----g--	-----g--	-----
24F-AY508607	-----g--	--a-g--a	-----g--	-----	-----
27-pne55-1S	c-----	-----	-----	-----t-a	-c--c----
28A-AY508609	c-----	-----	-----	-----t-a	-c--c----
28F-AY508610	c-----	-----	-----	-----t-a	-c--c----
28F-AY508611	c-----	-----	-----	-----t-a	-c--c----
31-AF532684	-----g--	--a-g--a	-----g--	-----	-----
5-AF532696	-----g--	--a-g--a	-----g--	-----	-----
8-AF532708	-----g--	--a-g--a	-----g--	-----t--	-----
8-pne12-1S	-----g--	--a-g--a	-----g--	-----t--	-----
2-pne02-1S	-----	-----	-----	-----a--	-----
41A-AY508623	-----	-----	-----	-----a--	-----
2-AF026471	-----	-----	-----	-----a--	-----
27-AY508608	-----	-----	-----	-----	-----
12A-pne66-1S	c-----	-----	-----	-----	-g-----
46-AY508629	c-----	-----	-----	-----	-g-----
46-pne89-1S	c-----	-----	-----	-----	-g-----
12A-AY508590	c-----	-----	-----	-----	-g-----
10C-pne19-1S	-----	-----	-----	-----a--	-----
10F-AY508587	-----	-----	-----	-----a--	-----
10F-AF532636	-----	-----	-----	-----a--	-----
10F-AF532635	-----g--	-----	-----	-----	-----

Continue next page



23/63

11C-AY508589	-----	-----	-----	-----	-----
12A-AY508591	-----	-----	-----	-----	-----
12B-pne24-1S	-----	-----	-----	-----	-----
12F-AF532641	-----	-----	-----	-----	-----
12F-AF532640	-----	-----	-----	-----	-----
21-AF532671	-----	-----	-----	-----	-----
21-AY508602	-----	-----	-----	-----	-----
48-AY508633	-----	-----	-----	-----	-----
15B-AF532650	-----	-----	-----	-----	-----
15C-AY508592	-----	-----	-----	-----	-----
22A-pne46-1S	-----	-----	-----	-----	-----
22F-AF532673	-----	-----	-----	-----	-----
15C-pne31-1S	-----	-----	-----	-----	-----
22A-AF532672	-----	-----	-----	-----	-----
44-pne87-1S	-----	-----	-----	-----	-----
19C-pne42-1S	c-----	-----	-----	-----	-----
24B-AY508604	c-----	-----	-----	-----	-----
7C-AF532706	c-----	-----	-----	-----	-----
19C-AY508601	c-----	-----	-----	-----	-----
15A-AF532646	c-----	-----	-----	-----	-----
32A-AY508612	c-----	-----	-----	-----	-----
32F-AY508614	c-----	-----	-----	-----	-----
32A-AY508613	c-----	-----	-----	-----	-----
9A-AY508637	c-----	-----	-----	-----	-----
9V-AY508639	c-----	-----	-----	-----	-----
9V-AF532710	c-----	-----	-----	-----	-----
6B-AF532704	-----	-----	-----	-----	-----
33D-pne72-1S	-----	-----	-----	-----	-----
48-pne63-1S	-----	-----	-----	-----	-----
33B-AF532686	-----	-----	-----	-----	-----
33B-AY508615	-----	-----	-----	-----	-----
33F-AF532688	-----	-----	-----	-----	-----
33B-pne61-1S	-----	-----	-----	-----	-----
33F-AF532687	-----	-t-----	-----	-----	-----
11A-AF532638	-----	-t-----	-----	-----	-----
41F-pne83-1S	-----	-----	-----	-----	-----
45-AY508628	-----g--	-----g--a	-----g--	-----	-----
2-AF532669	-----g--	-----a-g--a	-----g--	-----	-----
9L-AY508638	-----	-----	-----	-----t-a	-c--c--
9N-AF532709	-----	-----	-----	-----t-a	-c--c--
13-AF532642	-----	-----	-----	-----	-----
20-AF532670	-----	-----	-----	-----	-----
48-AY508632	-----	-----	-----	-----	-----
16F-AF532653	c-----	-----	-----	-----t-a	-c--c--
16F-AF532654	c-----	-----	-----	-----t-a	-c--c--
40-AY508622	c-----g--	-----	-----	-----t-a	-c--c--
7B-AY508636	c-----g--	-----	-----	-----t-a	-c--c--
15B-AF532648	c-----g--	-----	-----	-----t-a	-c--c--
19B-AY508599	c-----g--	-----	-----	-----t-a	-c--c--
5-AF532697	-----	-----	-----	-----	-----
5-AY508634	-----	-----	-----	-----	-----
7A-pne08-1S	-----	-----	-----g--	-----	-----
7F-AF532707	-----	-----	-----g--	-----	-----
23A-AF532674	-----	-----	-----	-----	-----
23F-AF532679	-----	-----	-----	-----	-----
25A-pne54-1S	-----a	-----	-----	-----a	-----
29-AY330718	-----a	-----	-----	-----a	-----

Continue next page

24/63

29-AF532680	-----a	-----	-----	-----a	-----
15B-AF532649	-----	-----	-----	-----	-----
15C-AY508593	-----	-----	-----	-----	-----
15C-AF532651	-----	-----	-----	-----	-----
15C-AF532652	-----	-----	-----	-----	-----
15C-AY330714	-----	-----	-----	-----	-----
15C-AY330715	-----	-----	-----	-----	-----
10A-AF532634	-----	-----	-----	-----	-----
23F-AF532677	-----	-----	-----	-----	-----
14-AF532643	-----	-----	-----	-----	-----
14-AF532644	-----	-----	-----	-----	-----
14-X85787	-----	-----a	-----	-----	-----
47A-AY508630	-----	-----	-----	-----	-----
39-AY508620	-----	-----	-----	-----t--a	-----c--c--
14-AF532645	-----	-----	-----	-----	-----
3-AF532681	-----g--	-----a--g--a	-----g--	-----	-----
3-AF532682	-----g--	-----a--g--a	-----g--	-----	-----
3-AF532683	-----g--	-----a--g--a	-----g--	-----	-----
3-Z47210	-----g--	-----a--g--a	-----g--	-----	-----
24F-AY508606	-----gg--	-----c--a--g--a	-----a--g--	-----c--a	-----c--
Consensus	TATGATAAAT	TTGGTCAATG	CTCAGTTAGA	AAGTGGAGGG	AATTATAAAG
	351				400
25F-AF532711	-----	-----	-----g--g--	-----	-----
38-AF532712	-----	-----	-----g--g--	-----	-----
23B-AF532676	-----	-----c--g--g	-----gg--a	-----c--	-----c--
23B-AY330717	-----	-----c--g--g	-----gg--a	-----c--	-----c--
19A-AF094575	-g-----	-----c--g--g	-----tg--a	-----c--	-----c--
19A-AF532664	-g-----	-----c--g--g	-----tg--a	-----c--	-----c--
19A-AF532663	-g-----	-----c--g--g	-----tg--a	-----c--	-----c--
11B-AF532639	-----	-----c--g--g	-----gg--a	-----c--	-----c--
11C-AY508588	-----	-----c--g--g	-----gg--a	-----c--	-----c--
6A-AY330713	-----	-----c--g--g	-----gg--a	-----c--	-----c--
6B-AF532705	-----	-----c--g--g	-----gg--a	-----c--	-----c--
11A-AF532637	-----	-----	-----g--	-----c--	-----c--
11D-pne65-1S	-----	-----	-----g--	-----c--	-----c--
18F-AY508598	-----	-----	-----g--	-----c--	-----c--
39-AY508621	-g-----	-----c--g--	-----a	-----	-----
6A-AF532701	-----	-----	-----g--	-----	-----
6B-AF532703	-----	-----	-----g--	-----	-----
6A-AF532700	-----	-----	-----g--	-----	-----
35F-AF532692	-----	-----	-----	-----	-----
47F-AY508631	-----	-----	-----	-----	-----
10B-AY508586	-----	-----	-----	-----c--	-----
17A-AF532655	-----	-----	-----	-----c--	-----
34-AF532690	-----	-----	-----	-----c--	-----
34-pne73-1S	-----	-----	-----	-----c--	-----
19C-AY508600	-----	-----	-----	-----c--	-----
17F-AF532657	-----	-----	-----	-----c--	-----
35B-AF532691	-----	-----	-----	-----c--	-----
35C-AY508618	-----	-----	-----	-----c--	-----
42-AY508625	-----	-----	-----	-----c--	-----
33A-AF532685	-----	-----	-----	-----c--	-----
33F-AF532689	-----	-----	-----	-----c--	-----
35A-AY508617	-----	-----	-----	-----c--	-----
33F-AG006986	-----	-----	-----	-----c--	-----
17F-AF532656	-----	-----	-----	-----c--	-----
33C-pne62-1S	-----	-----	-----	-----c--	-----

Continue next page

25/63

33C-AY508616	-----	-----	-g-----	---c-----	-----
10A-AF532633	-----	-----	-g-----	-----	-----
17A-AY508597	-----	-----	-g-----	-----	-----
4-AF532693	-----	-----	-g-----	-----	-----
41F-AY508624	-----	-----	-g-----	-----	-----
37-AF532713	-----	-----	-----	-----	-----
37-AJ131984	-----	-----	-----	-----	-----
23A-AF532675	-----	-----	-----	---c-----	-----
43-AY508626	-g-----	---c-----	-----	---t-----	-----
6A-AF532702	-----	---c-g---	-----	-----	-----
6B-pne07-1S	-----	---c-g---	-----	-----	-----
15F-AY508594	-----	---c-g---	-----	-----	-----
15F-AY508595	-----	---c-g---	-----	-----	-----
6A-AF532698	-----	---c-g---	-----	-----	-----
6A-AY508641	-----	---c-g---	-----	-----	-----
6A-AF532699	-----	---c-g---	-----	-----	-----
6A-AY078347	-----	---c-g---	-----	-----	-----
15A-AF532647	-----	-----	-g-----	-----	-----
23F-AF532678	-----	-----	-g-----	-----	-----
7A-AY508635	-----	-----	-g-----	-----	-----
18A-AF532658	-----	-----	-g-----	-----	---c-----
18A-AF532659	-----	-----	-g-----	-----	---c-----
1-AF532632	-----	-----	-g-----	-----	-----
1-Z83335	-----	-----	-g-----	-----	-----
18B-AF532660	-----	-----	-g-----	-----	-----
18C-AF532661	-----	-----	-g-----	-----	-----
18F-AY330716	-----	-----	-g-----	---a-----	-----
16A-AY508596	-----	-----	-g-----	-----	-----
28F-pne56-1S	-----	-----	-g-----	-----	-----
19F-AF532666	-----	-----	-g-----	-----	-----
19F-U09239	-----	-----	-g-----	---t-----	-----
19F-AF030369	-----	-----	-g-----	-----	-----
19F-AF532667	-----	-----	-g-----	-----	-----
19F-AF532665	-----	-----	-g-----	-----	-----
19F-AF532668	-----	-----	-g-----	-----	-----
36-AY508619	-----	-----	-g-----	-----	-----
24F-AY508605	-----	-----	-g-----	---a-----	-----
18F-AF532662	-----	-----	-g-----	-----	-----
24A-AY508603	-----	-----	-g-----	-----	-----
24F-AY508607	-----	-----	-g-t-----	-----	-----
27-pne55-1S	-g-----	---c-g---	-----	-----	-----
28A-AY508609	-g-----	---c-g---	-----	-----	-----
28F-AY508610	-g-----	---c-g---	-----	-----	-----
28F-AY508611	-g-----	---c-g---	-----	-----	-----
31-AF532684	-----	-----	-g-----	-----	-----
5-AF532696	-----	-----	-g-----	-----	-----
8-AF532708	-----	-----	-g-----	-----	-----
8-pne12-1S	---t---	-----	-g-----	-----	-----
2-pne02-1S	-----	-----	-g-----	-----	-----
41A-AY508623	-----	-----	-g-----	-----	-----
2-AF026471	-----	-----	-g-----	-----	-----
27-AY508608	-----	-----	-----	-----	-----
12A-pne66-1S	-----	-----	-g-----	-----	-----
46-AY508629	-----	-----	-g-----	-----	-----
46-pne89-1S	-----	-----	-g-----	-----	-----
12A-AY508590	-----	-----	-g-----	-----	-----
10C-pne19-1S	-----	-----	-----	-----	-----

Continue next page

26/63

10F-AY508587	-----	-----	-----	-----	-----
10F-AF532636	-----	-----	-----	-c-----	-----
10F-AF532635	-----	-----	-----	-c-----	-----
11C-AY508589	-----	-----	-----	-c-----	-----
12A-AY508591	-----	-----	-----	-c-----	-----
12B-pne24-1S	-----	-----	-----	-c-----	-----
12F-AF532641	-----	-----	-----	-c-----	-----
12F-AF532640	-----	-----	-----	-c-----	-----
21-AF532671	-----	-----	-----	-c-----	-----
21-AY508602	-----	-----	-----	-c-----	-----
48-AY508633	-----	-----	-----	-c-----	-----
15B-AF532650	-----	-----	-g-----	-c-----	-----
15C-AY508592	-----	-----	-g-----	-c-----	-----
22A-pne46-1S	-----	-----	-g-----	-c-----	-----
22F-AF532673	-----	-----	-g-----	-c-----	-----
15C-pne31-1S	-----	-----	-g-----	-c-----	-----
22A-AF532672	-----	-----	-g-----	-c-----	-----
44-pne87-1S	-----	-----	-g-----	-c-----	-----
19C-pne42-1S	-----	-----	-----	-----	-----
24B-AY508604	-----	-----	-----	-----	-----
7C-AF532706	-----	-----	-----	-----	-----
19C-AY508601	-----	-----	-----	-----	-----
15A-AF532646	-----	-----	-----	-----	-----
32A-AY508612	-----	-----	-----	-a--g--	-----
32F-AY508614	-----	-----	-----	-a--g--	-----
32A-AY508613	-----	-----	-----	-g-----	-----
9A-AY508637	-----	-----	-g-----	-----	-----
9V-AY508639	-----	-----	-g-----	-----	-----
9V-AF532710	-----	-----	-g-----	-----	-----
6B-AF532704	-----	-----	-g-----	-----	-----
33D-pne72-1S	-----	-----	-g-----	-----	-----
48-pne63-1S	-----	-----	-g-----	-----	-----
33B-AF532686	-----	-----	-g-----	-----	-----
33B-AY508615	-----	-----	-g-----	-----	-----
33F-AF532688	-----	-----	-g-----	-----	-----
33B-pne61-1S	-----	-----	-g-----	-----	-----
33F-AF532687	-----	-----	-g-----	-----	-----
11A-AF532638	-----	-----	-g-----	-c-----	-----
41F-pne83-1S	-----	-----	-g-----	-----	-----
45-AY508628	-----	-----	-g-----	-----	-----
2-AF532669	-----	-----	-g-----	-a-----	-----
9L-AY508638	-g-----	-----	-g--a--	-----	-----
9N-AF532709	-g-----	-----	-g--a--	-----	-----
13-AF532642	-----	-----	-----	-c-----	-----
20-AF532670	-----	-----	-----	-c-----	-----
48-AY508632	-----	-----	-----	-c-----	-----
16F-AF532653	-g-----	-c-g--	-----	-----	-----
16F-AF532654	-g-----	-c-g--	-----	-----	-----
40-AY508622	-g-----	-c-g--	-----	-----	-----
7B-AY508636	-g-----	-c-g--	-----	-----	-----
15B-AF532648	gg-----	-c-g--	-----	-----	-----
19B-AY508599	-g-----	-c-g--	-----	-----	-----
5-AF532697	-----	-----	-g-----	-c-----	-----
5-AY508634	-----	-----	-g-----	-c-----	-----
7A-pne08-1S	-----	-----	-g-----	-----	-----
7F-AF532707	-----	-----	-g-----	-----	-----
23A-AF532674	-----	-----	-----	-c-----	-----

Continue next page

27/63

23F-AF532679	-----	-----	-----	---c-----	-----
25A-pne54-1S	-----	-----	-----	-----	-----
29-AY330718	-----	-----	-----	-----	-----
29-AF532680	-----	-----	-----	-----	-----
15B-AF532649	-----	-----	-----	---c-----	-----
15C-AY508593	-----	-----	-----	---c-----	-----
15C-AF532651	-----	-----	-----	---c-----	-----
15C-AF532652	-----	-----	-----	---c-----	-----
15C-AY330714	-----	-----	-----	---c-----	-----
15C-AY330715	-----	-----	-----	---c-----	-----
10A-AF532634	-----	-----	-----	---c-----	-----
23F-AF532677	-----	-----	-----	---c-----	-----
14-AF532643	-----	-----	-----	---c-----	-----
14-AF532644	-----	-----	-----	---c-----	-----
14-X85787	-----	-----	-----	---c-----	-----
47A-AY508630	-----	-----	-----	---c-----	-----
39-AY508620	-g-----	-----	-g---a--	-----	-----
14-AF532645	-----	-----	-----	---c-----	-----
3-AF532681	-----	-----	-g-----	-----	-----
3-AF532682	-----	-----	-g-----	-----	-----
3-AF532683	-----	-----	-g-----	-----	-----
3-Z47210	-----	-----	-g-----	-----	-----
24F-AY508606	-----	-----	-g-----	-----	-----
Consensus	TAAATTCTCA	AGATTTAAAA	GGTACAGGTC	GGATGGATCT	TCCTTCTTAT
401					450
25F-AF532711	-----t-	-t---c-gt-	g---a----	-----t---	-g-a---cc-
38-AF532712	-----t-	-t---c-gt-	g---a----	-----t---	-g-a---cc-
23B-AF532676	--g-----	-t-----	---a-----	-----ta-c-	-c-----cc-
23B-AY330717	--g-----	-t-----	---a-----	-----ta-c-	-c-----cc-
19A-AF094575	--g-----	-t-----	---a-----	-----ta-c-	-c-----cc-
19A-AF532664	--g-----	-t-----	---a-----	-----ta-c-	-c-----cc-
19A-AF532663	--g-----	-t-----	---a-----	-----ta-c-	-c-----cc-
11B-AF532639	--g-----	-t-----	---a-----	-----ta-c-	-c-----cc-
11C-AY508588	--g-----	-t-----	---a-----	-----ta-c-	-c-----cc-
6A-AY330713	--g-----	-t-----	---a-----	-----ta-c-	-c-----cc-
6B-AF532705	--g-----	-t-----	---a-----	-----ta-c-	-c-----cc-
11A-AF532637	--g-----	-t-----	---a-----	-----ta-c-	-c-----cc-
11D-pne65-1S	--g-----	-t-----	---a-----	-----ta-c-	-c-----cc-
18F-AY508598	--g-----	-t-----	---a-----	-----ta-c-	-c-----cc-
39-AY508621	--g-----	-t-----	---a-----	-----t-c-	-c-----cc-
6A-AF532701	-----	-----	-----	-----	-----
6B-AF532703	-----	-----	-----	-----	-----
6A-AF532700	-----	-----	-----	-----	-----
35F-AF532692	-----	-----	-----	-----	-----
47F-AY508631	-----	-----	-----	-----	-----
10B-AY508586	-----	-----	-----	-----	-----
17A-AF532655	-----	-----	-----	-----	-----
34-AF532690	-----	-----	-----	-----	-----
34-pne73-1S	-----	-----	-----	-----	-----
19C-AY508600	-----	-----	-----	-----	-----
17F-AF532657	-----	-----	-----	-----	-----
35B-AF532691	-----	-----	-----	-----	-----
35C-AY508618	-----	-----	-----	-----	-----
42-AY508625	-----	-----	-----	-----	-----
33A-AF532685	-----	-----	-----	-----	-----
33F-AF532689	-----	-----	-----	-----	-----
35A-AY508617	-----	-----	-----	-----	-----

Continue next page

28/63

33F-AG006986	-----	28/63	-----	-----	-----
17F-AF532656	-----		-----	-----	-----
33C-pne62-1S	-----		-----	-----	-----
33C-AY508616	-----		-----	-----	-----
10A-AF532633	-----		-----	-----	-----
17A-AY508597	-----		-----	-----	-----
4-AF532693	-----		-----	-----	-----
41F-AY508624	-----		-----	-----	-----
37-AF532713	-----		-----	-----	-----
37-AJ131984	-----		-----	-----	-----
23A-AF532675	-----		-----	-----	-----
43-AY508626	-----		-----	-----	-----
6A-AF532702	-----		-----	-----	-----
6B-pne07-1S	-----		-----	-----	-----
15F-AY508594	-----		-----	-----	-----
15F-AY508595	-----		-----	-----	-----
6A-AF532698	-----		-----	-g-	-----
6A-AY508641	-----		-----	-g-	-----
6A-AF532699	-----		-----	-----	-----
6A-AY078347	-----		-----	-----	-----
15A-AF532647	-----a-----		-----	-----	-----
23F-AF532678	-----		-----	-----	-----
7A-AY508635	-----		-----	-----	-c-----
18A-AF532658	-----		-----	-----	-----
18A-AF532659	-----		-----	-----	-----
1-AF532632	-----		-----	-----	-----
1-Z83335	-----		-----	-----	-----
18B-AF532660	-----		-----	-----	-----
18C-AF532661	-----		-----	-----	-----
18F-AY330716	-----		-----	-----	-c-----
16A-AY508596	-----		-----	-----	-----
28F-pne56-1S	-----		-----	-----	-----
19F-AF532666	-----		-----	-----	-----
19F-U09239	-----		-----	-----	-----
19F-AF030369	-----	---t---	-----	-----	-----
19F-AF532667	-----	-----	-----	-----	-----
19F-AF532665	-----	-----	-----	-----	-----
19F-AF532668	-----	-----	-----	-----	-----
36-AY508619	-----	-----	-----	-g-	-----
24F-AY508605	-----	-----	-----	-----	-----
18F-AF532662	-----	-----	-----	-----	-----
24A-AY508603	-----	-----	-----	-----	-----
24F-AY508607	-----	-----	-----	-----	-----
27-pne55-1S	-----	-----	-----	-----	-----
28A-AY508609	-----	-----	-----	-----	-----
28F-AY508610	-----	-----	-----	-----	-----
28F-AY508611	-----	-----	-----	-----	-----
31-AF532684	-----	-----	-----	-----	-----
5-AF532696	-----	-----	-----	-----	-----
8-AF532708	-----	-----	-----a-----	-----	-----
8-pne12-1S	-----	-----	-----a-----	-----	-----
2-pne02-1S	-----	-----	-----	-----	-----
41A-AY508623	-----	-----	-----	-----	-----
2-AF026471	-----	-----	-----	-----	-----
27-AY508608	-----	-----	-----	-----	-----
12A-pne66-1S	-----	-----	-----	-----	-----
46-AY508629	-----	-----	-----	-----	-----

Continue next page

29/63

46-pne89-1S	-----	-----	-----	-----	-----
12A-AY508590	-----	-----	-----	-----	-----
10C-pne19-1S	-----	-----	-----	-----	-----
10F-AY508587	-----	-----	-----	-----	-----
10F-AF532636	-----	-----	-----	-----	-----
10F-AF532635	-----	-----	-----	-----	-----
11C-AY508589	-----	-----	-----c-----	-----	-----
12A-AY508591	-----	-----	-----	-----	-----
12B-pne24-1S	-----	-----	-----	-----	-----
12F-AF532641	-----	-----	-----	-----	-----
12F-AF532640	-----	-----	-----	-----	-----
21-AF532671	-----	-----	-----c-----	-----	-----
21-AY508602	-----	-----	-----c-----	-----	-----
48-AY508633	-----	-----	-----	-----	-----
15B-AF532650	-----	-----	-----t-----	-----	-----
15C-AY508592	-----	-----	-----t-----	-----	-----
22A-pne46-1S	-----	-----	-----t-----	-----	-----
22F-AF532673	-----	-----	-----t-----	-----	-----
15C-pne31-1S	-----	-----	-----t-----	-----	-----
22A-AF532672	-----	-----	-----t-----	-----	-----
44-pne87-1S	-----	-----	-----t-----	-----	-----
19C-pne42-1S	-----	-----	-----	-----	-----
24B-AY508604	-----	-----	-----	-----	-----
7C-AF532706	-----	-----	-----	-----	-----
19C-AY508601	-----	-----	-----	-----	-----
15A-AF532646	-----	-----	-----	-----	-----
32A-AY508612	-----	-----	-----	-----	-----
32F-AY508614	-----	-----	-----	-----	-----
32A-AY508613	-----	-----	-----	-----	-----
9A-AY508637	-----	-----	-----c-----	-----	-----
9V-AY508639	-----	-----	-----c-----	-----	-----
9V-AF532710	-----	-----	-----c-----	-----	-----
6B-AF532704	-----	-----	-----	-----	-----
33D-pne72-1S	-----	-----	-----	-----	-----
48-pne63-1S	-----	-----	-----	-----	-----
33B-AF532686	-----	-----	-----	-----	-----
33B-AY508615	-----	-----	-----	-----	-----
33F-AF532688	-----	-----	-----	-----	-----
33B-pne61-1S	-----	-----	-----	-----c-----	-----
33F-AF532687	-----	-----	-----	-----	-----
11A-AF532638	-----	-----	-----	-----	-----
41F-pne83-1S	-----	-----	-----	-----	-----
45-AY508628	-----	-----t-----	-----	-----	-----
2-AF532669	---g-----	-----	-----	-----	-----
9L-AY508638	-----	-----	-----	-----	-----
9N-AF532709	-----t-----	-----	-----	-----	-----
13-AF532642	-----	-----	-----	-----	-----
20-AF532670	-----	-----	-----	-----	-----
48-AY508632	-----	-----	-----	-----	-----
16F-AF532653	-----	-----	-----	-----	-----
16F-AF532654	-----	-----	-----	-----	-----
40-AY508622	-----	-----	-----	-----	-----
7B-AY508636	-----	-----	-----	-----	-----
15B-AF532648	-----	-----	-----	-----	-----
19B-AY508599	-----	-----	-----	-----	-----
5-AF532697	-----	-----	-----t-----	-----	-----
5-AY508634	-----	-----	-----t-----	-----	-----

Continue next page

30/63

7A-pne08-1S	-----	-----	-----	-----	---c---
7F-AF532707	-----	-----	-----	-----	---c---
23A-AF532674	-----	-----	-----	-----	-----
23F-AF532679	-----	-----	-----	-----	-----
25A-pne54-1S	-----	-----	-----	-----	-----
29-AY330718	-----	-----	-----	-----	-----
29-AF532680	-----	-----	-----	-----	-----
15B-AF532649	-----	-----	-----	-----	-----
15C-AY508593	-----	-----	-----	-----	-----
15C-AF532651	-----	-----	-----	-----	-----
15C-AF532652	-----	-----	-----	-----	-----
15C-AY330714	-----	-----	-----	-----	-----
15C-AY330715	-----	-----	-----	-----	-----
10A-AF532634	-----	-----	-----	-----	-----
23F-AF532677	-----	-----	-----	-----	-----
14-AF532643	-----	-----	-----	-----	-----
14-AF532644	-----	-----	-----	-----	-----
14-X85787	-----	-----	-----	-----	-----
47A-AY508630	-----	-----	-----	-----	-----
39-AY508620	-----	-----	-----	-----	-----
14-AF532645	-----	-----	-----	-----	-----
3-AF532681	-----	-----	-----	-----	-----
3-AF532682	-----	-----	-----	-----	-----
3-AF532683	-----	-----	-----	-----	-----
3-Z47210	-----	-----	-----	-----	-----
24F-AY508606	-----	-----gt--	-----a-----	-----	-----g-----
Consensus	GCAATGCCAG	ACAGTAACCT	CTATGTGATG	GAAATAGATG	ATAGTAGTTT
	451				500
25F-AF532711	ct-a-cta-c	----a-aa--	-t----c---	tc-----	--g-a-g---
38-AF532712	ct-a-cta-c	----a-aa--	-t----c---	tc-----	--g-a-g---
23B-AF532676	t--atct--c	---a-t----	-t-----	-t-----c	-----
23B-AY330717	t--atct--c	---a-t----	-t-----	-t-----c	-----
19A-AF094575	t--atct--c	---a-t----	-t-----	-t-----c	-----
19A-AF532664	t--atct--c	---a-t----	-t-----	-t-----c	-----
19A-AF532663	t--atct--c	---a-t----	-t-----a-	-t-----c	-----
11B-AF532639	t--atct--c	---a-t----	-t-----	-t-----g	-----
11C-AY508588	t--atct--c	---a-t----	-t-----	-t-----g	-----
6A-AY330713	t--atct--c	---a-g----	-t-----c--	-t-----c	-----
6B-AF532705	t--atct--c	---a-g----	-t-----c--	-t-----c	-----
11A-AF532637	t--atct--c	---a-t----	-t-----c--	-t-----c	-----
11D-pne65-1S	t--atct--c	---a-t----	-t-----c--	-t-----c	-----
18F-AY508598	t--atct--c	---a-t----	-t-----c--	-t-----c	-----
39-AY508621	t--atct--c	----t-----	-t--a--c--	-t-----a	-a-----
6A-AF532701	-----	-----	-----	-----	-----
6B-AF532703	-----	-----	-----	-----	-----
6A-AF532700	-----	-----	-----	-----	-----
35F-AF532692	-----	-----	-----	-----	-----
47F-AY508631	-----	-----	-----	-----	-----
10B-AY508586	-----	-----	-----	-----	-----
17A-AF532655	-----	-----	-----	-----	-----
34-AF532690	-----	-----	-----	-----	-----
34-pne73-1S	-----	-----	-----	-----	-----
19C-AY508600	-----	-----	-----	-----	-----
17F-AF532657	-----	-----	-----	-----	-----
35B-AF532691	-----	-----	-----	-----	-----
35C-AY508618	-----	-----	-----	-----	-----
42-AY508625	-----	-----	-----	-----	-----

Continue next page



31/63

33A-AF532685	-----	-----	-----	-----
33F-AF532689	-----	-----	-----	-----
35A-AY508617	-----	-----	-----	-----
33F-AG006986	-----	-----	-----	-----
17F-AF532656	-----	-----	-----	-----
33C-pne62-1S	-----	-----	-----	-----
33C-AY508616	-----	-----	-----	-----
10A-AF532633	-----	-----	-----	-----
17A-AY508597	-----	-----	-----	-----
4-AF532693	-----	-----	-----	-----
41F-AY508624	-----	-----	-----	-----
37-AF532713	-----	-----	-----	-----
37-AJ131984	-----	-----	-----	-----
23A-AF532675	-----	-----	-----	a-----
43-AY508626	-----	-----	-----	a-----
6A-AF532702	-----	-----	-----	-----
6B-pne07-1S	-----	-----	-----	-----
15F-AY508594	-----	-----	-----	-----
15F-AY508595	-----	-----	-----	-----
6A-AF532698	-----	-----	-----	-----
6A-AY508641	-----	-----	-----	-----
6A-AF532699	-----	-----	-----	-----
6A-AY078347	-----	gca-----	-----	-----
15A-AF532647	-----	-----	g-----	-----
23F-AF532678	-----	-----	-----	-----
7A-AY508635	-----	-----	-----	-----
18A-AF532658	-----	-----	-----	-----
18A-AF532659	-----	-----	-----	-----
1-AF532632	-a-----	-----	-----	a-----
1-Z83335	-a-----	-----	-----	a-----
18B-AF532660	-----	c-----	c-----	-----
18C-AF532661	-----	c-----	c-----	-----
18F-AY330716	-----	-----	-----	-----
16A-AY508596	-----	-----	-----	-----
28F-pne56-1S	-----	-----	-----	-----
19F-AF532666	-----	-----	-----	-----
19F-U09239	-----	-----	-----	-----
19F-AF030369	-----	-----	-----	-----
19F-AF532667	-----	-----	-----	-----
19F-AF532665	-----	-----	a-----	-----
19F-AF532668	-----	-----	a-----	-----
36-AY508619	-----	-----	-----	-----
24F-AY508605	-----	-----	-----	-----
18F-AF532662	-----	c-----	-----	-----
24A-AY508603	-----	-----	-----	-----
24F-AY508607	-----	-----	-----	-----
27-pne55-1S	-----	-----	-----	g-----
28A-AY508609	-----	-----	-----	g-----
28F-AY508610	-----	-----	-----	g-----
28F-AY508611	-----	g-----	-----	g-----
31-AF532684	-----	-----	-----	-----
5-AF532696	-----	-----	-----	-----
8-AF532708	-----	-----	-----	-----
8-pne12-1S	-----	-----	-----	-----
2-pne02-1S	-----	-----	-----	-----
41A-AY508623	-----	-----	-----	-----
2-AF026471	-----	-----	-----	-----

Continue next page

32/63

27-AY508608	-----	-----	-----a-----	-----
12A-pne66-1S	-----	-----	-----g-----	-----
46-AY508629	-----	-----	-----g-----	-----
46-pne89-1S	-----	-----	-----g-----	-----
12A-AY508590	-----	-----	-----a-----	-----
10C-pne19-1S	-----	-----	-----	-----
10F-AY508587	-----	-----	-----	-----
10F-AF532636	-----	-----	-----	-----
10F-AF532635	-----	-----	-----	-----
11C-AY508589	-----	-----	-----	-----
12A-AY508591	-----	-----	-----g-----	-----
12B-pne24-1S	-----	-----	-----g-----	-----
12F-AF532641	-----	-----	-----g-----	-----
12F-AF532640	-----	-----	-----g-----	-----
21-AF532671	-----	-----	-----	-----
21-AY508602	-----	-----	-----	-----
48-AY508633	-----	-----	-----	-----
15B-AF532650	-----	-----	-----	-----
15C-AY508592	-----	-----	-----	-----
22A-pne46-1S	-----	-----	-----	-----
22F-AF532673	-----	-----	-----	-----
15C-pne31-1S	-----	-----	-----	-----
22A-AF532672	-----	-----	-----	-----
44-pne87-1S	-----	-----	-----	-----
19C-pne42-1S	-----	-----	-----	-----
24B-AY508604	-----	-----	-----	-----
7C-AF532706	-----	-----	-----	-----
19C-AY508601	-----	-----	-----	-----
15A-AF532646	-----	-----g-----	-----	-----
32A-AY508612	-----	-----	-----	-----
32F-AY508614	-----	-----	-----	-----
32A-AY508613	-----	-----	-----	-----
9A-AY508637	-----	-----	-----	-----
9V-AY508639	-----	-----	-----	-----
9V-AF532710	-----	-----	-----	-----
6B-AF532704	-----	-----	-----	-----
33D-pne72-1S	-----	-----	-----	-----
48-pne63-1S	-----	-----	-----	-----
33B-AF532686	-----	-----	-----	-----
33B-AY508615	-----	-----	-----	-----
33F-AF532688	-----	-----	-----	-----
33B-pne61-1S	-----	-----	-----	-----
33F-AF532687	-----	-----	-----	-----
11A-AF532638	-----	-----	-----	-----
41F-pne83-1S	-----	-----	-----	-----
45-AY508628	-----	-----	-----c-----	-----
2-AF532669	-----	-----	-----	-----
9L-AY508638	-----	-----	-----	-----
9N-AF532709	-----	-----	-----	-----
13-AF532642	-----	-----	-----	-----
20-AF532670	-----	-----	-----	-----
48-AY508632	-----	-----	-----	-----
16F-AF532653	-----	-----	-----	-----
16F-AF532654	-----	-----	-----	-----
40-AY508622	-----	-----	-----	-----
7B-AY508636	-----	-----	-----	-----
15B-AF532648	-----	-----	-----	-----

Continue next page

33/63

19B-AY508599	-----	-----	-----	-----	-----
5-AF532697	-----	-----	-----	-----	-----
5-AY508634	-----	-----	-----	-----	-----
7A-pne08-1S	-----	-----	-----	-----	-----
7F-AF532707	-----	-----	-----	-----	-----
23A-AF532674	-----	-----	-----	-----	-----a-----
23F-AF532679	-----	-----	-----	-----	-----a-----
25A-pne54-1S	-----	-----	-----a-----	-----	-----
29-AY330718	-----	-----	-----a-----	-----	-----
29-AF532680	-----	-----	-----	-----	-----
15B-AF532649	-----	-----	-----	-----	-----
15C-AY508593	-----	-----	-----	-----	-----
15C-AF532651	-----	-----	-----	-----	-----
15C-AF532652	-----	-----	-----	-----	-----
15C-AY330714	-----	-----	-----	-----	-----
15C-AY330715	-----	-----	-----	-----	-----
10A-AF532634	-----	-----	-----	-----	-----
23F-AF532677	-----	-----	-----	-----	-----
14-AF532643	-----	-----	-----	-----	-----
14-AF532644	-----	-----	-----	-----	-----
14-X85787	-----	-----	-----	-----	-----
47A-AY508630	-----	-----	-----	-----	-----
39-AY508620	-----	-----	-----	-----	-----
14-AF532645	-----	-----	-----	-----	-----
3-AF532681	-----	-----	-----	-----a-a-----	-----
3-AF532682	-----	-----	-----	-----a-a-----	-----
3-AF532683	-----	-----	-----	-----a-a-----	-----
3-Z47210	-----	-----	-----	-----a-a-----	-----
24F-AY508606	-----ac-----	-----t-----	-----	-----	-----a-----
Consensus	AGCTGTAGTT	AAAGCAGCTA	TACAGGATGT	GATGGAGGGT	AGATGAAATG
501					550
25F-AF532711	-----tg-t-	-----t-c-	ta-----	--g-----t-	-g-a-----
38-AF532712	-----tg-t-	-----t-c-	ta-----	--g-----t-	-g-a-----
23B-AF532676	--t-t-t-	-----c-	t-c-----	-----t-	-----
23B-AY330717	--t-t-t-	-----c-	t-c-----	-----t-	-----
19A-AF094575	--t-t-t-	-----c-	--c-----	-----t-	-----
19A-AF532664	--t-t-t-	-----c-	--c-----	-----t-	-----
19A-AF532663	--t-t-t-	-----c-	--c-----	-----t-	-----
11B-AF532639	--t-t-t-	-----c-	t-c-----	-----t-	-----
11C-AY508588	--t-t-t-	-----c-	t-c-----	-----t-	-----
6A-AY330713	--t-t-t-	-----c-	t-c-----	-----t-	-----
6B-AF532705	--t-t-t-	-----c-	t-c-----	-----t-	-----
11A-AF532637	--t-t-t-	-----c-	t-c-----	-----t-	-----
11D-pne65-1S	--t-t-t-	-----c-	t-c-----	-----t-	-----
18F-AY508598	--t-t-t-	-----c-	t-c-----	-----t-	-----
39-AY508621	--t-t-t-	-----c-	t-c-----	-----t-	-c-----
6A-AF532701	-----	-----	-----	-----	-----
6B-AF532703	-----	-----	-----	-----	-----
6A-AF532700	-----	-----	-----	-----	-----
35F-AF532692	-----t-----	-----c-----	--c-----	-----t-----	-----
47F-AY508631	-----t-----	-----c-----	--c-----	-----t-----	-----
10B-AY508586	-----	-----c-----	--c-----	-----t-----	-----
17A-AF532655	-----	-----c-----	--c-----	-----t-----	-----
34-AF532690	-----	-----c-----	--c-----	-----t-----	-----
34-pne73-1S	-----	-----c-----	--c-----	-----t-----	-----
19C-AY508600	-----	-----	-----	-----	-----
17F-AF532657	-----	-----	-----	-----	-----

Continue next page

34/63

35B-AF532691	-----	-----	-----	-----
35C-AY508618	-----	-----	-----	-----
42-AY508625	-----	-----	-----	-----
33A-AF532685	-----	-----	-----	-----
33F-AF532689	-----	-----	-----	-----
35A-AY508617	-----	-----	-----	-----
33F-AG006986	-----	-----	-a-----	-----
17F-AF532656	-----	-----	-----	-----
33C-pne62-1S	-----	-----	-----	-----
33C-AY508616	-----	-----	-----	-----
10A-AF532633	-----	-----	-----	-----
17A-AY508597	-----	-----	-----	-----
4-AF532693	-----	-----	-----	-----
41F-AY508624	-----	-----	-----	-----
37-AF532713	-----	-c-----	-----	-----
37-AJ131984	-----	-c-----	-----	-----
23A-AF532675	-----	-----	-----	-----
43-AY508626	-----	-c-----	-c-----	-t-----
6A-AF532702	-----	-----	-----	-----
6B-pne07-1S	-----	-----	-----	-----
15F-AY508594	-----	-----	-----	-----
15F-AY508595	-----	-----	-----	-----
6A-AF532698	-----	-----	-----	-----
6A-AY508641	-----	-----	-----	-----
6A-AF532699	-----	-----	-----	-----
6A-AY078347	-----	-----	-a-----	-c-a-----
15A-AF532647	-g-----	-----	-----	-----
23F-AF532678	-----	-----	-----	-----
7A-AY508635	-t-----	-----	-----	-----
18A-AF532658	-----	-c-----	-t-----	-----
18A-AF532659	-----	-c-----	-t-----	-----
1-AF532632	-----	-c-----	-t-----	-----
1-Z83335	-----	-c-----	-t-----	-----
18B-AF532660	-t-----	-----	-----	-----
18C-AF532661	-t-----	-----	-----	-----
18F-AY330716	-t-----	-----	-----	-----
16A-AY508596	-t-----	-----	-----	-----
28F-pne56-1S	-t-----	-----	-----	-----
19F-AF532666	-----	-----	-----	-----
19F-U09239	-----	-----	-----	-----
19F-AF030369	-----	-----	-----	-----
19F-AF532667	-----	-----	-----	-----
19F-AF532665	-----	-----	-----	-----
19F-AF532668	-----	-----	-----	-----
36-AY508619	-----	-----	-----	-----
24F-AY508605	-----	-----	-----	-----
18F-AF532662	-t-----	-----	-----	-----
24A-AY508603	-----	-----	-----	-----
24F-AY508607	-----	-----	-----	-----
27-pne55-1S	-----	-a-----	-----	-----
28A-AY508609	-----	-a-----	-----	-----
28F-AY508610	-----	-a-----	-----	-----
28F-AY508611	-----	-a-----	-----	-----
31-AF532684	-----	-----	-----	-----
5-AF532696	-----	-----	-----	-----
8-AF532708	-----	-----	-----	-----
8-pne12-1S	-----	-----	-----	-----

Continue next page

35/63

2-pne02-1S	-----g--	-----	-----	-----	-----
41A-AY508623	-----g--	-----	-----	-----	-----
2-AF026471	-----g--	-----	-----	-----a--	-----
27-AY508608	-----	-----	-----	-----	-----
12A-pne66-1S	-----	-----	-----	-----	-----
46-AY508629	-----	-----	-----	-----	-----
46-pne89-1S	-----	-----	-----	-----	-----
12A-AY508590	-----	-----	-----	-----	-----
10C-pne19-1S	-----	-----	-----	-----	-----
10F-AY508587	-----	-----	-----	-----	-----
10F-AF532636	-----	-----	-----	-----	-----
10F-AF532635	-----	-----	-----	-----	-----
11C-AY508589	---t--t--t-	-----c--	t--c-----	-----t--	-----
12A-AY508591	-----	-----	-----	-----	-----
12B-pne24-1S	-----	-----	-----	-----	-----
12F-AF532641	-----	-----	-----	-----	-----
12F-AF532640	-----	-----	-----	-----	-----
21-AF532671	-----	-----	-----	-----	-----a--
21-AY508602	-----	-----	-----	-----	-----
48-AY508633	-----	-----	-----	-----	-----
15B-AF532650	-----	-----	-----	-----	-----
15C-AY508592	-----	-----	-----	-----	-----
22A-pne46-1S	-----	-----	-----	-----	-----
22F-AF532673	-----	-----	-----	-----	-----
15C-pne31-1S	-----	-----	-----	-----	-----
22A-AF532672	-----	-----	-----	-----	-----
44-pne87-1S	-----	-----	-----	-----	-----
19C-pne42-1S	-----	-----	-----	-----	-----
24B-AY508604	-----	-----	-----	-----	-----
7C-AF532706	-----	-----	-----	-----	-----
19C-AY508601	-----	-----	-----	-----	-----
15A-AF532646	-----g--	-----	-----	-----	-----
32A-AY508612	-----	-----	-----	-----t--	-----
32F-AY508614	-----	-----	-----	-----t--	-----
32A-AY508613	-----	-----	-----	-----t--	-----
9A-AY508637	-----	-----	-----	-----	-----
9V-AY508639	-----	-----	-----	-----	-----
9V-AF532710	-----	-----	-----	-----	-----
6B-AF532704	-----	-----	-----	-----	-----
33D-pne72-1S	-----	-----c--	-----c--	-----t--	-----
48-pne63-1S	-----	-----c--	-----c--	-----t--	-----
33B-AF532686	-----	-----c--	-----c--	-----t--	-----
33B-AY508615	-----	-----c--	-----c--	-----t--	-----
33F-AF532688	-----	-----c--	-----c--	-----t--	-----
33B-pne61-1S	-----	-----c--	-----c--	-----t--	-----
33F-AF532687	-----	-----c--	-----c--	-----t--	-----
11A-AF532638	-----	-----c--	-----c--	-----t--	-----
41F-pne83-1S	-----	-----	-----	-----	-----
45-AY508628	-----	-----c--	-----c--	-----t--	-----
2-AF532669	-----	-----	-----	-----t--	-----
9L-AY508638	-----	-----	-----	-----	-----
9N-AF532709	-----	-----	-----	-----	-----
13-AF532642	-----	-----	-----	-----	-----
20-AF532670	-----	-----	-----	-----	-----
48-AY508632	-----	-----	-----	-----	-----
16F-AF532653	-----	-----	-----	-----	-----a--
16F-AF532654	-----	-----	-----	-----	-----a--

Continue next page

36/63

40-AY508622	-----	-----	-----	-----	-----
7B-AY508636	-----	-----	-----	-----	-----
15B-AF532648	-----	-----	-----	-----	-c-----
19B-AY508599	-----	-----	-----	-----	-c-----
5-AF532697	-----	-----	-----	-a-----	-----
5-AY508634	-----	-----	-----	-----	-----
7A-pne08-1S	----t----	-----	-----	-----	-----
7F-AF532707	----t----	-----	-----	-----	-----
23A-AF532674	-----	-----	-----	-----	-----
23F-AF532679	-----	-----	-----	-----	-----
25A-pne54-1S	-----	-----	-----	-----	-----
29-AY330718	-----	-----	-----	-----	-----
29-AF532680	-----	-----	-----	-----	-----
15B-AF532649	-----	-----	-----	-----	-----
15C-AY508593	-----	-----	-----	-----	-----
15C-AF532651	-----	-----	-----	-----	-----
15C-AF532652	-----	-----	-----	-----	-----
15C-AY330714	-----	-----	-----	-----	-----
15C-AY330715	-----	-----	-----	-----	-----
10A-AF532634	-----	-----	-----	-----	-----
23F-AF532677	-----	-----	-----	-----	-----
14-AF532643	-----	-----	-----	-----	-----
14-AF532644	-----	-----	-----	-----	-----
14-X85787	-----	-----	-----	-----	-----
47A-AY508630	-----	-----	-----	-----	-----
39-AY508620	-----	-----	-----	-----	-----
14-AF532645	-----	-----	-----	-----	-----
3-AF532681	-----	-----	-----	-----	-a-----
3-AF532682	-----	-----	-----	-----	-----
3-AF532683	-----	-----	-----	-----	-t-----
3-Z47210	-----	-----	-----	-----	-t-----
24F-AY508606	-----	-----	-----	-----	-t-----
Consensus	ATAGACATCC	ATTTCGCATAT	CGTTTTTTGAT	GTAGATGACG	GTCCCAAGTC
	551				600
25F-AF532711	c-t---a--t	--t-ga---t	-g---tt---	-g---tgat	--a--aa-t-
38-AF532712	c-t---a--t	--t-ga---t	-g---tt---	-g---tgat	--a--aa-t-
23B-AF532676	-----	-----	-----	-g-----	-----
23B-AY330717	-----	-t-----	-----	-g-----	-----
19A-AF094575	-----	-----	-----	-g-----	-----
19A-AF532664	-----	-----	-----	-----	-----
19A-AF532663	-----	-----	-----	-----	-----
11B-AF532639	-----	-t-----	-----	-g-----	-----
11C-AY508588	-----	-t-----	-----	-g-----	-----
6A-AY330713	-----	-t-----	-----	-g-----	-----
6B-AF532705	-----	-t-----	-----	-g-----	-----
11A-AF532637	-----	-----	-----	-g-----	-----
11D-pne65-1S	-----	-----	-----	-g-----	-----
18F-AY508598	-----	-----	-----	-g-----	-----
39-AY508621	-----	-----	-----	-g-----	-a-----
6A-AF532701	-----	-----	-----	-g-----	-a-----
6B-AF532703	-----	-----	-----	-g-----	-a-----
6A-AF532700	-----	-----	-----	-g-----	-a-----
35F-AF532692	---g-----	-----	-----	-t-----	-a-----
47F-AY508631	---g-----	-----	-----	-t-----	-a-----
10B-AY508586	---g-----	-----	-----	-g-----	-a-----
17A-AF532655	---g-----	-----	-a-----	-g-----	-a-----
34-AF532690	---g-----	-----	-a-----	-g-----	-a-----

Continue next page

37/63

34-pne73-1S	---g-----	-----a---	-----g-----a	-----
19C-AY508600	-----	-----	-----	-----
17F-AF532657	-----	-----a---	-----	-----a
35B-AF532691	-----	-----a---	-----	-----a
35C-AY508618	-----	-----a---	-----	-----a
42-AY508625	-----	-----a---	-----	-----a
33A-AF532685	-----	-----a---	-----	-----a
33F-AF532689	-----	-----a---	-----	-----a
35A-AY508617	-----	-----a---	-----	-----a
33F-AG006986	-----	-----a---	-----	-----a
17F-AF532656	-----	-----a---	-----	-----
33C-pne62-1S	-----	-----a---	-----	-----
33C-AY508616	-----	-----a---	-----	-----a
10A-AF532633	-----	-----	-----	-----
17A-AY508597	-----	-----	-----	-----
4-AF532693	-----	-----	-----a	-----
41F-AY508624	-----	-----	---g-----a	-----
37-AF532713	-----	-----	-----	-----
37-AJ131984	-----	-----	-----	-----
23A-AF532675	-----	-----a---	-----	-----
43-AY508626	-----	-----	-----	-----
6A-AF532702	-----	-----	---g-----a	-----
6B-pne07-1S	-----	-----	---g-----a	-----
15F-AY508594	-----	-----	---g-----a	-----
15F-AY508595	-----	-----	---g-----a	-----
6A-AF532698	-----	-----	---g-----a	-----
6A-AY508641	-----	-----	---g-----a	-----
6A-AF532699	-----	-----	---g-----a	-----
6A-AY078347	-----	-----	---g-----a	-----
15A-AF532647	-----	-----	-----	-----
23F-AF532678	-----	-----	-----	-----
7A-AY508635	-----	-----a---	-----	-----
18A-AF532658	-----	---t-----	---g-----a	-----
18A-AF532659	-----	---t-----	---g-----a	-----
1-AF532632	-----	-----	-----	-----a
1-Z83335	-----	-----	-----	-----a
18B-AF532660	-----	-----	---g-----	-----
18C-AF532661	-----	-----	---g-----	-----
18F-AY330716	-----	-----	---g-----	-----
16A-AY508596	-----	-----	-----	-----
28F-pne56-1S	-----	-----	-----	-----
19F-AF532666	-----	-----	-----	-----
19F-U09239	-----	-----	-----	-----
19F-AF030369	-----	-----	-----	-----
19F-AF532667	-----	-----	-----	-----
19F-AF532665	-----	-----	-----	-----
19F-AF532668	-----	-----	-----	-----
36-AY508619	-----	-----	-----	-----
24F-AY508605	-----	-----	-----	-----
18F-AF532662	-----	-----	---g-----	-----
24A-AY508603	-----	-----	---g-----a	-----
24F-AY508607	---t-----t	-----a---	---t---aag---	---g-t---t-at---a-a---t-
27-pne55-1S	-----	-----	---g-----a	-----a
28A-AY508609	-----	-----	---g-----a	-----a
28F-AY508610	-----	-----	---g-----a	-----a
28F-AY508611	-----	-----	---g-----a	-----a
31-AF532684	-----	-----	-----	-----

Continue next page

38/63

5-AF532696	-----	-----	-----	-----	-----
8-AF532708	-----	-----	-----	-----	-----
8-pne12-1S	-----	-----	-----	-----	-----
2-pne02-1S	-----	-----	-----	-----	-----
41A-AY508623	-----	-----	-----	-----	-----
2-AF026471	-----	-----	-----	-----	-----
27-AY508608	-----	-----	-----	-----	-----
12A-pne66-1S	-----	-----	-----t-----	-g-----a-----	-----
46-AY508629	-----	-----	-----t-----	-g-----a-----	-----
46-pne89-1S	-----	-----	-----t-----	-g-----a-----	-----
12A-AY508590	-----	-----	-----t-----	-g-----a-----	-----
10C-pne19-1S	-----	-----	-----	-----	-----
10F-AY508587	-----	-----	-----	-----	-----
10F-AF532636	-----	-----	-----	-----	-----
10F-AF532635	-----	-----	-----	-----	-----
11C-AY508589	-----	-----t-----	-----a-----	-g-----	-----
12A-AY508591	-----	-----	-----t-----	-g-----a-----	-----
12B-pne24-1S	-----	-----	-----t-----	-g-----a-----	-----
12F-AF532641	-----	-----	-----t-----	-g-----a-----	-----
12F-AF532640	-----	-----	-----t-----t-----	-g-----a-----	-----
21-AF532671	-----	-----	-----	-----a-----	-----
21-AY508602	-----	-----	-----	-----a-----	-----
48-AY508633	-----	-----	-----	-g-----a-----	-----
15B-AF532650	-----	-----	-----	-----	-----a-----a-----
15C-AY508592	-----	-----	-----	-----	-----a-----a-----
22A-pne46-1S	-----	-----	-----	-----	-----a-----a-----
22F-AF532673	-----	-----	-----	-----	-----a-----a-----
15C-pne31-1S	-----	-----	-----	-----	-----a-----a-----
22A-AF532672	-----	-----a-----	-----	-----	-----a-----a-----
44-pne87-1S	-----	-----a-----	-----	-----	-----a-----a-----
19C-pne42-1S	-----	-----	-----	-----	-----
24B-AY508604	-----	-----	-----	-----	-----
7C-AF532706	-----	-----	-----	-----	-----
19C-AY508601	-----	-----	-----	-----	-----
15A-AF532646	-----	-----	-----	-----	-----
32A-AY508612	-----	-----	-----	-----	-----a-----
32F-AY508614	-----	-----	-----	-----	-----a-----
32A-AY508613	-----	-----	-----	-----	-----a-----
9A-AY508637	-----	-----	-----	-----	-----a-----
9V-AY508639	-----	-----	-----	-----	-----a-----
9V-AF532710	-----	-----	-----	-----	-----
6B-AF532704	-----	-----	-----	-g-----a-----	-----
33D-pne72-1S	-----	-----	-----	-----a-----	-----
48-pne63-1S	-----	-----	-----	-----a-----	-----
33B-AF532686	-----	-----	-----g-----	-----a-----	-----
33B-AY508615	-----	-----	-----	-----a-----	-----
33F-AF532688	-----	-----	-----	-----a-----	-----
33B-pne61-1S	-----	-----	-----	-----a-----	-----
33F-AF532687	-----	-----	-----	-----a-----	-----
11A-AF532638	-----	-----	-----	-g-----a-----	-----a-----
41F-pne83-1S	-----	-----	-----	-g-----a-----	-----
45-AY508628	-----	-----	-----t-----	-----	-----
2-AF532669	-----	-----	-----	-----	-----a-----
9L-AY508638	-----t-----	-----a-----	-----t--aag---	-g-t--t-at	-----a--a--t-
9N-AF532709	-----t-----	-----a-----	-----t--aag---	-g-t--t-at	-----a--a--t-
13-AF532642	-----t-----	-----a-----	-----t--aag---	-g-t--t-at	-----a--a--t-
20-AF532670	-----t-----	-----a-----	-----t--aag---	-g-t--t-at	-----a--a--t-

Continue next page



39/63

48-AY508632	--t-----	-----a-	-t--aag--	-g-t--t-at	--a--aa-t-
16F-AF532653	-----	-----	-----	-g-----a	-----
16F-AF532654	-----	-----	-----	-g-----a	-----
40-AY508622	-----	-----	-----	-----	-----
7B-AY508636	-----	-----	-----	-----	-----
15B-AF532648	-----	-----	-----	-----	-----
19B-AY508599	-----	-----	-----	-----	-----
5-AF532697	-----	-----	-----	-----	--a-----a-
5-AY508634	-----	-----	-----	-----	--a-----a-
7A-pne08-1S	-----	-----	-----a-	-----	-----
7F-AF532707	-----	-----	-----a-	-----	-----
23A-AF532674	-----	-----	-----a-	-----	-----
23F-AF532679	-----	-----	-----a-	-----	-----
25A-pne54-1S	-----	-----	-----	-----	-----
29-AY330718	-----	-----	-----	-----	-----
29-AF532680	-----	-----	-----	-----	-----
15B-AF532649	-----	-----	-----a-	-----	-----
15C-AY508593	-----	-----	-----a-	-----	-----
15C-AF532651	-----	-----	-----a-	-----	-----
15C-AF532652	-----	-----	-----a-	-----	-----
15C-AY330714	-----	-----	-----a-	-----	-----
15C-AY330715	-----	-----	-----	-----a	-----
10A-AF532634	-----	-----	-----a-	-----	-----
23F-AF532677	-----	-----	-----a-	-----	-----
14-AF532643	-----	-----	-----at-	-----	-----
14-AF532644	-----	-----	-----at-	-----	-----
14-X85787	-----	-----	-----at-	-----	-----
47A-AY508630	-----	-----	-----at-	-----	-----
39-AY508620	-----	-----	-----	-----	-----
14-AF532645	-----	-----	-----at-	-----	-----
3-AF532681	--t-----t	-----a-	-t--aag--	-g-t--t-at	--a--a--t-
3-AF532682	--t-----t	-----a-	-t--aag--	-g-t--t-at	--a--a--t-
3-AF532683	--t-----t	-----a-	-t--aag--	-g-t--t-at	--a--a--t-
3-Z47210	--t-----t	-----a-	-t--aag--	-g-t--t-at	--a--a--t-
24F-AY508606	g-t-----t	-----g-	-t--aag--	-g-t--t-at	--a--a--t-
Consensus	AAGAGAGGAA	AGCAAGGCTC	TCTTGGCAGA	ATCCTACAGG	CAGGGGGTGC
	601				650
25F-AF532711	-g--a----	t--a--a--c	-----c--tc	-a--t-----	-----a--a
38-AF532712	-g--a----	t--a--a--c	-----c--tc	-a--t-----	-----a--a
23B-AF532676	-----	-----	-----	-----	-----a
23B-AY330717	-----	-----	-----	-----	-----a
19A-AF094575	-----	-----	-----	-----	-----
19A-AF532664	-----	-----	-----	-----	-----
19A-AF532663	-----	-----	-----	-----	-----
11B-AF532639	-----	-----	-----	-----	-----a
11C-AY508588	-----	-----	-----	-----	-----a
6A-AY330713	-----	-----	-----	-----	-----a
6B-AF532705	-----	-----	-----	-----	-----a
11A-AF532637	-----	-----	-----	-----	-----a
11D-pne65-1S	-----	-----	-----	-----	-----a
18F-AY508598	-----	-----	-----	-----	-----a
39-AY508621	-----	-----	-----	-----	-----
6A-AF532701	-----	-----	-----	-----	-----
6B-AF532703	-----	-----	-----	-----	-----
6A-AF532700	-----	-----	-----	-----	-----
35F-AF532692	-----	-----	-----	-----	-----
47F-AY508631	-----	-----	-----	-----	-----

Continue next page

40/63

10B-AY508586	-----	-----	-----	-----	-----
17A-AF532655	-----	-----	-----	-----	-----
34-AF532690	-----	-----	-----	-----	-----
34-pne73-1S	-----	-----	-----	-----	-----
19C-AY508600	-----	-----	-----	-----	-----
17F-AF532657	-----	-----	-----	-----	-----
35B-AF532691	-----	-----	-----	-----	-----
35C-AY508618	-----	-----	-----	-----	-----
42-AY508625	-----	-----	-----	-----	-----
33A-AF532685	-----	-----	-----	-----	-----
33F-AF532689	-----	-----	-----	-----	-----
35A-AY508617	-----	-----	-----	-----	-----
33F-AG006986	-----	-----	-----	-----	-----
17F-AF532656	-----	-----	-----	-----	-----
33C-pne62-1S	-----	-----	-----	-----	-----
33C-AY508616	-----	-----	-----	-----	-----
10A-AF532633	-----	-----	-----	-----	-----
17A-AY508597	-----	-----	-----	-----	-----
4-AF532693	-----	t-----	-----	-----	-----
41F-AY508624	-----	-----	-----	-a-----	-----
37-AF532713	-----	-----	-----	-----	-----
37-AJ131984	-----	-----	-----	-----	-----
23A-AF532675	-----	-----	-----	-----	-----
43-AY508626	-----	-----	-t-----	-----	-----
6A-AF532702	-----	-----	-----	-----	-----
6B-pne07-1S	-----	-----	-----	-----	-----
15F-AY508594	-----	-----	-----	-----	-----
15F-AY508595	-----	-----	-----	-----	-----
6A-AF532698	-----	-----	-----	-----	-----
6A-AY508641	-----	-----	-----	-----	-----
6A-AF532699	-----	-----	-----	-----	-----
6A-AY078347	-----	-----	-----	-----	-----
15A-AF532647	-----	-----	-----	-----	-----
23F-AF532678	-----	-----	-----	-----	-----
7A-AY508635	-----	-----	-----	-----	-----a
18A-AF532658	-----	-----	-----	-----	-----a
18A-AF532659	-----	-----	-----	-----	-----a
1-AF532632	-----	-----	-----	-----	-----
1-Z83335	-----	-----	-----	-----	-----
18B-AF532660	-----	-----	-----	-----	-----
18C-AF532661	-----	-----	-----	-----	-----
18F-AY330716	-----	-----	-----	-----	-----
16A-AY508596	-----	-----	-----	-----	-----
28F-pne56-1S	-----	-----	-----	-----	-----
19F-AF532666	-----	-----	-----	-----	-----
19F-U09239	-----	-----	-----	-----	-----
19F-AF030369	-----	-----	-----	-----	-----
19F-AF532667	-----	-----	-----	-----	-----
19F-AF532665	-----	-----	-----	-----	-----
19F-AF532668	-----	-----	-----	-----	-----
36-AY508619	-----	-----	-----	-----	-----
24F-AY508605	-----	-----	-----	-----a-----	-----
18F-AF532662	-----	-----	-----	-----	-----
24A-AY508603	-----	-----	-----	-----	-----
24F-AY508607	---tg-----	a-----t-g	--t-----a-	-a-g-----	-----a
27-pne55-1S	-----	-----	-----	-----	-----
28A-AY508609	-----	-----	-----	-----	-----

Continue next page

41/63

28F-AY508610	-----	-----	-----	-----	-----
28F-AY508611	-----	-----	-----	-----	-----
31-AF532684	---t---	-----	-----	---t---	-----
5-AF532696	---t---	-----	-----	---t---	-----
8-AF532708	-----	-----	-----	---t---	-----
8-pne12-1S	-----	-----	-----	---t---	-----
2-pne02-1S	-----	-----	-----	---t---	-----
41A-AY508623	-----	-----	-----	---t---	-----
2-AF026471	-----	-----	-----	---t---	-----
27-AY508608	-----	-----	-----	-----	-----
12A-pne66-1S	-----	-----	-----	-----	-----
46-AY508629	-----	-----	-----	-----	-----
46-pne89-1S	-----	-----	-----	---a---	-----
12A-AY508590	-----	-----	-----	-----	-----
10C-pne19-1S	-----	-----	-----	-----	-----a
10F-AY508587	-----	-----	-----	-----	-----a
10F-AF532636	-----	-----	-----	-----	-----a
10F-AF532635	-----	-----	-----	-----	-----a
11C-AY508589	-----	-----	-----	-----	-----a
12A-AY508591	-----	-----	-----	---t---	-----
12B-pne24-1S	-----	-----	-----	---t---	-----
12F-AF532641	-----	-----	-----	---t---	-----
12F-AF532640	-----	-----	-----	---t---	-----
21-AF532671	-----	-----	---t---	-----	-----
21-AY508602	-----	-----	---t---	-----	-----
48-AY508633	-----	-----	-----	-----	-----
15B-AF532650	---t---	-----	-----	-----	-----
15C-AY508592	---t---	-----	-----	-----	-----
22A-pne46-1S	---t---	-----	-----	-----	-----
22F-AF532673	---t---	-----	-----	-----	-----
15C-pne31-1S	---t---	-----	-----	-----	-----
22A-AF532672	---t---	-----	-----	-----	-----
44-pne87-1S	---t---	-----	-----	-----	-----
19C-pne42-1S	-----	-----	-----	-----	-----
24B-AY508604	-----	-----	-----	-----	-----
7C-AF532706	-----	-----	-----	-----	-----
19C-AY508601	-----	-----	-----	-----	-----
15A-AF532646	-----	-----	-----	-----	-----
32A-AY508612	-----	-----	-----	-----	-----
32F-AY508614	-----	-----	-----	-----	-----
32A-AY508613	-----	-----	-----	-----	-----
9A-AY508637	-----	-----	-----	-----	-----
9V-AY508639	-----	-----	-----	-----	-----
9V-AF532710	-----	-----	-----	-----	-----
6B-AF532704	-----	-----	-----	-----	-----
33D-pne72-1S	-----	-----	-----	-----	-----
48-pne63-1S	-----	-----	-----	-----	-----
33B-AF532686	-----	-----	-----	-----	-----
33B-AY508615	-----	-----	-----	-----	-----
33F-AF532688	-----	-----	-----	-----	-----
33B-pne61-1S	-----	-----	-----	-----	-----
33F-AF532687	-----	-----	-----	-----	-----
11A-AF532638	-----	-----	-----	-----	-----
41F-pne83-1S	-----	-----	-----	---a---	-----
45-AY508628	-----	-----	-----	-----	-----
2-AF532669	-----	-----	-----	-----	-----
9L-AY508638	---tg---	g-----	t-g	--t---	a-a-g-----

Continue next page

42/63

9N-AF532709	---tg----	g-----t-g	--t-----a-	-a-g-----	-----
13-AF532642	---tg----	g-----t-g	--t-----a-	-a-g-----	-----a
20-AF532670	---tg----	g-----t-g	--t-----a-	-a-g-----	-----a
48-AY508632	---tg----	g-----t-g	--t-----a-	-a-gc-----	-----a
16F-AF532653	-----	-----	-----	-----	-----
16F-AF532654	-----	-----	-----	-----	-----
40-AY508622	-----	-----	-----	-----	-----
7B-AY508636	-----	-----	-----	-----	-----
15B-AF532648	-----	-----	-----	-----	-----
19B-AY508599	-----	-----	-----	-----	-----
5-AF532697	---t-----	-----	-----	-----	-----
5-AY508634	---t-----	-----	-----	-----	-----
7A-pne08-1S	-----	-----	-----	-----	-----a
7F-AF532707	-----	-----	-----	-----	-----a
23A-AF532674	-----	-----	-----	-----	-----
23F-AF532679	-----	-----	-----	-----	-----
25A-pne54-1S	-----	-----	-----	-----	-----
29-AY330718	-----	-----	-----	-----	-----
29-AF532680	-----	-----	-----	-----	-----
15B-AF532649	-----	-----	-----	-----	-----
15C-AY508593	-----	-----	-----	-----	-----
15C-AF532651	-----	-----	-----	-----	-----
15C-AF532652	-----	-----	-----	-----	-----
15C-AY330714	-----	-----	-----	-----	-----
15C-AY330715	-----	-----	-----	-----	-----
10A-AF532634	-----	-----	-----	-----	-----
23F-AF532677	-----	-----	-----	-----	-----
14-AF532643	-----	-----	-----	-----	-----
14-AF532644	-----	-----	-----	-----	-----
14-X85787	-----	-----	-----	-----	-----
47A-AY508630	-----	-----	-----	-----	-----
39-AY508620	-----	-----	-----	-----	-----a
14-AF532645	-----	---g-----	-----	-----	-----
3-AF532681	---tg----	g-----t-g	--t-----a-	-a-g-----	-----a
3-AF532682	---tg----	g-----t-g	--t-----a-	-a-g-----	-----a
3-AF532683	---tg----	g-----t-g	--t-----a-	-a-g-----	-----a
3-Z47210	---tg----	g-----t-g	--t-----a-	-a-g-----	-----a
24F-AY508606	---tg----	g-----t-g	--t-----a-	-a-g-----	---g-----a
Consensus	GAACCATTTGT	CTCTACCTCT	CACCGTCGCA	AGGGCATGTT	TGAAACTCCG
	651				700
25F-AF532711	-----c----	-t-g-----	t---g-gc-	--a-a-a---	-----ga-
38-AF532712	-----c----	-t-g-----	t---g-gc-	--a-a-a---	-----ga-
23B-AF532676	-----	-----	-----	-----	-----
23B-AY330717	-----	-----	-----	-----	-----
19A-AF094575	-----	-----	-----	-----	-----
19A-AF532664	-----	-----	-----	-----	-----
19A-AF532663	-----	-----	-----	-----	-----
11B-AF532639	-----	-----	-----	-----	-----
11C-AY508588	-----	-----	-----	-----	-----
6A-AY330713	-----	-----	-----	-----	-----
6B-AF532705	-----	-----	-----	-----	-----
11A-AF532637	-----	-----	-----	-----	-----
11D-pne65-1S	-----	-----	-----	-----	-----
18F-AY508598	-----	-----	-----	-----	-----
39-AY508621	-----	-----	-----	-----	-----
6A-AF532701	-----	-----	-----	-----	-----
6B-AF532703	-----	-----	-----	-----	-----

Continue next page

10/552394

43/63

6A-AF532700	-----	-----	-----	-----
35F-AF532692	-----	-----	-----	-----
47F-AY508631	-----	-----	-----	-----
10B-AY508586	-----	-----	-----	-----
17A-AF532655	-----	-----	-----	-----
34-AF532690	-----	-----	-----	-----
34-pne73-1S	-----	-----	-----	-----
19C-AY508600	-----	-----	-----	-----
17F-AF532657	-----	-----	-----	-----
35B-AF532691	-----	-----	-----	-----
35C-AY508618	-----	-----	-----	-----
42-AY508625	-----	-----	-----	-----
33A-AF532685	-----	-----	-----	-----
33F-AF532689	-----	-----	-----	-----
35A-AY508617	-----	-----	-----	-----
33F-AG006986	-----	-----	-----	-----
17F-AF532656	-----	-----	-----	-----
33C-pne62-1S	-----	-----	-----	-----
33C-AY508616	-----	-----	-----	-----
10A-AF532633	-----	-t-----	-----	-----
17A-AY508597	-----	-t-----	-----	-----
4-AF532693	-----	-----	-----	-----
41F-AY508624	-----	-----	-----	-----
37-AF532713	-----	-----	-----	-t-a-a-
37-AJ131984	-----	-----	-----	-t-a-a-
23A-AF532675	-----	-----	-----	-t-a-a-
43-AY508626	-----	-----	t-----	-t-a-a-
6A-AF532702	-----	-----	-----	-----
6B-pne07-1S	-----	-----	-----	-----
15F-AY508594	-----	-----	-----	-----
15F-AY508595	-----	-----	-----	-----
6A-AF532698	-----	-----	-----	-----
6A-AY508641	-----	-----	-----	-----
6A-AF532699	-----	-----	-----	-----
6A-AY078347	-----	-----	a-----	-----
15A-AF532647	-----	-----	-----	-----
23F-AF532678	-----	-----	-----	-----
7A-AY508635	-----	-----	-----	-----
18A-AF532658	-----	a-a-t	-ac-t	-a-a-t
18A-AF532659	-----	a-a-t	-ac-t	-a-a-t
1-AF532632	-----	-----	-----	-t-a-a-
1-Z83335	-----	-----	-----	-t-a-a-
18B-AF532660	-----	-----	-----	-t-a-a-
18C-AF532661	-----	-----	-----	-t-a-a-
18F-AY330716	-----	-----	-----	-t-a-a-
16A-AY508596	-----	-----	-----	-t-a-a-
28F-pne56-1S	-----	-----	-----	-t-a-a-
19F-AF532666	-----	-----	-----	-t-a-a-
19F-U09239	-----	-----	-----	-t-a-a-
19F-AF030369	-----	-----	-----	-t-a-a-
19F-AF532667	-----	-----	-----	-t-a-a-
19F-AF532665	-----	-----	-----	-t-a-a-
19F-AF532668	-----	-----	-----	-t-a-a-
36-AY508619	-----	-----	-----	-t-a-a-
24F-AY508605	-----	-----	-----	-t-a-a-
18F-AF532662	-----	-----	-----	-t-a-a-
24A-AY508603	-----	-----	-----	-t-a-a-

Continue next page

44/63

24F-AY508607	-----a--a-	-t---ac---	t---a--a--	----t----	-t--a--a--
27-pne55-1S	-----	-----	-----	-----	-----
28A-AY508609	-----	-----	-----	-----	-----
28F-AY508610	-----	-----	-----	-----	-----
28F-AY508611	-----	-----	-----	-----	-----
31-AF532684	-----	-----	-----	-----	-t--a--a--
5-AF532696	-----	-----	-----	-----	-t--a--a--
8-AF532708	-----	-----g	-----	-----	-t--a--a--
8-pne12-1S	-----	-----g	-----	-----	-t--a--a--
2-pne02-1S	-----	-----	-----	-----	-t--a--a--
41A-AY508623	-----	-----	-----	-----	-t--a--a--
2-AF026471	-----	-----	-----	-----	-t--a--a--
27-AY508608	-----	-----	-----	-----	-t--a--a--
12A-pne66-1S	-----	---a-----	-----	-----	-----
46-AY508629	-----	---a-----	-----	-----	-----
46-pne89-1S	-----	---a-----	-----	-----	-----
12A-AY508590	-----	---a-----	-----	-----	-----
10C-pne19-1S	-----	-----	-----	-----	-----
10F-AY508587	-----	-----	-----	-----	-----
10F-AF532636	-----	-----	-----	-----	-----
10F-AF532635	-----	-----	-----	-----	-----
11C-AY508589	-----	-----	-----	-----	-----
12A-AY508591	-----	-----	-----	-----	-----
12B-pne24-1S	-----	-----	-----	-----	-----
12F-AF532641	-----	-----	-----	-----	-----
12F-AF532640	-----	-----	-----	-----	-----
21-AF532671	-----	-----	-----	-----	-----
21-AY508602	-----	-----	-----	-----	-----
48-AY508633	-----	-----	-----	-----	-----
15B-AF532650	-----	-----	-----	-----	-----
15C-AY508592	-----	-----	-----	-----	-----
22A-pne46-1S	-----	-----	-----	-----	-----
22F-AF532673	-----	-----	-----	-----	-----
15C-pne31-1S	-----	-----	-----	-----	-----
22A-AF532672	-----	-----	-----	-----	-----
44-pne87-1S	-----	-----	-----	-----	-----
19C-pne42-1S	-----	-----	-----	-----	-----
24B-AY508604	-----	-----	-----	-----	-----
7C-AF532706	-----	-----	-----	-----	-----
19C-AY508601	-----	-----	-----	-----	-----
15A-AF532646	-----	-----	-----	-----	-----
32A-AY508612	-----	-----	-----	-----	-----
32F-AY508614	-----	-----	-----	-----	-----
32A-AY508613	-----	-----	-----	-----	-----
9A-AY508637	-----	-----	-----	-----	-----
9V-AY508639	-----	-----	-----	-----	-----
9V-AF532710	-----	-----	-----	-----	-----
6B-AF532704	-----	-----	-----	-----	-----
33D-pne72-1S	-----	-----	-----	-----	-----a--
48-pne63-1S	-----	-----	-----	-----	-----a--
33B-AF532686	-----	-----	-----	-----	-----a--
33B-AY508615	-----	-----	-----	-----	-----
33F-AF532688	-----	-----	-----	-----	-----
33B-pne61-1S	-----	-----	-----	-----	-----
33F-AF532687	-----	-----	-----	-----	-----
11A-AF532638	-----	-----	-----	-----	-----
41F-pne83-1S	-----	-----	-----	-----	-----

Continue next page

10/552394

45/63

45-AY508628	-----	-----	-----	-----	-----
2-AF532669	-----	-----	-----	-----	-----
9L-AY508638	-----	-----	-----	-----	-t-a-a-
9N-AF532709	-----	-----	-----	-----	-t-a-a-
13-AF532642	----a-a-	-t-ac--	t-a-a-	----t--	-t-a-a-
20-AF532670	----a-a-	-t-ac--	t-a-a-	----t--	-t-a-a-
48-AY508632	----a-a-	-t-ac--	t-a-a-	----t--	-t-a-a-
16F-AF532653	-----	-----	-----	-----	-t-a-a-
16F-AF532654	-----	-----	-----	-----	-t-a-a-
40-AY508622	-----	-----	-----	-----	-t-a-a-
7B-AY508636	-----	-----	-----	-----	-t-a-a-
15B-AF532648	-----	-----	-----	-----	-t-a-a-
19B-AY508599	-----	-----	-----	-----	-t-a-a-
5-AF532697	-----	-----	-----	-----	-----
5-AY508634	-----	-----	-----	-----	-----
7A-pne08-1S	-----	-----	-----	-----	-t-a-a-
7F-AF532707	-----	-----	-----	-----	-t-a-a-
23A-AF532674	-----	-----	-----	-----	-t-a-a-
23F-AF532679	-----	-----	-----	-----	-t-a-a-
25A-pne54-1S	-----	-----	-----	-----	-t-a-a-
29-AY330718	-----	-----	-----	-----	-t-a-a-
29-AF532680	-----	-----	-----	-----	-t-a-a-
15B-AF532649	-----	-----	-----	-----	-t-a-a-
15C-AY508593	-----	-----	-----	-----	-t-a-a-
15C-AF532651	-----	-----	-----	-----	-t-a-a-
15C-AF532652	-----	-----	-----	-----	-t-a-a-
15C-AY330714	-----	-----	-----	-----	-t-a-a-
15C-AY330715	-----	-----	-----	-----	-t-a-a-
10A-AF532634	-----	-----	-----	-----	-t-a-a-
23F-AF532677	-----	-----	-----	-----	-t-a-a-
14-AF532643	-----	-----	-----	-----	-t-a-a-
14-AF532644	-----	-----	-----	-----	-t-a-a-
14-X85787	-----	-----	-----	-----	-t-a-a-
47A-AY508630	-----	-----	-----	-----	-t-a-a-
39-AY508620	-----	-----	-----	-----	-t-a-a-
14-AF532645	-----	-----	-----	-----	-t-a-a-
3-AF532681	----a-a-	-t-t-ac--	t-a-a-	----t--	-t-a-a-
3-AF532682	----a-a-	-t-t-ac--	t-a-a-	----t--	-t-a-a-
3-AF532683	----a-a-	-t-t-ac--	t-a-a-	----t--	-t-a-a-
3-247210	----a-a-	-t-t-ac--	t-a-a-	----t--	-t-a-a-
24F-AY508606	----a-a-	-t-ac--	t-a-a-	----t--	-t-a-a-
Consensus	GAAGAGAAGA	TAGCAGAAAA	CTTTCTTCAG	GTTCGGGAAA	TAGCTAAGGA
	701				750
25F-AF532711	ta-t--aga-	--t--aca-	--tta--t--	---a---c	----t--t-
38-AF532712	ta-t--aga-	--t--aca-	--tta--t--	---a---c	----t--t-
23B-AF532676	---c-----	---g-----	---t-----	---c-----	-----
23B-AY330717	---c-----	---g-----	---t-----	---c-----	-----
19A-AF094575	-----	---g-----	-----	-----	-----t
19A-AF532664	-----	---g-----	-----	-----	-----t
19A-AF532663	-----	---g-----	-----	-----	-----t
11B-AF532639	---c-----	---g-----	---t-----	-----	-----
11C-AY508588	---c-----	---g-----	---t-----	-----	-----
6A-AY330713	---c-----	---g-----	---t-----	-----	---g---
6B-AF532705	---c-----	---g-----	---t-----	-----	---g---
11A-AF532637	---c-----	-----	---t-----	-----	-----
11D-pne65-1S	---c-----	-----	---t-----	-----	-----
18F-AY508598	---c-----	-----	---t-----	-----	-----

Continue next page

10/552394

46/63

39-AY508621	-----	-----	-----	-----	-----
6A-AF532701	-----	-----	-----	-----	-----
6B-AF532703	-----	-----	-----	-----	-----
6A-AF532700	-----	-----	-----	-----	-----
35F-AF532692	-----	g	-----	-----	-----
47F-AY508631	-----	g	-----	-----	-----
10B-AY508586	-----	g	-----	-----	-----
17A-AF532655	-----	g	-----	-----	-----
34-AF532690	-----	g	-----	-----	-----
34-pne73-1S	-----	g	-----	-----	-----
19C-AY508600	-----	-----	-----	a	-----
17F-AF532657	-----	g	-----	-----	-----
35B-AF532691	-----	g	-----	-----	-----
35C-AY508618	-----	g	-----	-----	-----
42-AY508625	-----	g	-----	-----	-----
33A-AF532685	-----	g	t	-----	-----
33F-AF532689	-----	g	t	-----	-----
35A-AY508617	-----	g	t	-----	-----
33F-AG006986	-----	g	t	-----	-----
17F-AF532656	-----	g	-----	-----	-----
33C-pne62-1S	-----	g	-----	-----	-----
33C-AY508616	-----	g	-----	a	-----
10A-AF532633	-----	g	-----	-----	-----
17A-AY508597	-----	g	-----	-----	-----
4-AF532693	-----	g	-----	-----	t
41F-AY508624	-----	g	-----	-----	-----
37-AF532713	a--aga-	t	t	c--a--g--a	t--t--t
37-AJ131984	a--aga-	t	t	c--a--g--a	t--t--t
23A-AF532675	a--aga-	t	t	c--a--g--a	t--t--t
43-AY508626	a--aga-	t	t	c--a--g--a	t--t--t
6A-AF532702	-----	-----	-----	-----	-----
6B-pne07-1S	-----	-----	-----	-----	-----
15F-AY508594	-----	-----	-----	-----	-----
15F-AY508595	-----	-----	-----	-----	-----
6A-AF532698	-----	-----	-----	-----	-----
6A-AY508641	-----	a	-----	-----	-----
6A-AF532699	-----	-----	-----	-----	-----
6A-AY078347	-----	-----	-----	-----	-----
15A-AF532647	-----	g	-----	-----	-----
23F-AF532678	-----	g	-----	-----	-----
7A-AY508635	a	g	-----	-----	-----
18A-AF532658	a--aga-	t	t	c--a--g--a	t--t--t
18A-AF532659	a--aga-	t	t	c--a--g--a	t--t--t
1-AF532632	a--aga-	t	t	c--a--g--a	t--t--t
1-Z83335	a--aga-	t	t	c--a--g--a	t--t--t
18B-AF532660	a--aga-	t	t	c--a--g--a	t--ta
18C-AF532661	a--aga-	t	t	c--a--g--a	t--ta
18F-AY330716	a--aga-	t	t	c--a--g--a	t--t--t
16A-AY508596	a--aga-	t	t	c--a--g--a	t--t--t
28F-pne56-1S	a--aga-	t	t	c--a--g--a	t--t--t
19F-AF532666	aga-	t	t	c--a--g--a	t--t--t
19F-U09239	aga-	t	t	c--a--g--a	t--t--t
19F-AF030369	aga-	t	t	c--a--g--a	t--t--t
19F-AF532667	aga-	t	t	c--a--g--a	t--t--t
19F-AF532665	aga-	t	t	c--a--g--a	t--t--t
19F-AF532668	aga-	t	t	c--a--g--a	t--t--t
36-AY508619	a--aga-	t	t	c--a--g--a	t--t--t

Continue next page



10/552394

47/63

24F-AY508605	---a--aga-	--t-----	-----t--	c--a--g--a	-----t--t-
18F-AF532662	---a--aga-	--t-----	-c-----t-	c--a--g--a	-----t--t-
24A-AY508603	---a--aga-	--t-----	-----t--	c--a--g--a	-----t--t-
24F-AY508607	---a--aga-	--t-----	-c-----t-	c--a--g--a	-----t--t-
27-pne55-1S	-----	-----	-----	a-----	-----
28A-AY508609	-----	-----	-----	a-----	-----
28F-AY508610	-----	-----	-----	a-----	-----
28F-AY508611	-----	-----	-----	a-----	-----
31-AF532684	---a--aga-	--t-----	-----	-----	-----
5-AF532696	---a--aga-	--t-----	-----	-----	-----
8-AF532708	---a--aga-	--t-----	-----	-----	-----
8-pne12-1S	---a--aga-	--t-----	-----	-----	-----
2-pne02-1S	---a--aga-	--t-----	-----	-----	-----
41A-AY508623	---a--aga-	--t-----	-----	-----	-----
2-AF026471	---acga-a-	--t-----	-----	-----	-----
27-AY508608	---a--aga-	--t-----	-----t--	-----	-----
12A-pne66-1S	-----	--t-----	-c-----	-----	-----
46-AY508629	-----	--t-----	-c-----	-----	-----
46-pne89-1S	-----	--t-----	-c-----	-----	-----
12A-AY508590	-----	--t-----	-c-----	-----	-----
10C-pne19-1S	---c-----	-----g--	-----t--	-----	-----t
10F-AY508587	---c-----	-----g--	-----t--	-----	-----t
10F-AF532636	---c-----	-----g--	-----t--	-----	-----t
10F-AF532635	---c-----	-----g--	-----t--	-----	-----t
11C-AY508589	---c-----	-----g--	-----t--	-----	-----
12A-AY508591	-----	--t-----	-c-----	-----	-----
12B-pne24-1S	-----	--t-----	-c-----	-----	-----
12F-AF532641	-----	--t-----	-c-----	-----	-----
12F-AF532640	-----	--t-----	-c-----	-----	-----
21-AF532671	-----	-----ga--	-----	-----	-----
21-AY508602	-----	-----ga--	-----	-----	-----
48-AY508633	-----	-----	-----	-----	-----
15B-AF532650	-----	-----g--	-----	a-----	-----
15C-AY508592	-----	-----g--	-----	a-----	-----
22A-pne46-1S	-----	-----g--	-----	a-----	-----
22F-AF532673	-----	-----g--	-----	a-----	-----
15C-pne31-1S	-----	-----g--	-----	a-----	-----
22A-AF532672	-----	-----g--	-----	a-----	-----
44-pne87-1S	-----	-----	-c-----	-----	-----
19C-pne42-1S	-----	-----	-----	a-----	-----
24B-AY508604	-----	-----	-----	a-----	-----
7C-AF532706	-----	-----	-----	a-----	-----
19C-AY508601	-----	-----	-----	a-----	-----
15A-AF532646	-----	-----g--	-----	-----	-----
32A-AY508612	-----	-----g--	-----	-----	-----
32F-AY508614	-----	-----g--	-----	-----	-----
32A-AY508613	-----	-----g--	-----	-----	-----
9A-AY508637	-----	-----g--	-----	-----	-----
9V-AY508639	-----	-----g--	-----	-----	-----
9V-AF532710	-----	-----g--	-----	-----	-----
6B-AF532704	-----	-----	-----	-----	-----
33D-pne72-1S	-----	-----ga--	-----	-----	-----
48-pne63-1S	-----	-----ga--	-----	-----	-----
33B-AF532686	-----	-----ga--	-----	-----	-----
33B-AY508615	-----	-----ga--	-----	-----	-----
33F-AF532688	-----	-----ga--	-----	-----	-----
33B-pne61-1S	-----	-----ga--	-----	-----	-----

Continue next page

10/552394

48/63

33F-AF532687	-----	ga	-----	-----	-----
11A-AF532638	-----	g	-----	-----	-----
41F-pne83-1S	-----	g	-----	-----	-----
45-AY508628	-----	g	-----	-----	-----
2-AF532669	-----	g	-----	-----	-----
9L-AY508638	---a--aga-	--t-----	-a-----t--	c--a--g--a	----t--t-
9N-AF532709	---a--aga-	--t-----	-a-----t--	c--a--g--a	----t--t-
13-AF532642	---a--aga-	--t-----	-a-----t--	c--a--g--a	----t--t-
20-AF532670	---a--aga-	--t-----	-a-----t--	c--a--g--a	----t--t-
48-AY508632	---a--aga-	--t-----	-a-----t--	c--a--g--a	----t--t-
16F-AF532653	---a--aga-	--t-----	-----t--	c--a--g--a	----t--t-
16F-AF532654	---a--aga-	--t-----	-----t--	c--a--g--a	----t--t-
40-AY508622	---a--aga-	--t-----	-----t--	t--a--g--a	----t--t-
7B-AY508636	---a--aga-	--t-----	-----t--	t--a--g--a	----t--t-
15B-AF532648	---a--aga-	--t-----	-----t--	c--a--g--a	----t--t-
19B-AY508599	---a--aga-	--t-----	-----t--	c--a--g--a	----t--t-
5-AF532697	-----	g	-----	c--a--g--a	----t--t-
5-AY508634	-----	g	-----	c--a--g--a	----t--t-
7A-pne08-1S	---a--aga-	--t-----	-c-----t--	a--a--g--a	----t--t-
7F-AF532707	---a--aga-	--t-----	-c-----t--	a--a--g--a	----t--t-
23A-AF532674	---a--aga-	--t-----	-----t--	c--a--g--a	----t--t-
23F-AF532679	---a--aga-	--t-----	-----t--	c--a--g--a	----t--t-
25A-pne54-1S	---a--aga-	--t-----	-----t--	c--a--g--a	----t--t-
29-AY330718	---a--aga-	--t-----	-----t--	c--a--g--a	----t--t-
29-AF532680	---a--aga-	--t-----	-----t--	c--a--g--a	----t--t-
15B-AF532649	---a--aga-	--t-----	-----t--	c--a--g--a	----t--t-
15C-AY508593	---a--aga-	--t-----	-----t--	c--a--g--a	----t--t-
15C-AF532651	---a--aga-	--t-----	-----t--	c--a--g--a	----t--t-
15C-AF532652	---a--aga-	--t-----	-----t--	c--a--g--a	----t--t-
15C-AY330714	---a--aga-	--t-----	-----t--	c--a--g--a	----t--t-
15C-AY330715	---a--aga-	--t-----	-----t--	c--a--g--a	----t--t-
10A-AF532634	---a--aga-	--t-----	-----t--	c--a--g--a	----t--t-
23F-AF532677	---a--aga-	--t-----	-----t--	c--a--g--a	----t--t-
14-AF532643	---a--aga-	--t-----	-----t--	c--a--g--a	----t--t-
14-AF532644	---a--aga-	--t-----	-----t--	c--a--g--a	----t--t-
14-X85787	---a--aga-	--t-----	-----t--	c--a--g--a	----t--t-
47A-AY508630	---a--aga-	--t-----	-----t--	c--a--g--a	----t--t-
39-AY508620	---a--aga-	--t-----	-----t--	t--a--g--a	----t--t-
14-AF532645	---a--aga-	--t-----	-----t--	c--a--g--a	----t--t-
3-AF532681	---a--aga-	--t-----	-----t--	c--a--g--a	----t--t-
3-AF532682	---a--aga-	--t-----	-----t--	c--a--g--a	----t--t-
3-AF532683	---a--aga-	--t-----	-----t--	c--a--g--a	----t--t-
3-Z47210	---a--aga-	--t-----	-----t--	c--a--g--a	----t--t-
24F-AY508606	---a--aga-	--t-----	-----t--	c--a--g--a	----t--t-
Consensus	AGTGGCGAGT	GACTTAGTCA	TTGCTTACGG	GGCTGAAATT	TACTACACAC
	751				800
25F-AF532711	a---ca--a-	ca---a--t	----g--a.	actt-c--a-	-tt-a-----
38-AF532712	a---ca--a-	ca---a--t	----g--a.	actt-c--a-	-tt-a-----
23B-AF532676	-----t-	--g-----	-----t-	.,-----	-----a-
23B-AY330717	-----t-	--g-----	-----t-	.,-----	-----a-
19A-AF094575	-----t-	-----	-----t-	.,-----	-----a-
19A-AF532664	-----t-	-----	-----t-	.,-----	-----a-
19A-AF532663	-----t-	-----	-----t-	.,-----	-----a-
11B-AF532639	-----t-	-----	-----t--t-	.,-----	-----a-
11C-AY508588	-----t-	-----	-----t--t-	.,-----	-----a-
6A-AY330713	-----t-	-----	-----c--t-	.,-----	-----a-
6B-AF532705	-----t-	-----	-----c--t-	.,-----	-----a-

Continue next page

10/552394

49/63

11A-AF532637	-----t-	-----	-----t-	-----	-----a-
11D-pne65-1S	-----t-	-----	-----t-	-----	-----a-
18F-AY508598	-----t-	-----	-----t-	-----	-----a-
39-AY508621	-----	-----	-----	-----	-----
6A-AF532701	-----	-----	-----	-----	-----
6B-AF532703	-----	-----	-----	-----	-----
6A-AF532700	-----	-----	-g-	-----	-----
35F-AF532692	-----	-----	-----	-----	-----
47F-AY508631	-----	-----	-----	-----	-----
10B-AY508586	-----	-----	-----	-----	-----
17A-AF532655	-----	-----	-----	-----	-----
34-AF532690	-----	-----	-----	-----	-----
34-pne73-1S	-----	-----	-----	-----	-----
19C-AY508600	-----	-----	-g-	-----	-----
17F-AF532657	-----	-----	-----	-----	-----
35B-AF532691	-----	-----	-----	-----	-----
35C-AY508618	-----	-----	-----	-----	-----
42-AY508625	-----	-----	-----	-----	-----
33A-AF532685	-----	-----	-----	-----	-----
33F-AF532689	-----	-----	-----	-----	-----
35A-AY508617	-----	-----	-----	-----	-----
33F-AG006986	-----	-----	-----	-----	-----
17F-AF532656	-----	-----	-----	-----	-----
33C-pne62-1S	-----	-----	-----	-----	-----
33C-AY508616	-----	-----	-----	-----	-----
10A-AF532633	-----	-----	-----	-----	-----
17A-AY508597	-----	-----	-----	-----	-----
4-AF532693	-----	-----	-----	-----	-----
41F-AY508624	t-----	a-----	-----	-----	-----
37-AF532713	tg---c---	a--a---a	-----aa	--a---t	---t---
37-AJ131984	tg---c---	a--a---a	-----aa	--a---t	---t---
23A-AF532675	tg---c---	a--a---a	-----aa	--a---t	---t---
43-AY508626	tg---c---	a--a---a	-----aa	--a---t	---t---
6A-AF532702	-----	-----	-g-	-----	-----
6B-pne07-1S	-----	-----	-g-	-----	-----
15F-AY508594	-----	-----	-g-	-----	-----
15F-AY508595	-----	-----	-g-	-----	-----
6A-AF532698	-----	-----	-g-	-----	-----
6A-AY508641	-----	-----	-g-	-----	-----
6A-AF532699	-----	-----	-g-	-----	-----
6A-AY078347	-----	-----	-g-	-----	-----
15A-AF532647	-----	-----a	-----	-----	-----
23F-AF532678	-----	-----	-----	-----	-----
7A-AY508635	-----	-----	-----	-----	-----
18A-AF532658	tg---c---	a--a---a	-----ag	a.a---t	---t---
18A-AF532659	tg---c---	a--a---a	-----ag	a.a---t	---t---
1-AF532632	tg---c---	a--a---a	-----ag	a.a---t	---t---
1-Z83335	tg---c---	a--a---a	-----ag	a.a---t	---t---
18B-AF532660	tg---c---	a--a---a	-----ag	a.a---t	---t---
18C-AF532661	tg---c---	a--a---a	-----ag	a.a---t	---t---
18F-AY330716	tg---c---	a--a---a	-----ag	a.a---t	---t---
16A-AY508596	tg---c---	a--a---a	-----ag	a.a---t	---t---
28F-pne56-1S	tg---c---	a--a---a	-----ag	a.a---t	---t---
19F-AF532666	tg---c---	a--a---a	-----ag	a.a---t	---t---
19F-U09239	tg---c---	a--a---a	-----ag	a.a---t	---t---
19F-AF030369	tg---c---	a--a---a	-----ag	a.a---t	---t---
19F-AF532667	tg---c---	a--a---a	-----ag	a.a---t	---t---

Continue next page

10/552394

50/63

19F-AF532665	tg---c---a--a-----a	-----ag a.a-----t- ---t-----
19F-AF532668	tg---c---a--a-----a	-----ag a.a-----t- ---t-----
36-AY508619	tg---c---a--a-----a	-----ag a.a-----t- ---t-----
24F-AY508605	tg---c---a--a-----a	-----ag a.a-----t- ---t-----
18F-AF532662	tg---c---a--a-----a	-----ag a.a--c--t- ---t-----
24A-AY508603	tg---c---a--a-----a	-----ag a.a-----t- ---t-----
24F-AY508607	tg---c---a--a-----a	-----ag a.a-----t- ---t-----
27-pne55-1S	-----	-g-----
28A-AY508609	-----	-g-----
28F-AY508610	-----	-g-----
28F-AY508611	-----	-g-----
31-AF532684	-----	-g-----
5-AF532696	-----	-g-----
8-AF532708	-----	-g-----
8-pne12-1S	-----	-g-----
2-pne02-1S	-----	-g-----
41A-AY508623	-----	-g-----
2-AF026471	-----	-g-----
27-AY508608	-----	-g-----
12A-pne66-1S	-----	-a-----
46-AY508629	-----	-a-----
46-pne89-1S	-----	-a-----
12A-AY508590	-----	-a-----
10C-pne19-1S	-----t-	-----c--t- -a-----a-
10F-AY508587	-----t-	-----c--t- -a-----a-
10F-AF532636	-----t-	-----c--t- -a-----a-
10F-AF532635	-----t-	-----c--t- -a-----a-
11C-AY508589	-----t-	-----t--t- -a-----a-
12A-AY508591	-----	-a-----
12B-pne24-1S	-----	-a-----
12F-AF532641	-----	-a-----
12F-AF532640	-----	-a-----t.
21-AF532671	-----	-g-----
21-AY508602	-----	-g-----
48-AY508633	-----	-g-----
15B-AF532650	-----	-g-----
15C-AY508592	-----	-g-----
22A-pne46-1S	-----	-g-----
22F-AF532673	-----	-g-----
15C-pne31-1S	-----	-g-----
22A-AF532672	-----	-g-----
44-pne87-1S	-----	-a-----
19C-pne42-1S	-----	-g-----
24B-AY508604	-----	-g-----
7C-AF532706	-----	-g-----
19C-AY508601	-----	-g-----
15A-AF532646	-----	-a-----
32A-AY508612	-----	-a-----
32F-AY508614	-----	-a-----
32A-AY508613	-----	-a-----
9A-AY508637	-----	-a-----
9V-AY508639	-----	-a-----
9V-AF532710	-----	-a-----
6B-AF532704	-----	-a-----
33D-pne72-1S	-----	-a-----
48-pne63-1S	-----	-a-----
33B-AF532686	-----	-a-----

Continue next page

10/552394

51/63

33B-AY508615	-----	-----	-----	-----	-----
33F-AF532688	-----	-----	-----	-----	-----
33B-pne61-1S	-----	-----	-----	-----	-----
33F-AF532687	-----	-----	-----	-----	-----
11A-AF532638	-----	-----	-----	-----	-----
41F-pne83-1S	t-----	a-----	-----	-----	-----
45-AY508628	-----	-----a	-----	-----	-----
2-AF532669	-----	-----a	-----	-----	-----
9L-AY508638	tg---c---	a--a-----	-----ag	a.a-----	t-----
9N-AF532709	tg---c---	a--a-----	-----ag	a.a-----	t-----
13-AF532642	tg---c---	a--a-----	-----ag	a.a-----	t-----
20-AF532670	tg---c---	a--a-----	-----ag	a.a-----	t-----
48-AY508632	tg---c---	a--a-----	-----ag	a.a-----	t-----
16F-AF532653	tg---c---	a--a-----	-----ag	a.a-----	t-----
16F-AF532654	tg---c---	a--a-----	-----ag	a.a-----	t-----
40-AY508622	tg---c---	a--a-----	-----ag	a.a-----	t-----
7B-AY508636	tg---c---	a--a-----	-----ag	a.a-----	t-----
15B-AF532648	tg---c---	a--a-----	-----ag	a.a-----	t-----
19B-AY508599	tg---c---	a--a-----	-----ag	a.a-----	t-----
5-AF532697	tg---c---	a--a-----	-----ag	a.a-----	t-----
5-AY508634	tg---c---	a--a-----	-----ag	a.a-----	t-----
7A-pne08-1S	tg---c---	a--a-----	-----ag	a.a-----	t-----
7F-AF532707	tg---c---	a--a-----	-----ag	a.a-----	t-----
23A-AF532674	tg---c---	a--a-----	-----ag	a.a-----	t-----
23F-AF532679	tg---c---	a--a-----	-----ag	a.a-----	t-----
25A-pne54-1S	tg---c---	a--a-----	-----ag	a.a-----	t-----
29-AY330718	tg---c---	a--a-----	-----ag	a.a-----	t-----
29-AF532680	tg---c---	a--a-----	-----ag	a.a-----	t-----
15B-AF532649	tg---c---	a--a-----	-----ag	a.a-----	t-----
15C-AY508593	tg---c---	a--a-----	-----ag	a.a-----	t-----
15C-AF532651	tg---c---	a--a-----	-----ag	a.a-----	t-----
15C-AF532652	tg-----	a--a-----	-----ag	a.a-----	t-----
15C-AY330714	tg---c---	a--a-----	-----ag	a.a-----	t-----
15C-AY330715	tg---c---	a--a-----	-----ag	a.a-c-t-	-----
10A-AF532634	tg---c---	a--a-----	-----ag	a.a-----	t-----
23F-AF532677	tg---c---	a--a-----	-----ag	a.a-----	t-----
14-AF532643	tg---c---	a--a-----	-----ag	a.a-----	t-----
14-AF532644	tg---c---	a--a-----	-----ag	a.a-----	t-----
14-X85787	tg---c---	a--a-----	-----ag	a.a-----	t-----
47A-AY508630	tg---c---	a--a-----	-----ag	a.a-----	t-----
39-AY508620	tg---ca--	a--a-----	-----ag	a.a-----	t-----
14-AF532645	tg---c---	a--a-----	-----ag	a.a-----	t-----
3-AF532681	tg---c---	a--a-----	-----a.	--a-----	t-----
3-AF532682	tg---c---	a--a-----	-----a.	--a-----	t-----
3-AF532683	tg---c---	a--a-----	-----a.	--a-----	t-----
3-Z47210	tg---c---	a--a-----	-----a.	--a-----	t-----
24F-AY508606	tg-----	a--a-----	-----g--a.	--a-----	t-----
Consensus	CAGATGTTCT	GGATAAGCTG	GAAAAAAGC	GAGATTCCGA	CCCTCAATGA

Figure 2

10/552394

Continue next page

## 172 Populations

negative branch lengths not allowed

```
+3-Z47210
+-170
! +3-AF532683
+--169
! +3-AF532682
! +-168
! +3-AF532681
!
! +37-AJ131984
! +-41
! +-42 +37-AF532713
!
! +23A-AF532675
!
! +33C-pne62-1s
+-34
! +17F-AF532656
!
! +33F-AF532689
! +-31
! +30 +33A-AF532685
!
! +-33
! +35A-AY508617
! +-29
! +35B-AF532691
! +-27
! +17F-AF532657
! +-32 +-28
! +-35
! +42-AY508625
! +-26
! +35C-AY508618
!
! +33F-AG006986
!
! +33C-AY508616
! +-39
!
! +-36
```

Continue next page

[illegible]





**10/552394**

**Continue next page**

```

+44-pne87-1S
+21-AY508602
+-101
+-102 +21-AF532671
+48-AY508633
+41F-pne83-1S
+12B-pne24-1S
+-98
+-91 +97 +12A-AY508591
+-99 +12F-AF532640
+12F-AF532641
+10F-AY508587
+-92
+-93 +10C-pne19-1S
+-94 +10F-AF532636
+10F-AF532635
+-96
+45-AY508628
+46-AY508629
+-88
+-95 +89 +12A-pne66-1S
+-90 +46-pne89-1S
+-132 +12A-AY508590
+11C-AY508589
+-2-AF532669
+41A-AY508694
+-44

```

10/552394

Continue next page

[illegible]

[illegible]

**Continue next page**



**Continue next page**

59/63

```

+73 ! +18A-AF532658
+56
+18A-AF532659
+24A-AY508605
+23F-AF532678
+53
+15A-AF532647
+6A-AY508641
+49
+50 +6A-AF532698
+52 ! ! +6A-AF532699
+48 +6B-pne07-1S
+45
+46 +6A-AF532702
+51 +47 +15F-AY508594
+15F-AY508595
+6A-AY078347
+7A-AY508635
+24F-AY508606
+11D-pne65-1S
+12
+13 +11A-AF532637
+18F-AY508598
+39-AY508621
+6B-AF532705
+10
+6A-AY330713


```



The diagram illustrates a hierarchical organizational chart for the Department of Defense, specifically focusing on the Office of the Secretary of Defense (OSD) and its various offices and positions. The chart is structured as follows:

- Office of the Secretary of Defense (OSD)**
  - CPS 47A WZX**
    - CPS 46 WZX**
      - CPS 2 WZX**
        - CPS 3 WZX**
          - CPS 3A WZX**
          - CPS 3B WZX**
          - CPS 3C WZX**
          - CPS 3D WZX**
          - CPS 3E WZX**
          - CPS 3F WZX**
          - CPS 3G WZX**
          - CPS 3H WZX**
          - CPS 3I WZX**
          - CPS 3J WZX**
          - CPS 3K WZX**
          - CPS 3L WZX**
          - CPS 3M WZX**
          - CPS 3N WZX**
          - CPS 3O WZX**
          - CPS 3P WZX**
          - CPS 3Q WZX**
          - CPS 3R WZX**
          - CPS 3S WZX**
          - CPS 3T WZX**
          - CPS 3U WZX**
          - CPS 3V WZX**
          - CPS 3W WZX**
          - CPS 3X WZX**
          - CPS 3Y WZX**
          - CPS 3Z WZX**
        - CPS 4 WZX**
          - CPS 4A WZX**
          - CPS 4B WZX**
          - CPS 4C WZX**
          - CPS 4D WZX**
          - CPS 4E WZX**
          - CPS 4F WZX**
          - CPS 4G WZX**
          - CPS 4H WZX**
          - CPS 4I WZX**
          - CPS 4J WZX**
          - CPS 4K WZX**
          - CPS 4L WZX**
          - CPS 4M WZX**
          - CPS 4N WZX**
          - CPS 4O WZX**
          - CPS 4P WZX**
          - CPS 4Q WZX**
          - CPS 4R WZX**
          - CPS 4S WZX**
          - CPS 4T WZX**
          - CPS 4U WZX**
          - CPS 4V WZX**
          - CPS 4W WZX**
          - CPS 4X WZX**
          - CPS 4Y WZX**
          - CPS 4Z WZX**
        - CPS 5 WZX**
          - CPS 5A WZX**
          - CPS 5B WZX**
          - CPS 5C WZX**
          - CPS 5D WZX**
          - CPS 5E WZX**
          - CPS 5F WZX**
          - CPS 5G WZX**
          - CPS 5H WZX**
          - CPS 5I WZX**
          - CPS 5J WZX**
          - CPS 5K WZX**
          - CPS 5L WZX**
          - CPS 5M WZX**
          - CPS 5N WZX**
          - CPS 5O WZX**
          - CPS 5P WZX**
          - CPS 5Q WZX**
          - CPS 5R WZX**
          - CPS 5S WZX**
          - CPS 5T WZX**
          - CPS 5U WZX**
          - CPS 5V WZX**
          - CPS 5W WZX**
          - CPS 5X WZX**
          - CPS 5Y WZX**
          - CPS 5Z WZX**
        - CPS 6 WZX**
          - CPS 6A WZX**
          - CPS 6B WZX**
          - CPS 6C WZX**
          - CPS 6D WZX**
          - CPS 6E WZX**
          - CPS 6F WZX**
          - CPS 6G WZX**
          - CPS 6H WZX**
          - CPS 6I WZX**
          - CPS 6J WZX**
          - CPS 6K WZX**
          - CPS 6L WZX**
          - CPS 6M WZX**
          - CPS 6N WZX**
          - CPS 6O WZX**
          - CPS 6P WZX**
          - CPS 6Q WZX**
          - CPS 6R WZX**
          - CPS 6S WZX**
          - CPS 6T WZX**
          - CPS 6U WZX**
          - CPS 6V WZX**
          - CPS 6W WZX**
          - CPS 6X WZX**
          - CPS 6Y WZX**
          - CPS 6Z WZX**
        - CPS 7 WZX**
          - CPS 7A WZX**
          - CPS 7B WZX**
          - CPS 7C WZX**
          - CPS 7D WZX**
          - CPS 7E WZX**
          - CPS 7F WZX**
          - CPS 7G WZX**
          - CPS 7H WZX**
          - CPS 7I WZX**
          - CPS 7J WZX**
          - CPS 7K WZX**
          - CPS 7L WZX**
          - CPS 7M WZX**
          - CPS 7N WZX**
          - CPS 7O WZX**
          - CPS 7P WZX**
          - CPS 7Q WZX**
          - CPS 7R WZX**
          - CPS 7S WZX**
          - CPS 7T WZX**
          - CPS 7U WZX**
          - CPS 7V WZX**
          - CPS 7W WZX**
          - CPS 7X WZX**
          - CPS 7Y WZX**
          - CPS 7Z WZX**
        - CPS 8 WZX**
          - CPS 8A WZX**
          - CPS 8B WZX**
          - CPS 8C WZX**
          - CPS 8D WZX**
          - CPS 8E WZX**
          - CPS 8F WZX**
          - CPS 8G WZX**
          - CPS 8H WZX**
          - CPS 8I WZX**
          - CPS 8J WZX**
          - CPS 8K WZX**
          - CPS 8L WZX**
          - CPS 8M WZX**
          - CPS 8N WZX**
          - CPS 8O WZX**
          - CPS 8P WZX**
          - CPS 8Q WZX**
          - CPS 8R WZX**
          - CPS 8S WZX**
          - CPS 8T WZX**
          - CPS 8U WZX**
          - CPS 8V WZX**
          - CPS 8W WZX**
          - CPS 8X WZX**
          - CPS 8Y WZX**
          - CPS 8Z WZX**
        - CPS 9 WZX**
          - CPS 9A WZX**
          - CPS 9B WZX**
          - CPS 9C WZX**
          - CPS 9D WZX**
          - CPS 9E WZX**
          - CPS 9F WZX**
          - CPS 9G WZX**
          - CPS 9H WZX**
          - CPS 9I WZX**
          - CPS 9J WZX**
          - CPS 9K WZX**
          - CPS 9L WZX**
          - CPS 9M WZX**
          - CPS 9N WZX**
          - CPS 9O WZX**
          - CPS 9P WZX**
          - CPS 9Q WZX**
          - CPS 9R WZX**
          - CPS 9S WZX**
          - CPS 9T WZX**
          - CPS 9U WZX**
          - CPS 9V WZX**
          - CPS 9W WZX**
          - CPS 9X WZX**
          - CPS 9Y WZX**
          - CPS 9Z WZX**
        - CPS 10 WZX**
          - CPS 10A WZX**
          - CPS 10B WZX**
          - CPS 10C WZX**
          - CPS 10D WZX**
          - CPS 10E WZX**
          - CPS 10F WZX**
          - CPS 10G WZX**
          - CPS 10H WZX**
          - CPS 10I WZX**
          - CPS 10J WZX**
          - CPS 10K WZX**
          - CPS 10L WZX**
          - CPS 10M WZX**
          - CPS 10N WZX**
          - CPS 10O WZX**
          - CPS 10P WZX**
          - CPS 10Q WZX**
          - CPS 10R WZX**
          - CPS 10S WZX**
          - CPS 10T WZX**
          - CPS 10U WZX**
          - CPS 10V WZX**
          - CPS 10W WZX**
          - CPS 10X WZX**
          - CPS 10Y WZX**
          - CPS 10Z WZX**
        - CPS 11 WZX**
          - CPS 11A WZX**
          - CPS 11B WZX**
          - CPS 11C WZX**
          - CPS 11D WZX**
          - CPS 11E WZX**
          - CPS 11F WZX**
          - CPS 11G WZX**
          - CPS 11H WZX**
          - CPS 11I WZX**
          - CPS 11J WZX**
          - CPS 11K WZX**
          - CPS 11L WZX**
          - CPS 11M WZX**
          - CPS 11N WZX**
          - CPS 11O WZX**
          - CPS 11P WZX**
          - CPS 11Q WZX**
          - CPS 11R WZX**
          - CPS 11S WZX**
          - CPS 11T WZX**
          - CPS 11U WZX**
          - CPS 11V WZX**
          - CPS 11W WZX**
          - CPS 11X WZX**
          - CPS 11Y WZX**
          - CPS 11Z WZX**
        - CPS 12 WZX**
          - CPS 12A WZX**
          - CPS 12B WZX**
          - CPS 12C WZX**
          - CPS 12D WZX**
          - CPS 12E WZX**
          - CPS 12F WZX**
          - CPS 12G WZX**
          - CPS 12H WZX**
          - CPS 12I WZX**
          - CPS 12J WZX**
          - CPS 12K WZX**
          - CPS 12L WZX**
          - CPS 12M WZX**
          - CPS 12N WZX**
          - CPS 12O WZX**
          - CPS**

**Figure 4**



**Figure 5**



63/63

Serotype 33B, 34, 10C, 10F, 33C, 13



Serotype 48, 33D



Serotype 35B



Serotype 10A, 10B



Serotype 20



Serotype 16A, 28F



Serotype 35A, 35C, 42



Serotype 37, 33F, 33A



Serotype 25A, 29



Serotype 47F, 35F



Serotype 39



Serotype 36



Figure 6

**10/552394**

## SEQUENCE LISTING

**JC05 Rec'd PCT/PTO 07 OCT 2005**

<110> Western Sydney Area Health Service  
Tianjin Biochip Technology Corporation

<120> Identification of Streptococcus pneumoniae serotypes

<130> 502338

<150> AU 2003901717

<151> 2003-04-10

<160> 492

<170> PatentIn version 3.1

<210> 1

<211> 4000

<212> DNA

<213> Streptococcus pneumoniae

<400> 1

gtcaaatctg	tcttgattga	aaacactgcg	gctaaagaag	tacttgaaaa	acaggtcttg	60
gctccatggg	atgctttctg	tgtggaatta	ctataaatat	tttttgcaga	aaaattttaa	120
attgaaatcg	tataaaaaaca	agggaggact	gtataaaaaga	cagaaatcct	ttgtttttta	180
taaccaaaagt	ttataaaactt	tcattcttga	aattcaatta	actttacaaa	ttccactat	240
taaggagaaa	gaagatgaac	ataaagaagc	gtgtccttag	tgcaggcctg	acttttgcac	300
ctgctttgct	tttagctgct	tgcggccaat	caggttcaga	tacaaaaact	tactcatcaa	360
cctttagtgg	aaatccaact	acattttaact	atctattaga	ctattacgct	gataatatag	420
ttaattgaaa	caagaacaag	acaaaagagc	ctcataaaaag	gtattgcaac	ttggtaatac	480
ctttttgagg	tgctttttga	tatgagccca	tgttttctca	ataggattgt	actcagggtga	540
gtagggagga	agaggtaaaa	gtttataccc	aaactcttca	cacaagagtt	ctaacttacc	600
cattctatgg	aatcttgcac	tatccataat	aataaccgat	ggtgtgttta	atgttggttaa	660
gagaaatttc	tgaaccaaac	cttcaaaaaa	gtcgtcgttc	atcgtctctt	cgtaagttat	720
tggagcgatt	aactcaccat	ttgttagacc	tgcaacccaa	gaaatcctct	gatattctct	780
tccagatact	ttgcctcttc	ttaactgacc	ttttaatgag	cgaccatatt	ctcgataaaa	840
ataagtatcg	aatcctgttt	catcaatcta	aacagggtgct	aggtgcttta	aactatttaa	900
attcttaaga	aataaggcta	ctttttctgg	gttttggtca	tagtaggtgt	ggttcttttt	960
ttcgagtgtg	gcccatagct	ttgagcgcat	agtggatggt	agttggatga	cagccaaatt	1020
cagaagctat	ttcagtcaca	taagcgtctg	gattgtcagt	aagatagttt	ttaagtctat	1080
ctctatcaac	ttttcttggg	tttggttcctt	ttacttggtg	gtttagctct	cctgttttct	1140
cttttagctt	taaccagcca	taaattggtat	tacgtgatat	ttggaaaacg	tgtgatgctt	1200
ctgttatact	acctgttcgc	tcacaataag	agagaacttt	tttacgaaaa	tctattgaat	1260
atgccataag	aagattatac	cacattgtgt	actatattag	attgaaacta	gaatagtaca	1320
cctctgcttc	taaaacattg	ttagaaatcg	atttgactgt	cctgaacgat	ttgttctggt	1380
cttatttcat	tttactatat	ttttgtttcg	cgggaaagtct	actaagatac	ttaaagatgc	1440
agatagtaaa	aataaaagggtg	tagacattac	cgtaaaaaag	tgatataatc	gtatagtgtt	1500
caatgtatag	gtattaatca	tgagtagacg	ttttaaaaaa	tcacgttcac	agaaagtga	1560
gcgaagtgtt	aatatagttt	tgctgactat	ttattttattg	ttagtttgtt	ttttattggt	1620
cttaatcttt	aagtacaata	tccttgcttt	tagatatctt	aatctagtgg	taactgcgtt	1680
agtcctacta	gttgcttggg	tagggctact	cttgattatc	tataaaaaag	ctgaaaagtt	1740
tactattttt	ctgttggtgt	tctctatcct	tgtcagctct	gtgtcgctct	ttgcagtaca	1800
gcagtttgtt	ggactgacca	atcgttttaa	tgcgacttct	aattactcag	aatattcaat	1860
cagtgtcgct	gttttagcag	atagttagat	cgaaaatggt	acgcaactga	cgagtgtgac	1920
agcaccgact	gggactaata	atgaaaatat	tcagaaatta	ctagctgata	tcaagtcaag	1980
tcagaatacc	gatttgacgg	tcaaccagag	ttcgtcttac	ttggcagctt	acaagagttt	2040
gattgcaggg	gagactaagg	ccattgtcct	aaatagtgtc	tttgaaaaaca	tcatcgagtc	2100
agagtatcca	gactacgcat	cgaagataaa	aaagatttat	actaagggat	tcactaaaaa	2160
agtagaagct	cctaagacgt	ctaagagtca	gtctttcaat	atctatgtta	gtggaattga	2220
cacctatggg	cctattagtt	cgggtgtcgc	atcagatgtc	aacatcctga	tgactgtcaa	2280
tcgagatacc	aagaaaatcc	tcttgaccac	aacgccacgt	gatgcctatg	taccaatcgc	2340

agatggtgga	aataatcaaa	aagataaatt	gactcatgcg	ggcatttatg	gagttgattc	2400
gtccattcac	accttagaaa	atctctatgg	agtggatata	aattactatg	tgcgattgaa	2460
cttcacttcg	tttttgaaat	tgattgatgtt	gttgggtgga	attgatgttt	ataatgatca	2520
agaatttact	gcccatacga	atggaaagta	ttaccctgca	ggcaatgttc	atcttgattc	2580
agaacaggct	ctcggttttg	ttcgtgagcg	ctactcccta	gcagatggcg	atcgtgaccg	2640
cgggcgccat	caacaaaagg	tgattgtggc	tatccttcaa	aaattaacgt	caaccgaagt	2700
gctgaaaaat	tatagtacga	tcattaatag	cttgcaagat	tctatccaaa	caaatatgcc	2760
acttgagacc	atgataaatt	tgggtcaatgc	tcagttagaa	agtggaggga	attataaagt	2820
aaattctcaa	gattttaaag	ggacaggctcg	gatggatctt	ccttcttatg	caatgccaga	2880
cagtaaccctc	tatgtgatgg	aaatagatga	tagtagttta	gctgtagtta	aagcagctat	2940
acaggatgtg	atggagggtga	gatgaaatga	tagacatcca	ttcgcatatc	gtttttgatg	3000
tagatgacgg	tcccaagtca	agagaggaaa	gcaaggctct	cttggcagaa	tcctacagac	3060
agggggtgcg	aaccattgtt	tctacctctc	accgtcgcaa	gggcatgttt	gaaactccgg	3120
aagagaagat	agcagaaaac	tttcttcagg	ttcgggaaat	agctaaggaa	gtggcgagt	3180
acttggatcat	tgcttacggg	gctgaaattt	attacacacc	agatgttctg	gataagctgg	3240
aaaaaaagcg	gattccgacc	ctcaatgata	gtcgttatgc	cttgatagag	tttagtatga	3300
acactcctta	tcgcgatatt	catagcgctt	tgagcaagat	cttgatgttg	ggaattactc	3360
cagtcattgc	ccacattgag	cgctatgatg	ctcttgaaaa	taatgaaaaa	cgcggttcgag	3420
aactgatcga	tatgggctgt	tacacgcaag	taaatagtct	acatgtcctc	aaacccaaac	3480
tttttggcga	acgttatata	ttcatgaaaa	aaagagctca	gtatttttta	gagcaggatt	3540
tggttcatgt	cattgcaagt	gatatgcaca	atctagacgg	tagacctcct	catatggcag	3600
aagcatatga	ccttgttacc	caaaaatcac	gagaagcgaa	ggctcaggaa	cttttttatag	3660
acaatcctcg	aaaaattgta	atggatcaac	taatttagga	gaaatgatga	aagaacaaaa	3720
tacgatagaa	atcgatgtat	ttcaattagt	taaaagcttg	tggaacgca	agctaattgat	3780
tttaaatagt	gcacttgtga	cagggtcggg	ggcttttgca	tatagcactt	ttattgttaa	3840
gccagaatat	acgagtaacca	cgcgaaatga	cgtagtgaat	cgcaatcaag	gagacaagcc	3900
ggggttgaca	aatcaggatt	tgccaggcagg	aatttatctg	gtaaaagact	accgtgagat	3960
tatcctttcg	caggatgttt	tggaggaaagt	tgtttctgat			4000

&lt;210&gt; 2

&lt;211&gt; 1019

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 2

atgaaattga	agtttcttat	aacaaattta	tttcatgtct	ttttgtctaa	tctgattaca	60
attgtcacat	cggttatagt	tgtactaatt	ttaccaaaaa	ttatgggagt	aactgagtat	120
agttattggc	aactatata	tttttaccta	acatatattg	gtttttttca	tctgggttgg	180
attgatggaa	tttatcttaa	atatggtgga	ttagagtacc	agaatttaga	taagaaacag	240
ttttattctc	aaatacttca	atttttcagt	tttttaattt	taatttcttt	totattattt	300
ggttttaact	tattgattgt	gacagatcca	aatgcaaaat	atattttata	catgactatt	360
attagtatga	tagttacaaa	tttaagaatg	ttatttgttt	atattttgca	gatgacaaat	420
cgattaaagg	atagctctat	aattctgata	agtgatcgcg	ttatatatat	ttttctttta	480
tttctgttta	ttataattta	atggcatgaa	tacaaggtaa	tgatttgggc	ggatgtttta	540
ggaaggacat	tttctctcct	actttctttt	tggacttgta	aagatattgt	ttttcaatcc	600
ttatccgagt	tcataattga	tctgagagag	tcttttgaca	atatccgtgt	tggaatcaac	660
ttaatgttat	ccaatattgc	aagtagtatg	attattggta	ttgttcgaat	gggaattcaa	720
tggaattgga	atatcgaaac	attcgggaaa	gtatcactga	tgctaagcat	ctctaattta	780
ttaatgactt	ttattaatgc	gattgggtta	gttgtctttc	ctttgttaaa	acggacaaaa	840
acggaaaatt	tatctaaaat	ttattccaac	ttaagaaatg	ttttgatgct	gatcatgttt	900
gcaatattgc	tctttttatta	tccttttaaaa	attattctag	atctttgggt	gccagcttat	960
cgggatgcgt	tgatttttat	ggctcttatt	tttctatgt	caatttatga	aggggaagt	1019

&lt;210&gt; 3

&lt;211&gt; 1019

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 3

atgaaattga	agtttcttat	aacaaatttg	tttcatgtct	ttttgtctaa	tctgattaca	60
attgtcacat	cggttatagt	tgtactaatc	ttaccaaaaa	ttatgggagt	aactgagtat	120

agttattggc	aactatatat	tttttaccta	acatatattg	gtttttttca	tctgggttgg	180
attgatggaa	tttatcttaa	atatggtgga	ttagagtacc	agaatttaga	taagaaacag	240
ttttattctc	aaatacttca	attttccagt	tttttaattt	taatttcctt	tctattattt	300
ggttttaact	tattgattgt	gacagatcca	aatgcaaaat	atatttataa	catgactatt	360
attagtatga	tagttacaaa	tttaagaatg	ttattcggtt	atattttgca	gatgacaaat	420
cgattaaagg	atagctctat	aattctgata	agtgatcgcg	ttatatatat	ttttctttta	480
tttctgttta	ttatatttaa	atggcatgaa	tacaaggtaa	tgatttgggc	ggatgtttta	540
ggaaggacat	tttctctcct	actttctttt	tggatttgta	aagatattgt	ttttcaatcc	600
ttatccgagt	tcataattgga	tctgagagag	tcttttgaca	atatccgtgt	tggaatcaat	660
ttaatgttat	ccaatattgc	aagtagtatg	attattggta	ttgttcgaat	gggaattcaa	720
tggaattgga	atatcgaaac	attcgggaaa	gtatcactga	cgctaagcat	ctctaattta	780
ttaatgactt	ttattaatgc	gattggttta	gttgtctttc	ctttgttaaa	acggacaaaa	840
acggaaaatt	tatctaaaaat	ttattccaac	ttaagaaatg	ttttgatgct	gatcatgttt	900
gcaatattgc	tcttttatta	tcctttaaaa	attattctag	atccttgggt	gccagcttat	960
cgggatgcgt	tgatttttat	ggctcttatt	tttctatgt	caatttatga	agggagat	1019

&lt;210&gt; 4

&lt;211&gt; 1019

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 4

atgaaattga	agtttcttat	aacaaatttg	tttcatgtct	ttttgtctaa	tctgattaca	60
attgtcacat	cggttatagt	tgtactaatt	ttaccaaaaa	ttatgggagt	aactgagtat	120
agttattggc	aactatatat	tttttaccta	acatatattg	gtttttttca	tctgggttgg	180
attgatggaa	tttatcttaa	atatggtgga	ttagagtacc	agaatttaga	taagaaacag	240
ttttattctc	aaatacttca	attttccagt	tttttaattt	taatttcctt	tctattattt	300
ggttttaact	tattgattgt	gacagatcca	aatgcaaaat	atatttataa	catgaccatt	360
attagtatga	tagttacaaa	tttaagaatg	ttattcggtt	atattttgca	gatgacaaat	420
cgattaaagg	atagctctat	aattctgata	agtgatcgcg	ttatatatat	ttttctttta	480
tttctgttta	ttatatttaa	atggcatgaa	tacaaggtaa	tgatttgggc	ggatgtttta	540
ggaaggacat	tttctctcct	actttctttt	tggatttgta	aagatattgt	ttttcaatcc	600
ttatccgagt	tcataattgga	tctgagagag	tcttttgaca	atatccgtgt	tggaatcaat	660
ttaatgttat	ccaatattgc	aagtagtatg	attattggta	ttgttcgaat	gggaattcaa	720
tggaattgga	atatcgaaac	attcgggaaa	gtatcactga	cgctaagcat	ctctaattta	780
ttaatgactt	ttattaatgc	gattggttta	gttgtctttc	ctttgttaaa	acggacaaaa	840
acggaaaatt	tatctaaaaat	ttattccaac	ttaagaaatg	ttttgatgct	gatcatgttt	900
gcaatattgc	tcttttatta	tcctttaaaa	attattctag	atccttgggt	gccagcttat	960
cgggatgcgt	tgatttttat	ggctcttatt	tttctatgt	caatttatga	agggagat	1019

&lt;210&gt; 5

&lt;211&gt; 1019

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 5

atgaaattga	agtttcttat	aacaaatttg	tttcatgtct	ttttgtctaa	tctgattaca	60
attgtcacat	cggttatagt	tgtactaatc	ttaccaaaaa	ttatgggagt	aactgagtat	120
agttattggc	aactatatat	tttttaccta	acatatattg	gtttttttca	tctgggttgg	180
attgatggaa	tttatcttaa	atatggtgga	ttagagtacc	agaatttaga	taagaaacag	240
ttttattctc	aaatacttca	attttccagt	tttttaattt	taatttcctt	tctattattt	300
ggttttaact	tattgattgt	gacagatcca	aatgcaaaat	atatttataa	catgactatt	360
attagtatga	tagttacaaa	tttaagaatg	ttattcggtt	atattttgca	gatgacaaat	420
cgattaaagg	atagctctat	aattctgata	agtgatcgcg	ttatatatat	ttttctttta	480
tttctgttta	ttatatttaa	atggcatgaa	tacaaggtaa	tgatttgggc	ggatgtttta	540
ggaaggacat	tttctctcct	actttctttt	tggatttgta	aagatattgt	ttttcaatcc	600
ttatccgagt	tcataattgga	tctgagagag	tcttttgaca	atatccgtgt	tggaatcaat	660
ttaatgttat	ccaatattgc	aagtagtatg	attattggta	ttgttcgaat	gggaattcaa	720
tggaattgga	atatcgaaac	attcgggaaa	gtatcactga	cgctaagcat	ctctaattta	780
ttaatgactt	ttattaatgc	gattggttta	gttgtctttc	ctttgttaaa	acggacaaaa	840
acggaaaatt	tatctaaaaat	ttattccaac	ttaagaaatg	ttttgatgct	gatcatgttt	900

gcaatattgc tcttttatta tcctttaaaa attattctag atctttgggt gccagcttat 960  
cgggatgcgt tgatttttat ggctcttatt tttcctatgt caatttatga agggaagat 1019

<210> 6  
<211> 1019  
<212> DNA  
<213> Streptococcus pneumoniae

<400> 6  
atgaaattga agttttcttat aacaaattta tttcatgtct ttttgtctaa tctgattaca 60  
attgtcacat cggttatagt tgtactaatt ttaccaaaaa ttatgggagt aactgagtat 120  
agttattggc aactatatat tttttaccta acatatattg gtttttttca tctgggttgg 180  
attgatggaa tttatcttaa atatgggtgga ttagagtacc agaatttaga taagaaacag 240  
ttttattctc aaataacttca atttttcagt tttttaattt taatttcttt tctattattt 300  
ggtttttaact tattgattgt gacagatcca aatgcaaaat atatttataa catgactatt 360  
attagtatga tagttacaaa ttttaagaatg ttatttggtt atattttgca gatgacaaat 420  
cgattaaagg atagctctat aattctgata agtgatcgcg ttatatatat ttttctttta 480  
tttctgttta ttatatttaa atggcatgaa tacaaggtaa tgatttgggc ggatgtttta 540  
ggaaggacat tttctctcct actttctttt tggacttgta aagatattgt ttttcaatcc 600  
ttatccgagt tcatattgga tctgagagag tcttttgaca atatccgtgt tggaaatcaac 660  
ttaatgttat ccaatattgc aagtagtatg attattggta ttgttcgaat gggaattcaa 720  
tggaattgga atatcgaaac attcgggaaa gtatcactga tgctaagcat ctctaattta 780  
ttaatgactt ttattaatgc gattgggtta gttgtctttc ctttggttaa acggacaaaa 840  
acggaaaatt tatctaaaat ttattccaac ttaagaaatg ttttgatgct gatcatgttt 900  
gcaatattgc tcttttatta tcctttaaaa attattctag atctttgggt gccagcttat 960  
cgggatgcgt tgatttttat ggctcttatt tttcctatgt caatttatga agggaagat 1019

<210> 7  
<211> 1019  
<212> DNA  
<213> Streptococcus pneumoniae

<400> 7  
atgaaattga agttttcttat aacaaatttg tttcatgtct ttttgtctaa tctgattaca 60  
attgtcacat cggttatagt tgtactaatt ttaccaaaaa ttatgggagt aactgagtat 120  
agttattggc aactatatat tttttaccta acatatattg gtttttttca tctgggttgg 180  
attgatggaa tttatcttaa atatgggtgga ttagagtacc agaatttaga taagaaacag 240  
ttttattctc aaataacttca atttttcagt tttttaattt taatttcttt tctattattt 300  
ggtttttaact tattgattgt gacagatcca aatgcaaaat atatttataa catgactatt 360  
attagtatga tagttacaaa ttttaagaatg ttattcggtt atattttgca gatgacaaat 420  
cgattaaagg atagctctat aattctgata agtgatcgcg ttatatatat ttttctttta 480  
tttctgttta ttatatttaa atggcatgaa tacaaggtaa tgatttgggc ggatgtttta 540  
ggaaggacat tttctctcct actttctttt tggatttgta aagatattgt ttttcaatcc 600  
ttatccgagt tcatattgga tctgagagag tcttttgaca atatccgtgt tggaaatcaat 660  
ttaatgttat ccaatattgc aagtagtatg attattggta ttgttcgaat gggaattcaa 720  
tggaattgga atatcgaaac attcgggaaa gtatcactga cgctaaacat ctctaattta 780  
ttaatgactt ttattaatgc gattgggtta gttgtctttc ctttggttaa acggacaaaa 840  
acggaaaatt tatctaaaat ttattccaac ttaagaaatg ttttgatgct gatcatgttt 900  
gcaatattgc tcttttatta tcctttaaaa attattctag atctttgggt gccagcttat 960  
cgggatgcgt tgatttttat ggctcttatt tttcctatgt caatttatga agggaagat 1019

<210> 8  
<211> 1019  
<212> DNA  
<213> Streptococcus pneumoniae

<400> 8  
atgaaattga agttttcttat aacaaatttg tttcatgttc ttttgtctaa tctgattaca 60  
attcttacat cagttatagt tgtactaatt ttaccaaaaa ttatgggagt aactgagtat 120  
agttattggc aactatatat tttttaccta acatatattg gtttttttca tctgggatgg 180  
attgatggaa tttatcttaa atatggcgga ttagagtacc agaacttaga taagaaacag 240

ttttattctc	aaataacttca	atccccagtg	tttttaattt	taatttcctt	tctattattt	300
ggttttaact	tattgactgt	gacagatcaa	aatgcaaaat	atattttataa	catgactatt	360
attagtatga	tagttacaaa	tttaagaatg	ttattcggtt	atatttttgca	gatgacaaat	420
cgattaaagg	atagttccat	catttctaato	agtgatcgcg	ttatatatgt	tattctttta	480
ttctctgtta	ttatatttaa	atggcatgaa	tacaaggtaa	tgatttgggc	agatgttttg	540
ggaaggacat	tttctctcct	actttctttt	tggatttgta	aagatattgt	ttttcaatcc	600
ttatccgagt	ttatattgga	tctgagagag	tcttttgaca	atatccgtgt	tggaatcaat	660
ttaatgttat	ccaatattgc	aagtagtatg	attattggta	ttgttcgaat	gggaattcaa	720
tggaattgga	atatcgaaac	attcgggaaa	gtatcactga	cgctaagcat	ctctaattta	780
ttaatgactt	ttattaatgc	gattgggtta	gttgtttttc	ctttgttaaa	acggacaaaa	840
acggaaaatt	tatctaaaat	ttattccaac	tttaagaaatg	ttttgatgct	tatcatgttc	900
gcgattttgc	tcattttacta	tccttttaaaa	attgtatttag	acctctgggt	gccagcctat	960
caagatgcct	tgattttcat	ggctcttatt	tttctatgt	caatttatga	agggaagat	1019

&lt;210&gt; 9

&lt;211&gt; 1019

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 9

atgaaattga	agtttcttat	aacaaatttg	tttcatgtct	ttttatctaa	tctgattaca	60
attgtcacat	cggttatagt	tgtactaatt	ttaccaaaaa	ttatgggagt	aactgagtat	120
agttattggc	aactatatat	tttttaccta	acatatattg	gtttttttca	tctgggttgg	180
attgatggaa	tttatcttaa	atatggtgga	ttagagtacc	agaatttaga	taagaaacag	240
ttttattctc	aaataacttca	atttttcagt	tttttaattt	taatttcctt	tctattattt	300
ggttttaact	tattgattgt	gacagatcca	aatgcaaaat	atattttataa	catgactatt	360
attagtatga	tagttacaaa	tttaagaatg	ttattcggtt	atatttttgca	gatgacaaat	420
cgattaaagg	atagctctat	aattctgata	agtgatcgcg	tcatatatat	ttttctttta	480
tttctgttta	ttatatttaa	atggcatgaa	tacaaggtaa	tgatttgggc	ggatgtttta	540
ggaaggacat	tttctctcct	actttctttt	tggatttgta	aagatattgt	ttttcaatcc	600
ttatccgagt	tcatattgga	tctgagagaa	tcttttgaca	atatccgtgt	tggaatcaat	660
ttaatgttat	ccaatattgc	aagtagtatg	attattggta	ttgttcgaat	gggaattcaa	720
tggaattgga	atatcgaaac	attcgggaaa	gtatcactga	cgctaagcat	ctctaattta	780
ttaatgactt	ttattaatgc	gattgggtta	gttgtctttc	ctttgttaaa	acggacaaaa	840
acggaaaatt	tatctaaaat	ttattccaac	tttaagaaatg	ttttgatgct	gatcatgttt	900
gcaatattac	tcttttatta	tccttttaaaa	attattctag	atctttgggt	gccagcttat	960
cgggatgcgt	tgatttttat	ggctcttatt	tttctatgt	caatttatga	agggaagat	1019

&lt;210&gt; 10

&lt;211&gt; 1019

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 10

atgaaattga	agtttcttat	aacaaatttg	tttcatgtct	ttttatctaa	tctgattaca	60
attgtcacat	cggttatagt	tgtactaatt	ttaccaaaaa	ttatgggagt	aactgagtat	120
agttattggc	aactatatat	tttttaccta	acatatattg	gtttttttca	tctgggttgg	180
attgatggaa	tttatcttaa	atatggtgga	ttagagtacc	agaatttaga	taagaaacag	240
ttttattctc	aaataacttca	atttttcagt	tttttaattt	taatttcctt	tctattattt	300
ggttttaact	tattgattgt	gacagatcca	aatgcaaaat	atattttataa	catgactatt	360
attagtatga	tagttacaaa	tttaagaatg	ttattcggtt	atatttttgca	gatgacaaat	420
cgattaaagg	atagctctat	aattctgata	agtgatcgcg	tcatatatat	ttttctttta	480
tttctgttta	ttatatttaa	atggcatgaa	tacaaggtaa	tgatttgggc	ggatgtttta	540
ggaaggacat	tttctctcct	actttctttt	tggatttgta	aagatattgt	ttttcaatcc	600
ttatccgagt	tcatattgga	tctgagagaa	tcttttgaca	atatccgtgt	tggaatcaat	660
ttaatgttat	ccaatattgc	aagtagtatg	attattggta	ttgttcgaat	gggaattcaa	720
tggaattgga	atatcgaaac	attcgggaaa	gtatcactga	cgctaagcat	ctctaattta	780
ttaatgactt	ttattaatgc	gattgggtta	gttgtctttc	ctttgttaaa	acggacaaaa	840
acggaaaatt	tatctaaaat	ttattccaac	tttaagaaatg	ttttgatgct	gatcatgttt	900
gcaatattac	tcttttatta	tccttttaaaa	attattctag	atctttgggt	gccagcttat	960
cgggatgcgt	tgatttttat	ggctcttatt	tttctatgt	caatttatga	agggaagat	1019

<210> 11  
<211> 1019  
<212> DNA  
<213> Streptococcus pneumoniae

<400> 11  
atgaaattga agtttcttat aacaaatttg tttcatgttc ttttgtctaa tctgattaca 60  
attctttacat cagttatagt tgtactaatt ttaccaaaaa ttatgggagt aactgagtat 120  
agttattggc aactatatat tttttaccta acatatattg gtttttttca tctgggatgg 180  
attgatggaa tttatcttaa atatggcgga ttagagtacc agaacttaga taagaaacag 240  
ttttattctc aaataacttca attttccagt tttttaattt taatttcttt tctattattt 300  
ggttttaact tattgactgt gacagatcaa aatgcaaaat atatttataa catgactatt 360  
attagtatga tagttacaaa tttaagaatg ttattcgttt atattttgca gatgacaaat 420  
cgattaaagg atagttccat cattctaatac agtgatcgcg ttatatatgt tattctttta 480  
ttctgtttta ttatatttaa atggcatgaa tacaaggtaa tgatttgggc agatgttttg 540  
ggaaggacat tttctctcct actttctttt tggatttgta aagatattgt ttttcaatcc 600  
ttatccgagt ttatatggga tctgagagag tcttttgaca atatccgtgt tggaaatcaat 660  
ttaatgttat ccaatattgc aagtagtatg attattggta ttgttcgaat gggaattcaa 720  
tggaattgga atatcgaaac attcgggaaa gtatcactga cgctaagcat ctctaattta 780  
ttaatgactt ttattaatgc gattggttta gttgtttttc ctttgttaaa acggacaaaa 840  
acggaaaatt tatctaaaat ttattccaac ttaagaaatg ttttgatgct tatcatgttc 900  
gcgattttgc tcatttacta tcctttaaaa attgtattag acctctggtt gccagcctat 960  
caagatgcct tgattttcat ggctcttatt tttcctatgt caatttatga agggaagat 1019

<210> 12  
<211> 743  
<212> DNA  
<213> Streptococcus pneumoniae

<400> 12  
atgcttttaa atttcttatt catatctatt tttctattaa ttatcattac atttatatta 60  
tttgaggggg atttttttca acctgcagta attttaacac tcacttattt tatttcgatt 120  
gcaagtgtc tagttaatag aaatgtttgg ggaacagAAC tccatttcaa aacctttggt 180  
ttgatattgt taggggttgc tacattttatt atagtttcct tgttgacaaa attgtcgtac 240  
aggcctaaag tggaggggaat ttcgtatgaa gaattgaaag aaataaatcc ttcaaagata 300  
atctatgtca ttcttctgat tctaaatctt gttatgctat ttctttatac ccgtgaaatt 360  
cagaaagtgg tattgttttc aggtagaagt ttttctaata ttacagattt gataagtaac 420  
tataggtagc tatcttatta ttcaaatgaa gttagaaata gtggaatgat taatcaacta 480  
tctaaaatta ttccagcgac tacacttatt tctttatata tattttataa taattatttt 540  
ataactaaac aaataaagaa aaatttcatt tatttgattc caatagctat attctttgtc 600  
tatgcaatca ttagtggtgg tagattgccc cttataaggt tagttgttgg agctctgttg 660  
atattgtata tatactctgt gtacgggagt cctaaatctc aacttaccaa aagttttaaa 720  
atgatcactc gctctctgtt tac 743

<210> 13  
<211> 749  
<212> DNA  
<213> Streptococcus pneumoniae

<400> 13  
atgcttttaa atttcttatt catatctatt tttctattaa ttatcattac atttatatta 60  
tttgaggggg atttttttca acctgcagta attttaacaa tcgcttattt tatttcgatt 120  
gcaagtgtc tagttaatag aaatgtttgg ggaacagAAC tccatttcaa aaccttttat 180  
ttgatattgt taggggttgc tacattttgtt atagtttcct tgttgacaaa attgtcgtac 240  
aggcctaaag tggaggggaat ttcgcatgaa gaattgaaag aaataaatcc ttcaaagata 300  
atctatgtca ttcttctgac tctaaatctt gttatgttat ttctttatat ccgtgaaatt 360  
cagaaagtga tattgttttc aggtagaagt ttttctaata ttacagattt gataagtaac 420  
tataggtagc tatcttatta ttcaaatgaa gttagaaatc gtgtaagtgg aatgattaat 480  
caactatcta aaattattcc agcgactaca cttatttctt tatatatatt tatgaataat 540  
tattttataa ctaaacaaat aaagaaaaat ttcatttatt tgattccaat agctatatcc 600  
tttgtctatg caatcattag tgggtggtaga ttgcccctta taaggttagt tgttggtatc 660

ctgttgatat	tgtatatata	ctctgtgtac	gggagtccta	aatctcaact	tacccaaaagt	720
tttaaaatga	tcactcgctc	tctgtttac				749

<210> 14  
 <211> 749  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 14						
atgcttttaa	atctcttatt	catatctatt	tttctattaa	ttatcattac	atztatatta	60
tttgaggggg	atctttttca	acctgcagta	atcttaacaa	tcgcttattt	tatttcgatt	120
gcaagtgtc	tagttaatag	aaatgtttgg	ggaacagAAC	tccatttcaa	aaccttttat	180
ttgatattgt	taggggttgc	tacatttatt	atagtttcct	tggtgacaaa	attgtcgtac	240
aggcctaaag	tggagggaat	ttcgcatgaa	gaattgaaag	aaataaatcc	ttcaaagata	300
atctatgtca	ttcttctgat	tctaaatctt	ggtatgctat	ttctttatat	ccgtgaaatt	360
cagaaagtgg	tattgttttc	aggtagaagt	ttttctaata	ttacagattt	gataagtaac	420
tatagggtacc	tatcttatta	ttcaaatgaa	gtagaaatc	gtgtaagtgg	aatgattaat	480
caactatcta	aaattattcc	agcgactaca	cttatttctt	tatatatatt	tataaataat	540
tattttataa	ctaaacaaat	aaagaaaaac	ttcatttatt	tgattccaat	agctatatcc	600
tttgtctatg	caatcattag	tggtggtaga	ttgccctta	taagggttagt	tggtggagct	660
ctgttgatat	tgtatatata	ctctgtgtac	gggagtccta	aatctcaact	tacccaaaagt	720
tttaaaatga	tcactcgctc	tctgtttac				749

<210> 15  
 <211> 749  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 15						
atgcttttaa	atctcttatt	catatctatt	tttctattaa	ttatcattac	atztatatta	60
tttgaggggg	atctttttca	acctgcagta	atcttaacaa	tcgcttattt	tatttcgatt	120
gcaagtgtc	tagttaatag	aaatgtttgg	ggaacagAAC	tccatttcaa	aaccttttat	180
ttgatattgt	taggggttgc	tacatttatt	atagtttcct	tggtgacaaa	attgtcgtac	240
aggcctaaag	tggagggaat	ttcgcatgaa	gaattgaaag	aaataaatcc	ttcaaagata	300
atctatgtca	ttcttctgat	tctaaatctt	ggtatgctat	ttctttatat	ccgtgaaatt	360
cagaaagtgg	tattgttttc	aggtagaagt	ttttctaata	ttacagattt	gataagtaac	420
tatagggtacc	tatcttatta	ttcaaatgaa	gtagaaatc	gtgtaagtgg	aatgattaat	480
caactatcta	aaattattcc	agcgactaca	cttatttctt	tatatatatt	tatgaataat	540
tattttataa	ctaaacaaat	aaagaaaaat	ttcatttatt	tgattccaat	agctatatcc	600
tttgtctatg	caatcattag	tggtggtaga	ttgccctta	taagggttagt	tggtggatct	660
ctgttgatat	tgtatatata	ctctgtgtac	gggagtccta	aatctcaact	tacccaaaagt	720
tttaaaatga	tcactcgctc	tctgtttac				749

<210> 16  
 <211> 743  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 16						
atgcttttaa	atctcttatt	catatctatt	tttctattaa	ttatcattac	atztatatta	60
tttgaggggg	atctttttca	acctgcagta	atcttaacac	tcacttattt	tatttcgatt	120
gcaagtgtc	tagttaatag	aaatgtttgg	ggaacagAAC	tccatttcaa	aacctttggt	180
ttgatattgt	taggggttgc	tacatttatt	atagtttcct	tggtgacaaa	attgtcgtac	240
aggcctaaag	tggagggaat	ttcgatgaa	gaattgaaag	aaataaatcc	ttcaaagata	300
atctatgtca	ttcttctgat	tctaaatctt	ggtatgctat	ttctttatat	ccgtgaaatt	360
cagaaagtgg	tattgttttc	aggtagaagt	ttttctaata	ttacagattt	gataagtaac	420
tatagggtacc	tatcttatta	ttcaaatgaa	gtagaaataa	gtggaatgat	taatcaacta	480
tctaaatga	ttccagcgac	tacacttatt	tctttatata	tatttataaa	taattatttt	540
ataactaaac	aaataaagaa	aaatttcatt	tatttgattc	caatagctat	attccttgct	600
tatgcaatca	ttagtgggtg	tagattgccc	cttataaggt	tagttgttgg	agctctgttg	660
atattgtata	tatactctgt	gtacgggagt	cctaaatctc	aacttaccaa	aagttttaaa	720



atgatcactc gctctctgtt tac

743

&lt;210&gt; 17

&lt;211&gt; 749

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 17

atgcttttaa	atctcttatt	catatctatt	tttctattaa	ttatcattac	atctatatta	60
tttgaggggg	atctttttca	acctgcagta	atcttaacaa	tcgcttattt	tatttcgatt	120
gcaagtgtct	tagttaatag	aatgttttg	ggaacagAAC	tccatttcaa	aaccttttat	180
ttgatattgt	taggggttgc	tacatttggt	atagtttctt	tggtgacaaa	attgtcgtac	240
aggcctaaag	tggagggaat	ttcgcatgaa	gaattgaaag	aaataaatcc	ttcaaagata	300
atctatgtca	ttcttctgac	tctaaatctt	gttatgttat	ttctttatat	ccgtgaaatt	360
cagaaagtag	tattgttttc	aggtagaagt	ttttctaata	ttacagattt	gataagtaac	420
tataggtacc	tatcttatta	ttcaaatgaa	gtagaaatc	gtgtaagtgg	aatgattaat	480
caactatcta	aaattattcc	agcgactaca	cttatttctt	tatatatatt	tatgaataat	540
tattttataa	ctaaacaaat	aaagaaaaat	ttcatttatt	tgattccaat	agctatatcc	600
tttgtctatg	caatcattag	tgggtgtaga	ttgcccctta	taagggttagt	tggtggatct	660
ctgttgatat	tgtatatata	ctctgtgtac	gggagtccta	aatctcaact	taccaaaggt	720
tttaaaatga	tcactcgctc	tctgtttac				749

&lt;210&gt; 18

&lt;211&gt; 749

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 18

atgcttttaa	atctcttatt	catatctatt	tttctattaa	ttatcattac	atctatatta	60
tttgagggag	atctgtttca	acctgcagta	atcttaacac	tcgcttattt	tatttcgatt	120
gcaagtgtct	tagttaatag	aatgttttg	ggaacagAAC	tccatttcaa	aacctttggt	180
ttgatattgc	taggggttgc	tacatttatt	atagtttctt	tggtgacaaa	attgtcgtac	240
aaacctaaag	tggagggaat	ttcgataaaa	gaattaaaag	aaataaatcc	ttcaaagata	300
atataatgca	ttcttctgat	tctaaatctt	gttatgttat	ttctttatat	ccatgaaatt	360
cagaaagtgg	tactgttttc	aggtagaggt	ttttctaata	ttacagattt	gataagtaac	420
tataggtacc	tatcttatta	ttcaaatgaa	gtagaagatc	gtgtaagtgg	aatgattaat	480
caactagcta	aaattattcc	agcgactaca	tttgtttctt	tatatatatt	tataaataat	540
tattttataa	cgaagcaaat	aaagaaaaat	ttcatttatt	tgattccaat	agctatatcc	600
tttgtctatg	caatcattag	tgggtgtaga	ctgcccctta	taagggttagt	tattggaact	660
ctgttgatat	tgtatatata	ctctgtgtac	gggagtcata	aatctcaact	taccaaaggt	720
tttaaaatga	tcactcgctc	tctgtttac				749

&lt;210&gt; 19

&lt;211&gt; 749

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 19

atgcttttaa	atctcttatt	catatctatt	tttctattaa	ttattattac	atctatatta	60
tttgaggggg	atctttttca	acctgcagta	atcttaacaa	tcgcttattt	tatttcgatt	120
gcaagtgtct	tagttaatag	aatgttttg	ggaacagAAC	tccatttcaa	aaccttttat	180
ttgatattgt	taggggttgt	tacatttggt	atagtttctt	tggtgacaaa	attgtcgtac	240
aggcctaaag	tggagggaat	ttcgcatgaa	gaattgaaag	aaataaatcc	ttcaaagata	300
atctatgtca	ttcttctgac	tctaaatctt	gttatgttat	ttctttatat	ccgtgaaatt	360
cagaaagtag	tattgttttc	aggtagaagt	ttttctaata	ttacagattt	gataagtaac	420
tataggtacc	tatcttatta	ttcaaatgaa	gtagaaatc	gtgtaagtgg	aatgattaat	480
caactatcta	aaattattcc	agcgactaca	cttatttctt	tatatatatt	tatgaataat	540
tattttataa	ctaaacaaat	aaagaaaaat	ttcatttatt	tgattccaat	agctatatcc	600
tttgtctatg	caatcattag	tgggtgtaga	ttgcccctta	taagggttagt	tggtggagct	660
ctgttgatat	tgtatatata	ctctgtgtac	gggagtccta	aatctcaact	taccaaaggt	720
tttaaaatga	tcactcgctc	tctgtttac				749

<210> 20  
 <211> 749  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 20  
 atgcttttaa atttcttatt catatctatt tttctattaa ttattattac atttatatta 60  
 tttgaggggg atttttttca acctgcagta attttaacaa tcgcttattt tatttcgatt 120  
 gcaagtgtct tagttaatag aaatgtttgg ggaacagAAC tccatttcaa aaccttttat 180  
 ttgatattgt taggggttgt tacatttgtt atagtttcct tgttgacaaa attgtcgtac 240  
 aggcctaaag tggaggaat ttcgcatgaa gaattgaaag aaataaatcc ttcaaagata 300  
 atctatgtca ttcttctgac tctaaatctt gttatgttat ttctttatat ccgtgaaatt 360  
 cagaaagtag tattgttttc aggtagaagt ttttctaata ttacagattt gataagtaac 420  
 tataggtacc tatcttatta ttcaaatgaa gtagaaaatc gtgtaagtgg aatgattaat 480  
 caactatcta aaattattcc agcgactaca cttattttctt tatatatatt tatgaataat 540  
 tattttataa ctaaacaaat aaagaaaaat ttcatttatt tgattccaat agctatatcc 600  
 tttgtctatg caatcattag tgggtgtaga ttgccctta taaggtagt tgttggagct 660  
 ctgttgatat tgtatatata ctctgtgtac gggagtccata aatctcaact taccaaaagt 720  
 tttaaaatga tcaactcgctc tctgtttac 749

<210> 21  
 <211> 749  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 21  
 atgcttttaa atttcttatt catatctatt tttctattaa ttatcattac atttatatta 60  
 tttgagggag atttgtttca acccgagta attttaacac ttgcttattt tatttcgatt 120  
 gcaagtgtct tagttaatag aaatgtttgg ggaacagAAC tccatttcaa aaccttttgt 180  
 ttgatattgc taggggttgc tacatttatt atagtttcct tgttgacaaa attgtcgtac 240  
 aaacctaag tggaggaat ttcgtataaa gaattaaaag aaataaatcc ttcaaagata 300  
 atatatggca ttcttctgat tctaaatctt gttatgctat ttctttatat ccatgaaatt 360  
 cagaaagtgg tactgttttc aggtagaggt ttttctaata ttacagattt gataagtaac 420  
 tataggtacc tatcttatta ttcaaatgaa gtagaagatc gtgtaagtgg aatgattaat 480  
 caactagcta aaattattcc agcgactaca tttgtttctt tatatatatt tataaataat 540  
 tattttataa cgaagcaaat aaagaaaaat ttcatttatt tgattccaat agctatatcc 600  
 tttgtctatg caatcattag tgggtgtaga ctgccctta taaggtagt tattggaact 660  
 ctgttgatat tgtatatata ctctgtgtac gggagtccata aatctcaact taccaaaagt 720  
 tttaaaatga tcaactcgctc tctgtttac 749

<210> 22  
 <211> 625  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 22  
 tttgaaatgg ttgtggagtt atagattctt tttatttagg ttaaattgga ttaaagaagg 60  
 aaatagttaa ttcgagaaga gttttaagat aattaggaga tactataaaa caggacgata 120  
 gaatgagtaa atataaggaa ttagcaaaaa atacaggtat ttttgctttg gctaactttt 180  
 catcaaagat ttttaatttt ttgttagtac ctatatatac acgggtactt accactacgg 240  
 aatatggttt ttatgactta gtctatacaa ctattcagct tttgtacca atcttgacat 300  
 taaatatatc tgaagccgtt atgaggttcc taatgaaaga tgggtgtttct aaaaaatcag 360  
 tcttttcaat tgctgtttta gatatattta ttggatcaat tgcttttgct ttattgttgt 420  
 tagtaataaa cctgttttct ttatcagatt taatttctca atacagtatt tacatatattg 480  
 taatctttgt tttctatacc ctaaataatt ttttgatata attttctaag ggaattgata 540  
 aaattgggtg tacagctatc tctgggttca taagtacagc agttatgctt gccatgaatg 600  
 tcattcttct agtagtattt gattg 625

<210> 23  
<211> 625  
<212> DNA  
<213> Streptococcus pneumoniae

<400> 23  
tttgaaatgg ttgtggagtt atagattcctt tttatttagg ttaaattggta ttaaagaagg 60  
aaatagtgaa ttcgagaaga gttttaagat aattaggaga tactataaaa caggacgata 120  
gaatgagtaa atataaggaa ttagcaaaaa atacaggtat ttttgctttg gctaactttt 180  
catcaaagat ttttaattttt ttgttagtac ctatatatac acgggtactt accactacgg 240  
aatatgggtt ttatgactta gtctatacaa ctattcagct ttttgtacca atcttgacat 300  
taaatatata tgaagccgtt atgagggtcc taatgaaaga tgggtgttct aaaaaatcag 360  
tcttttcaat tgctgtttta gatataattt ttggatcaat tgcttttgct ttattgttgt 420  
tagtaaataa cctgttttct ttatcagatt taattttctca atacagtatt tacatatttg 480  
taatctttgt tttctatacc ctaaataatt ttttgataca attttctaag ggaattgata 540  
aaattgggtg tacagctatc tctggggatc taagtacagc agttatgctt gccatgaatg 600  
tcattcttct agtagtattt gattg 625

<210> 24  
<211> 625  
<212> DNA  
<213> Streptococcus pneumoniae

<220>  
<221> misc\_feature  
<222> (87)..(87)  
<223> n=unknown

<220>  
<221> misc\_feature  
<222> (583)..(583)  
<223> n=unknown

<400> 24  
tttgaaatgg ttgtggagtt atagattcctt tttatttagg ttaaattggta ttaaagaagg 60  
aaatagtgaa ttcgagaaga gttttangat aattaggaga tactataaaa caggacgata 120  
gaatgagtaa atataaggaa ttagcaaaaa atacaggtat ttttgctttg gctaactttt 180  
catcaaagat ttttaattttt ttgttagtac ctatatatac acgggtactt accactacgg 240  
aatatgggtt ttatgactta gtctatacaa ctattcagct ttttgtacca atcttgacat 300  
taaatatata tgaagccgtt atgagggtcc taatgaaaga tgggtgttct aaaaaatcag 360  
tcttttcaat tgctgtttta gatataattt ttggatcaat tgcttttgct ttattgttgt 420  
tagtaaataa cctgttttct ttatcagatt taattttctca atacagtatt tacatatttg 480  
taatctttgt tttctatacc ctaaataatt ttttgataca attttctaag ggaattgata 540  
aaattgggtg tacagctatc tctgggatca taagtacagc agntatgctt gccatgaatg 600  
tcattcttct agtagtattt gattg 625

<210> 25  
<211> 625  
<212> DNA  
<213> Streptococcus pneumoniae

<400> 25  
tttgaaatgg ttgtggagtt atagattcctt tttatttagg ttaaattggta ttaaagaagg 60  
aaatagtgaa ttcgagaaga gttttaagat aattaggaga tactataaaa caggacgata 120  
gaatgagtaa atataaggaa ttagcaaaaa atacaggtat ttttgctttg gctaactttt 180  
catcaaagat ttttaattttt ttgttagtac ctatatatac acgggtactt accactacgg 240  
aatatgggtt ttatgactta gtctatacaa ctattcagct ttttgtacca atcttgacat 300  
taaatatata tgaagccgtt atgagggtcc taatgaaaga tgggtgttct aaaaaatcag 360  
tcttttcaat tgctgtttta gatataattt ttggatcaat tgcttttgct ttattgttgt 420  
tagtaaataa cctgttttct ttatcagatt taattttctca atacagtatt tacatatttg 480  
taatctttgt tttctatacc ctaaataatt ttttgataca attttctaag ggaattgata 540

aaattggtgt tacagctatc tctggggtca taagtacagc agttatgctt gccatgaatg 600  
tcattcttct agtagtattt gattg 625

<210> 26  
<211> 625  
<212> DNA  
<213> Streptococcus pneumoniae

<400> 26  
tttgaaatgg ttgtggagtt atagattcctt tttatttagg ttaaattggtta ttaaagaagg 60  
aaatagttaa ttcgagaaga gttttaagat aattaggaga tactataaaa caggacgata 120  
gaatgagtaa atataaggaa ttagcaaaaa atacagggtat ttttgctttg gctaactttt 180  
catcaaagat ttaatttttt ttgttagtac ctatatatac acgggtactt accactacgg 240  
aatatggttt ttatgactta gtctatacaa ctattcagct ttttgtagca atcttgacat 300  
taaatatata tgaagccgtt atgagggtcc taatgaaaga tgggtgttct aaaaaatcag 360  
tcttttcaat tgctgtttta gatataattt ttggatcaat tgcttttgct ttattgttgt 420  
tagtaaataa cctgttttct ttatcagatt taatttctca atacagtatt tacatatttg 480  
taatctttgt tttctatacc ctaaataatt ttttgataca attttctaag ggaattgata 540  
aaattggtgt tacagctatc tctggggtca taagtacagc agttatgctt gccatgaatg 600  
tcattcttct agtagtattt gattg 625

<210> 27  
<211> 625  
<212> DNA  
<213> Streptococcus pneumoniae

<220>  
<221> misc\_feature  
<222> (87)..(87)  
<223> n=unknown

<400> 27  
tttgaaatgg ttgtggagtt atagattcctt tttatttagg ttaaattggtta ttaaagaagg 60  
aaatagttaa ttcgagaaga gttttangat aattaggaga tactataaaa caggacgata 120  
gaatgagtaa atataaggaa ttagcaaaaa atacagggtat ttttgctttg gctaactttt 180  
catcaaagat ttaatttttt ttgttagtac ctatatatac acgggtactt accactacgg 240  
aatatggttt ttatgactta gtctatacaa ctattcagct ttttgtagca atcttgacat 300  
taaatatata tgaagccgtt atgagggtcc taatgaaaga tgggtgttct aaaaaatcag 360  
tcttttcaat tgctgtttta gatataattt ttggatcaat tgcttttgct ttattgttgt 420  
tagtaaataa cctgttttct ttatcagatt taatttctca atacagtatt tacatatttg 480  
taatctttgt tttctatacc ctaaataatt ttttgataca attttctaag ggaattgata 540  
aaattggtgt tacagctatc tctggggtca taagtacagc agttatgctt gccatgaatg 600  
tcattcttct agtagtattt gattg 625

<210> 28  
<211> 625  
<212> DNA  
<213> Streptococcus pneumoniae

<220>  
<221> misc\_feature  
<222> (613)..(613)  
<223> n=unknown

<400> 28  
tttgaaatgg ttgtggagtt atagattcctt tttatttagg ttaaattggtta ttaaagaagg 60  
aaatagttaa ttcgagaaga gttttaagat aattaggaga tactataaaa caggacgata 120  
gaatgagtaa atataaggaa ttagcaaaaa atacagggtat ttttgctttg gctaactttt 180  
catcaaagat ttaatttttt ttgttagtac ctatatatac acgggtactt accactacgg 240  
aatatggttt ttatgactta gtctatacaa ctattcagct ttttgtagca atcttgacat 300  
taaatatata tgaagccgtt atgagggtcc taatgaaaga tgggtgttct aaaaaatcag 360

tcttttcaat	tgctgtttta	gatataattta	ttggatcaat	tgcttttgc	ttattgttgt	420
tagtaaataa	cctgttttct	ttatcagatt	taatttctca	atacagtatt	tacatatattg	480
taatctttgt	tttctatacc	ctaaataatt	ttttgatata	atatttctaag	ggaattgata	540
aaattgggtg	tacagctatc	tctgggtgca	taagtacagc	agttatgctt	gccatgaatg	600
tcattcttct	agnagtattt	gattg				625

&lt;210&gt; 29

&lt;211&gt; 607

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 29

tgcgctatta	ataattttcc	ttatgataac	tactataattt	atagagacct	atatgttttt	60
atttgtcatt	tctttatact	attctcttga	ttttggggac	gatagagatt	gtcatgagaa	120
acagtacatt	actaattaat	aataaagggtg	tgaacagaaa	taagaagaaa	tgaaaatact	180
aaaaaactat	gcctacaatc	tttcttatca	attgttggtg	atcatactcc	ctatcattac	240
gactccctat	gtaacgaggg	tttttagttc	tgacgattta	ggaacgtatg	gctactttag	300
ctccattggt	acctatttta	ccttgcttgc	aactccttgg	gttgccaact	acggtaccaa	360
agagatttca	gcacatcgta	aggaaattgg	gaagaatttc	tggggaattt	attctctcca	420
gtttggtgca	acttggtctat	ccattttgct	ttatcttgcc	ctttgtttct	tatttacttc	480
aatgcaaaat	ccggtagctt	atatattggg	attaagttaa	gtgtcaaaaag	gtttggatat	540
ttcttggtta	tttcaagggt	tggaggattt	tagaaagatt	acagttcgga	acatcactgt	600
taagtta						607

&lt;210&gt; 30

&lt;211&gt; 607

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 30

tgcgctatta	ataattttcc	ttatgataac	tactataattt	atagagacct	atatgttttt	60
atttgtcatt	tctttatact	attctcttga	ttttggggac	gatagagatt	gtcatgagaa	120
acagtacatt	actaattaat	aataaagggtg	tgaacagaaa	taagaagaaa	tgaaaatact	180
aaaaaattat	gcctacaatc	tttcttatca	attgttggtg	atcatactcc	ctatcattac	240
gactccctat	gtaacgaggg	tttttagttc	tgacgattta	ggaacgtatg	gctactttag	300
ctccattggt	acctatttta	ccttgcttgc	aactccttgg	gttgccaact	acggtaccaa	360
agagatttca	gcacatcgta	aggaaattgg	gaagaatttc	tggggaattt	attctctcca	420
gtttggtgca	acttggtctat	ccattttgct	ttatcttgcc	ctttgtttct	tatttacttc	480
aatgcaaaat	ccggtagctt	atatattggg	attaagttaa	gtgtcaaaaag	gtttggatat	540
ttcttggtta	tttcaagggt	tggaggattt	tagaaagatt	acagttcgga	acatcactgt	600
taagtta						607

&lt;210&gt; 31

&lt;211&gt; 607

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 31

tgcgctatta	ataattttcc	ttatgataac	tactataattt	atagagacct	atatgttttt	60
atttgtcatt	tctttatact	attctcttga	ttttggggac	gatagagatt	gtcatgagaa	120
acagtacatt	actaattaat	aataaagggtg	tgaacagaaa	taagaagaaa	tgaaaatact	180
aaaaaattat	gcctacaatc	tttcttatca	attgttggtg	atcatactcc	ctatcattac	240
gactccctat	gtaacgaggg	tttttagttc	tgacgattta	ggaacgtatg	gctactttag	300
ctccattggt	acctatttta	ccttgcttgc	aactccttgg	gttgccaact	acggtaccaa	360
agagatttca	gcacatcgta	aggaaattgg	gaagaatttc	tggggaattt	attctctcca	420
gtttggtgca	acttggtctat	ccattttgct	ttatcttgcc	ctttgtttct	tatttacttc	480
aatgcaaaat	ccggtagctt	atatattggg	attaagttaa	gtgtcaaaaag	gtttggatat	540
ttcttggtta	tttcaagggt	tggaggattt	tagaaagatt	acagttcgga	acatcactgt	600
taagtta						607

<210> 32  
<211> 607  
<212> DNA  
<213> Streptococcus pneumoniae

<400> 32  
tgcgctatta ataattttcc ttatgataac tactatattt atagagacct atatgttttt 60  
atttgtcatt tctttatact atttctctga ttttggggac gatagagatt gtcattgagaa 120  
acagtacatt actaattaat aataaagggtg tgaacagaaa taagaagaaa tgaaaatact 180  
aaaaaactat gcctacaatc tttcttatca attgttggtg atcatactcc ctatcattac 240  
gactccctat gtaacgaggg tttttagttc tgacgattta ggaacgtatg gctacttttag 300  
ctccattggt acctatttta ccttgcttgc aactcctggg gttgccaact acggtaccaa 360  
agagatttca gcacatcgta aggaaattgg gaagaatttc tggggaattt attctctcca 420  
gtttggtgca acttggtctat ccattttgct ttatcttgcc ctttgtttct tatttacttc 480  
aatgcaaaat ccggtagctt atatattggg attaaagtta gtgtcaaaag gtttggatat 540  
ttcttggtta tttcaagggt tggaggattt tagaaagatt acagttcgga acatcactgt 600  
taagtta 607

<210> 33  
<211> 607  
<212> DNA  
<213> Streptococcus pneumoniae

<400> 33  
tgcgctatta ataattttcc ttatgataac tactatattt atagagacct atatgttttt 60  
atttgtcatt tctttatact atttctctga ttttggggac gatagagatt gtcattgagaa 120  
acagtacatt actaattaat aataaagggtg tgaacagaaa taagaagaaa tgaaaatact 180  
aaaaaattat gcctacaatc tttcttatca attgttggtg atcatactcc ctatcattac 240  
gactccctat gtaacgaggg tttttagttc tgacgattta ggaacgtatg gctacttttag 300  
ctccattggt acctatttta ccttgcttgc aactcctggg gttgccaact acggtaccaa 360  
agagatttca gcacatcgta aggaaattgg gaagaatttc tggggaattt attctctcca 420  
gtttggtgca acttggtctat ccattttgct ttatcttgcc ctttgtttct tatttacttc 480  
aatgcaaaat ccggtagctt atatattggg attaaagtta gtgtcaaaag gtttggatat 540  
ttcttggtta tttcaagggt tggaggattt tagaaagatt acagttcgga acatcactgt 600  
taagtta 607

<210> 34  
<211> 607  
<212> DNA  
<213> Streptococcus pneumoniae

<400> 34  
tgcgctatta ataattttcc ttatgataac tactatattt atagagacct atatgttttt 60  
atttgtcatt tctttatact atttctctga ttttggggac gatagagatt gtcattgagaa 120  
acagtacatt actaattaat aataaagggtg tgaacagaaa taagaagaaa tgaaaatact 180  
aaaaaattat gcctacaatc tttcttatca attgttggtg atcatactcc ctatcattac 240  
gactccctat gtaacgaggg tttttagttc tgacgattta ggaacgtatg gctacttttag 300  
ctccattggt acctatttta ccttgcttgc aactcctggg gttgccaact acggtaccaa 360  
agagatttca gcacatcgta aggaaattgg gaagaatttc tggggaattt attctctcca 420  
gtttggtgca acttggtctat ccattttgct ttatcttgcc ctttgtttct tatttacttc 480  
aatgcaaaat ccggtagctt atatattggg attaaagtta gtgtcaaaag gtttggatat 540  
ttcttggtta tttcaagggt tggaggattt tagaaagatt acagttcgga acatcactgt 600  
taagtta 607

<210> 35  
<211> 607  
<212> DNA  
<213> Streptococcus pneumoniae

<400> 35  
tgcgctatta ataattttcc ttatgataac tactatattt atagagacct atatgttttt 60

atttgtcatt	tctttatact	attctcttga	ttttggggac	gatagagatt	gtcatgagaa	120
acagtacatt	actaattaat	aataaagggtg	tgaacagaaa	taagaagaaa	tgaaaatact	180
aaaaaactat	gcctacaatc	tttcttatca	attgttgggtg	atcatactcc	ctatcattac	240
gactccctat	gtaacgaggg	tttttagttc	tgacgattta	ggaacgtatg	gctacttttag	300
ctccattggt	acctattttta	ccttgcttgc	aactccttgg	gttgccaact	acggtaccaa	360
agagatttca	gcacatcgta	aggaaattgg	gaagaatttc	tggggaattt	attctctcca	420
gtttggtgca	acttggctat	ccattttgct	ttatcttgcc	ctttgtttct	tatttacttc	480
aatgcaaaat	ccggtagctt	atatattggg	attaagttta	gtgtcaaaag	gtttggatat	540
ttcttggtta	tttcaagggt	tggaggattt	tagaaagatt	acagttcgga	acatcactgt	600
taagtta						607

&lt;210&gt; 36

&lt;211&gt; 607

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 36

tgcgtatta	ataattttcc	ttatgataac	tactatat	atagagacct	atatgttttt	60
atttgtcatt	tctttatact	attctcttga	ttttggggac	gatagagatt	gtcatgagaa	120
acagtacatt	actaattaat	aataaagggtg	tgaacagaaa	taagaagaaa	tgaaaatact	180
aaaaaactat	gcctacaatc	tttcttatca	attgttgggtg	atcatactcc	ctatcattac	240
gactccctat	gtaacgaggg	tttttagttc	tgacgattta	ggaacgtatg	gctacttttag	300
ctccattggt	acctattttta	ccttgcttgc	aactccttgg	gttgccaact	acggtaccaa	360
agagatttca	gcacatcgta	aggaaattgg	gaagaatttc	tggggaattt	attctctcca	420
gtttggtgca	acttggctat	ccattttgct	ttatcttgcc	ctttgtttct	tatttacttc	480
aatgcaaaat	ccggtagctt	atatattggg	attaagttta	gtgtcaaaag	ggttggatat	540
ttcttggtta	tttcaagggt	tggaggattt	tagaaagatt	acagttcgga	acatcactgt	600
taagtta						607

&lt;210&gt; 37

&lt;211&gt; 389

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 37

tgatcatact	ccctatcatt	acgactccct	atgtaacgag	ggtctttttct	tccgatgatt	60
tagggagcgt	tggttatttt	aattccatcg	ttacttattt	tatcctctta	gcgacgctag	120
gagttgctaa	ctatgggacc	aaggtcattt	cagggcatcg	aaagcaaaatt	caaaaaaact	180
ttttgggaat	ctattctctg	caattagggtg	caacagttct	ttctctgtcc	ttgtatgctc	240
ttctttgtct	aactcttccc	tttatgcaaa	atccggtagc	ctatattcta	ggcttgagtt	300
tagtttctaa	aggttttagac	atctcctggc	tctttcaagg	gttagaagat	tttcgtaaaa	360
ttacggtcag	aaatatcaca	gtgaagctt				389

&lt;210&gt; 38

&lt;211&gt; 607

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 38

gagagtttgt	acagtcactt	actgaatcag	tagaggggag	aatcttgcct	aatttaaaga	60
aaaacattgt	ttacaatgtc	ttatatcaga	tcttagctgt	aatagtaccg	tttattacct	120
cacottactt	agcgcgtgtg	ttaggtgcag	agcaaatggg	agtttattct	tttacttatt	180
ccattgcttt	ttacttttatg	attctgtcca	tgttgggaat	ttctaattat	gggaatcgga	240
caatggcaca	ggtacgaaca	agtagagaac	atttgaatca	agaattttcg	aatatattacg	300
cggttcagtt	gacgtgttca	ctagtaatga	ccgtctcata	tttgatttat	gcaacagtat	360
ttgtgaatag	ttttcagatt	gtagcctata	tccaagtatt	acatgtttta	tcgtatgcaa	420
cagatgttag	ttgggttttt	tatggctctg	aagagtttctg	tattacggtt	gctaggaatt	480
catttggttaa	gttatttaact	ttaatatcta	tctttacatt	tgtaaaaagc	cctaattgata	540
tctattttata	tacctttata	atggcagggg	gtaccctgct	tggtcagttg	attacatggc	600
cattttt						607

<210> 39  
<211> 607  
<212> DNA  
<213> Streptococcus pneumoniae

<400> 39  
gagagtttgt acagttatatt actgaatcag tagaggggag aatcttgcct agtttaaaga 60  
aaaatattgt ttacaatgtc ttatatcaga tcttagctgt aatagtacca tttattacct 120  
caccttactt agcgcggtgtg ttaggtgcag agcaaattgg agtttattct tttacttatt 180  
ccattgcttt ttactttatg attctgtcca tgttggggat ttctaattat gggaatcgga 240  
caatagcacg ggtacgaaca agtagagaac atttgaatca ggaattttcg aatatttacg 300  
cggttcagtt gacgtgttca ctagtaatga ccctctcata tttgatttat gcaacagtat 360  
ttgtgaatag ttttcagatt gtagcctata tccaagtatt acatgtttta tcgtatgcaa 420  
cagatgttag ttggtttttt tatggctctg aagagtttcg tattacgggt gctaggaatt 480  
catttgtaa gttattaact ttaatatcta tctttacatt tgtaaaaagc cctaataata 540  
tctatttata tacctttata atggcagggg gtaccctgct tggtcagttg attacatggc 600  
cattttt 607

<210> 40  
<211> 607  
<212> DNA  
<213> Streptococcus pneumoniae

<400> 40  
gagagtttgt acagttatatt actgaatcag tagaggggag aatcttgcct agtttaaaga 60  
aaaatattgt ttacaatgtc ttatatcaga tcttagctgt aatagtacca tttattacct 120  
caccttactt agcgcggtgtg ttaggtgcag agcaaattgg agtttattct tttacttatt 180  
ccattgcttt ttactttatg attctgtcca tgttggggat ttctaattat gggaatcgga 240  
caatagcacg ggtacgaaca agtagagaac atttgaatca ggaattttcg aatatttacg 300  
cggttcagtt gacgtgttca ctagtaatga ccctctcata tttgatttat gcaacagtat 360  
ttgtgaatag ttttcagatt gtagcctata tccaagtatt acatgtttta tcgtatgcaa 420  
cagatgttag ttggtttttt tatggctctg aagagtttcg tattacgggt gctaggaatt 480  
catttgtaa gttattaact ttaatatcta tctttacatt tgtaaaaagc cctaataata 540  
tctatttata tacctttata atggcagggg gtaccctgct tggtcagttg attacatggc 600  
cattttt 607

<210> 41  
<211> 607  
<212> DNA  
<213> Streptococcus pneumoniae

<400> 41  
gagagtttgt acagtcactt actgaatcag tagaggggag aatcttgcct aatttaaaga 60  
aaaacattgt ttacaatgtc ttatatcaga tcttagctgt aatagtaccg tttattacct 120  
caccttactt agcgcggtgtg ttaggtgcag agcaaattgg agtttattct tttacttatt 180  
ccattgcttt ttactttatg attctgtcca tgttgggaat ttctaattat gggaatcgga 240  
caatagcaca ggtacgaaca agtagagaac atttgaatca agaattttcg aatatttacg 300  
cagttcagtt gacgtgttca ctagtaatga ccctctcata tttgatttat gcaacagtat 360  
ttgtgaatag ttttcagatt gtagcctata tccaagtatt acatgtttta tcgtatgcaa 420  
cagatgttag ttggtttttt tatggctctg aagagtttcg tattacgggt gctaggaatt 480  
catttgtaa gttattaact ttaatatcta tctttacatt tgtaaaaagc cctaataata 540  
tctatttata tacctttata atggcagggg gtaccctgct tggtcagttg attacatggc 600  
aattttt 607

<210> 42  
<211> 607  
<212> DNA  
<213> Streptococcus pneumoniae

<400> 42  
gagagtttgt acagtcactt actgaatcag tagaggggag aatcttgcct aatttaaaga 60



aaaacattgt	ttacaatgtc	ttatatcaga	tcttagctgt	aatagtaccg	tttattacct	120
caccttactt	agcgcggtgtg	ttaggtgcag	agcaaattgg	agtttattct	tttacttatt	180
ccattgcttt	ttactttatg	attctgtcca	tggtgggaat	ttctaattat	gggaatcgga	240
caatagcaca	ggtacgaaca	agtagagaac	atttgaatca	agaattttcg	aatattttacg	300
cagttcagtt	gacgtgttca	ctagtaatga	ccgtctcata	tttgatttat	gcaacagtat	360
ttgtgaatag	ttttcagatt	gtagcctata	tccaagtatt	acatgtttta	tcgtatgcaa	420
cagatgttag	ttgggttttt	tatggtcttg	aagagtttcg	tattacgggt	gctaggaatt	480
catttggttaa	gttattaact	ttaatatcta	tctttacatt	tgtaaaaagc	cctaatagata	540
tctattttata	tacctttata	atggcaggga	gtaccctgct	tggtcagttg	attacatggc	600
aattttt						607

&lt;210&gt; 43

&lt;211&gt; 607

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 43

gagagtttgt	acagtcactt	actgaatcag	tagaggggag	aatcttgcct	aattttaaaga	60
aaaacattgt	ttacaatgtc	ttatatcaga	tcttagctgt	aatagtaccg	tttattacct	120
caccttactt	agcgcggtgtg	ttaggtgcag	agcaaattgg	agtttattct	tttacttatt	180
ccattgcttt	ttactttatg	attctgtcca	tggtgggaat	ttctaattat	gggaatcgga	240
caatagcaca	ggtacgaaca	agtagagaac	atttgaatca	agaattttcg	aatattttacg	300
cagttcagtt	gacgtgttca	ctagtaatga	ccgtctcata	tttgatttat	gcaacagtat	360
ttgtgaatag	ttttcagatt	gtagcctata	tccaagtatt	acatgtttta	tcgtatgcaa	420
cagatgttag	ttgggttttt	tatggtcttg	aagagtttcg	tattacgggt	gctaggaatt	480
catttggttaa	gttattaact	ttaatatcta	tctttacatt	tgtaaaaagc	cctaatagata	540
tctattttata	tacctttata	atggcaggga	gtaccctgct	tggtcagttg	attacatggc	600
aattttt						607

&lt;210&gt; 44

&lt;211&gt; 607

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 44

gagagtttgt	acagtcactt	actgaatcag	tagaggggag	aatcttgcct	aattttaaaga	60
aaaacattgt	ttacaatgtc	ttatatcaga	tcttagctgt	aatagtaccg	tttattacct	120
caccttactt	agcgcggtgtg	ttaggtgcag	agcaaattgg	agtttattct	tttacttatt	180
ccattgcttt	ttactttatg	attctgtcca	tggtgggaat	ttctaattat	gggaatcgga	240
caatagcaca	ggtacgaaca	agtagagaac	atttgaatca	agaattttcg	aatattttacg	300
cagttcagtt	gacgtgttca	ctagtaatga	ccgtctcata	tttgatttat	gcaacagtat	360
ttgtgaatag	ttttcagatt	gtagcctata	tccaagtatt	acatgtttta	tcgtatgcaa	420
cagatgttag	ttgggttttt	tatggtcttg	aagagtttcg	tattacgggt	gctaggaatt	480
catttggttaa	gttattaact	ttaatatcta	tctttacatt	tgtaaaaagc	cctaatagata	540
tctattttata	tacctttata	atggcaggga	gtaccctgct	tggtcagttg	attacatggc	600
aattttt						607

&lt;210&gt; 45

&lt;211&gt; 607

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 45

gagagtttgt	acagtcactt	actgaatcag	tagaggggag	aatcttgcct	aattttaaaga	60
aaaacattgt	ttacaatgtc	ttatatcaga	tcttagctgt	aatagtaccg	tttattacct	120
caccttactt	agcgcggtgtg	ttaggtgcag	agcaaattgg	agtttattct	tttacttatt	180
ccattgcttt	ttactttatg	attctgtcca	tggtgggaat	ttctaattat	gggaatcgga	240
caatagcaca	ggtacgaaca	agtagagaac	atttgaatca	agaattttcg	aatattttacg	300
cagttcagtt	gacgtgttca	ctagtaatga	ccgtctcata	tttgatttat	gcaacagtat	360
ttgtgaatag	ttttcagatt	gtagcctata	tccaagtatt	acatgtttta	tcgtatgcaa	420
cagatgttag	ttgggttttt	tatggtcttg	aagagtttcg	tattacgggt	gctaggaatt	480

catttggttaa gttattaact ttaatatcta tctttacatt tgtaaaaagc cctaatagata	540
tctattttata tacctttata atggcaggga gtaccctgct tggtcagttg attacatggc	600
aattttt	607

<210> 46  
<211> 607  
<212> DNA  
<213> Streptococcus pneumoniae

<400> 46	
gagagtttgt acagtcactt actgaatcag tagaggggag aatcttgcct aatttaaaga	60
aaaacattgt ttacaatgtc ttatatcaga tcttagctgt aatagtaccg tttattacct	120
caccttactt agcgcgtgtg ttaggtgcag agcaaattgg agtttattct tttacttatt	180
ccattgcttt ttactttatg attctgtcca tgttgggaat ttctaattat gggaatcgga	240
caatagcaca ggtacgaaca agtagagaac atttgaatca agaattttcg aatatttacg	300
cagttcagtt gacgtgttca ctagtaatga ccgtctcata tttgatttat gcaacagtat	360
ttgtgaatag ttttcagatt gtagcctata tccaagtatt acatgtttta tcgtatgcaa	420
cagatgttag ttggtttttt tatggtcttg aagagtttcg tattacgggt gctaggaatt	480
catttggttaa gttattaact ttaatatcta tctttacatt tgtaaaaagc cctaatagata	540
tctattttata tacctttata atggcaggga gtaccctgct tggtcagttg attacatggc	600
aattttt	607

<210> 47  
<211> 547  
<212> DNA  
<213> Streptococcus pneumoniae

<400> 47	
caggatatag atgcatgtta gattagatgg tttgctggac tatatatattc tatttagtgt	60
gattattact tgtaatacta tgtattcaac tagtcaagga tttgatggac tagggaaatg	120
ggcgactctg ttacttgttg tatcagtttt tctgaaattg cttatctcta gaatatctat	180
gaaggcaatc aatgtgattg tgtcgcgttc tttaatattt atattaatta ttctactcat	240
agtaatatata aatgggtttta agatttctga gacaagtttc gtctattatt ttgtattatt	300
tccgattttt atgatgattt tgcagatgta ctatgatgtt aatgaaatcg caaatctgat	360
acggaaattt gttcgtataa tatttctttt agcaattggc tctctcctat tttggcttat	420
tggtagtgtg tttcatatta tatccccaac ggtttatgtg ttgaattatt ggaatggtgg	480
gggaatagta gaagggtact ataattcttca ttttgaagca caaaaaatag agattttggg	540
ggcgata	547

<210> 48  
<211> 547  
<212> DNA  
<213> Streptococcus pneumoniae

<400> 48	
caggatatag atgcatgtta gattagatgg tttgctggac tatatatattc tatttagtgt	60
gattattact tgtaatacta tgtattcaac tagtcaagga tttgatggac tagggaaatg	120
ggcgactctg ttacttgttg tatcagttat tctgaaattg cttatctcta gaatatctat	180
gaaggcaatc aatgtgattg tgtcgcgttc tttaatattt atattaatta ttctactcat	240
agtaatatata aatgggtttta agatttctga gacaagtttc gtctattatt ttgtattatt	300
tccgattttt atgatgattt tgcagatgta ctatgatgtt aatgaaatcg caaatctgat	360
acggaaattt gttcgtataa tatttctttt agcaattggc tctctcctat tttggcttat	420
tggtagtgtg tttcatatta tatccccaac ggtttatgtg ttgaattatt ggaatggtgg	480
gggaatagta gaagggtact ataattcttca ttttgaagca caaaaaatag agattttggg	540
ggcgata	547

<210> 49  
<211> 547  
<212> DNA  
<213> Streptococcus pneumoniae

&lt;400&gt; 49

caggatatag	atgcatgtta	gattagatgg	tttgctggac	tatatatttc	tatttagtgt	60
gattattact	tgtaatacta	tgtattcaac	tagtcaagga	tttgaatggac	tagggaaatg	120
ggcgactctg	ttacttgtgg	tatcagttat	tctgaaattg	cttatctcta	gaatatctat	180
gaaggcaatc	aatgtgattg	tgctgcgctc	tttaatatatt	atattaatta	ttctactcat	240
agtaatat	aatggtttta	agatttctga	gacaagtttc	gtctattatt	ttgtattatt	300
tccgattttt	atgatgattt	tcgagatgta	ctatgatgtt	aatgaaatcg	caaactctgat	360
acggaaattt	gttcgtataa	tatttctttt	agcaattggc	tctctcctat	tttggcttat	420
tggtagtgt	tttcatatta	tatccccaac	ggtttatgtg	ttgaattatt	ggaatggtgg	480
gggaatagta	gaagggtact	ataatcttca	ttttgaagca	caaaaaatag	agattttggg	540
ggcgata						547

&lt;210&gt; 50

&lt;211&gt; 547

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 50

caggatatag	atgcatgtta	gattagatgg	tttgctggac	tatatatttc	tatttagtgt	60
gattattact	tgtaatacta	tgtattcaac	tagtcaagga	tttgaatggac	tagggaaatg	120
ggcgactctg	ttacttgtgg	tatcagttat	tctgaaattg	cttatctcta	gaatatctat	180
gaaggcaatc	aatgtgattg	tgctgcgctc	tttaatatatt	atattaatta	ttctactcat	240
agtaatat	aatggtttta	agatttctga	gacaagtttc	gtctattatt	ttgtattatt	300
tccgattttt	atgatgattt	tcgagatgta	ctatgatgtt	aatgaaatcg	caaactctgat	360
acggaaattt	gttcgtataa	tatttctttt	agcaattggc	tctctcctat	tttggcttat	420
tggtagtgt	tttcatatta	tatccccaac	ggtttatgtg	ttgaattatt	ggaatggtgg	480
gggaatagta	gaagggtact	ataatcttca	ttttgaagca	caaaaaatag	agattttggg	540
ggcgata						547

&lt;210&gt; 51

&lt;211&gt; 547

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 51

caggatatag	atgcatgtta	gattagatgg	tttgctggac	tatatatttc	tatttagtgt	60
gattattact	tgtaatacta	tgtattcaac	tagtcaagga	tttgaatggac	tagggaaatg	120
ggcgactctg	ttacttgtgg	tatcagttat	tctgaaattg	cttatctcta	gaatatctat	180
gaaggcaatc	aatgtgattg	tgctgcgctc	tttaatatatt	atattaatta	ttctactcat	240
agtaatat	aatggtttta	agatttctga	gacaagtttc	gtctattatt	ttgtattatt	300
tccgattttt	atgatgattt	tcgagatgta	ctatgatgtt	aatgaaatcg	caaactctgat	360
acggaaattt	gttcgtataa	tatttctttt	agcaattggc	tctctcctat	tttggcttat	420
tggtagtgt	tttcatatta	tatccccaac	ggtttatgtg	ttgaattatt	ggaatggtgg	480
gggaatagta	gaagggtact	ataatcttca	ttttgaagca	caaaaaatag	agattttggg	540
ggcgata						547

&lt;210&gt; 52

&lt;211&gt; 547

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 52

caggatatag	atgcatgtta	gattagatgg	tttgctggac	tatatatttc	tatttagtgt	60
gattattact	tgtaatacta	tgtattcaac	tagtcaagga	tttgaatggac	tagggaaatg	120
ggcgactctg	ttacttgtgg	tatcagttat	tctgaaattg	cttatctcta	gaatatctat	180
gaaggcaatc	aatgtgattg	tgctgcgctc	tttaatatatt	atattaatta	ttctactcat	240
agtaatat	aatggtttta	agatttctga	gacaagtttc	gtctattatt	ttgtattatt	300
tccgattttt	atgatgattt	tcgagatgta	ctatgatgtt	aatgaaatcg	caaactctgat	360
acggaaattt	gttcgtataa	tatttctttt	agcaattggc	tctctcctat	tttggcttat	420
tggtagtgt	tttcatatta	tatccccaac	ggtttatgtg	ttgaattatt	ggaatggtgg	480
gggaatagta	gaagggtact	ataatcttca	ttttgaagca	caaaaaatag	agattttggg	540

ggcgata 547

<210> 53  
<211> 547  
<212> DNA  
<213> Streptococcus pneumoniae

<400> 53  
caggatatag atgcatgtta gattagatgg tttgctggac tatatatattc tatttagtgt 60  
gattattact tgtaatacta tgtattcaac tagtcaagga tttgatggac tagggaaatg 120  
ggcgactctg ttacttgtgg tatcagtttt tctgaaattg cttatctcta gaatatctat 180  
gaaggcaatc aatgtgattg tgcgcggtc tttaatattt atattaatta ttctactcat 240  
agtaatatta aatggtttta agatttctga gacaagtttc gtctattatt ttgtattatt 300  
tccgattttt atgatgattt tgcagatgta ctatgatgtt aatgaaatcg caaatctgat 360  
acggaaattt gttcgtataa tatttctttt agcaattggc tctctcctat tttggcttat 420  
tggtagtgtg ttcatatta tatcccaac ggtttatgtg ttgaattatt ggaatggtgg 480  
gggaatagta gaagggtact ataatcttca ttttgaagca caaaaaatag agattttggg 540  
ggcgata 547

<210> 54  
<211> 547  
<212> DNA  
<213> Streptococcus pneumoniae

<400> 54  
caggatatag atgcatgtta gattagatgg tttgctggac tatatatattc tatttagtgt 60  
gattattact tgtaatacta tgtattcaac tagtcaagga tttgatggac tagggaaatg 120  
ggcgactctg ttacttgtgg tatcagtttt tctgaaattg cttatctcta gaatatctat 180  
gaaggcaatc aatgtgattg tgcgcggtc tttaatattt atattaatta ttctactcat 240  
agtaatatta aatggtttta agatttctga gacaagtttc gtctattatt ttgtattatt 300  
tccgattttt atgatgattt tgcagatgta ctatgatgtt aatgaaatcg caaatctgat 360  
acggaaattt gttcgtataa tatttctttt agcaattggc tctctcctat tttggcttat 420  
tggtagtgtg ttcatatta tatcccaac ggtttatgtg ttgaattatt ggaatggtgg 480  
gggaatagta gaagggtact ataatcttca ttttgaagca caaaaaatag agattttggg 540  
ggcgata 547

<210> 55  
<211> 547  
<212> DNA  
<213> Streptococcus pneumoniae

<400> 55  
tttttagaac gtactcattt atttaaaagg aagtaatagt gaaatttaaa tttaaattta 60  
atccaatcgc gatactgtat atattgctag tatacttaga gttagctaca gataggcaac 120  
atctgtatcc tgtaacgtac atgacaaaat attatattgg tattttaatc actgtgttgt 180  
ttgttttgtt attagtaggc cgtgggaagc ttatttttgt taataaaaaa ttattatata 240  
ttgctaagat attagctata ccaacaattg ttcttttctt gtactcagtc ttactagacg 300  
taatgaaccc agttgaattt gatggatatt ttagtagggt atcaagtacg actatttttg 360  
gtttgttagc tatctttcaa gctatagttg tttttcaatt ttttggacaa aaagtagtag 420  
attacacttt tacagctatc tccctcagct acttaaccag tatcattgtt gccttttaggc 480  
agggaggact tagtcaattt atcttgatgc taacagatga tagtttcaat ggttcggtac 540  
tagaaat 547

<210> 56  
<211> 547  
<212> DNA  
<213> Streptococcus pneumoniae

<400> 56  
tttttagaac gtactcattt atttaaaagg aagtaatagt gaaatttaaa tttaaattta 60  
atccaatcgc gatactgtat atattgctag tatacttaga gttagctaca gataggcaac 120

atctgtatcc	tgtaacgtac	atgacaaaat	attatatattg	tatttttaatc	actgtgttgt	180
ttgttttgtt	attagtaggc	cgtgggaagc	ttatttttgt	taataaaaaa	ttatttatc	240
ttgctaagat	attagctata	ccaacaattg	ttcttttcct	gtactcagtc	ttactagacg	300
taatgaaccc	agttgaattt	gatggatatt	ttagtaggtt	atcaagtacg	actatttttg	360
gtttgttagc	tatctttcaa	gctatagttg	tttttcaatt	ttttggacaa	aaagtagtag	420
attacacttt	tacagctatc	tcctcagct	acttaaccag	tatcattgtt	gcctttaggc	480
agggaggact	tagtcaattt	atcttgatgc	taacagatga	tagtttcaat	ggttcggtag	540
tagaaat						547

&lt;210&gt; 57

&lt;211&gt; 541

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 57

tttttagaac	atactcattt	atttaaaagg	aaataatagt	gaaatttaaa	tttaatccaa	60
tcgcgatact	gtatatattg	ctagtatact	tagagtggc	tacagatagg	caacatctgt	120
atcctgtaac	gtacatgaca	aaatattata	ttggattttt	aatcattgtg	ttgtttgttt	180
tattattagt	aggccgtggg	aagcttattt	ttgttaataa	aaaattatta	tatcttgcta	240
agatattagc	tataccaaca	attgttcttt	tcctgtactc	agtcttacta	gacgtaatga	300
accagttga	atttaaatgga	tatttttagta	gattatcaag	tacgactatt	tttggtttgt	360
tagctatctt	tcaagctata	gttgtttttc	aatttttttg	acaaaaagta	gtagattaca	420
cttttacagc	tatctccctc	agctacttaa	ccagtatcat	tgttgccctt	aggcagggag	480
gacttagtca	atttatcttg	atactaacag	atgatagttt	caatggttcg	gtactagaaa	540
t						541

&lt;210&gt; 58

&lt;211&gt; 541

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 58

tttttagaac	atactcattt	atttaaaagg	aaataatagt	gaaatttaaa	tttaatccaa	60
tcgcgatact	gtatatattg	ctagtatact	tagagtggc	tacagatagg	caacatctgt	120
atcctgtaac	gtacatgaca	aaatattata	ttggattttt	aatcattgtg	ttgtttgttt	180
tattattagt	aggccgtggg	aagcttattt	ttgttaataa	aaaattatta	tatcttgcta	240
agatattagc	tataccaaca	attgttcttt	tcctgtactc	agtcttacta	gacgtaatga	300
accagttga	atttaaatgga	tatttttagta	gattatcaag	tacgactatt	tttggtttgt	360
tagctatctt	tcaagctata	gttgtttttc	aatttttttg	acaaaaagta	gtagattaca	420
cttttacagc	tatctccctc	agctacttaa	ccagtatcat	tgttgccctt	aggcagggag	480
gacttagtca	atttatcttg	atactaacag	atgatagttt	caatggttcg	gtactagaaa	540
t						541

&lt;210&gt; 59

&lt;211&gt; 541

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 59

tttttagaac	atactcattt	atttaaaagg	aaataatagt	gaaatttaaa	tttaatccaa	60
tcgcgatact	gtatatattg	ctagtatact	tagagtggc	tacagatagg	caacatctgt	120
atcctgtaac	gtacatgaca	aaatattata	ttggattttt	aatcattgtg	ttgtttgttt	180
tattattagt	aggccgtggg	aagcttattt	ttgttaataa	aaaattatta	tatcttgcta	240
agatattagc	tataccaaca	attgttcttt	tcctgtactc	agtcttacta	gacgtaatga	300
accagttga	atttaaatgga	tatttttagta	gattatcaag	tacgactatt	tttggtttgt	360
tagctatctt	tcaagctata	gttgtttttc	aatttttttg	acaaaaagta	gtagattaca	420
cttttacagc	tatctccctc	agctacttaa	ccagtatcat	tgttgccctt	aggcagggag	480
gacttagtca	atttatcttg	atactaacag	atgatagttt	caatggttcg	gtactagaaa	540
t						541

<210> 60  
<211> 541  
<212> DNA  
<213> Streptococcus pneumoniae

<400> 60  
tttttagaac atactcattt atttaaaagg aaataatagt gaaattttaa tttaatccaa 60  
tcgcgatact gtatatattg ctagtatact tagagttggc tacagatagg caacatctgt 120  
atcctgtaac gtacatgaca aaatattata ttggatattt aatcattgtg ttgtttgttt 180  
tattattagt aggccgtggg aagcttattt ttgttaataa aaaattatta tatcttgcta 240  
agatattagc tataccaaca attgttcctt tcctgtactc agtcttacta gacgtaatga 300  
accagttga atttaatgga tatttttagta gattatcaag tacgactatt tttggtttgt 360  
tagctatctt tcaagctata gttgtttttc aatttttttg acaaaaagta gtagattaca 420  
cttttacagc tatctccctc agctacttaa ccagtatcat tgttgccctt aggcaggag 480  
gacttagtca atttatcttg atactaacag atgatagttt caatgggttcg gtactagaaa 540  
t 541

<210> 61  
<211> 541  
<212> DNA  
<213> Streptococcus pneumoniae

<400> 61  
tttttagaac atactcattt atttaaaagg aagtaatagt gaaattttaa tttaatccaa 60  
tcgcgatact gtatatattg ctagtatact tagagttggc tacagatagg caacatctgt 120  
atcctgtaac gtacatgaca aaatattata ttggatattt aatcattgtg ttgtttgttt 180  
tattattagt aggccgtggg aagcttattt ttgttaataa aaaattatta tatcttgcta 240  
agatattagc tataccaaca attgttcctt tcctgtactc agtcttacta gacgtaatga 300  
accagttga atttaatgga tatttttagta ggttatcaag tacgactatt tttggtttgt 360  
tagctatctt tcaagctata gttgtttttc aatttttttg acaaaaagta gtagattaca 420  
cttttacagc tatctccctc agctacttaa ccagtatcat tgttgccctt aggcaggag 480  
gacttagtca atttatcttg atactaacag atgatagttt caatgggttcg gtactagaaa 540  
t 541

<210> 62  
<211> 541  
<212> DNA  
<213> Streptococcus pneumoniae

<400> 62  
tttttagaac atactcattt atttaaaagg aaataatagt gaaattttaa tttaatccaa 60  
tcgcgatact gtatatattg ctagtatact tagagttggc tacagatagg caacatctgt 120  
atcctgtaac gtacatgaca aaatattata ttggatattt aatcattgtg ttgtttgttt 180  
tattattagt aggccgtggg aagcttattt ttgttaataa aaaattatta tatcttgcta 240  
agatattagc tataccaaca attgttcctt tcctgtactc agtcttacta gacgtaatga 300  
accagttga atttaatgga tatttttagta gattatcaag tacgactatt tttggtttgt 360  
tagctatctt tcaagctata gttgtttttc aatttttttg acaaaaagta gtagattaca 420  
cttttacagc tatctccctc agctacttaa ccagtatcat tgttgccctt aggcaggag 480  
gacttagtca atttatcttg atactaacag atgatagttt caatgggttcg gtactagaaa 540  
t 541

<210> 63  
<211> 541  
<212> DNA  
<213> Streptococcus pneumoniae

<400> 63  
tttttagaac atactcattt atttaaaagg aaataatagt gaaattttaa tttaatccaa 60  
tcgcgatact gtatatattg ctagtatact tagagttggc tacagatagg caacatctgt 120  
atcctgtaac gtacatgaca aaatattata ttggatattt aatcattgtg ttgtttgttt 180  
tattattagt aggccgtggg aagcttattt ttgttaataa aaaattatta tatcttgcta 240

```

agatattagc tataccaaca attgttcttt tcctgtactc agtcttacta gacgtaatga 300
accagttga atttaatgga tatttttagta gattatcaag tacgactatt tttggtttgt 360
tagctatctt tcaagctata gttgtttttc aattttttgg acaaaaagta gtagattaca 420
cttttacagc tatctccctc agctacttaa ccagtatcat tgttgccttt aggcagggag 480
gacttagtca atttatcttg atactaacag atgatagttt caatggttcg gtactagaaa 540
t 541

```

```

<210> 64
<211> 38
<212> DNA
<213> Artificial Sequence

```

```

<220>
<223> Oligonucleotide primer

```

```

<400> 64
tacattactc gttctctttc tttctgcaat cattcttg 38

```

```

<210> 65
<211> 32
<212> DNA
<213> Artificial Sequence

```

```

<220>
<223> Oligonucleotide primer

```

```

<400> 65
tagtagctgt cgccttcttt accttgttct gc 32

```

```

<210> 66
<211> 28
<212> DNA
<213> Artificial Sequence

```

```

<220>
<223> Oligonucleotide primer

```

```

<400> 66
agaataatcc cactcttctt gcggttga 28

```

```

<210> 67
<211> 30
<212> DNA
<213> Artificial Sequence

```

```

<220>
<223> Oligonucleotide primer

```

```

<400> 67
catgctgtga gccgttattt tttcatactg 30

```

```

<210> 68
<211> 37
<212> DNA
<213> Artificial Sequence

```

```

<220>
<223> Oligonucleotide primer

```

```

<400> 68
ggcatytatg gagttgattc rtccatycac acyttag 37

```

<210> 69  
<211> 43  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 69  
cacacyttag aaaayctcta tggagtggat atcaattact atg 43

<210> 70  
<211> 43  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 70  
gaaagtggdg gdrmtayaa agtraattck caagayttra arg 43

<210> 71  
<211> 31  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 71  
ccatcayata gaggttamtr tctggcatyg c 31

<210> 72  
<211> 34  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 72  
kcatrcetraa ytcwatyaar gcataacgac taty 34

<210> 73  
<211> 38  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 73  
gytcaatrtg rgcaatkact ggmgttrattc ccracatc 38

<210> 74  
<211> 40  
<212> DNA  
<213> Artificial Sequence



<220>  
<223> Oligonucleotide primer

<400> 74  
gtaggtgtag ttttttcagg gactttaatt ttatgcagtg 40

<210> 75  
<211> 31  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 75  
tcgcttaaca caatggcttt agaaggtaga g 31

<210> 76  
<211> 41  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 76  
gttatattat tttttttgtc ggcattgtat tctttatata g 41

<210> 77  
<211> 33  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 77  
caaattcatc gtttgatatcc atttaactgc atc 33

<210> 78  
<211> 46  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 78  
cttatatcta attatgttcc gtctatatatt atatgggttt gctttc 46

<210> 79  
<211> 39  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 79  
tttctcttca ttttctgat aattttgtac ttctgaatg 39

<210> 80  
<211> 34  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 80  
atgcttttaa atttcttatt catatctatt tttc 34

<210> 81  
<211> 35  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 81  
rgatttkttt caaccygcag taattttaac amtyr 35

<210> 82  
<211> 41  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 82  
cctgaaaaca rtacyacttt ctgaatttca yggrtataaa g 41

<210> 83  
<211> 37  
<212> DNA  
<213> Artificial Sequence

<220>

<223> Oligonucleotide primer

<400> 83  
gtaaacagag agcgagtgat cattttaaaa cttttgg 37

<210> 84  
<211> 40  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 84  
gttttattga ctttaaagat gttagtttct togattccag 40

<210> 85  
<211> 44  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 85  
tttttattac tcttcttaaa tcataatgaa tcgtaccaat caac 44

<210> 86  
<211> 37  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 86  
ggatcaatgg caactatatt taccctactc tccacag 37

<210> 87  
<211> 31  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 87  
gagtcgaaac caaccggaaa aagcaattga g 31

<210> 88  
<211> 38  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 88  
ccttttggttt attatcctac ttccaaaaca gtttatgc 38

<210> 89  
<211> 40  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 89  
catatatctc tttatcctgt caatattgat tggcattttc 40

<210> 90  
<211> 45  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 90  
gaaattatag tcggagcttt catttatatt agtttactgg ttctg 45

<210> 91  
<211> 43  
<212> DNA  
<213> Artificial Sequence  
  
<220>  
<223> Oligonucleotide primer  
  
<400> 91  
gatattagct ataccaacaa ttgttctttt cctgtactca gtc 43  
  
<210> 92  
<211> 36  
<212> DNA  
<213> Artificial Sequence  
  
<220>  
<223> Oligonucleotide primer  
  
<400> 92  
gcattttctag taccgaacca ttgaaactat catctg 36  
  
<210> 93  
<211> 37  
<212> DNA  
<213> Artificial Sequence  
  
<220>  
<223> Oligonucleotide primer  
  
<400> 93  
cagaataaag agagctgtaa taggtgcaac ttcattgc 37  
  
<210> 94  
<211> 43  
<212> DNA  
<213> Artificial Sequence  
  
<220>  
<223> Oligonucleotide primer  
  
<400> 94  
ctgtaattgtt tctaattagt tcagtatttg cactgggttaa ttc 43  
  
<210> 95  
<211> 42  
<212> DNA  
<213> Artificial Sequence  
  
<220>  
<223> Oligonucleotide primer  
  
<400> 95  
cccgtatata cattactaag aacaagggtg tatatttcct tc 42  
  
<210> 96  
<211> 38  
<212> DNA  
<213> Artificial Sequence

&lt;220&gt;

&lt;223&gt; Oligonucleotide primer

&lt;400&gt; 96

gtttctcatt agttctgtat ttgcccttat taatgtgc

38

&lt;210&gt; 97

&lt;211&gt; 33

&lt;212&gt; DNA

&lt;213&gt; Artificial Sequence

&lt;220&gt;

&lt;223&gt; Oligonucleotide primer

&lt;400&gt; 97

ccatggctaa gtgcaagatt atgaatctct ctc

33

&lt;210&gt; 98

&lt;211&gt; 36

&lt;212&gt; DNA

&lt;213&gt; Artificial Sequence

&lt;220&gt;

&lt;223&gt; Oligonucleotide primer

&lt;400&gt; 98

gtttcttatg tttaccctca gcttatattg gcacag

36

&lt;210&gt; 99

&lt;211&gt; 37

&lt;212&gt; DNA

&lt;213&gt; Artificial Sequence

&lt;220&gt;

&lt;223&gt; Oligonucleotide primer

&lt;400&gt; 99

gataccacaa atctccgaat tctcttaaaa tagatgg

37

&lt;210&gt; 100

&lt;211&gt; 38

&lt;212&gt; DNA

&lt;213&gt; Artificial Sequence

&lt;220&gt;

&lt;223&gt; Oligonucleotide primer

&lt;400&gt; 100

ttaagtagtt cacaagtgat agtgaacttg ggattgtc

38

&lt;210&gt; 101

&lt;211&gt; 41

&lt;212&gt; DNA

&lt;213&gt; Artificial Sequence

&lt;220&gt;

&lt;223&gt; Oligonucleotide primer

&lt;400&gt; 101

cactgagatt atttattagc tttatcggtg aggtggataa g

41

<210> 102  
<211> 37  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 102  
ccaatgaaaa ggaaagttca atgtgttttg tttctgc 37

<210> 103  
<211> 44  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 103  
attacttgta atactatgta ttcaactagt cmaggatttg atgg 44

<210> 104  
<211> 31  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 104  
gaacaaattt ccgtatcaga ttgcgattt c 31

<210> 105  
<211> 35  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 105  
ggtgcttcag caaaaatccc cgtatttctt atcag 35

<210> 106  
<211> 39  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 106  
tagctgatgt tccgataaat tatggtgggg taataatag 39

<210> 107  
<211> 44  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 107  
ctgcgacact gtatatacct acattataac tactagacat ttgc 44

<210> 108  
<211> 40  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 108  
gcaactttgg ttctaaaatt ttagtctttt taatggttcc 40

<210> 109  
<211> 40  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 109  
tgttaaacc caatatagaa attgtattga gaatagcagc 40

<210> 110  
<211> 37  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 110  
cgttaatagc ttatgttcaa ctggtgattg attttgg 37

<210> 111  
<211> 41  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 111  
tgatagtttt agaaataata taaggaattg caactgcatg c 41

<210> 112  
<211> 38  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 112  
ggtaggtatt ttaattggag gaagagagtc ttgaatgg 38

<210> 113  
<211> 41  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 113  
ttcatgtyyt ttrtctaat ctgattacaa ttstyacatc r 41

<210> 114  
<211> 36  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 114  
ygcatttkga tctgtcacar tcaataagtt aaaacc 36

<210> 115  
<211> 39  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 115  
atcttccctt cataaattga cataggaaaa ataagagcc 39

<210> 116  
<211> 40  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 116  
caattctaac tatgtccagt tttatttttc cactcatcag 40

<210> 117  
<211> 38  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 117  
gacgtgataa taataagctg ccattcctgt ctaaaacg 38

<210> 118  
<211> 41  
<212> DNA  
<213> Artificial Sequence



<220>  
<223> Oligonucleotide primer

<400> 118  
cggcggtatt aagtagaata ttaacacctg aagagtatgg c 41

<210> 119  
<211> 37  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 119  
ggcaatcaga ctcaataagt tcatccgttt aaagttc 37

<210> 120  
<211> 40  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 120  
ggtattgcct ttcctttgat aacttctcct tatttatcac 40

<210> 121  
<211> 40  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 121  
tgaacttgta actcgacacc caaaaatata aataaatgag 40

<210> 122  
<211> 36  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 122  
caaaggaacg ttatcagcaa ttgtgtcaaa tttcag 36

<210> 123  
<211> 30  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 123  
gaatcggaaca atagcacagg tacgaacaag 30

<210> 124  
<211> 32  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 124  
gccatgtaat caactgacca agcagggtac tc 32

<210> 125  
<211> 34  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 125  
aagattaggg cgcacaaagt ttacttggtt tagc 34

<210> 126  
<211> 40  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 126  
gttatttctt caaatctgct catagtttta acctcatcac 40

<210> 127  
<211> 40  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 127  
tatcttgctg tttcatccct tacagttatt aggttcaaag 40

<210> 128  
<211> 37  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 128  
ttcttcaaat cttttgacag tcttgacctc ttccttg 37

<210> 129  
<211> 40  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 129  
tatctgtgcat tcgaatctgt tacagctaata acattttaaac 40

<210> 130  
<211> 38  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 130  
gtcctgacgc tatcaaatat cattttccca ttaatcac 38

<210> 131  
<211> 37  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 131  
cccacatgtg atcaatagga gtgaaaattc tctattc 37

<210> 132  
<211> 40  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 132  
ccttttgcta atttcttgga cgataatgaa tttgtatatg 40

<210> 133  
<211> 43  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 133  
gcttttgcta acttttcatc aaagatttta atttttttgt tag 43

<210> 134  
<211> 40  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 134  
ccagagatag ctgtaacacc aattttatca attcccttag 40

<210> 135  
<211> 36  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 135  
ccacaaacat tagcaataaa gaaacctaac aatccc 36

<210> 136  
<211> 36  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 136  
gttgtttttag ctcaaggagg gataatgttg gcttcg 36

<210> 137  
<211> 37  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 137  
gatcatactc cctatcatta cgactcccta tgtaacg 37

<210> 138  
<211> 39  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 138  
ccaagaata tccaaacctt ttgacactaa acttaatcc 39

<210> 139  
<211> 38  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 139  
gctgatttta caaataggaa aatagagatt gcaccaac 38

<210> 140  
<211> 36  
<212> DNA  
<213> Artificial Sequence

&lt;220&gt;

&lt;223&gt; Oligonucleotide primer

&lt;400&gt; 140

gcacaaaaaa aagtttgata ttccccttga caatag

36

&lt;210&gt; 141

&lt;211&gt; 32

&lt;212&gt; DNA

&lt;213&gt; Artificial Sequence

&lt;220&gt;

&lt;223&gt; Oligonucleotide primer

&lt;400&gt; 141

gcaggatcta aggaggcttc aagattcaac tc

32

&lt;210&gt; 142

&lt;211&gt; 41

&lt;212&gt; DNA

&lt;213&gt; Artificial Sequence

&lt;220&gt;

&lt;223&gt; Oligonucleotide primer

&lt;400&gt; 142

cgaacctact attgagtgtg atacttttat gggatacaga g

41

&lt;210&gt; 143

&lt;211&gt; 38

&lt;212&gt; DNA

&lt;213&gt; Artificial Sequence

&lt;220&gt;

&lt;223&gt; Oligonucleotide primer

&lt;400&gt; 143

ctgacagcat gaaaatatat aaccgcccac cgaataag

38

&lt;210&gt; 144

&lt;211&gt; 22

&lt;212&gt; DNA

&lt;213&gt; Artificial Sequence

&lt;220&gt;

&lt;223&gt; Oligonucleotide primer

&lt;400&gt; 144

ttgagctatt taaggacctg gg

22

&lt;210&gt; 145

&lt;211&gt; 22

&lt;212&gt; DNA

&lt;213&gt; Artificial Sequence

&lt;220&gt;

&lt;223&gt; Oligonucleotide primer

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Sequence provided in 3'-5' orientation

<400> 145  
agttctttca ctgcgaacga tt 22

<210> 146  
<211> 26  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 146  
gtcaataagt ttaagtgtta tagggc 26

<210> 147  
<211> 22  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<220>  
<221> misc\_feature  
<223> Sequence provided in 3'-5' orientation

<400> 147  
caagcgttgt gggtagtgat at 22

<210> 148  
<211> 22  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 148  
gatgggaaaa tacgatatgc tc 22

<210> 149  
<211> 22  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<220>  
<221> misc\_feature  
<223> Sequence provided in 3'-5' orientation

<400> 149  
cgacctcaaa acagtacctc aa 22

<210> 150  
<211> 22  
<212> DNA  
<213> Artificial Sequence

&lt;220&gt;

&lt;223&gt; Oligonucleotide primer

&lt;400&gt; 150

ctttatcagg aatacgccaa tc

22

&lt;210&gt; 151

&lt;211&gt; 24

&lt;212&gt; DNA

&lt;213&gt; Artificial Sequence

&lt;220&gt;

&lt;223&gt; Oligonucleotide primer

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Sequence provided in 3'-5' orientation

&lt;400&gt; 151

gcaaccaaga gcaataatat gtcc

24

&lt;210&gt; 152

&lt;211&gt; 22

&lt;212&gt; DNA

&lt;213&gt; Artificial Sequence

&lt;220&gt;

&lt;223&gt; Oligonucleotide primer

&lt;400&gt; 152

cttttcttcg tatgcttttag gg

22

&lt;210&gt; 153

&lt;211&gt; 25

&lt;212&gt; DNA

&lt;213&gt; Artificial Sequence

&lt;220&gt;

&lt;223&gt; Oligonucleotide primer

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Sequence provided in 3'-5' orientation

&lt;400&gt; 153

gactatccac attagagata gaagg

25

&lt;210&gt; 154

&lt;211&gt; 22

&lt;212&gt; DNA

&lt;213&gt; Artificial Sequence

&lt;220&gt;

&lt;223&gt; Oligonucleotide primer

&lt;400&gt; 154

gttctttggtt tgacccttcc tt

22

<210> 155  
<211> 22  
<212> DNA  
<213> Artificial Sequence  
  
<220>  
<223> Oligonucleotide primer  
  
<220>  
<221> misc\_feature  
<223> Sequence provided in 3'-5' orientation  
  
<400> 155  
tatcttatgc ggtctgtcgt aa 22  
  
<210> 156  
<211> 24  
<212> DNA  
<213> Artificial Sequence  
  
<220>  
<223> Oligonucleotide primer  
  
<400> 156  
ttgttcttac atttagccgt agtg 24  
  
<210> 157  
<211> 24  
<212> DNA  
<213> Artificial Sequence  
  
<220>  
<223> Oligonucleotide primer  
  
<220>  
<221> misc\_feature  
<223> Sequence provided in 3'-5' orientation  
  
<400> 157  
gacagtgaga tagtgagtcg tta 24  
  
<210> 158  
<211> 22  
<212> DNA  
<213> Artificial Sequence  
  
<220>  
<223> Oligonucleotide primer  
  
<400> 158  
cagagtttgg tcgaggttcc ta 22  
  
<210> 159  
<211> 22  
<212> DNA  
<213> Artificial Sequence  
  
<220>  
<223> Oligonucleotide primer



<220>  
<221> misc\_feature  
<223> Sequence provided in 3'-5' orientation

<400> 159  
gagtttagttg ctgccttttag tg 22

<210> 160  
<211> 22  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 160  
gatccgctca cggatatggac ta 22

<210> 161  
<211> 22  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<220>  
<221> misc\_feature  
<223> Sequence provided in 3'-5' orientation

<400> 161  
gaataaccga ctgtcgtttt aa 22

<210> 162  
<211> 25  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 162  
tttatgagga gagtactgta tcaga 25

<210> 163  
<211> 25  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<220>  
<221> misc\_feature  
<223> Sequence provided in 3'-5' orientation

<400> 163  
actcaagcta tcgatagtaa tttgt 25

<210> 164  
<211> 24  
<212> DNA  
<213> Artificial Sequence  
  
<220>  
<223> Oligonucleotide primer  
  
<400> 164  
tacattttta tgagaagagc attg 24  
  
<210> 165  
<211> 25  
<212> DNA  
<213> Artificial Sequence  
  
<220>  
<223> Oligonucleotide primer  
  
<220>  
<221> misc\_feature  
<223> Sequence provided in 3'-5' orientation  
  
<400> 165  
gctatcagta ctatTTTTTT gtcac 25  
  
<210> 166  
<211> 22  
<212> DNA  
<213> Artificial Sequence  
  
<220>  
<223> Oligonucleotide primer  
  
<400> 166  
ttgttgttg gattgtcttg gg 22  
  
<210> 167  
<211> 22  
<212> DNA  
<213> Artificial Sequence  
  
<220>  
<223> Oligonucleotide primer  
  
<220>  
<221> misc\_feature  
<223> Sequence provided in 3'-5' orientation  
  
<400> 167  
gtttcaaggc ttaggtttc cg 22  
  
<210> 168  
<211> 22  
<212> DNA  
<213> Artificial Sequence  
  
<220>  
<223> Oligonucleotide primer

<400> 168  
tctttgattt catcagggat tg 22

<210> 169  
<211> 22  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<220>  
<221> misc\_feature  
<223> Sequence provided in 3'-5' orientation

<400> 169  
atcaccattg acgcaatcag ga 22

<210> 170  
<211> 22  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 170  
attgcgactg ttaaacgaga ag 22

<210> 171  
<211> 22  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<220>  
<221> misc\_feature  
<223> Sequence provided in 3'-5' orientation

<400> 171  
ccgtgtctaa atacctttat gt 22

<210> 172  
<211> 22  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 172  
taataagcgg atgattgtag cg 22

<210> 173  
<211> 22  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<220>  
<221> misc\_feature  
<223> Sequence provided in 3'-5' orientation

<400> 173  
gggtagacct ttcaattagt ca 22

<210> 174  
<211> 22  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 174  
tatttccttc ctatgggaca ac 22

<210> 175  
<211> 23  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<220>  
<221> misc\_feature  
<223> Sequence provided in 3'-5' orientation

<400> 175  
caccactact aatcgtaata aca 23

<210> 176  
<211> 22  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 176  
aggatgcagt agataccagt gg 22

<210> 177  
<211> 22  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<220>  
<221> misc\_feature  
<223> Sequence provided in 3'-5' orientation

<400> 177  
cctgttggtg gaggcaaata tc 22

<210> 178  
<211> 23  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 178  
ggttctatca aggaaaagag gac 23

<210> 179  
<211> 22  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<220>  
<221> misc\_feature  
<223> Sequence provided in 3'-5' orientation

<400> 179  
caacccaagt cactaacgat aa 22

<210> 180  
<211> 18  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 180  
cacttccata tccagcat 18

<210> 181  
<211> 20  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<220>  
<221> misc\_feature  
<223> Sequence provided in 3'-5' orientation

<400> 181  
gacagaggac tatcaagagt 20

<210> 182  
<211> 21  
<212> DNA

<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 182  
gcaagtgttt caatgggagt a 21

<210> 183  
<211> 21  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<220>  
<221> misc\_feature  
<223> Sequence provided in 3'-5' orientation

<400> 183  
gaataacata ccaggaggagc a 21

<210> 184  
<211> 21  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 184  
tttgagaatg cggataaggt g 21

<210> 185  
<211> 22  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<220>  
<221> misc\_feature  
<223> Sequence provided in 3'-5' orientation

<400> 185  
gagtaacatt gtcccgtttg aa 22

<210> 186  
<211> 21  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 186  
cgaaatatcg ccattcatca g 21

<210> 187  
<211> 22  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<220>  
<221> misc\_feature  
<223> Sequence provided in 3'-5' orientation

<400> 187  
tcaccgtgtc aacgacaact aa 22

<210> 188  
<211> 20  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 188  
caatcaataa tgccgcatac 20

<210> 189  
<211> 22  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<220>  
<221> misc\_feature  
<223> Sequence provided in 3'-5' orientation

<400> 189  
ctaaagcaat caaaggtgtc ca 22

<210> 190  
<211> 21  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 190  
tggaggagca actgacgtat t 21

<210> 191  
<211> 21  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<220>  
<221> misc\_feature  
<223> Sequence provided in 3'-5' orientation

<400> 191  
gagaacttat acctgccacc t 21

<210> 192  
<211> 25  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 192  
gtatgttatt cgtagacaa actgg 25

<210> 193  
<211> 24  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<220>  
<221> misc\_feature  
<223> Sequence provided in 3'-5' orientation

<400> 193  
gacatccaaa tacataacgc tcaa 24

<210> 194  
<211> 23  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 194  
ctatttacct tgtttcctgc aac 23

<210> 195  
<211> 22  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<220>  
<221> misc\_feature  
<223> Sequence provided in 3'-5' orientation

<400> 195  
ctattgcgat acagtcgtta ag 22

<210> 196  
<211> 21  
<212> DNA  
<213> Artificial Sequence



<220>  
<223> Oligonucleotide primer

<400> 196  
ggattacaag aaattccctc g 21

<210> 197  
<211> 21  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<220>  
<221> misc\_feature  
<223> Sequence provided in 3'-5' orientation

<400> 197  
tccactatac gcctcggta t 21

<210> 198  
<211> 21  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 198  
tttgggtctc ctttacctat c 21

<210> 199  
<211> 21  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<220>  
<221> misc\_feature  
<223> Sequence provided in 3'-5' orientation

<400> 199  
cactacttct caatcccctt t 21

<210> 200  
<211> 22  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 200  
ccgaaaattg ttcacaggat ac 22

<210> 201  
<211> 23  
<212> DNA  
<213> Artificial Sequence  
  
<220>  
<223> Oligonucleotide primer  
  
<220>  
<221> misc\_feature  
<223> Sequence provided in 3'-5' orientation  
  
<400> 201  
ctatacggaa cataggtagt tag 23  
  
<210> 202  
<211> 25  
<212> DNA  
<213> Artificial Sequence  
  
<220>  
<223> Oligonucleotide primer  
  
<400> 202  
agcagcaatt gtttctgtct taaca 25  
  
<210> 203  
<211> 26  
<212> DNA  
<213> Artificial Sequence  
  
<220>  
<223> Oligonucleotide primer  
  
<220>  
<221> misc\_feature  
<223> Sequence provided in 3'-5' orientation  
  
<400> 203  
gagattttca ctatctacac tatctt 26  
  
<210> 204  
<211> 25  
<212> DNA  
<213> Artificial Sequence  
  
<220>  
<223> Oligonucleotide primer  
  
<400> 204  
ctccctatca ttactactcc ctatg 25  
  
<210> 205  
<211> 22  
<212> DNA  
<213> Artificial Sequence  
  
<220>  
<223> Oligonucleotide primer

<220>  
<221> misc\_feature  
<223> Sequence provided in 3'-5' orientation

<400> 205  
aatccacgct gtcaagaaag tg 22

<210> 206  
<211> 26  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 206  
gtcaataagt ttaagtgtta tagggc 26

<210> 207  
<211> 22  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<220>  
<221> misc\_feature  
<223> Sequence provided in 3'-5' orientation

<400> 207  
caagcgttgt gggtagtgat at 22

<210> 208  
<211> 22  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 208  
actcaagtat ctgtgycacc tt 22

<210> 209  
<211> 22  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<220>  
<221> misc\_feature  
<223> Sequence provided in 3'-5' orientation

<400> 209  
cctcgtccat ctccttcact aa 22

<210> 210  
<211> 20  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 210  
tgagtttccg attagagcag 20

<210> 211  
<211> 20  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<220>  
<221> misc\_feature  
<223> Sequence provided in 3'-5' orientation

<400> 211  
cctttactac gccatccata 20

<210> 212  
<211> 20  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 212  
tcaatggcga ctttatttgc 20

<210> 213  
<211> 24  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<220>  
<221> misc\_feature  
<223> Sequence provided in 3'-5' orientation

<400> 213  
cgtgggatgt cctctattat ctga 24

<210> 214  
<211> 22  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 214  
gtaccgcaag ctattctaata ga 22

<210> 215  
<211> 23  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<220>  
<221> misc\_feature  
<223> Sequence provided in 3'-5' orientation

<400> 215  
gtcattctat ccgcttcaaa tag 23

<210> 216  
<211> 24  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 216  
tagacttctt agagcctatt gtgg 24

<210> 217  
<211> 22  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<220>  
<221> misc\_feature  
<223> Sequence provided in 3'-5' orientation

<400> 217  
ctggttatcg cgtttgacaa ta 22

<210> 218  
<211> 24  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 218  
caaaccctta gtccaatatg gctg 24

<210> 219  
<211> 24  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<220>  
<221> misc\_feature  
<223> Sequence provided in 3'-5' orientation

<400> 219  
ccgatggata ataaggggaag caac 24

<210> 220  
<211> 22  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 220  
catttggtat gggagtaggg ag 22

<210> 221  
<211> 23  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<220>  
<221> misc\_feature  
<223> Sequence provided in 3'-5' orientation

<400> 221  
gtgaaagagg attgagtacg tgg 23

<210> 222  
<211> 22  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 222  
taatcartgg tctggtggtc ra 22

<210> 223  
<211> 22  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<220>  
<221> misc\_feature  
<223> Sequence provided in 3'-5' orientation

<400> 223  
gaaayaayga ggataacyga ct 22

<210> 224  
<211> 21  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 224  
tgtcagcaga aaatatgacg c

21

<210> 225  
<211> 22  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<220>  
<221> misc\_feature  
<223> Sequence provided in 3'-5' orientation

<400> 225  
cctttatgct gcttccaat ac

22

<210> 226  
<211> 22  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 226  
ttgttgtagt ggcagttgct cc

22

<210> 227  
<211> 24  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<220>  
<221> misc\_feature  
<223> Sequence provided in 3'-5' orientation

<400> 227  
cggatgtccc ttacagaaat gttg

24

<210> 228  
<211> 22  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 228  
tcctgattat rttgagattt sg 22

<210> 229  
<211> 22  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<220>  
<221> misc\_feature  
<223> Sequence provided in 3'-5' orientation

<400> 229  
gacctaacgc ttctgaatga at 22

<210> 230  
<211> 24  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 230  
caatttcccc ttattctgta gtgc 24

<210> 231  
<211> 25  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<220>  
<221> misc\_feature  
<223> Sequence provided in 3'-5' orientation

<400> 231  
ctctcttgtc atatttgtcc cagtt 25

<210> 232  
<211> 23  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 232  
gattgggttg ggaacttgat gtc 23

<210> 233  
<211> 25  
<212> DNA  
<213> Artificial Sequence



<220>  
<223> Oligonucleotide primer

<220>  
<221> misc\_feature  
<223> Sequence provided in 3'-5' orientation

<400> 233  
caccatactc catagtaaatt cgtcc 25

<210> 234  
<211> 25  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 234  
gtagtacttg gccctttctt attcc 25

<210> 235  
<211> 24  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<220>  
<221> misc\_feature  
<223> Sequence provided in 3'-5' orientation

<400> 235  
gttctacgac tatcaaagag cgat 24

<210> 236  
<211> 21  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 236  
cagcaaatgc aggttctcaa a 21

<210> 237  
<211> 25  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<220>  
<221> misc\_feature  
<223> Sequence provided in 3'-5' orientation

<400> 237  
actgtggagc agatcgtata gtaat 25

<210> 238  
<211> 22  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 238  
gatcaaattg tggtattagg aa 22

<210> 239  
<211> 22  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<220>  
<221> misc\_feature  
<223> Sequence provided in 3'-5' orientation

<400> 239  
cggtcagtat aaaagggtta ga 22

<210> 240  
<211> 22  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 240  
ttcttatcgc ttccattgtc ag 22

<210> 241  
<211> 21  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<220>  
<221> misc\_feature  
<223> Sequence provided in 3'-5' orientation

<400> 241  
ccacattcac ctcgtcgtaa a 21

<210> 242  
<211> 25  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 242  
tatttgccat aacggactct agaac 25

<210> 243  
<211> 25  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<220>  
<221> misc\_feature  
<223> Sequence provided in 3'-5' orientation

<400> 243  
caccaataca cccaaattaa gaagc 25

<210> 244  
<211> 23  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 244  
tttgggctct ttaggtagt tat 23

<210> 245  
<211> 24  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<220>  
<221> misc\_feature  
<223> Sequence provided in 3'-5' orientation

<400> 245  
ctgcctatta caagctatga aatg 24

<210> 246  
<211> 21  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 246  
catttgaggt tattgcccta c 21

<210> 247  
<211> 23  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<220>  
<221> misc\_feature  
<223> Sequence provided in 3'-5' orientation

<400> 247  
ccccagaatt aaatcttata ccc 23

<210> 248  
<211> 22  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 248  
agggcttaac tgtttcagtg tt 22

<210> 249  
<211> 22  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<220>  
<221> misc\_feature  
<223> Sequence provided in 3'-5' orientation

<400> 249  
ctaaaccata tcgtcctgac tt 22

<210> 250  
<211> 20  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 250  
ttatctatat gttagggctg 20

<210> 251  
<211> 20  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<220>  
<221> misc\_feature  
<223> Sequence provided in 3'-5' orientation

<400> 251  
ctgtgaagac ttacaacatg 20

<210> 252  
<211> 21  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 252  
ttggatcggt gttcatagcg g 21

<210> 253  
<211> 22  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<220>  
<221> misc\_feature  
<223> Sequence provided in 3'-5' orientation

<400> 253  
gacaccttta cggcaacgat tc 22

<210> 254  
<211> 23  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 254  
agcgagcggt atcattctat ttg 23

<210> 255  
<211> 25  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<220>  
<221> misc\_feature  
<223> Sequence provided in 3'-5' orientation

<400> 255  
ctatcacaac ttctttaacg aggtc 25

<210> 256  
<211> 22  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 256  
tcaacactta tgatggtgcc tg 22

<210> 257  
<211> 21  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<220>  
<221> misc\_feature  
<223> Sequence provided in 3'-5' orientation

<400> 257  
atcttcaccc taatagcccg a 21

<210> 258  
<211> 22  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 258  
aatctgagga aacttgagc aa 22

<210> 259  
<211> 24  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<220>  
<221> misc\_feature  
<223> Sequence provided in 3'-5' orientation

<400> 259  
gcataattgc taatcttaac aagg 24

<210> 260  
<211> 25  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 260  
gcaatggttt atggatgata gagcg 25

<210> 261  
<211> 22  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<220>  
<221> misc\_feature  
<223> Sequence provided in 3'-5' orientation

<400> 261  
tgtgctgcta acgaccacga aa 22

<210> 262  
<211> 23  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 262  
tgaaaaatccc ttagtgacat ctg 23

<210> 263  
<211> 22  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<220>  
<221> misc\_feature  
<223> Sequence provided in 3'-5' orientation

<400> 263  
gaccagcatc gtaaagagtc ta 22

<210> 264  
<211> 22  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 264  
cggtatgctt acaatgagac gc 22

<210> 265  
<211> 22  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<220>  
<221> misc\_feature  
<223> Sequence provided in 3'-5' orientation

<400> 265  
gtagaatagg cccttgctta ag 22

<210> 266  
<211> 22  
<212> DNA  
<213> Artificial Sequence  
  
<220>  
<223> Oligonucleotide primer  
  
<400> 266  
gtaacgatgc ctagaatgac tt 22  
  
<210> 267  
<211> 23  
<212> DNA  
<213> Artificial Sequence  
  
<220>  
<223> Oligonucleotide primer  
  
<220>  
<221> misc\_feature  
<223> Sequence provided in 3'-5' orientation  
  
<400> 267  
cacaccatta tccacgacaa tag 23  
  
<210> 268  
<211> 25  
<212> DNA  
<213> Artificial Sequence  
  
<220>  
<223> Oligonucleotide primer  
  
<400> 268  
ctaatttggc tatgaagcta atccc 25  
  
<210> 269  
<211> 25  
<212> DNA  
<213> Artificial Sequence  
  
<220>  
<223> Oligonucleotide primer  
  
<220>  
<221> misc\_feature  
<223> Sequence provided in 3'-5' orientation  
  
<400> 269  
caaagtactg acgctgaaat cactt 25  
  
<210> 270  
<211> 24  
<212> DNA  
<213> Artificial Sequence  
  
<220>  
<223> Oligonucleotide primer



<400> 270  
ctatgcagga aatatccgag aagg 24

<210> 271  
<211> 24  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<220>  
<221> misc\_feature  
<223> Sequence provided in 3'-5' orientation

<400> 271  
gtatcgcaaa gacaaagtgc ctag 24

<210> 272  
<211> 22  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 272  
aatggcttgc tcctattgct gt 22

<210> 273  
<211> 23  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<220>  
<221> misc\_feature  
<223> Sequence provided in 3'-5' orientation

<400> 273  
cgtttagcaa gaaccctatc atc 23

<210> 274  
<211> 25  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 274  
gtcaaagaca ggaatgacat ctatg 25

<210> 275  
<211> 22  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<220>  
<221> misc\_feature  
<223> Sequence provided in 3'-5' orientation

<400> 275  
ccctccttca cgaaaataaa ga 22

<210> 276  
<211> 18  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 276  
ggaatcggac aatagcac 18

<210> 277  
<211> 20  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<220>  
<221> misc\_feature  
<223> Sequence provided in 3'-5' orientation

<400> 277  
accagaactt ctcaaagcat 20

<210> 278  
<211> 18  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 278  
ggcatcaaag gttaagtg 18

<210> 279  
<211> 18  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<220>  
<221> misc\_feature  
<223> Sequence provided in 3'-5' orientation

<400> 279  
gaagacagcg ttgagaaa 18

<210> 280  
<211> 20  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 280  
gctatctaac attgcgagta 20

<210> 281  
<211> 18  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<220>  
<221> misc\_feature  
<223> Sequence provided in 3'-5' orientation

<400> 281  
aaaccgaagg acgaatat 18

<210> 282  
<211> 18  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 282  
tagcggtgaa tggcatct 18

<210> 283  
<211> 19  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<220>  
<221> misc\_feature  
<223> Sequence provided in 3'-5' orientation

<400> 283  
agttggaatc atcctcgct 19

<210> 284  
<211> 19  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 284  
gggaaatggt ttactatgc

19

<210> 285  
<211> 19  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<220>  
<221> misc\_feature  
<223> Sequence provided in 3'-5' orientation

<400> 285  
gttcttctat tctcgccta

19

<210> 286  
<211> 19  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 286  
atztatgaag ggaagatgg

19

<210> 287  
<211> 18  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<220>  
<221> misc\_feature  
<223> Sequence provided in 3'-5' orientation

<400> 287  
ccgagcgtca ttatcaaa

18

<210> 288  
<211> 18  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 288  
tatgtttcaa gggttctg

18

<210> 289  
<211> 18  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<220>  
<221> misc\_feature  
<223> Sequence provided in 3'-5' orientation

<400> 289  
ccttaccgtc gaataata 18

<210> 290  
<211> 18  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 290  
tgataaggct taccagtt 18

<210> 291  
<211> 18  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<220>  
<221> misc\_feature  
<223> Sequence provided in 3'-5' orientation

<400> 291  
ctgaccataa ccctgatt 18

<210> 292  
<211> 18  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 292  
tgaatatgga cgtggag 18

<210> 293  
<211> 18  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<220>  
<221> misc\_feature  
<223> Sequence provided in 3'-5' orientation

<400> 293  
gaaagccgaa agaaacga 18

<210> 294  
<211> 18  
<212> DNA  
<213> Artificial Sequence  
  
<220>  
<223> Oligonucleotide primer  
  
<400> 294  
gattggctgt tcaagtgt 18  
  
<210> 295  
<211> 18  
<212> DNA  
<213> Artificial Sequence  
  
<220>  
<223> Oligonucleotide primer  
  
<220>  
<221> misc\_feature  
<223> Sequence provided in 3'-5' orientation  
  
<400> 295  
ccctgcctaa atgtaatc 18  
  
<210> 296  
<211> 20  
<212> DNA  
<213> Artificial Sequence  
  
<220>  
<223> Oligonucleotide primer  
  
<400> 296  
ttgttcttac atttagccgt 20  
  
<210> 297  
<211> 18  
<212> DNA  
<213> Artificial Sequence  
  
<220>  
<223> Oligonucleotide primer  
  
<220>  
<221> misc\_feature  
<223> Sequence provided in 3'-5' orientation  
  
<400> 297  
ccctgaacct aaaccatt 18  
  
<210> 298  
<211> 18  
<212> DNA  
<213> Artificial Sequence  
  
<220>  
<223> Oligonucleotide primer

<400> 298  
catgaagttg cacctatt 18

<210> 299  
<211> 18  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<220>  
<221> misc\_feature  
<223> Sequence provided in 3'-5' orientation

<400> 299  
ccctatccca aacattgt 18

<210> 300

<211> 18  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 300  
aaacggaaag ttggatgg 18

<210> 301  
<211> 19  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<220>  
<221> misc\_feature  
<223> Sequence provided in 3'-5' orientation

<400> 301  
cagaaacgac atccacgaa 19

<210> 302  
<211> 20  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 302  
tgtcggcatt gtattcttta 20

<210> 303  
<211> 18  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<220>  
<221> misc\_feature  
<223> Sequence provided in 3'-5' orientation

<400> 303  
cccagtccta aaccacca 18

<210> 304  
<211> 18  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 304  
tagggaaatg ggcgactc 18

<210> 305  
<211> 20  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer  
<220>  
<221> misc\_feature  
<223> Sequence provided in 3'-5' orientation

<400> 305  
acctcaaacc ataactcgga 20

<210> 306  
<211> 18  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 306  
attccagcga ctacactt 18

<210> 307  
<211> 18  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<220>  
<221> misc\_feature  
<223> Sequence provided in 3'-5' orientation

<400> 307  
aatcaccacc atctaacg 18



<210> 308  
<211> 18  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 308  
cacgcagact agaacagc 18

<210> 309  
<211> 19  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<220>  
<221> misc\_feature  
<223> Sequence provided in 3'-5' orientation

<400> 309  
gaaccagata catacgcca 19

<210> 310  
<211> 18  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 310  
gttggtttcg actctttg 18

<210> 311  
<211> 18  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<220>  
<221> misc\_feature  
<223> Sequence provided in 3'-5' orientation

<400> 311  
ttttgcgatg actgttac 18

<210> 312  
<211> 18  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 312  
ttcggagatt tgtggtat 18

<210> 313  
<211> 18  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<220>  
<221> misc\_feature  
<223> Sequence provided in 3'-5' orientation

<400> 313  
agcaaatacc tccaccta 18

<210> 314  
<211> 19  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 314  
tggagaattt gcgattacg 19

<210> 315  
<211> 20  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<220>  
<221> misc\_feature  
<223> Sequence provided in 3'-5' orientation

<400> 315  
tagagtccca tttgtctcac 20

<210> 316  
<211> 20  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 316  
aatgcttgta ctactccctc 20

<210> 317  
<211> 18  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<220>  
<221> misc\_feature  
<223> Sequence provided in 3'-5' orientation

<400> 317  
gatactaaat gcctaccg 18

<210> 318  
<211> 21  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 318  
ttccctatgt cagtctatga a 21

<210> 319  
<211> 20  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<220>  
<221> misc\_feature  
<223> Sequence provided in 3'-5' orientation

<400> 319  
tcttcatagt atcggcttaa 20

<210> 320  
<211> 22  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 320  
tattctatatt cttaccgct ac 22

<210> 321  
<211> 20  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<220>  
<221> misc\_feature  
<223> Sequence provided in 3'-5' orientation

<400> 321  
attcaccggt tcaaagtaga 20

<210> 322  
<211> 20  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 322  
gtgcctagta gcattccata 20

<210> 323  
<211> 20  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<220>  
<221> misc\_feature  
<223> Sequence provided in 3'-5' orientation

<400> 323  
gaaaccaatg ataccaccac 20

<210> 324  
<211> 20  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 324  
tcgcctagtc taaataccaa 20

<210> 325  
<211> 20  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<220>  
<221> misc\_feature  
<223> Sequence provided in 3'-5' orientation

<400> 325  
aagtgaatct taaagccgtc 20

<210> 326  
<211> 22  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 326  
agagggattg ttgaaggatat tc 22

<210> 327  
<211> 22  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<220>  
<221> misc\_feature  
<223> Sequence provided in 3'-5' orientation

<400> 327  
cctactatct ttacgctctg at 22

<210> 328  
<211> 22  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 328  
ggcgttgatca gtgctagttt ag 22

<210> 329  
<211> 24  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<220>  
<221> misc\_feature  
<223> Sequence provided in 3'-5' orientation

<400> 329  
ctcatattac cgacgaaatt gtcc 24

<210> 330  
<211> 24  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 330  
ataaaaagaa agtctttgcc agag 24

<210> 331  
<211> 23  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<220>  
<221> misc\_feature  
<223> Sequence provided in 3'-5' orientation

<400> 331  
ctactacttg tatcagcgat aac 23

<210> 332  
<211> 22  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<400> 332  
ccgaaaattg ttcacaggat ac 22

<210> 333  
<211> 23  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Oligonucleotide primer

<220>  
<221> misc\_feature  
<223> Sequence provided in 3'-5' orientation

<400> 333  
ctatacgga cataggtagt tag 23

<210> 334  
<211> 1413  
<212> DNA  
<213> Streptococcus pneumoniae

<400> 334  
atgaaagtac taataaacta cgcttataat ctttcttata aattggttgg gattatactc 60  
cctatcatta cgactcccta tgtgacacgg gtcttttctt cggatgacct agggacatat 120  
ggttatttta actccatcgt gacttatttt atcctcttag caacgctagg agttgccaac 180  
tatgggacca gggtcatttc aggatatagg aaagaaattg aaaaaaattt ttggggaatt 240  
tattctttgc aactaggtgc aaccgttctt tctctatcct tgtatagtgt tttttgccta 300  
actcttccct ttatgcaaaa tctgttagcc tacatttttag gcttgagttt ggtttctaaa 360  
ggattagata tatcatggct ttttcaaggg ttggaggatt ttogtaagat tacggttcga 420  
aatattacag taataattagt tggagtgttc tccatcttcc tctttgtcaa atctgcaaat 480  
gacctctatc tctatgtctt tttacttact atatttgaac tcttgaggca gctaagtacg 540  
tggttgctcg ctcgtgagtt tattggtaga cctcattttg atttagaata tgctaagcat 600  
catttgaaac ccgttatatt attattcctt cctcaagtag ctatctcttt gtatgttact 660  
ctagatcgta ccatgcttgg agccttagct tctacaaaag atgtaggaat ttatgaccag 720  
gccctaaaat tagtaaatat ccttctgacc ttggtaactt ccttggaag cgttatgttg 780

cctcgtgtcg	cgcatttgtt	agcgacaggt	aatcacaaag	cggttaacaa	aatgcatgag	840
atgtccttcc	tcattttataa	tctagtgtt	ttcccaatga	tggcagggaat	tttaatcgtc	900
aatgatgatt	ttgttagctt	tttccttggg	cagaattttc	aggatgcacg	ttatgcaatt	960
gccattatga	tcttccgtat	gttctttatc	ggttggaacca	atatcatggg	aattcagata	1020
ctgatacctc	acaatcaaaa	taaagaattc	atgattttcaa	caacagttcc	cgcaattatc	1080
agtgtagggt	tgaacttact	attccttcct	aaacttggat	atatcggagc	agccattgtt	1140
tctgttttga	cagaggcggt	ggtatgggcg	atacaattat	actttaccog	tagataccta	1200
aaagaagttc	cgattatcgg	atttttgaca	aaaattattc	tagcttcagc	tatcatgtat	1260
ggtatccttg	taggtttaaa	aacagttata	cattttttac	caatcataaa	tggtatagta	1320
tttgcaagtgc	ttggtggaat	catttatcct	tttgcaattc	tatctttgaa	agtggtagat	1380
gtaaaagaat	taaaacaaat	cattaagaaa	taa			1413

&lt;210&gt; 335

&lt;211&gt; 1413

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 335

atgaaagtac	taaaaaatta	cgcctataac	ctctcctatc	aactattact	cattatacta	60
cctatcatta	caactcccta	tgtgacacgg	gtcttttctt	tgaatgatct	agggacttat	120
ggttatttta	actccatcgt	tacttatttt	attccttttag	caacttttag	agttgctaac	180
tatgggacca	aggtcatttc	agggcatcgc	aaggaaattg	aaaaaaattt	ttgggggatt	240
tactccctgc	aattgggtgc	gacagttctt	tctatgttct	tgtacctgtt	tctttgtcta	300
actcttctct	ttatgcaaaa	tccagtcgcc	tatatcttag	gcttgagttt	ggtttctaaa	360
ggcttagata	tttctgggct	ctttcaagga	ttagaggatt	ttcgtaagat	tacagcaaga	420
aatatcattg	tgaactcgt	aggtgtaagt	tcgatttttt	tatttataaa	atcagctagt	480
gacctttacc	tttatgtatt	tcttttgaca	atatttgagt	tggtgggaca	gttaagcatg	540
tggttaccog	ctcggaatt	tattgggaaa	ccacattttg	atttaagcta	tgcaaagcag	600
catctgaagc	caattgtttt	attattcctt	cctcaggtag	cgatctcctt	atatgttact	660
ctaaatcgta	cgatgcttgg	tgctttatct	tctacaaaag	atgtaggaat	ttatgatcag	720
gctcttaaat	tggtaaatat	tttattaaca	tggtaacat	cgcttgggag	tggttatgta	780
cctcgagttg	ctaatttatt	agcaacaggt	gattacaaaag	ctgttaataa	gatgcataaa	840
atgtccttcc	tcattttataa	tttagtgatt	tttccaatta	tggctggaat	tttgattgtg	900
aatgatgatt	ttgttcagtt	tttccttggg	caagattttc	aggatgcacg	ttatgcaatc	960
gccattatga	tcttccgtat	gttcttcctc	ggttggaacca	atataatggg	aattcagatt	1020
ttaattcccc	ataataaaaa	taaagaattc	atgattttcaa	caacagtttc	tgcaattatc	1080
agtgtaggat	taaacatgct	tttcctacca	aagcttgggt	atattggagc	agccattgtt	1140
tctgtattta	cagaagcact	tgtatgggca	attcaattgt	tctatactcg	cagatatctc	1200
aaagaagttc	ctatcatagt	atctatgaca	aaaattgttc	tagcatcagt	tatcatgtat	1260
ggcattttgc	taggttcaaa	aatattttata	cattttttccc	cgactataaa	tggttctagca	1320
tttgcaagtac	ttggtggaat	catttacctt	tttgcaattt	tatctatgaa	agtaatagat	1380
gtgaaagaat	taaaacaaat	cataaaaaaa	taa			1413

&lt;210&gt; 336

&lt;211&gt; 1416

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 336

atgaaagtat	taaaaaacta	cgcctacaat	ctttcttctc	aattgttggg	gattataactt	60
cggattatta	cgactcccta	tgtaacacgg	gtcttttctt	cggatgattt	agggacgtat	120
ggataacttta	attccattgt	tactttattt	attcctcttg	cgacactagg	agttgctaac	180
tatgggacca	aggtcatttc	agggcatcgc	aaggaaattg	aaaaaaactt	ttggggatct	240
tactctctac	aattaggggc	aacagttctt	tctctgtctt	tatatgctct	tctttgtctg	300
acccttccct	ttatgcaaaa	tccggtagcc	tacattctag	gcttgagttt	agtttcaaaa	360
ggttttagaca	tttctgggct	ctttcaaggg	ctagaagatt	ttcgaaagat	tactgttcga	420
aatatcacag	ttaaactcgt	tggagtcatt	tcaatcttta	tctttgtcaa	atctgcaaac	480
gacctatata	tctatgtttt	tttgctaacc	atatttgaac	ttttagggca	actaagtagt	540
tggtttacctg	ctcgggagtt	tatcggtagt	tctcatttta	gcatagaata	tgctaggcat	600
cattttaaagc	cgggtcatatt	attattcctt	cctcaagtag	ctatttcttt	gtacattacg	660
ctggatcgta	ccatgcttgg	agcactggcg	tctacaaaag	atgtagggat	ctatgatcag	720

gcacttaagt	tggtaaatat	ccttctgatt	ttggtaactt	ccttgggaag	cgttatgttg	780
cctcgtgtcg	cgaatttgtt	agcgacaggt	gatcacaaag	cggttaacaa	aatgcatgag	840
atgtccttcc	tcatattataa	tttagtgatt	ttcccaatga	tggcaggaat	tttgattgtg	900
aatgatgatt	ttgttagctt	tttccttggg	caggattttc	aggatgcacg	ttatgcaatt	960
gccattatga	tcttccgcat	gttctttatc	ggttggacca	atatcatggg	aattcagatt	1020
ttaattcccc	ataataaaaa	taaagaattc	atgatttcaa	caacagctcc	cgcaattatc	1080
agtgtagggt	tgaacttact	attccttcct	aaacttggat	atatcggagc	agccattgtt	1140
tctgttttga	cagaggcggt	ggtatgggcg	atacaattat	actttaccgg	tagataccta	1200
aaagaagttc	cgattatcgg	atccttgaca	aaaattattc	tagcttcagc	tatcatgtat	1260
ggtatcttgc	taggtttaaa	aacagttata	catttttcac	caatcataaa	tggtatagta	1320
tttgcagtgc	ttggtggaat	catttatctt	tttgcaattc	tatctttgaa	agtggtagat	1380
gtaaaagaat	taaaacaaat	tattaggaaa	aaataa			1416

&lt;210&gt; 337

&lt;211&gt; 1416

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 337

atgaaagtat	taaaaaacta	cgccatacat	ctttcttatt	aattgttggt	gattatactt	60
cggattatta	cgactcccta	tgtaacacgg	gtcttttctt	cggatgattt	agggacgtat	120
ggatacttta	attccattgt	tacttatttt	atcctcttgg	cgacactagg	agttgctaac	180
tatgggacca	aggtcatttc	agggcatcgc	aaggaaatta	aaaaaaactt	ttgggggtatc	240
tactctctac	aatttagggc	aacagttcct	tctctgtctt	tatatgctct	tctttgtctg	300
acccttccct	ttatgcaaaa	tccggtagcc	tacattctag	gcttgagttt	agtttcaaaa	360
ggtttagaca	tttctggcct	ctttcaaggg	ctagaagatt	ttcgaaagat	tactgttcga	420
aatatcacag	ttaaactcgt	tggagtcatt	tcaatcttta	tctttgtcaa	atctgcaaat	480
gacctataat	tctatgtttt	tttgctaacc	atatttgaac	ttttggggca	actaagtatg	540
tggttccctg	ctcgggaggt	tatcggtagt	gtcattttta	gcatagaata	tgctaggcat	600
cattttaaagc	cggatcatatt	attattcctt	cctcaagtag	ctatttcttt	gtacattacg	660
ctggatcgta	ccatgcttgg	agcactggcg	tctacaaaag	atgtagggat	ctatgatcag	720
gcacttaagt	tggtaaatat	ccttctgatt	ttggtaactt	ccttgggaag	cgttatgttg	780
cctcgtgttg	cgaatttgtt	agcgacaggt	gaacacaaag	cggttaacaa	aatgcatgag	840
atgtccttcc	tcatattataa	tttagtgatt	ttctcaatga	tggcaggaat	tttgattgtg	900
aatgatgatt	ttgttagctt	tttccttggg	caggattttc	aggatgcacg	ttatgcaatt	960
gccattatga	tcttccgcat	gttctttatc	ggttggacca	atatcatggg	aattcagatt	1020
ttaattcccc	ataataaaaa	taaagaattc	atgacttcaa	caacagctcc	cgcaattatc	1080
agtgtagggt	tgaacttact	attccttcct	aaatttggat	atatcggagc	agccattgtt	1140
tctgttttga	cagaggcggt	ggtatgggcg	atacaattat	actttaccgg	tagataccta	1200
aaagaagttc	cgattatcgg	atccttgaca	aaaattattc	tagcttcagc	tatcatgtat	1260
ggtatcttgc	taggtttaaa	aacagttata	catttttcac	caatcataaa	tggtatagta	1320
tttgcagtgc	ttggtggaat	catttatctt	tttgcaattc	tatctttgaa	agtggtagat	1380
gtaaaagaat	taaaacaaat	tattaggaaa	aaatag			1416

&lt;210&gt; 338

&lt;211&gt; 1464

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 338

atggagaatc	gtgtgaaaga	ttggcacaaa	ttatggaatt	ataaaagccg	ttacgaagaa	60
atgtctgtcg	ggatgaaagc	ggcactctgg	tatactgttg	caaattttat	tcaaaagggt	120
tttgattttc	tttcaactcc	gatttttaacc	agaatactta	atgttaatga	ttacgggtaca	180
ttgatacttt	accaatcatg	gtttgtacta	tttgctattt	ttgcgacctt	gaatctttct	240
caaacagctt	ataataaggg	attggttagaa	tttgagaatg	ataaagataa	ttttacattt	300
tctttgttgt	ttttgtctaa	gactattact	ataattgttg	cttttttata	ttttactttt	360
aataacttgg	ttaaagatag	tactggatta	actcccagtt	tcatgatatt	tttattcagt	420
gatattcttat	ttaattattag	tatagaattt	tatttggcac	gtcagagatt	tgaattcaaa	480
tatagaaaag	cagttctaat	ttcaactttt	tcaagttttt	ttattgtagc	tattagtaca	540
actatcttat	tagcgattaa	gaatgattta	ttcattaaaa	ttgtatttga	tgctattatc	600
cgaattatct	ttggtttata	ttgtttttat	ctcttgtttt	tttcagggag	aaggcaactt	660



aagatagaaa	aaaaatatat	taaatatggt	ttgagttatt	cattaccttt	gataccgcat	720
ttcttatcgc	actatatattt	gaatcagtc	gaccgtttga	tgattaacat	gtttgatggt	780
aaggagaaat	tagctatata	tagtctagct	tattctgtat	caatgattat	gtttttgttt	840
actaatgcaa	ttaatcaatc	aataatgccg	catacatctt	aagctttgaa	aaaaaaggat	900
tattgtggga	tacatgggag	caccaaattg	ctttttgtag	tagttggggg	gattacagct	960
ctctcaattc	tatttgcacc	agaactaatt	gttatttttag	gcggcaataa	atataaggaa	1020
tcaatttggc	tagtacctcc	aattgccatc	tcggtttatt	tcctttttgt	atattctatg	1080
tttagtaata	tcagttttta	ttataagatg	aataagctga	tttcgtagt	ttccacaggt	1140
gcggctcttt	caaatattat	tttaaattat	atttttatta	atataatttg	gtatcaagct	1200
gcagcttaca	ctacattatt	atgctatata	ttgttggcgt	tttctcattt	tttcttata	1260
agatttttat	taaaaaaga	ggaaattcat	gaggaacttt	ataacatgaa	gatgatttta	1320
ataatatctt	taatattatt	aataatacta	tttttgatac	ttgttattta	taacttagcc	1380
attataagat	atgcaattat	tgcaattatt	ttatttcttt	tgtttacaaa	gagaaataaa	1440
ataattacat	cgctaaaaag	ttga				1464

&lt;210&gt; 339

&lt;211&gt; 1464

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 339

atggagaatc	gtgtgaaaga	ttggcacaaa	ttatggaatt	ataaaagccg	ttacgaagaa	60
atgtctgtcg	ggatgaaagc	ggcactctgg	tatactgttg	caaattttat	tcaaaaagggt	120
tttgtatttc	tttcaactcc	gattttaacc	agaatactta	atgttaatga	ttacggtaca	180
ttgatacttt	accaatcatg	gtttgtacta	tttgctattt	ttgcgacctt	gaatctttct	240
caaacagctt	ataataaggg	attggtagaa	tttgagaatg	ataaagataa	ttttacattt	300
tccttgttgt	ttttgtctaa	gactattact	ataattgttg	cttttttata	ttttactttt	360
aatatactgg	ttaaagatag	tactggatta	actcccagtt	tcattgatatt	tttattcagt	420
gatatcttat	ttaatattag	tatagaattt	tatttggcac	gtcagagatt	tgaattcaaa	480
tatagaaaag	cagttcta	ttcaactttt	tcaagttttt	ttattgtagc	tattagtaca	540
actatcttat	tagcgattaa	gaatgattta	ttcattaaaa	ttgtattgga	tgctattatc	600
cgaattatct	ttggtttata	ttgtttttat	ctcttgtttt	tttcaggggg	aaggcaactt	660
aagatagaaa	aaaaatatat	taaatatggt	ttgagttatt	cattaccttt	gataccgcat	720
ttcttatcgc	actatatattt	gaatcagtc	gaccgtttga	tgattaacat	gtttgatggt	780
aaggagaaat	tagctatata	tagtctagct	tattctgtat	caatgattat	gtttttgttt	840
actaatgcaa	ttaatcaatc	aataatgccg	catacatctt	aagctttgaa	aaaaaaggat	900
tattgtggga	tacatgggag	caccaaattg	ctttttgtag	tagttggggg	gattacagct	960
ctctcaattc	tatttgcacc	agaactaatt	gttatttttag	gcggcaataa	atataaggaa	1020
tcaatttggc	tagtacctcc	aattgccatc	tcggtttatt	tcctttttgt	atattctatg	1080
tttagtaata	tcagttttta	ttataagatg	aataagctga	tttcgtagt	ttccacaggt	1140
gcggctcttt	caaatattat	tttaaattat	atttttatta	atataatttg	gtatcaagct	1200
gcagcttaca	ctacattatt	atgctatata	ttgttggcgt	tttctcattt	tttcttata	1260
agatttttat	taaaaaaga	ggaaattcat	gaggaacttt	ataacatgaa	gatgatttta	1320
ataatatctt	taatattatt	aataatacta	tttttgatac	ttgttattta	taacttagcc	1380
attataagat	atgcaattat	tgcaattatt	ttatttcttt	tgtttacaaa	gagaaataaa	1440
ataattacat	cgctaaaaag	ttga				1464

&lt;210&gt; 340

&lt;211&gt; 1545

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 340

atgagtcgtg	taaaaaatag	ttttttta	atttttagctg	gaatagttgg	tactatcata	60
tcgagtggtt	tagctttcat	agttagaaca	gtgtttatcc	gagttttggg	agagacttat	120
ctaggtttca	atggtctata	caccaatata	ttaacagttt	tatccctaac	tgaattaggg	180
atcggatcat	caattgctta	tttgatgtac	aaacctttag	cagaaaaaga	tggggacaaa	240
ttagctcaag	tagttcaatt	ctataaaaaa	atataatcgag	tgattggtat	cattattctt	300
atttttaggtt	tggtctcgt	tcctttttta	ccagtcattg	taaatttaaa	aaatgcagaa	360
gatttgaact	atacagcatt	gtatttgctt	tattttagcag	atacagtttc	tacttatcta	420
ttctttgcat	ataaaaagg	ggtattggct	gctgatcaaa	agatctatgt	tgcgaaatc	480

tttgatataa	ttataacgac	aatTTTTatct	attttccaaa	ttatcacttt	gatgattttt	540
aaagactttt	atctatatat	tatttttaaaa	attgctaata	atcttacttt	gaacctagta	600
attagtttaa	aagtagataa	aatgtatcca	agtattcata	aatttaaagg	gatagctccg	660
cttccaaaaa	tggaaagacg	actagtttgg	aaaaatgtat	atgctacctc	tggtcgacaa	720
atctttaacg	aattaatgaa	ttcaacagat	agtatagtta	tttccattgt	cttaggaata	780
gttatggttg	gtaagtattc	gaactatgct	taTattttat	caatcgtata	tattttcttt	840
ggaggaatTT	ttaatccgat	tcaggcttct	attggaaacc	tatctctgtc	agcttctata	900
gagaaaaaaa	atgaaatctt	caatagatta	cgttttataa	attttttctt	tttatcattt	960
tgctcaagtt	gtcttctagt	attggtaaat	ccttttatca	ctatttggtt	tgagagaaat	1020
tacactttat	catttacagg	tgtgattgca	atagttggtt	tgttattcgt	tagacaaact	1080
ggaaattgta	caaccatttt	tcgtttggga	gaaggatatt	ttagagatta	tcatttttct	1140
cctttaatcg	cgggcatttt	aaatttagtt	gtttcagtaa	ttttagttaa	ttatataggt	1200
attgcaggtg	tttttgttgg	aacaatgtta	ggatttggtt	tccaatttat	actggtggat	1260
acaattgtta	cttataaaaa	agtacttagt	cgtccactat	cagagtttta	tttaagatgg	1320
ttgcagacga	tcttattaac	tgtaggttta	tgtattgcga	gttactatTT	atctcgattg	1380
gttagagtga	atagtatata	tgatttgata	ctgttggttg	tagtggttat	tggaattaat	1440
ttttttgctt	tatgttttat	ttattggcga	aatgatgatt	ttcaatattt	tattcaattg	1500
gttaaaaatt	ttatgaaaaa	tttggaggaa	aaaaatcatg	attaa		1545

&lt;210&gt; 341

&lt;211&gt; 1545

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 341

atgagtcgtg	taaaaaatag	tttttttaat	atttttagctg	gaatagttgg	tactatcata	60
tcgagtgttt	tagctttcat	agttagaaca	gtgtttatcc	gagttttggg	agagacttat	120
ctaggtttca	atggctctata	caccaatatc	ttaacagttt	tatccctagc	tgaattaggg	180
atcggatcat	caattgctta	tttgatgtac	aaacctttag	cagaaaaaga	tggggacaaa	240
ttagctcaag	tagttcaatt	ctataaaaaa	atatatcgag	taattgggtat	cattatttctt	300
attttagggt	tgtgtctcgt	tcctttttta	ccagtcattg	taaatttaaa	aaatgcagaa	360
gatttgaact	atacagcatt	gtatttgctt	tatttagcag	atacagtttc	tacttatcta	420
ttctttgcat	ataaaagagg	ggtatttggtt	gctgatcaaa	aggtctatgt	tgogaatatc	480
tttgatataa	ttataacgac	aatTTTTatct	attttccaaa	ttatcacttt	gatgatttgg	540
aaagattttt	atctatatat	tatttttaaaa	attgctaata	atcttacttt	gaacctagta	600
attagtttaa	aagtagataa	aatgtatcca	agtattcata	aatttaaaga	gatagctcca	660
cttccaaaaa	tggaaagacg	actagtttgg	aaaaatgtat	atgctacctc	tggtcgacaa	720
atctttaacg	aattaatgaa	ttcaacagat	agtatagtta	tttccattgt	tttaggaata	780
gttatggttg	gtaagtattc	gaactatgct	tatattttat	caatcgtata	tattttcttt	840
ggaggaatTT	ttaatccgat	tcaggcttct	attggaaacc	tatctctggt	agcttctata	900
gagaaaaaaa	atgaaatctt	caatagatta	cgttttataa	attttttctt	tttatcattt	960
tgctcaagtt	gtcttctagt	attggtaaat	ccttttatca	ctatttggtt	tgagagaaat	1020
tacactttat	catttacagg	tgtgattgca	atagttggtt	tgttattcgt	tagacaaact	1080
ggaaattgta	caaccatttt	tcgtttggga	gaaggatatt	ttagagatta	tcatttttct	1140
cctttaatcg	cgggcatttt	aaatttagtt	gtttcagtaa	ttttagttaa	ttatataggt	1200
attgcaggtg	tttttgttgg	aacaatgtta	ggatttggtt	tccaatttat	actggtggat	1260
acaattgtta	cttataaaaa	agtacttagt	cgtccactat	cagagtttta	tttaagatgg	1320
ttgcagacga	tcttattaac	tgtaggttta	tgtattgcga	gttactatTT	atctcgattg	1380
gttagagtga	atagtatata	tgatttgata	ctgttggttg	tagtggttat	tggaattaat	1440
ttttttgctt	tatgttttat	ttattggcga	aatgatgatt	ttcaatattt	tattcaattg	1500
gttaaaaatt	ttatgaaaaa	tttggaggaa	aaaaatcatg	attaa		1545

&lt;210&gt; 342

&lt;211&gt; 1545

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 342

atgagtcgtg	taaaaaatag	tttttttaat	atttttagctg	gaatagttgg	tactatcata	60
tcgagtgttt	tagctttcat	agttagaaca	gtgtttatcc	gagttttggg	agagacttat	120
ctaggtttca	atggctctata	caccaatatc	ttaacagttt	tatccctagc	tgaattaggg	180

atcggatcat	caattgctta	tttcatgtac	aaacctttag	cagaaaaaga	tggggacaaa	240
ttagctcaag	tagttcaatt	ctataaaaaa	atatatcgag	taattggat	aattattctt	300
attttaggtt	tgtgtctcgt	tcctttttta	ccagtcattg	taaattttaa	aaatgcagaa	360
gatttgaact	atacagcatt	gtatttgctt	tatttagcag	atacagtttc	tacttatcta	420
ttctttgcat	ataaaagagg	ggtattgggt	gctgatcaaa	aggtctatgt	tgcaaatatc	480
tttgatataa	ttataacgac	aattttatct	attttccaaa	ttatcacttt	gatgattttt	540
aaagattttt	atctatata	tattttaaaa	attgctaaaa	atcttacttt	gaacctagta	600
attagttaa	aagtagataa	aatgtatcca	agtattcata	aatttaaaga	gatagctcca	660
cttccaaaaa	tggaagacg	actagtttg	aaaaatgtat	atgctacctc	tggtcgacaa	720
atctttaacg	aattaatgaa	ttcaacagat	agtatagtta	tttccattgt	cttaggaata	780
gttatgggtg	gtaagtattc	gaactatgct	tatatattat	caatcgtata	tattttcttt	840
ggaggaattt	ttaatccgat	tcaggcttct	attggaaacc	tatctctggt	agcttctata	900
gagaaaaaaa	atgaaatctt	caatagatta	cgttttataa	attttttctt	tttatcattt	960
tgctcaagtt	gtcttctagt	attggtaaat	ccttttatca	ctatttggat	tgagaaaaat	1020
tacactttat	catttacagg	tgtgattgca	atagttggta	tgttattcgt	tagacaaact	1080
ggaaattgta	caaccatttt	tcgtttggga	gaaggatatt	ttagagatta	tcatttttct	1140
ccttttaacg	cgggcatttt	aaatttagtt	gtttcagtaa	ttttagttaa	ttatatagg	1200
attgcaggtg	ttttgttg	aacaatgta	ggatttgggt	tccaatttat	actggtggat	1260
acaattgtta	cttataaaaa	agtacttagt	cgtccactat	cagagtttta	tttaagatgg	1320
ttgcagacga	tcttattaac	tgtaggttta	tgtattgcga	gttactattt	atctcgattg	1380
gttagagtga	atagtatata	tgatttgata	ctgttggttg	tagtggttat	tggaattaat	1440
ttttttgctt	tatgttttat	ttattggcga	aatgatgatt	ttcaatattt	tattcaattg	1500
gttaaaaatt	ttatgaaaaa	tttgaggaga	aaaaatcatg	attaa		1545

&lt;210&gt; 343

&lt;211&gt; 1416

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 343

atgaaaatct	taaaaaacta	cgcctacaat	ctttcttata	aattgttgg	gattatactc	60
ccaatcatta	caactcccta	tgtgacacga	gtcttttctt	cgtatgcttt	agggacttat	120
ggttatttta	attccatcgt	tacttatttt	atcctcttag	ctactctagg	agttgctaac	180
tatggtacta	aggtaatctc	tggaatcga	aaggaaattg	aaaaaaactt	ttggggaatc	240
tactccctgc	aattgtgtgc	ggcagttctg	tctctgtcct	tatacgttgt	tctttgtcta	300
actctttctt	tgatgcaaaa	tccagtcgcc	tatatcttag	gattgagtg	ggtttctaaa	360
ggcttagata	tttcttggt	ctttcaagg	ttagaggatt	ttagaaagat	aactgttcga	420
aatatcacgg	ttaaaactgat	aggtgtaatc	tctatcttcc	ttttgtcaa	atctgaaagt	480
gacctttatc	tctatatctt	tttactaacc	atatttgaac	tcttaggaca	actaagtatg	540
tggttgctcg	ctcgagaatt	tattggtaga	gatcattttg	atatagcata	tgtagacat	600
catttgaaac	ctgtcatatt	attattcctt	cctcaagtag	ctatttctat	gtatattacg	660
ttagatcgta	ccatgcttgg	ggcattagct	tctacaaaag	atgtagggat	ttatgaccag	720
gctctaaaag	tggtcaatat	ccttatgacc	ctggtaactt	ctttgggaag	cgttatgtta	780
cctcgtgttg	cgcatctgct	atccaaagg	gaacaaaaag	cggttaataa	aatgcatgag	840
atatccttcc	tcatttataa	tttagtgatt	tttccagtga	tagtagtgat	tttgattgtg	900
aatgatgatt	ttgttcaatt	tttcttggg	caagattttc	aggatgcgcg	ttatgcaatt	960
gccatcatga	tttttcggat	gttctttatc	ggttggaacta	acatcatggg	aattcagatg	1020
ctgataacctc	ataatcaaaa	taaagaattc	atgatttcaa	caactgctcc	tgcaattatc	1080
agtgtagggt	taaaacttgct	attcctgcca	aagtttgggt	atatcggggc	agccattgtc	1140
tcggttttaa	cagaggcatt	tgtatgggca	atccaattgt	tctatactcg	cagatattta	1200
aaaggagttc	ctataatcgg	atcaatggca	aaaattatac	tagcatctac	cattatgtat	1260
ggacttttac	taagttcaaa	aacagttata	catttttcac	cgactttaaa	tggtctagca	1320
tttgacgcgc	ttggtggaat	aatttatctt	tttgcaattc	tatctctgaa	agtggtagat	1380
gtgaaagaat	taaaacaaat	tattaggaaa	aattag			1416

&lt;210&gt; 344

&lt;211&gt; 1464

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 344

atgagtaata	aaatcagtaa	aaatttagcc	tacaatatag	gatatcaatt	aattgggtatt	60
gcctttccct	tgataacttc	tccttattta	tcacggatat	taggcgctga	aaatttaggt	120
attcattctt	ttactatctc	agtagcactt	tactttatga	tgtttatgct	acttggaatt	180
gcaaattatg	gaaataggac	aatagcgacc	gttaaacgag	aagggaaaga	gattttatca	240
aaaacgtttt	ggaatatcta	ctatgtccag	ttgctaagt	cggttctagt	aactatcgca	300
tatctcatct	atcttatatt	ttgggtgtcg	agttacaagt	tcattgcgat	tttacaactt	360
ttttgttat	tatcgaatgc	agttgatatt	acttggttat	tttatggatt	agaagatttt	420
aaacaaattg	tttttagaaa	tgcatagtt	aaacttcttg	gtttgttttt	aatattttcg	480
tttgtacatg	aaagctcaga	tttatggaag	tacaccttaa	taaacggagg	agtgaactta	540
gttgggcaac	ttttgttatg	gggacaatta	aaaggcagat	tatcttggtg	gaagattcaa	600
aaaaaggatt	tactatctca	tatcaaacca	attttagttc	ttttcattcc	tgtgttagca	660
atcagtatct	ttagtaatat	ggataaatat	atgcttggtt	taatggttgg	tgtaagcaa	720
gttggatttt	atgataatgc	aaatcgat	atcgatattc	ctaaagcatt	aattgcagca	780
ttagaggctg	ttatgttacc	acgaacatct	tatttattag	cagaaggctc	ggaggaaaaa	840
agtaattact	atatagaggt	tacaatcctt	tatgcgatga	tgatttcgag	tgtattgata	900
tttgggtata	tatcgggttc	tgatatcttc	tcgcttgat	tttggggaga	agaattcctt	960
gaatcaggaa	gattaattgc	tgctatggca	ccagtttttg	ttttttctgt	tccaggaaat	1020
ataattagaa	cacagtattt	gattcctaga	gcaaaggata	aagattatgt	gttgtctcta	1080
ataatagggt	ctctagttaa	tatattattg	aactgtttct	taataaaaacc	ttttggagcc	1140
atgggtgcta	cgattagtac	agttttggca	gaatttgtct	tgtatggagt	gcaattttgg	1200
acagtcagaa	gagatttaga	ctttaaaaaa	tatttaaaga	atggttttat	attttacctt	1260
tttgggtatg	ttatgtattt	agctattata	gcagcaaaa	ctcatttgca	atataatata	1320
ataaatcttg	ttctccttat	agtgtcggga	ggaatagtat	atactggctt	ttgtgttttc	1380
tacattttta	tatcaagaaa	cgtaacattt	gagatattac	gggaaaaaat	taaacgaaag	1440
attggttatg	aaaatatatt	ataa				1464

&lt;210&gt; 345

&lt;211&gt; 1464

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 345

atgagtaata	aaattagtaa	aaatttagcc	tacaatatgg	ggtatcagtt	aattgggatt	60
gcagctccct	tgataacttc	tccttattta	tcacggatat	taggtgctga	aaatttaggt	120
attcattctt	ttactatgtc	ggttgcaact	tactttatga	tgtttatgct	tcttggaatt	180
gcaaattacg	gaaatagaac	aattgcgact	gttaaacgag	aagggaaagga	tattctatca	240
aaaacgtttt	ggagtatcta	ctctatccag	ttgataatgt	ctattctggt	aactatagct	300
tatcttgctt	atctatatatt	gggggcagta	ctattacaaag	ttattgcaat	attacaactc	360
tttttattgt	tatcaaatgc	tgttgatatt	acttggtttt	tctatggatt	agaaaaattt	420
aagcaaatcg	tttttaggaa	tacattagtc	aaacttttag	gattattttt	aattttttta	480
tgtgtgcgtc	aaggcacaga	tttatggaaa	tacacattta	taaacggatc	agtaacttta	540
gttggccaac	ttttactatg	gggacaatta	aaaggaatat	taacttgga	aaaaattcaa	600
ttaaagggaat	tactacctca	tatcaagcca	attttaattc	tttttattcc	tgtactagcc	660
attagtattt	ttactaatat	ggataaatat	atgcttggtt	taatggttga	tgtaaagcag	720
gttggatttt	atgacaatgc	aggtagaatt	attgaaattc	ctaaagcttt	gattgcagct	780
ttaggggccc	ttatgttacc	aagaacttcc	tatttattag	cggaaggaca	gaaagaaaag	840
agtaaatact	acatagaggt	aacaatttta	tacgtgatga	ttatttctag	tgtattgatg	900
tttgggctaa	tatcggtatc	tgatatcttc	tccattatat	tttggggaga	agaatttctt	960
gaatcaggta	gattgatttc	tgctatgtct	ccggcttttg	tcttctctgt	attaggaaat	1020
atcattagga	ctcagtattt	gattcctaga	gctaaggata	aagattatgt	agtgtctcta	1080
attgcggggg	ctgttggtta	tctagtgtca	aactattttt	ttataaaaacc	ttttgggtgct	1140
atggggagcaa	cagttagtac	agttttggca	gaatttgtat	tgtctggaat	gcagtttttg	1200
tcagtaagaa	gagacttaga	tttaaaaaga	tatttgaaaa	acggtttgat	attctacctt	1260
tttggctctga	ttatgtacct	tgttattata	acactcaaaa	ctcagttacc	atacaatata	1320
atgagtctta	ttttactaat	agttttgggt	ggaatagtat	atgttatttt	ttgtgtgtgc	1380
tatattttta	tgtcaagaaa	tttacatttt	aagttattga	aggaaaagat	tatacgaaag	1440
gttggtacata	aaaatacatt	ataa				1464

<210> 346  
 <211> 1464  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 346  
 atgagtaata aaattagtaa aaatttagcc tacaatatgg ggtatcagtt aattgggtatt 60  
 gcagctccct tgataacttc tccttattta tcacggatat taggtgctga aaatttaggt 120  
 attcattcctt ttactatgtc ggttgcaactt tactttatga tgtttatgct tcttggaatt 180  
 gcaaattacg gaaatagaac aattgcgact gttaaacgag aaggaaagga tattctatca 240  
 aaaacgtttt ggagtatcta ctctatccag ttgataatgt ctattctggt aactatagct 300  
 tatcttgctt atctatatatt gggggcagta cattacaaag ttattgcaat attacaactc 360  
 tttttattgt tatcaaatgc tgttgatatt acttggtttt tctatggatt agaaaatttt 420  
 aagcaaatcg tttttaggaa tacattagtc aaacttttag gattattttt aattttttta 480  
 tgtgtgcgtc aaggcacaga tttatggaaa tacacattta taaacggatc agtaacttta 540  
 gttggccaac ttttactatg gggacaatta aaaggaatat taacttggaa aaaaattcaa 600  
 ttaaaggaat tactacctca tatcaagcca attttaattc tttttattcc tgtactagcc 660  
 attagtattt ttactaatat ggataaatat atgcttggtt taatggttga tgtaaagcag 720  
 gttggatttt atgacaatgc aggtagaatt attgaaattc ctaaagcttt gattgcagct 780  
 ttaggggccc ttatgttacc aagaacttcc tatttattag cggaaggaca gaaagaaaag 840  
 agtaataact acatagaggt aacaatttta tacgtgatga ttatttctag tgtattgatg 900  
 tttgggctaa tatcgggtatc tgatattttt tccattatat tttggggaga agaatttctt 960  
 gaatcaggta gattgatttc tgctatgtct cgggcttttg tcttctctgt attaggaat 1020  
 atcattagga ctcagtattt gattcctaga gctaaggata aagattatgt agtgtctcta 1080  
 attgcggggg ctgttggtta tctagtgtca aactattttt ttataaaacc ttttgggtgct 1140  
 atgggagcaa caattagtac agttttggca gaatttgtat tgtctggaat gcagttttgg 1200  
 tcagtaagaa gagacttaga tttaaaaaga tatttgaaaa acggtttgat attctaccta 1260  
 tttgggtctga ttatgcacct cattattata gcaactcaaaa ctcagttacc atacaatata 1320  
 atgagtctta ttttactaat agttttgggt ggaatagtat atgttatttt ttgttgttgc 1380  
 tatattttta tgcaagaaa tttacatttt aagttattga aggaaaagat tatacgaaaag 1440  
 gttgtacata aaaatacatt ataa 1464

<210> 347  
 <211> 1464  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 347  
 atgagtaata aaattagtaa aaatttagcc tacaatatgg ggtatcagtt aattgggtatt 60  
 gcagctccct tgataacttc tccttattta tcacggatat taggtgctga aaatttaggt 120  
 attcattcctt ttactatgtc ggttgcaactt tactttatga tgtttatgct tcttggaatt 180  
 gcaaattacg gaaatagaac aattgcgact gttaaacgag aaggaaagga tattctatca 240  
 aaaacgtttt ggagtatcta ctctatccag ttgataatgt ctattctggt aactatagct 300  
 tatcttgctt atctatatatt gggggcagta cattacaaag ttattgcaat attacaactc 360  
 tttttattgt tatcaaatgc tgttgatatt acttggtttt tctatggatt agaaaatttt 420  
 aagcaaatcg tttttaggaa tacattagtc aaacttttag gattattttt aattttttta 480  
 tgtgtgcgtc aaggcacaga tttatggaaa tacacattta taaacggatc agtaacttta 540  
 gttggccaac ttttactatg gggacaatta aaaggaatat taacttggaa aaaaattcaa 600  
 ttaaaggaat tactacctca tatcaagcca attttaattc tttttattcc tgtactagcc 660  
 attagtattt ttactaatat ggataaatat atgcttggtt taatggttga tgtaaagcag 720  
 gttggatttt atgacaatgc aggtagaatt attgaaattc ctaaagcttt gattgcagct 780  
 ttaggggccc ttatgttacc aagaacttcc tatttattag cggaaggaca gaaagaaaag 840  
 agtaataact acatagaggt aacaatttta tacgtgatga ttatttctag tgtattgatg 900  
 tttgggctaa tatcgggtatc tgatattttt tccattatat tttggggaga agaatttctt 960  
 gaatcaggta gattgatttc tgctatgtct cgggcttttg tcttctctgt attaggaat 1020  
 atcattagga ctcagtattt gattcctaga gctaaggata aagattatgt agtgtctcta 1080  
 attgcggggg ctgttggtta tctagtgtca aactattttt ttataaaacc ttttgggtgct 1140  
 atgggagcaa caattagtac agttttggca gaatttgtat tgtctggaat gcagttttgg 1200  
 tcagtaagaa gagacttaga tttaaaaaga tatttgaaaa acggtttgat attctaccta 1260  
 tttgggtctga ttatgcacct cattattata gcaactcaaaa ctcagttacc atacaatata 1320  
 atgagtctta ttttactaat agttttgggt ggaatagtat atgttatttt ttgttgttgc 1380

tatatatttaa	tgtcaagaaa	tttacatttt	aagttattga	aggaaaagat	tatacgaaag	1440
gttgtagata	aaaatacatt	ataa				1464

&lt;210&gt; 348

&lt;211&gt; 1464

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 348

atgagtaata	aaattagtaa	aaatttagcc	tacaatatgg	ggtatcagtt	aattgggatt	60
gcagctccct	tgataacttc	tccttattta	tcacggatat	taggtgctga	aaatttaggt	120
attcattctt	ttactatgtc	ggttgcactt	tactttatga	tgtttatgct	tcttggaatt	180
gcaaattacg	gaaatagaac	aattgcgact	gttaaagcag	aaggaaagga	tattctatca	240
aaaacgtttt	ggagtatcta	ctctatccag	ttgataatgt	ctattctggt	aactatagct	300
tatcttgctt	atctatatatt	gggggcagta	cattacaaag	ttattgcaat	attacaactc	360
tttttattgt	tatcaaatgc	tgttgatatt	acttggtttt	tctatggatt	agaaaatttt	420
aagcaaatcg	tttttaggaa	tacattagtc	aaacttttag	gattattttt	aattttttta	480
tgtgtgcgtc	aaggcacaga	tttatggaaa	tacacattta	taaacggatc	agtaacttta	540
gttgccaac	ttttactatg	gggacaatta	aaaggaatat	taacttgga	aaaaattcaa	600
ttaaaggaat	tactaccta	tatcaagcca	attttaattc	tttttattcc	tgtactagcc	660
attagtattt	ttactaatat	ggataaatat	atgcttggtt	taatggttga	tgtaaagcag	720
gttggtattt	atgacaatgc	aggtagaatt	attgaaattc	ctaaagcttt	gattgcagct	780
ttagggccg	ttatgttgcc	aagaacttcc	tattttattag	cgggaaggaca	gaaagaaaag	840
agtaaatact	acatagaggt	aacaatttta	tacgtgatga	ttatttctag	tgtattgatg	900
tttgggctaa	tatcggtatc	tgatattttt	tccattatat	tttggggaga	agaatttctt	960
gaatcaggta	gattgatttc	tgctatgtct	cgggcttttg	tcttctctgt	attaggaaat	1020
atcattagga	ctcagtattt	gattcctaga	gctaaggata	aagattatgt	agtgtctcta	1080
attgcggggg	ctgttggtta	tctagtgtca	aactattttt	ttataaaacc	ttttggtgct	1140
atgggagcaa	cagttagtag	agttttggca	gaatttgat	tgctctggaat	gcagttttgg	1200
tcagtaagaa	gagacttaga	tttaaaaaga	tatttgaaaa	acggtttgat	attctaccta	1260
tttggctcga	ttatgtacct	tgttattata	acactcaaaa	ctcagttacc	atacaatata	1320
atgagtctta	ttttactaat	agttttgggt	ggaatagtat	atgttatttt	ttgttggtgc	1380
tatatatttaa	tgtcaagaaa	tttacatttt	aagttattga	aggaaaagat	tatacgaaag	1440
gttgtagata	aaaatacatt	ataa				1464

&lt;210&gt; 349

&lt;211&gt; 1416

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 349

atgaagattt	taaagaatta	tgtttataat	ttgttatacc	agatactagt	agttgttctc	60
ccaataataa	ctactcccta	tattactaga	atctttagtt	ctcaagagtt	aggtgattat	120
ggatattata	gttctatagt	aacttacttt	atattgctcg	ctacttttagg	tgctcgccaac	180
tatgggacta	aggtaatttc	tggacatcgt	aatgagatta	ataaaaattt	ttggggtatc	240
tactctttac	aattaggtgc	tacaatcctt	tcaatctcct	tatatgtgat	tttttgcgtt	300
aaccttcttc	caatgcaaaa	cccagtagcc	tatattttgg	gattgagttt	agtttctaaa	360
ggtttagata	tttctgggct	ttttcaagga	ttagaggatt	tccgtaaaaat	tactgttcga	420
aatattacgg	taaaactaat	tggggtaatc	tctattttcc	tgtttgtcaa	atctactaac	480
gacctttacc	tttatgtgtt	cttattaaca	atatttgagc	tattgggaca	attaagtatg	540
tggttgccgg	cccaggggtt	tattggtaag	ccccatggtg	atttagaata	cgctaggtac	600
caattgaaac	caattatttt	attatttctt	cctcagatag	caatctcttt	atcgttact	660
ttagatcgta	cgatgcttgg	tgctttatcc	tctacaaaag	atgtaggaaat	ttatgatcag	720
gctcttaaat	tggtaaatat	tttattaaca	ttggtaacat	cgcttggaag	tgttatgttg	780
cctcgagtag	ctaacttatt	agcaacagga	gatcatagag	cagtcaataa	gatgcatgag	840
atggctttct	tgatttataa	tttagttatt	tttcttatta	tatccggaat	gttaattgtc	900
aatgatgatt	ttgttcaatt	tttcttgggt	caagattttc	aggatgcacg	ttatgcaatc	960
gccattatga	ttttccgtat	gttctttata	ggttggaaca	atattatggg	aattcaaat	1020
ttgattccac	acaataaaaa	taaggaattt	atggtttcaa	caacagctcc	cgcaattatc	1080
agtgtagggt	tgaacctgct	attccttctt	aaacttggtt	atccggagc	agctattgtc	1140
tctgttttaa	cagaagcgct	agtatgggca	attcaattgt	actttaccgc	caaataccta	1200

aaggaagttt	caattattgg	atctatgaca	aaaattatc	tagcatcagc	tatcatgtat	1260
ggtattttgc	ttggttcaaa	aacattttata	cagttttcac	caaccataaa	tggtctagca	1320
tttgctgtgt	ttggtggact	catttatctt	tttgcaattc	tatctctgaa	agtggtagat	1380
gtaaaagaat	taaaacaaat	gattaggaaa	aaatag			1416

&lt;210&gt; 350

&lt;211&gt; 1440

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 350

atgaaaaaaa	tattaaataa	gtattattct	ttatctaate	ctgtaaaagc	ttcaatttgg	60
tttactattt	gcaatgttct	tcaaaaagga	atttcaatga	ttactgttcc	agtttttact	120
agagtattga	caacggaaca	atatggtgta	tactctgtat	atcaatcatg	gtattcaata	180
attggagttt	ttgcaacact	aaacctatat	tatggagtct	ttaataatgg	aatgattaaa	240
tacgagaaaag	ataaaaatgt	ctttacttcc	tctatgcagg	gactaacaac	aacagttaca	300
gctatatttt	tactgatata	tttaaatagg	attgattttt	ggaactcgtt	gttaggctta	360
cctacactac	taatcttagt	gatgttcttt	gatttgtttt	ttacccctgc	ttattctttt	420
tgggttgctc	gtcagagatt	tgaatataaa	tatagaaact	tagtatttat	cacattttatt	480
atagcgattg	gaagtcctat	tattggtatt	tctgcagttg	ttttatcgac	ttataaagcg	540
gaggctagag	ttatctcatt	tgtgttagtt	caatcttgta	taggggtata	tttctatatt	600
ttgaaccttt	accgaggtaa	acattttttt	tgtaaaaaat	attggctcta	tgctttgaat	660
tttaattttac	ctcttattcc	tcattattta	tcgcaatcag	ttttaaacca	atcggataga	720
ataatgatta	attcaatggg	aggaatggga	gaagcagcaa	tatatagtgt	tgcttacagc	780
atatcaattt	tgatgctttt	agtgcacagt	gctataaaca	gctcttttat	tccttaacac	840
tataagtgtg	ttcgagataa	gaaatatact	gaactaggga	aaagtgcaca	tccttttaatt	900
actctggtag	gcattggttc	gattttaact	atttctcttg	gaccagaaat	cattcaatta	960
tttgacacaa	aacaatatta	cgaagcaata	tggtattatc	ctcctgttgc	tctgtcagta	1020
tatttcatgt	tcttatatcc	cattttttgg	aacatttgagt	tttactttga	agcaaatcat	1080
tttgtaattg	gggcttcaat	cggtggagca	attatgaata	tttttttgaa	ttttattttt	1140
ttaaaacact	ttggatatat	tgccggcaggc	tatacaactt	tattctgtta	tattttattt	1200
gcgttgggac	attacatttt	tatgaggaga	gtactgtatc	agaatctttc	gggtatccaa	1260
atttataaatt	ccagatatat	tttatttttt	tcgattcttc	ttattattct	aatgctacta	1320
atcgtgatta	tttatccatt	tatactgatt	cgttatctta	ctatctcaat	catcctagga	1380
ggatgttttt	taaagaggaa	aaagataatg	agttcgatag	ctatcattaa	acaacagtga	1440

&lt;210&gt; 351

&lt;211&gt; 1443

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 351

atgaataacg	aaaaaagttt	aagctccaag	ataatatcag	gaagtttttg	gaaattcggg	60
gaaagaatga	gtgcacaggc	ggtttctttt	tttgtttctc	tgatttttaac	acgaatctta	120
tccccaagtg	attacgggat	tattgcgatt	attaatat	ttatagctat	tgctgatgta	180
cttttagcta	gtggtttaaa	tactgctttg	atacagaaaa	aaaattcoac	gagactagat	240
tataatacga	ttttttgggtg	taatattata	ctgggttgtg	ttctgtatct	agtattattt	300
ttagtagcac	cagtccttgc	agattttttat	aatatttcta	tacttacacc	agtcattoga	360
atttttgcac	tgccggttacc	cattttcttct	tttcaatcaa	ttcaaaacgc	atttgtttct	420
aagcatatgc	agtttaagaa	gtttttttac	gccacctttt	tggttctgct	agtatctgct	480
gttggttgaa	ttacaatggc	ttatacagg	tttggtgtat	gggcacttgt	agcacaatat	540
ttagtaata	cgggttggg	aacagctaca	ctatttgcta	tcattagttg	gcgtccaaaa	600
tttgaatttt	ctttggaaa	tgccaaaccc	ttagtccaat	atggctggaa	gataatgttt	660
acagacctta	caggtagcat	tttcaacaat	ttaggagact	ttatcattgg	cgcatactat	720
aattcatctt	cacttgcttt	ttattctaaa	gggcgccaat	tacctatctt	aattagaaat	780
aatattttta	cttctttgat	aagtgtactc	ttcccaggaa	tgtctcagg	taatgatgat	840
attgaacgta	ttaaatcttt	ttcaogtaag	agtgtctcaa	tcttatcttt	tttaattttt	900
ccaacaatgg	ttggtttaat	tgtgactgct	gaaccactaa	ctatcttaat	gtatactgaa	960
aaatggctac	ctattattcc	cttcgttgtg	attgtatgtt	cggaagcaat	tttatcagtt	1020
ataccaacgg	taacaatgca	gacaattaaa	gcattaggac	gtagtgtatt	aacactaaaa	1080
atagaattta	taaaaaagcc	catttatcta	ttaacgattt	ttgtatcttt	aaactttgga	1140

atagtggcta	ttgcctttac	attaattatt	aatgcgatta	ttgaaatgat	tattaatggg	1200
ttaattgtac	aaagactaat	caagtactct	ttgtgggaac	aatttaata	tatatattgg	1260
tcattaatga	tttcaattat	gatgggctta	ttatcatatt	tagtgatttt	tttaaattta	1320
aacattttatc	tcacattatt	gttacaagtt	gttactggg	tctctagtta	tctcatttta	1380
gctattgtat	ttaaaaacga	atcatttcatt	gagttgaaaa	atagattttt	gagcactgag	1440
tag						1443

&lt;210&gt; 352

&lt;211&gt; 1518

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 352

atgagtaata	gacttggtta	tactagaaga	aatattgttt	ggggaacatt	aaataagctt	60
attgcgattg	ctttaccatt	tttagttcga	acaactttga	tttatcaatt	agggatacaa	120
tatgtcggta	ttagtggaact	ttttgcactc	attttacaag	ttcttagttt	agctgattta	180
ggtttcgcta	atgcaattgt	atatagtatg	tataaacctc	ttgcccattg	ggataatgac	240
actgtcgggtg	cacttctagg	attttataaaa	aaaatatatc	gagtcgctcg	ggtggtaata	300
tttaattgcgg	gccttttaaat	tgtgcccttt	ataaattact	tagtaaaggg	ttcctatcct	360
gcagatatca	atatacaact	aattttactta	atttatctgg	caaatacagt	tgtaggttac	420
tttctttttg	cttataaacg	ctctttattg	ttagctagtc	aacgaaaaga	tatatattgac	480
aacattgatt	cagttgctcg	cataatttta	agtggattac	aaattttatt	attgtttctt	540
tttcttgatt	tctatgtttt	tgtcttagta	attccctgta	tgacaatcct	taataatgta	600
tttaacgaaa	tcgtgactaa	gaaaaattac	aatttatatc	ttgaaaatag	taacttagat	660
aaaaaagtta	aacaagaaat	tattgaaaaa	acaaagggat	tatttgtcta	caaagtatgt	720
gggattacaa	gaaattccct	cgataacatc	tttatttcta	cttttttagg	gattacgaca	780
gtgggaattt	atagtaatta	ttattacatt	atgatatcag	taaaagggtt	tttggtatgt	840
gtttctacag	gaatgagtgc	tagtggttga	catagtgttg	ctactgaaag	tggtgaaaaa	900
aatcatcgtg	acttagaaaa	tcttacattt	ggtttctctt	ggtaggtac	ctggtttatg	960
acatgtttat	tatgtctgtt	ccaaccattt	atgcttttgt	gggtaggaca	agctaataat	1020
ttaccatttt	cagtcgttgt	tgtctcttgt	ttttactttt	atgttcttgc	tcgaggtgat	1080
atgctggagcc	aatatattga	cgccctcagg	ttatgggata	aagaaaaact	acgggtcaatt	1140
gcagaaacgg	taggtaaatg	tgttttgaat	tatatatttg	ttcaattttt	aggtgtttta	1200
ggaatagtgc	tagctactgc	actaacaatt	ttgtttattg	gaattccatg	gagtacaaaa	1260
attgtgtttg	ataattattt	taaaaatgg	tataaaaagt	atttgtggaa	tcaagcagta	1320
tatgctatag	taactataat	tgttgctagt	attacttata	taactctgtac	actagttggt	1380
ggcaataaca	tcgtgggttt	aattataaga	ggaataattt	gtttatttgt	ccccaataat	1440
ttatatattt	tattcttttt	aaaaaatgaa	cagacgcgtc	tgtttttcaa	aataatcaag	1500
tcgaaattat	taaaataa					1518

&lt;210&gt; 353

&lt;211&gt; 1305

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 353

atgattctgt	ccatgttggg	gattttctaat	tatgggaatc	ggacaatagc	acgggtacga	60
acaagtagag	aacatttgaa	tcaggaattt	tcgaatattt	acgcggttca	gttgacgtgt	120
tcactagtaa	tgaccatctc	atatttgatt	tatgcaacag	tatttgtgaa	tagttttcag	180
attgtagcct	atatccaagt	attacatgtt	ttatcgtatg	caacagatgt	tagttggttt	240
ttttatggtc	ttgaagagtt	tcgtattacg	gttgctagga	attcatttgt	taagttatta	300
actttaatat	ctatctttac	atttgtaaaa	agccctaatt	atatctattt	atataccttt	360
ataatggcag	gggttaccct	gcttgggtcag	ttgattacat	ggccattttt	gctaaaacaa	420
gtaaactttg	tgtgccctag	tcttggaata	ataaagaaac	acatgaaacc	tattattatt	480
ttattttttc	ccgtcttagc	ggtaggtatt	ttttcgtttc	tagataaaat	aatgcttggg	540
atgtatagta	gtttgaagga	aactgctttt	tatgagaatt	cagataagat	cattagtatt	600
ccaaaagctc	tgattcaagc	ctttggagct	gtaatgttgc	ctcgaacagt	acatttactg	660
agtatagggtg	atgaacaaaa	aagtttagaa	tatgttgata	aaacgatgtg	ggctgtttta	720
gtgattacaa	tgggctgtgc	tttcggttta	caggagtttt	ctgcaacctt	tgctcctgtt	780
tattgggggtg	aagaatttag	agccagtagc	gaattatttg	caggaatgac	accggcttta	840
gtatttttcg	cttttggaata	tgtcatccga	acccagtttt	taattccacg	aagttttgac	900



aaggaatata	cggtatcttt	actttatgga	gccgttggtta	atattttgat	taatattctt	960
ttaattccga	agataggagc	aatgggagct	ggtatcggaa	caattgttgc	agagttagtt	1020
ctatgttgct	atcaaaccatg	gattgctaga	aattattttac	atatcagaga	atatctgata	1080
aatgctggga	tattattttct	tatcggttca	gtaatgtata	tggttttaat	tcttatttca	1140
agtattttac	ctacttcggt	acttacactt	attattgaaa	ttatagtcgc	agctttcatt	1200
tatattagtt	tactgattct	gcatatcttt	tcttcaaaaa	acagggtaat	tattggttta	1260
cgaacaaatt	ttttagaacg	tactcattta	tttaaaagga	agtaa		1305

&lt;210&gt; 354

&lt;211&gt; 1305

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 354

atgattctgt	ccatgttggg	aattttcta	tatgggaatc	ggacaatagc	acaggtagca	60
acaagtagag	aacatttgaa	tcaagaattt	tcgaatat	acgcagttca	ggtgacgtgt	120
tcactagtaa	tgaccgtctc	atatttgatt	tatgcaacag	tatttgtgaa	tagttttcag	180
attgtagcct	atatccaagt	attacatggt	ttatcgtatg	caacagatgt	tagttgggtt	240
ttttatggtc	ttgaagagtt	tcgtattacg	gttgctagga	attcatttgt	taagttatta	300
actttaatat	ctatctttac	atttgtaaaa	agccctaag	atatctattt	atataccttt	360
ataatggcag	ggagtaccct	gcttggtcag	ttgattacat	ggcaattttt	gctaaaacaa	420
gtaaactttg	tgcgccctaa	tcttggaaaa	ataaagaaac	acatgaaacc	tattattatt	480
ttattttttc	ccgtcttagc	ggttagtatt	tttctgtttc	tagataaaat	aatgcttggg	540
atgtatagta	gtttgaagga	aactgctttt	tatgagaatt	cagataagat	aattagtatt	600
ccaaaagctc	tgattcaagc	ctttggagct	gtaatgttgc	ctcgaacagt	acatttactg	660
agtatagggtg	atgaacaaaa	aagtttagaa	tatgttgata	aaacgatgtg	ggttggttta	720
gtgattacaa	tgggctgtgc	tttcggttta	gcaggagttt	ctgcaacctt	tgctcctgtt	780
tattgggggtg	aagaatttag	ggccagtagc	caaattattg	caggaatgac	accggcttta	840
gtattttcgg	cttttgga	tgcatccga	acccagtttt	taattccacg	aagttttgac	900
aaggaatata	cggtatcttt	gctttatgga	gccgtagttta	atatcttgat	taatattctt	960
ttgattccga	agatgggagc	aatgggagct	ggtatcggaa	taattgttgc	agagttagtt	1020
ctatgttgct	atcaaaccatg	gattgctaga	aattattttac	atatcagaga	atatctgata	1080
aatgctggga	tattattttct	tattggttca	gtaatgtata	tggttttaat	tcttatttca	1140
agtattttac	ctacatcggt	acttacactt	attattgaaa	ttatagtcgg	agctttcatt	1200
tatattagtt	tactgggttct	gtatatcttt	tcttcaaaaa	acagggtaat	tattggttta	1260
cgaacaaatt	ttttagaaca	tactcattta	tttaaaagga	aataa		1305

&lt;210&gt; 355

&lt;211&gt; 1305

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 355

atgattctgt	ccatgttggg	aattttcta	tatgggaatc	ggacaatagc	acaggtagca	60
acaagtagag	aacatttgaa	tcaagaattt	tcgaatat	acgcgggttca	attgacgtgt	120
tcactagtaa	tgaccgtctc	atatttgatt	tatgcaacag	tatttgtgaa	tagttttcag	180
attgtagcct	atatccaagt	attacatggt	ttatcgtatg	caacagatgt	tagttgggtt	240
ttttatggtc	ttgaagagtt	tcgtattacg	gttgctagga	attcatttgt	taagttatta	300
actttaatat	ctatctttac	atttgtaaaa	agccctaag	atatctattt	atataccttt	360
ataatggcag	ggagtaccct	gcttggtcag	ttgattacat	ggccattttt	gctaaaacaa	420
gtaaactttg	tgcgccctag	tcttggaaaa	ataaagaaac	acatgaaacc	tattattatt	480
ttattttttc	ccgtcttagc	ggttagtatt	tttctgttta	tagataaaat	aatgcttggg	540
atgtatagta	gtttgagga	aactgctttt	tatgagaatt	cagataagat	cattagtatt	600
ccaaaagctc	tgattcaagc	ctttggagct	gtaatgttgc	ctcgaacagt	acatttactg	660
agtatagggtg	atgaacaaaa	aagtttagaa	tatgttgata	aaacgatgtg	ggttggttta	720
gtgattacaa	tgggctgtgc	tttcggttta	gcaggagttt	ctgcaacctt	tgctcctgtt	780
tattgggggtg	aagaatttag	ggccagtagc	caaattattg	caggaatgac	accggcttta	840
gtattttcgg	cttttgga	tgcatccga	acccagtttt	taattccacg	aagttttgac	900
aaggaatata	cggtatcttt	gctttatgga	gccgtagttta	atatcttgat	taatattctt	960
ttgattccga	agataggagc	aatgggagct	ggtatcggaa	taattgttgc	agagttagtt	1020
ctatgttgct	atcaaaccgtg	gattgctaga	aattattttac	atatcagaga	atatctgata	1080

aatgctggga	tattgtttct	tattggttca	gtaatgtata	tggttttaaat	tcttattttca	1140
agtatttttac	ctacatcggt	acttacactt	attattgaaa	ttatagtcgg	agcttttcatt	1200
tatattagtt	tactgattct	gtatatcttt	tcttcaaaaa	acagggtaat	tattggttta	1260
cgaacaaatt	ttttagaaca	tactcattta	tttaaaagga	agtaa		1305

&lt;210&gt; 356

&lt;211&gt; 1416

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 356

atgaaagtaa	taaaaaacta	tgcttacaat	ctttcataatc	aattatttgg	aattatactc	60
cctattatta	caacacctta	tgtaacacgg	gttttttagt	ctaattgatt	aggacatac	120
ggatacttta	gttcgatagt	tacttacttt	attttgctgg	ctagtcttgg	cggttgctaac	180
tatggtacta	aggtaatctc	tggaatcgc	aaggagattg	aaaaaaactt	ttgggggatt	240
tactcattgc	aaatgggtgc	aacgcttctt	tctctattct	tgtaccttgt	tctttgtttg	300
acccttcctt	ttatgcaaaa	tctagtagcc	tacattcttg	gattgagttt	ggtttctaaa	360
ggtttagata	tttctggct	ctttcaaggt	ttagaggatt	ttcgaaagat	tactgttcga	420
aatatcacag	tcaaaactcg	tggtgtcatc	tccatcttct	tctttgtcaa	atctgcaaac	480
gatctttatc	tctatgtctt	tttgtaaac	atatttgaac	tctttggaca	actcagtatg	540
tggttgccgg	ctcgagactt	tatcggaag	tttcatgttg	atatagaata	cgccagacag	600
catttgaagc	caattatttt	attgttctta	ccacaagtgc	cgatttcttt	gtatgttacc	660
ttagatcgta	ccatgcttgg	agcgcttgct	tctacaaaag	acgttggcat	ctacgatcaa	720
ggcctaaaaat	tggtaaatat	tcttctaacc	tttgtaactt	cattgggaag	tgttatgctg	780
ccacgagtat	ctcatctgct	tgcgacaggt	gaacgtaagg	cagtaaacia	gatgcagag	840
atgtcttttt	tgatttataa	tttgcttatt	tttccgatta	tggtggggat	tctgatctgt	900
aatgatgatt	tcgttcagtt	atttctagga	caagattttc	aagatgcacg	ctatgcaatt	960
gcgattatgg	ttctcaggat	gttctttatt	ggttggacta	atataatggg	aactcagatg	1020
ttgatccccc	ataaccaaaa	taaagaattt	atgatttcaa	caacagctcc	agccattatt	1080
agcggtggat	tgaatctatt	attcctaccc	aagttagggt	atataggagc	agccattgtc	1140
tctgttttga	cagagcgct	agtttgggta	attcaattat	tctatactcg	cagatattta	1200
aaagaagttc	ctataatcgg	atcaatgtca	aaaattatac	tagcatctgc	cattatgtat	1260
ggccttttac	taagttcaaa	aacagttata	catttttcat	cgaccttaaa	tgttctagca	1320
tttgacagcg	ttggtggaat	catttatatt	tttgcaattc	tatctctgaa	agtggtagat	1380
gtgaaagaat	taaaacaaat	tattaggaaa	aactag			1416

&lt;210&gt; 357

&lt;211&gt; 1443

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 357

atgtcaacca	gaaattcaat	tattaaaaat	tctctttata	atgttgctta	tagaatgtta	60
aatatcatat	ttccattagt	atccgcaaca	tatactgcac	ggataatttt	agctagtggg	120
gttggggagg	tctcgtttgc	acaaaatggt	gtttcttact	ttacaacgat	agctgctatg	180
ggtattccaa	attatgggtat	acgagaaatt	gctaaaacta	gaaataaaga	agaggctacg	240
aataaagttt	tttcagagct	atttctgatt	aatggattgt	ctacattact	gtgttctata	300
gtatatttaa	ttctgatttt	gacattcaat	agcatttttg	ataatacatc	aatgtatctt	360
gctgtgggtt	taacattagt	gttttaactt	cttaatatcg	attggttcta	tcaaggaaaa	420
gaggactatg	catacatcac	gaaacgtagt	ttcagtataa	aacttatttc	tctttttagt	480
ttatttattt	ttgtagaga	tactgacgat	gcagtttaac	atgcattgat	ttctagctta	540
gcaattggcg	ggaataatat	ttttaatctt	gttaatttaa	ggaaatataa	tattagattt	600
agttttaata	atattaagat	tagaagacac	tttaaaccta	tttttgtttt	gttgggttca	660
gtgattgcta	ttgaaatcta	tactatgctg	gataccacta	tgattgggtg	tatggtagga	720
acgactgagg	taggttatta	tacaaattct	atgaagctag	ttaaattgct	gataactgtg	780
attaccgcta	ttggaggagt	gcttttacca	cgactaagtg	attattattc	taaggagaa	840
tttgaaaaat	taaatcacat	cgttgataaa	gttttttagaa	tcatgttggt	tcttttttta	900
ccagcccaag	ttgcattaat	tctagttgca	ccagtaatta	tgccgatttt	atttgggtgat	960
agttttatatac	cagcagtgtt	aacacttcaa	cttacttctt	tgcttatatg	tacattaggg	1020
tttagtaatt	tatttgggac	tcaaatatta	ctaacatttg	gagatgagcg	aaagcttttg	1080
attagcacaa	ttttaggagc	gcttagtaat	atcgctttga	acctaattct	gattccagta	1140

atggctcaaa	atggagcagc	gttggcatct	gtgattagt	aaacaattgt	tactttaaca	1200
gcatactact	atgcgaaaaa	acgtgtgaca	attaggtttg	acttaggatt	ttatttgcca	1260
actgttggtt	caacaataat	catgggtgga	gctatatatg	tagtaatgca	attgtatatt	1320
ggggatatag	aaaaaatgtt	attttcaact	ttgttaggag	gtgttggtatt	ccttttaatt	1380
aacgttttta	tgaagaatcc	tattatatat	gaatttacag	gtattataaa	gagaaagaga	1440
taa						1443

&lt;210&gt; 358

&lt;211&gt; 1443

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 358

atgtcaacca	gaaattcact	tattaaaaat	tctctttata	atgttgctta	tagaatgtta	60
aatatcatat	ttccattagt	atccgcaaca	tatactgcac	ggataatatt	agctagtggga	120
gttggggagg	tctcgtttgc	acaaaatgtt	gtttcttact	ttacaacgat	agctgctatg	180
ggtattccaa	attatggtat	acgagaaatt	gctaaaacta	gaaataaaga	agaggctacg	240
aataaagttt	tttcagagct	atttctgatt	aatggattgt	ctacattact	gtgttctata	300
gtatatttaa	ttctgatttt	gacattcaat	agcatttttg	ataatacatc	aatgtatcct	360
gctgtgggtt	taacattagt	gtttaacttc	cttaatatcg	attggttcta	tcaaggaaaa	420
gaggactatg	catacatcac	gaaacgtagt	ttcagtataa	aacttatttc	tctttttagt	480
ttattttatt	ttgttagaga	tactgacgat	gcagttaact	atgcattgat	ttctagctta	540
gcaattggcg	ggaataatat	ttttaatcct	gttaatttaa	ggaaatataa	tattagattt	600
agttttaata	atattaagat	tagaagacac	ttaaaacct	tttttgtttt	gttgggttca	660
gtgattgcta	ttgaaatcta	tactatgctg	gataccacta	tgattgggtc	tatggtagga	720
acgactgagg	taggttatta	tacaaattct	atgaagctag	ttaaattgct	gataactgtg	780
attaccgcta	ttggaggagt	gctttttacca	cgactaagtg	attattattc	taaggagaga	840
tttgaaaaat	taaatcacat	cgttgataaa	gttttttagaa	tcatgttggt	tcttttttta	900
ccagcccaag	ttgcattaat	tctagtgtgca	ccagtaatta	tgccgatttt	atttgggtgat	960
agttttatatac	cagcagtggt	aacacttcaa	cttacttctt	tgcttatatg	tacattaggg	1020
tttagtaatt	tatttgggac	tcaaataatta	ctaaccattg	gagatgagcg	aaagcttttg	1080
attagcacia	ttttaggagc	gcttagtaat	atcgctttga	acctaatctt	gattccagta	1140
atggctcaaa	atggagcagc	gttggcatct	gtgattagt	aaacaattgt	tactttaaca	1200
gcatactact	atgcgaaaaa	acgtgtgaca	attaggtttg	acttaggatt	ttatttgcca	1260
actgttggtt	caacaataat	catgggtgga	gctatatatg	tagtaatgca	attgtatatt	1320
ggggatatag	aaaaaatgtt	attttcaact	ttgttaggag	gtgttggtatt	ccttttaatt	1380
aacgttttta	tgaagaatcc	tattatatat	gaatttacag	gtattataaa	gagaaagaga	1440
taa						1443

&lt;210&gt; 359

&lt;211&gt; 1386

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 359

atgagtaaat	ataaggaatt	agcaaaaaat	acaggatatt	ttgctttggc	taacttttca	60
tcaaagattt	taattttttt	gttagtacct	atatatacac	gggtacttac	cactacggaa	120
tatggttttt	atgacttagt	ctatacaact	attcagcttt	ttgtaccaat	cttgacatta	180
aatatatctg	aagccgttat	gaggttccta	atgaaagatg	gtgtttctaa	aaaatcagtc	240
ttttcaattg	ctgttttaga	tatatattat	ggatcaattg	cttttgcttt	attgttggtta	300
gtaaaataacc	tgttttcttt	atcagattta	atttctcaat	acagtattta	catatttgta	360
atcctttggtt	tctataccct	aaataatttt	ttgatacaat	tttctaaggg	aattgataaa	420
attggtgtta	cagctatctc	tggggtcata	agtacagcag	ttatgcttgc	catgaatgtc	480
attcttctag	tagtatttga	ttggggattg	ttaggtttct	ttattgctaa	tgtttggtga	540
tatgttatac	cttgatttta	tatagtttct	agattaagat	tgtgggaatt	atttgaaatt	600
aagattgata	aaaaattaca	atgggaaatg	gtttactatg	ctttgccatt	agttttaaat	660
atattaagct	ggtgggtaaa	taatacttca	gatagatata	ttgtgactgc	aatagtaggt	720
atacaagcta	gtgcaattat	tctagtcgct	tataaaaattc	cacagatttt	gtctacgatt	780
agtgcatttt	ttattcaatc	atggcaaatc	tctgcaatta	aaatacaaga	agataagagc	840
ggtactacat	ttgtatcaaa	catgtctcta	tactataatg	cacttctatt	gattatagcg	900
agtggtatca	tattatttgt	caaacctatt	tctaataatat	tgtttggtat	ttccttctat	960

tctgcgtggg	agctggtacc	atTTTTaata	attagcagtc	tattcaatgc	aatttcaggt	1020
tgtataggag	caattatggg	agctaaaaatg	gatactcata	acattgcaaa	gtcggcttta	1080
gttgggatga	ttgcaaatat	tatTTTaaat	atagtgttaa	cattcttaat	gggtccacag	1140
ggaattacaa	tttctaccct	gatagctagt	tttcttattt	tttatatgcg	aaaagatagt	1200
gtaaaagaaa	ttaattcaga	aacatataga	gcaatttatt	tatcgtggat	actattagtt	1260
gtagaggcct	gtctgcta	ttatatggat	tttattattg	gtgctttaat	agcaatggta	1320
ataaacttat	ttttactaaa	agatgttatc	aaacctttat	atttaaaaat	tttcaaaaga	1380
aattag						1386

&lt;210&gt; 360

&lt;211&gt; 1389

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 360

atgagtaaat	ataaggaatt	agcaaaaaat	acaggtaactt	ttgcttttagc	taattttttca	60
tcaaaaaatat	taattttttt	gtagtacct	atatatacaa	aagttctaac	aacgacagag	120
tatggttttt	atgatttggg	ttatacaaca	attcagctcc	ttgtaccaat	cctgacattg	180
aatatactcg	aagcagttat	gagattttta	atgaaagaag	atgtttcaaa	aaaatcagtt	240
ttttcgattg	caatacttga	tatatTTTta	gggtctatta	ttttttgttt	gttactactg	300
gtcaatcaaa	tattttcttt	atcggagtta	atTTTctcaat	atagcatata	tatcatggcg	360
atTTTtgctt	tttatacaact	taataatTTT	ttgatataaat	actctaagg	gattgataaa	420
ataggtgtaa	cggctatctc	tggagtcata	agtgcagcag	ttatgctttc	gatgaatatt	480
ttattgttag	tggattataa	ttggggacta	ctaggttttt	ttatcgcaaa	tatttggggg	540
tatgtcattc	cttgtgtata	tataatagta	aaactaaaat	tatgggattt	atttgaactt	600
aaaattgata	gatcgttaca	gtgggaaatg	atatattata	ctttaccttt	gatttttaaat	660
actttaagtt	ggtgggttaa	taacacttca	gataggtata	ttataacagt	aattataggt	720
atacaagcta	gtgcgattat	ttcagttgct	tataagattc	cacaaatTTT	ttccacaatt	780
agcgcataat	tattcaatc	gtggcaaaata	tctgcaataa	aaattcagga	agaaaaagaa	840
ggtaacacct	ttatatcaaa	aatgctttta	tattataatg	cactcttgct	gattatagcg	900
agcggatatc	ttctatttgt	aaaaccaatc	tctaataatac	tcttcggagc	ttcattttat	960
tcagcgtgga	cgttctgacc	gttttttaatt	attagcagtt	tgTTTaatgc	gatttcgggt	1020
tatataggag	cgataatggg	cgctaaaaatg	gatactaaaa	atattgctaa	atctgctttg	1080
gttggaaatga	tagctaattgt	tttttttaaat	attgtattaa	catttttaat	gggactacag	1140
gggattacaa	tctcaactat	gatagctagt	tttcttattt	tttatatgag	aaaagatagt	1200
gttgaagaaa	ttgctccaga	aacatataga	gctatttatac	tttctgtggt	tttgtttagtg	1260
gttgaggcta	gtcttttggt	ttatatagat	tttattattg	gggctacatt	agttacatta	1320
atcaatttat	ttttattaaa	ggatactctt	aaaccattat	gttttaaaat	attaaaagga	1380
tttaaatga						1389

&lt;210&gt; 361

&lt;211&gt; 1458

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 361

atgagcatga	aagaaaaatc	aataagtaaa	aatgctattt	tgaatattat	tttaacacta	60
acaaatattg	tgTTTccatt	aattactttt	ccttatattt	ctagaattct	gaatccgtca	120
ggaataggcg	caatctcttt	tttttcatct	attggttctt	atgggttttt	agttgcctcg	180
cttggaaattt	caacttatgg	gattcgggtg	attgcaaaga	atcgttatca	taaagataag	240
ataactaaaa	tattccaaga	attgatagtt	attaatagtg	taatgtctat	tatagtgcag	300
ttcttctctg	ttttaatgag	tttccgatta	gagcagttaa	gttcagaaaa	aggtttatta	360
ataatcacat	gtattactat	tttgtcctct	ccttttaatt	tgaattgggt	ttatagtggg	420
atagaagagt	attcatatat	aacaaaacgt	tcaatatttt	ttaaattagt	ttcattgata	480
ttaacctttt	tatttggtta	aagtaaagac	gatttatatta	tatatgctgt	gataatattg	540
ttttcaacat	tggcttccaa	ttttataaat	atTTTggaga	gtagaaaata	catcaatttt	600
aatttgagaa	ggaatttaga	atTTtagatat	catctaaaaac	caatgtgggt	tttatttgct	660
tcgttacttg	cagttaatat	ttatacaaat	ttggattctg	tgatgttagg	aattattaat	720
ggaaatgatg	cggtaggtat	ttactcaatc	gcatcaaaag	taaaatggat	tttattatca	780
gtcgttactt	cagttagttt	agttttatta	cccagattat	cattttatag	caataagtat	840
gacgaaacga	agtttaataa	tatttttgaga	aagtcatcta	caataatttt	tatgatttca	900

attcctctaa	caattttttt	tatgataaaa	gcgaaagaga	gtatattatt	gttaggtgga	960
gagcagtata	ttcaggcagt	tttagcaatg	caaatattaa	tgccgatcct	gataatatca	1020
ggtttttcca	atattatagg	taatcagata	ttgatcccta	ctggtaatga	gaaatatttt	1080
atgagagcag	tttctatagg	ggcaatagta	aatttatgtt	taaatttggt	gcttatgcct	1140
attttgggaa	ttatcggagg	tgcaatcgca	actctttgtg	cagaatcagt	ccaaatgatt	1200
attcaatttt	atttttctcg	taataaatta	atgggtaata	tttcattaaa	ttcaatcaaa	1260
aaagtagcct	attcatcaat	ttttgcgggt	atactgttaa	tagtaataca	aaatattata	1320
gagaatttta	atagcttctt	aaatttagct	gcttctagtt	tcctatattt	tggagtatat	1380
tttttcttat	tggtattgtt	taaagaaagt	acaattaaga	aattttctaa	tcaaattttt	1440
tataaggata	tttcatga					1458

&lt;210&gt; 362

&lt;211&gt; 1425

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 362

atgaaagtat	taaaaaacta	tgccataaac	ctttcttata	agttgttgat	aattatactc	60
cctatcatta	ctactcccta	tgtgacacga	gtcttttctt	cggatgattt	aggatcatat	120
ggttatttca	attcgatagt	gacttatttt	atcttgtag	caacacttgg	ggttgctaac	180
tatggtacaa	aggtaatttc	aggacatcgt	aaaaacattg	aaaagaactt	ttggggcatc	240
tattcggtac	aattaggtgc	gacagtctct	tactgttat	tctatgtcat	tctatgtctc	300
tctatatctt	ttatgaaaaa	tccaacagcc	tatattcttg	gattgagttt	aatatcaaaa	360
ggcttgata	tttctgggt	ttttcaagg	atagaggatt	ttcgaaaaat	tacagtaaga	420
aatataactg	taaaagtcac	tggggtaacc	tcggttttct	tatttgtaaa	atcagctagc	480
gacctctatc	tttatgtttt	tcttttaacg	atatttgagt	tattagggca	acttagtatg	540
tgggtaccag	ctcgggaatt	tactgggaaa	ccgcactttg	actggttgta	tgctaaacaa	600
catttgaaac	cagttatctt	attattttta	ccacaggtcg	ctatatcgct	ttatgtgact	660
ttagatagta	ctatgcttgg	ttctctatct	tcaattagag	atgtaggaat	ttatgatcaa	720
tctttgaaac	ttgtcaaaa	attattaaca	ttagtaactt	cattaggaag	tgctatgttg	780
ccacgagttt	caaattcttt	atcttcagg	gatcataaag	cagttaataa	aatgcatgag	840
atgtcatttc	tggtttataa	cttggttatt	attcctatta	tggcaggaa	gctaattgta	900
aatgatgact	ttgtaacctt	tttctcggg	caagattttc	aagaggcacg	ttatgcgata	960
gcaattatga	tttttagaat	gttctttatt	ggttggacca	atattatggg	gattcaaatt	1020
ttgataacct	ataataaaaa	taaagaattt	atgctgtcaa	caacaattcc	tgctattggt	1080
agtgtaggct	taaatcttct	cttgctcca	aagctgggct	atatagggtc	ggcaattgta	1140
tctgttttaa	cagaggtact	agtatggctg	atacagttat	tctatactcg	ttcttatttg	1200
agagaggtgc	ccattctagg	ttcattgatc	aaaattataa	tctcatctgg	agttatgtat	1260
ggtatcttgt	tatttataaa	acaattccta	aatgtatcac	cgataatcaa	tgtgggacta	1320
tatgctattc	tgggagcaat	gatctatctc	gtattaattt	tgatttttag	gattataaat	1380
ccaaatgagt	taaaacaaca	attattaaaa	aataaaggag	cataa		1425

&lt;210&gt; 363

&lt;211&gt; 1416

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 363

atggaaacaa	aagaaaaacg	tttagtgaat	aatacgatta	tttttacaat	tggaagttaa	60
ggttcaaaa	ttatacagtt	tttgtagta	ccittatata	cctatacttt	aacagctgct	120
cagtttggga	ttaccgaaat	tttattaacc	gctgtgaatc	ttttaatacc	tgtattttct	180
atttccattg	ctgatggatt	attaagattt	ggattagata	agaccttaag	aagagaaaa	240
gtcttgaaat	cagcttttat	catttcgata	cttgggacta	ttttatccat	tatttcgatt	300
ccaatttttt	cgctctatcc	tactttgtca	gagtggtatg	tttattttat	catcattttg	360
aacttgagaa	tgtatcggga	tgtttttgcg	attcaattga	aagttgaagg	gaaaaataca	420
ttatttgctt	gcgatagtat	gatttatata	tttgttttat	ctttagcgag	tattgtcttt	480
ctagttcctt	tttcttttag	catttcaggt	tattttttcg	cttatattgt	cagtaatgga	540
atttccattt	tctttatctt	atttttcgga	ggagtctgga	aaagttttac	tagcggaaga	600
tttgaaaaac	aattgatgat	acaactattg	aaatattcag	cacccatgat	tttaaatggt	660
attgcatggg	ggattacaaa	tgccatagat	cggtttatgt	tgcaatgggt	tatggatgat	720
agagcggtag	gtttgtatgg	tggtgttgca	aagttaccct	tattaatcgg	aacgtttact	780

ggagtattta	atcaggcatg	gattattttca	gcagtagaag	agtttgaaga	agaaaatgaa	840
gaatggtttt	atcaaaaagt	ttttcaccaa	tattatgcag	cactcttttt	aagtgtttca	900
gtatttttgc	ttctacttca	accatttatg	aaagtatatg	ttagtccaag	cttttatgaa	960
gcatggcaat	atgctccgtt	tttattattg	tcaagtgtag	tttcaggaat	cgccgcattt	1020
atgacagggt	tttatgttgc	gcaaaaagaa	aatttgaata	ttatatacac	gacgattgct	1080
ggtgcttttg	cgaatatatt	gttaaagcgc	atgtttattc	ctatgcttgg	agtattaggc	1140
gcttccattg	cgacctttct	atcatgggtt	gttattgcaa	tctatcgtat	gaaagatgtt	1200
gaaaactttg	cttgttttcc	attagataaa	aaagtttttt	ggtattttatt	tctattatgt	1260
attcagacca	ttacgatgac	ttttctgcc	atccttgcca	ttgttttttc	agtcgtattg	1320
attcctttatt	tcttttacca	agaacaggaa	tttctagcag	ttttatttga	taaaggaagg	1380
aaaaaagtat	gttcattcaa	aaaatcaaaa	agataa			1416

&lt;210&gt; 364

&lt;211&gt; 1440

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 364

atgaaaaaaa	tattaaataa	gtattattct	ttatctaatac	ctgtaaaagc	ttcaatttgg	60
tttactattt	gcaatgttct	tcaaaaagga	atttcaatga	ttactgttcc	aattttttact	120
agattattga	caacggaaca	atatggtgta	tactctgtat	atcaatcatg	gtattcaata	180
attggagttt	ttgcaacact	aaacctatat	tatggagtct	ttaataatgg	aatgggttaa	240
tacgagaaag	ataaaaatgc	ctttacttcc	tctatgcagg	gactaacaac	aacagttaca	300
gctatatttt	tagtgatata	tttaataggg	attgattttt	ggaactcgtt	gttaggctta	360
cctacgctac	taatcttagt	gatgttcttt	gatttgtttt	ttactcctgc	ttattctttt	420
tgggctacgc	gtcagagatt	tgaatatcaa	tatcgaaaact	tagtatttat	cacacttatt	480
atagcgattg	gaagccctat	tattggtatt	tcttcagttg	ttttatcgac	ttataaagcg	540
gaggctagag	ttatctcatt	tgtgttagtt	caatcttgta	taggattata	tttctatggt	600
ttgaaccttt	accgaggtaa	atattttttt	tgtaaaaaat	attggctcta	tgctttgaat	660
tttaattttac	ctcttattcc	tcattattta	tcgcaatcag	ttttaaatca	atcgatagata	720
ataatgatta	attcaatggt	aggaatggga	gaagcagcta	tttatagtgt	tgcttacagc	780
atatcaactt	tgatggtttt	agtgacaagt	gctataaaca	gctcttttat	tccttacaca	840
tataagtgtg	ttcgagataa	gaaatatact	gaactaggga	aaagtgcata	tcttttaatt	900
actctggtag	gcattgggtc	gatttttaact	atttctcttg	gaccagaaat	cattcaatta	960
tttgcacca	aacaatatta	cgaagcaata	tggattattc	ctccagttgc	tctttcagta	1020
tatttcatgt	tcttatatcc	catttttggg	aacattgagt	tttactttga	agcaaatcat	1080
tttgtaatgt	gggcttcaat	aggtggagca	attatgaata	tttttttgaa	ttttattttt	1140
ataaaacact	ttggctatat	tgccgcaggc	tatacaactt	tattatgtta	tattttattt	1200
gcattgggac	attacatttt	tatgagaaga	gcattgtatc	agaatctttc	gggtatccaa	1260
atttatgatt	ctcgatatat	tttctttttt	tcgtttcttc	ttctgattct	aatgtacta	1320
atcgtgacta	tttatccatt	tgtgttgatt	cgttatattg	ctatctcact	catcctagga	1380
ggatgttttt	taaagaggag	aaagataatg	agttcgatag	tcatgataaa	aaaacagtga	1440

&lt;210&gt; 365

&lt;211&gt; 1440

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 365

atgaaaaaaa	tattaaataa	gtattattct	ttatctaatac	ctgtaaaagc	ttcaatttgg	60
tttactattt	gcaatgttct	tcaaaaagga	atttcaatga	ttactgttcc	aattttttact	120
agattattga	caacggaaca	atatggtgta	tactctgtat	atcaatcatg	gtattcaata	180
attggagttt	ttgcaacact	aaacctatat	tatggagtct	ttaataatgg	aatgggttaa	240
tacgagaaag	ataaaaatgc	ctttacttcc	tctatgcagg	gactaacaac	aacagttaca	300
gctatatttt	tagtgatata	tttaataggg	attgattttt	ggaactcgtt	gttaggctta	360
cctacgctac	taatcttagt	gatgttcttt	gatttgtttt	ttactcctgc	ttattctttt	420
tgggctacgc	gtcagagatt	tgaatatcaa	tatcgaaaact	tagtatttat	cacacttatt	480
atagcgattg	gaagccctat	tattggtatt	tcttcagttg	ttttatcgac	ttataaagcg	540
gaggctagag	ttatctcatt	tgtgttagtt	caatcttgta	taggattata	tttctatggt	600
ttgaaccttt	accgaggtaa	atattttttt	tgtaaaaaat	attggctcta	tgctttgaat	660
tttaattttac	ctcttattcc	tcattattta	tcgcaatcag	ttttaaatca	atcgatagata	720

ataatgatta	attcaatggt	aggaatggga	gaagcagcta	tttatagtgt	tgcttacagc	780
atatcaactt	tgatgggtttt	agtgacaagt	gctataaaca	gctcttttat	tccttacaca	840
tataagtgt	ttcgagataa	gaaatatact	gaactaggga	aaagtgcata	tcctttaatt	900
actctggtag	gcattgggtc	gattttaact	atttctcttg	gaccagaaat	cattcaatta	960
tttgaccaa	aacaatatta	cgaagcaata	tggtatttc	ctccagttgc	tccttcagta	1020
tatttcatgt	tccttatatcc	catttttggg	aacattgagt	tttactttga	agcaaatcat	1080
tttgaatgt	gggcttcaat	aggtggagca	attatgaata	tttttttgaa	ttttattttt	1140
ataaaacact	ttggctatat	tgcggcaggc	tatacaactt	tattatgtta	tattttattt	1200
gcattgggac	attacatttt	tatgagaaga	gcattgtatc	agaatctttc	gggtatccaa	1260
atttatgatt	ctcgatatat	tttctttttt	tcgtttcttc	ttctgattct	aatgctacta	1320
atcgtgacta	tttatccatt	tgtgttgatt	cggttatattg	ctatctcaact	catcctagga	1380
ggatgttttt	taaagaggag	aaagataatg	agttcgatag	tcattgataaa	aaaacagtga	1440

&lt;210&gt; 366

&lt;211&gt; 1416

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 366

atgaagattt	taaagaatta	tgtttataat	ttgttatacc	agatactagt	agttgttctc	60
ccataataa	ctactcccta	tattactaga	atcttttagt	ctcaagagtt	aggtgattat	120
ggatattata	gttctatagt	aacttacttt	atattgctcg	ctacttttag	tgctcgcaac	180
tattgggacta	aggtaatctt	tgacatcgt	aatgagatta	ataaaaattt	ttggggatc	240
tactctttac	aattagggtc	tacaatcctt	tcaatctcct	tatttggtat	ttttgogtt	300
aaccttctc	caatgcaaaa	cccagtagcc	tattttttgg	gattgagttt	agtttctaaa	360
ggtttagata	tttcttggt	ttttcaagga	ttagaggatt	tcctgtaaat	tactgttcga	420
aatattacgg	taaaactaat	tggggaatc	tctattttcc	tgtttgtaa	atctactaac	480
gacctttacc	tttatgtgtt	cttattaaca	atatttgagc	tattgggaca	attaagtatg	540
tggttgccc	cccaggggtt	tattggtaag	cccatgttg	atttagaata	cgctagggtac	600
catttgaac	caattatttt	attatttctt	cctcagatag	caatctcttt	atacgttact	660
ttagatcgta	cgatgcttg	tgctttatcc	tctacaaaag	atgtaggaat	ttatgatcag	720
gctcttaaat	tggtaaatat	tttattaaca	ttggtaacat	cgcttggaag	tggtatgttg	780
cctcgagtag	ctaacttatt	agcaacagga	gatcatagag	cagtcaataa	gatgcatgag	840
atggctttct	tgattttata	tttagttatt	tttcttatta	tatccggaat	gttaattgtc	900
aatgatgatt	ttgttcaatt	tttcttggg	caagattttc	aggatgcacg	ttatgcaatc	960
gccattatga	ttttccgtat	gttctttata	ggttggaaca	atattatggg	aattcaaat	1020
ttgattccac	acaataaaaa	taaggaattt	atggtttcaa	caacagctcc	cgcaattatc	1080
agtgtaggtt	tgaacctgct	attccttctt	aaacttggtt	atctcgagc	agctattgtc	1140
tctgttttaa	cagaagcgct	agtatgggca	attcaattgt	actttaccgc	caaataccta	1200
aaggaagttt	caattatttg	atctatgaca	aaaattattc	tagcatcagc	tatcatgtat	1260
ggtattttgc	ttggttcaaa	aacatttata	cagttttcac	caaccataaa	tggtctagca	1320
tttgctgtgt	ttggtggact	catttatctt	tttgcaattc	tatctctgaa	agtggtagat	1380
gtaaaagaat	taaaacaaat	gattaggaaa	aaatag			1416

&lt;210&gt; 367

&lt;211&gt; 1425

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 367

atgaaagtat	taaaaaacta	tgctacaaac	ctttcttctc	agttgttgat	aattatactc	60
cctatcatta	ctactcccta	tgtagacaga	gtcttttctt	cggatgattt	aggatcatat	120
ggttattttca	attcgatagt	gacttatttt	atcttggttag	caacacttg	ggttgctaac	180
tatggtacaa	aggtaatctt	aggacatcgt	aaaaacattg	aaaagaactt	ttggggcatc	240
tattcgttac	aattagggtc	gacagttctt	tcactgttat	tctatgtcat	tctatgtctc	300
tctatatctt	ttatgaaaaa	tccaacagcc	tattattcttg	gattgagttt	aatatcaaaa	360
ggcttgata	tttcttggt	ttttcaaggg	atagaggatt	ttcgaaaaat	tacagtaaga	420
aatataactg	taaaagtcac	tggggtaacc	tcggttttct	tatttgtaaa	atcagctagc	480
gacctctatc	tttatgtttt	tccttttaacg	atatttgagt	tattagggca	acttagtatg	540
tgggtaccag	ctcggaatt	tactgggaaa	ccgcactttg	actgggtgta	tgctaataaa	600
catttgaaac	cagttatctt	attattttta	ccacaggtcg	ctatatcgct	ttatgtgact	660

ttagatagta	ctatgcttgg	ttctctatct	tcaattagag	atgtaggaat	ttatgatcaa	720
tctttgaaac	ttgtcaaaat	attattaaca	ttagtaactt	cattaggaag	tgtcatgttg	780
ccacgagttt	caaactcttt	atcttcaggg	gatcataaag	cagttaataa	aatgcatgag	840
atgtcatttc	tgggtttata	cttgggttatt	tttcctatta	tggcaggaat	gctaattgta	900
aatgatgact	ttgtaacctt	tttcctcggg	caagattttc	aagaggcacg	ttatgcgata	960
gcaattatga	tttttagaat	gttcttttatt	ggttggacca	atattatggg	gattcaaatt	1020
ttgataacctc	ataataaaaa	taaagaattt	atgctgtcaa	caacaattcc	tgctattgtt	1080
agtgtaggct	taaatcttct	cttgcttcca	aagctgggct	atataggtgc	ggcaattgta	1140
tctgttttaa	caagagtact	agtatggctg	atacagttat	tctatactcg	ttcttatttg	1200
agagaggtgc	ccattcttag	ttcattgatc	aaaattataa	tctcatctgg	agttatgtat	1260
ggtatcttgt	tatttataaa	acaattccta	aatgtatcac	cgataatcaa	tgtgggacta	1320
tatgctattc	tgggagcaat	gatctatctc	gtattaattt	tgatttttag	gattataaat	1380
ccaaatgagt	taaaacaaca	attattaaaa	aataaaggag	cataa		1425

&lt;210&gt; 368

&lt;211&gt; 1449

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 368

gtgattgtga	aaaggaaatc	cattgcccga	aattattttac	ttaatttgat	aaaaacgacc	60
ttgtctattc	tatttcccct	gatatacatc	ccatatgtgt	cgcgtatttt	atctgtggat	120
gggctgggtg	caatcaattt	ttcagcctcg	tttgtaatt	atttcgtact	aattgcaatc	180
tttggaatta	atgtctacgc	tgttagagaa	ggtagccaaat	atcgagatga	taaaaagtta	240
cttgggaagt	ttgtaacgga	gatgttactt	gttagatttt	gcacggcaat	gatttcattc	300
tctttattaa	ctgtttcctt	actcctacct	gctctatcag	aatatagaag	tottattcta	360
attttttcaa	ttaccattat	atttaatgtt	gtggggatgg	agtgggtttt	tcaattgatg	420
gaagactatc	aatatataac	acttcgtgca	attatatttc	aaattctatc	tttgatattt	480
ttattcatat	ttgtcaaaag	taggaatgat	atttatgtgt	acgctcta	tacagttgca	540
gcaaatgcag	gttctcaaat	actgaattta	tttagactta	gaaaagaagt	tgaaatattt	600
agatataaag	actataatat	tagaaattat	tttaaaccga	tgtttctgat	atttttaacc	660
ttattgtcta	tgaatatata	tagatatatta	gatgttactt	ttctgggctt	ctttaaaaat	720
gatcgaagtg	tgggctacta	tagcttagct	acaaaaataa	caagtgcctat	aatttcgatg	780
gtatcttctg	ttacagttat	tttgacacct	cgtctagcat	atcattataa	gaaggaggag	840
tttgataaat	tctataaaat	tgcttatagt	tcctttgatt	ttattttatt	acttgctata	900
ccagttgtta	taggtgtatt	gagttttagt	tctatttttag	tagatttttt	gggtgggagt	960
acttttggtt	cttctgtgtt	aacgggtggag	atattaagtt	taacaattct	attctcta	1020
ttgaatgctt	tattaattac	acctaattta	acggttatga	atcgtgagaa	agcggtttta	1080
aaaaatttta	ttatcgcat	gattttcaat	gttattacaa	acatgttact	tattccagta	1140
atggatttta	atgggttcagc	tttggttaca	gttttgacag	aagggaattat	ttgcatatta	1200
tctttaatta	gtataaaaag	tgtgtttaat	gttagaaggc	tatttaagaa	tctttttcaa	1260
tatctggtag	ctagtatctt	tataattgtt	gtcaagattg	ttatttctca	gtacgtttca	1320
tcaaattata	ttattttttat	ttcaactgct	ttactaagcg	caattttata	tttccttact	1380
ttgatattat	tgagaaatga	gttagtacca	caattaataa	tagaagttag	aaagaaaata	1440
tatagatag						1449

&lt;210&gt; 369

&lt;211&gt; 1461

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 369

atggaaagtc	aaaaaaagag	cgttgaaaag	aattatatatt	ataatttgat	ttatcaaatg	60
ctaactgtag	ttattccaat	tatcataaca	ccctatatatt	cacgtgttct	aaacgtgat	120
gggtagggga	tttttagcta	cacaacagca	gtggtagggt	attttgtttt	attgggta	180
ttaggaattg	caacttacgg	acaactacaa	gttgctaaat	accaagaaga	cagatttaaa	240
ttatccaaaa	tattttttga	gttattgatt	ttacgaacta	tattgctttt	actagtttta	300
ctgatatatc	ttgtattttat	ccaatttcaa	gatataattt	ataaatctat	ttattacgtt	360
ttaataattc	aaatactttg	tagtttgctg	gatattttcat	ggtttttgca	gggtcctgaa	420
gaatttaaaa	gtattgtgat	gcgtaatacc	ctaataaagg	tgtaagtggt	aatatctatc	480
ttgatttttg	taaaaaaaga	tacagatttg	atttttatatg	ctttgattat	gaacgcata	540



acactgcttg	gaaatatttc	tatttttgca	tatgtaccta	aatatgttca	aagagttaag	600
ttggctgaga	ttaatttatt	aaagcatatt	tcacactgtt	tagtttactt	tataccaaca	660
atagcaacta	caatatattt	aactttggat	aagacaatga	taggttggtt	ttccttaaat	720
acttttgaaa	atggttatta	tgagcaggct	caaaaaattg	agcagatggt	tgtgacaata	780
gttacatctt	taagtgtagt	aacgatgcct	agaatgactt	atttattgaa	taacaatcaa	840
tttcaagaat	ttaaagtgcg	acttgaacaa	tcgataagg	ttatcctttt	tttatcctta	900
cctatgagtt	taggattagt	agggatagca	aataatttta	tacctttggt	tttaggtgta	960
ggatttgaaa	agtctatatc	aatattaaag	atttttagtc	tactagttat	cattataggt	1020
ttaaataatg	cattagggaa	gcaaatactt	atgccttcag	ggcagcaaag	ggcttataat	1080
attagtgtgg	taataggtgc	tgttatcaat	atagtcctca	atttaatat	gataccgcaa	1140
ttttttcac	tgggtgctgc	gatttcttcc	gttcttgca	agtttgcaat	tttaataata	1200
tttctctatt	attctagaaa	ttgtattcct	cctaaatggg	ttattagaac	agcagtgaac	1260
taccttggat	ctagtatagt	aatgtttctt	attattagga	caatagagct	actatctcct	1320
ccttcgtgga	cagttgttat	aatacaagtc	attgttggag	tcgcagtata	tattctatcg	1380
ttatatatat	taaaagatca	aattgtaaga	aaatactatc	taagattgag	aaaactaaat	1440
gttcttgcaa	ggaaagtatg	a				1461

&lt;210&gt; 370

&lt;211&gt; 1461

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 370

atggaaagtc	aaaaaaagag	cgttgaaaag	aattatattt	ataatttgat	ttatcaaatg	60
ctaactgtag	ttattccaat	tatcataaca	ccctatattt	cacgtgttct	aaacgctgat	120
gggataggga	tttttagcta	cacaacagca	gtggtaggtt	attttgtttt	attgggtaat	180
ttagggaattg	caacttacgg	acaactacaa	gttgctaaat	accaagaaga	cagattttaa	240
ttatccaaaa	tattttttga	gttattgatt	ttacgaacta	tattgctttt	actagtttta	300
ctgatatatc	ttgtatttat	ccaatttcaa	gatataattt	ataaatctat	ttattacggt	360
ttaataattc	aaatactttg	tagtttgctg	gatatttcat	ggtttttgca	gggtcttgaa	420
gaatttaaaa	gtattgtgat	gcgtaatacc	ctaataaagg	tgtaagtgt	aatatctatc	480
ttgatttttg	taaaaaaaga	tacagatttg	attttatatg	ctttgattat	gaacgcatca	540
acactgcttg	gaaatatttc	tatttttgca	tatgtaccta	aatatgttca	aagagttaag	600
ttggctgaga	ttaatttatt	aaagcatatt	tcacactgtt	tagtttactt	tataccaaca	660
atagcaacta	caatatattt	aactttggat	aagacaatga	taggttggtt	ttccttaaat	720
acttttgaaa	atggttatta	tgagcaggct	caaaaaattg	agcagatggt	tgtgacaata	780
gttacatctt	taagtgtagt	aacgatgcct	agaatgactt	atttattgaa	taacaatcaa	840
tttcaagaat	ttaaagtgcg	acttgaacaa	tcgataagg	ttatcctttt	tttatcctta	900
cctatgagtt	taggattagt	agggatagca	aataatttta	tacctttggt	tttaggtgta	960
ggatttgaaa	agtctatatc	aatattaaag	atttttagtc	tactagttat	cattataggt	1020
ttaaataatg	cattagggaa	gcaaatactt	atgccttcag	ggcagcaaag	ggcttataat	1080
attagtgtgg	taataggtgc	tgttatcaat	atagtcctca	atttaatat	gataccgcaa	1140
ttttttcac	tgggtgctgc	gatttcttcc	gttcttgca	agtttgcaat	tttaataata	1200
tttctctatt	attctagaaa	ttgtattcct	cctaaatggg	ttattagaac	agcagtgaac	1260
taccttggat	ctagtatagt	aatgtttctt	attattagga	caatagagct	actatctcct	1320
ccttcgtgga	cagttgttat	aatacaagtc	attgttggag	tcgcagtata	tattctatcg	1380
ttatatatat	taaaagatca	aattgtaaga	aaatactatc	taagattgag	aaaactaaat	1440
gttcttgcaa	ggaaagtatg	a				1461

&lt;210&gt; 371

&lt;211&gt; 1416

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 371

atgaaaatac	taaaaaacta	tgccatacaat	ctttcttatac	aattgttggt	gatcatactc	60
cctatcatta	cgactcccta	tgtaacgagg	gttttttagtt	ctgacgattt	aggaacgtat	120
ggctacttta	gctccattgt	tacctatttt	accttgcttg	caactcttgg	tgttgccaac	180
tacggtacca	aagagatttc	agcacatcgt	aaggaaattg	ggaagaattt	ctgggggaatt	240
tattctctcc	agtttggtgc	aacttggcta	tccattttgc	tttatcttgc	cctttgtttc	300
ttatttactt	caatgcaaaa	tccggtagct	tatatattgg	gattaagttt	agtgtcaaaa	360

ggtttgata	tttcttggt	atttcaaggt	ttggaggatt	ttagaaagat	tacagttcgg	420
aacatcactg	ttaagttagt	tggtgcaatc	tctattttcc	tatttgtaaa	atcagctaata	480
gacttatact	tatatgtatt	tcttcttacc	attttcgaat	tgtagggca	attaagcatg	540
tggttaccog	caagacaatt	tatttgtaaa	tcatattttg	attggaaata	cgctaagaag	600
catttgaaac	cagttatctt	gttattcttg	ccacagattg	ccatctcgct	ttatgtgact	660
ttggaccgta	cgatgctggg	ggtgttggt	tgcacaaagg	atggttgaat	ttatgatcaa	720
gctttgaagc	ttgttaatat	tttactgact	ttggttacct	cactggggag	tgttatgttg	780
ccacgagtat	ctagcctttt	atcgtctggg	gattacaaag	ccgttaataa	gatgcacgag	840
atgtcttttt	taatctataa	cttggtgatt	ttcccaatca	tagcaggaat	gttgattgtc	900
aacgatgatt	ttgttcgttt	cttccttggg	caaaattttc	aagatgctcg	ctatgcatg	960
gctattatga	ccttcctgat	gttctttatt	ggttggaaca	atataatggg	aattcaaata	1020
ttgattccgc	acaataaaaa	taaggaattt	atggtttcaa	cgacagttcc	cgctattctg	1080
agtgtgggat	tgaatttggt	gcttcttccc	caatttggtt	atataggtgc	tgcatgtgtt	1140
tcagttttga	ctgaggcggt	tgatggggg	attcagttat	tctatacacg	tttttattta	1200
aaagaagttc	ctattatcgg	ttcaatgaca	aaaactgcac	ttgcatctgc	tgttatgtat	1260
ggtctcttgc	taggttcaaa	aacatctata	catttttcgc	caaccataaa	tgttttaata	1320
ttttcgggtg	taggcggaat	tatctatctt	tttgcaattc	tatctctgaa	agtggtagat	1380
gtgaaagaat	taaaacaaat	aatcaggaaa	aattag			1416

&lt;210&gt; 372

&lt;211&gt; 1416

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 372

atgaaagtac	taaaaaatta	cgctacaaat	ctttcttacc	aattgttggg	gattatactc	60
cctatcatta	cgacgcccta	tgtaacaagg	gtcttttctt	cgatgatgtt	agggacgtat	120
ggttatttta	attccatcgt	tacttatttt	atcctcttag	cgacgctagg	agttgctaac	180
tatgggacca	aggtcatttc	agggcatcga	aagcaaattc	aaaaaaactt	tttgggaatc	240
tattctctgc	aattagggtg	aacagttctt	tctctgtcct	tgatgtctct	tctttgtcta	300
actcttccct	ttatgcaaaa	tccggtagcc	tatattctag	gcttgagttt	agtttctaaa	360
ggtttagaca	tctcctgggt	ctttcaaggg	ttggaggatt	ttcgaagat	tactgtccga	420
aataaacag	ttaaactagt	tggtgtcatt	tccatcttcc	tctttgttaa	atcatcaaat	480
gacctttacc	tctatgtctt	tttgctaacc	atttttgaa	tctttgttca	attcagtatg	540
tgataaccag	ctcgagaatt	tattggtaga	cctcattttg	acatagaata	tgctagacat	600
catttgaaac	cagtcataat	attgttccct	ccgcaagtgg	cgatttcctt	gtatgttacg	660
ctagatcgta	ctatgcttgg	agcgttagct	tctacaaaag	atgtagggat	ttatgaccag	720
gctttaaagt	tggttaaatat	ccttctgacc	ttggttaact	ccttggaag	cgttatgtta	780
cctcgagtcg	ctcatttggt	agcgacagat	gatcataagg	cagtcaatag	gatgcatgaa	840
atgtctttct	tcatattata	tttagtgatt	tttccaatga	tggaaggaat	cttgattgtc	900
aatgatgatt	ttgttcagtt	tttcttgggt	caagattttc	aagatgcgog	ttatgcaatc	960
gccattatga	tcttcctgat	gttctttatc	ggttggaaca	atatcatggg	aattcagatg	1020
ctgataccct	ataatcaaaa	taaaagaattc	atgattttcaa	caacagctcc	cgcaattatc	1080
agtgtaggtt	tgaacttact	attccttccct	aaactgggat	atatcggggc	agccattgtc	1140
tctgttttaa	cagaggcact	tgatggggca	atccaattat	tctatactcg	cagatattta	1200
aaagaagttc	ctataatcgg	atcaatgtca	aaaattatac	tagcatctgc	cattatgtat	1260
ggcctttttac	taagttcaaa	aacagttata	cattttttcac	cgaccttaaa	tgttctagca	1320
tttgacgcgc	ttggttgaat	cattttatctt	tttgcaattc	tatctctgaa	agtggtagat	1380
gtgaaagaat	taaaacaaat	tattaggaaa	aactaa			1416

&lt;210&gt; 373

&lt;211&gt; 1413

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 373

atgaaagtac	taaaaaatta	cgctataaac	ctctctatc	aactattact	cattatacta	60
cctatcatta	caactcccta	tgtagacagg	gtcttttctt	tgaatgatct	agggacttat	120
ggttatttta	actccatcgt	tacttatttt	attcttttag	caacttttag	agttgctaac	180
tatgggacca	aggtcatttc	agggcatcgc	aaggaaattg	aaaaaaattt	ttgggggatt	240
tactccctgc	aattgggtgc	gacagttctt	tctatgtttt	tgtagcttgt	tctttgtcta	300

attcttcctt	ttatgcaaaa	tccattcgcc	tatattctag	gcttgagttt	ggtttctaaa	360
ggcttagata	tttcctggct	ctttcaagga	ttagaggatt	ttcgtaagat	tacagcaaga	420
aatatcattg	tgaaactcgt	agggtgaagt	tcgatttttt	tatttataaa	atcagctagt	480
gacctttacc	tttacgtatt	tcttttgaca	atatttgagt	tgttgggaca	gttaagcatg	540
tggttaccgg	ctcgggaatt	tattgggaaa	ccatattttg	atttaagcta	tgcaaagcag	600
catctgaagc	caattgtttt	attattcctt	cctcaggtag	cgatctcctt	atatgttact	660
ctagaacgta	cgatgcttgg	tgctttatct	tctacaaaag	atgtaggaat	ttatgatcag	720
gctcttaaat	tggtaaatat	tttattaaca	ttggtaacat	cgcttgggag	tgttatgtta	780
cctcgagttg	ctaatttatt	agcaacaggt	gattacaaag	ctgttaataa	gatgcatgaa	840
atgctccttc	tcatttataa	tttagtgatt	tttccaatta	tggtcggaat	tttgattgtg	900
aatgatgatt	ttgttcagtt	tttccttggg	caagattttc	aggatgcacg	ttatgcaatc	960
gccattatga	tcttcctgat	gttcttcctc	ggttggacca	atataatggg	aattcagatt	1020
ttaattcccc	ataataaaaa	taaagaattc	atgatttcaa	caacagcttc	tgcaattatc	1080
agtgtaggat	taaacatgct	tttcctacca	aagcttggct	atattggagc	agccattgtt	1140
tctgtattaa	cagaagcact	tgtatgggca	attcaattgt	tctatactcg	cagatatctc	1200
aaagaagttc	ctatcatagt	atctatgaca	aaaattgttc	tagcatcagt	tatcatgtat	1260
ggcattttgc	taggttcaaa	aatattttata	catttttccc	cgactataaa	tgttctagca	1320
tttgacgtac	ttgggtggaat	catttacctt	tttgcaattt	tatctatgaa	agtaatagat	1380
gtgaaagaat	taaaacaaat	cataaaaaaa	ttaa			1413

&lt;210&gt; 374

&lt;211&gt; 1425

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 374

atgaatgttg	aaaaaaat	gaaacgtgga	attttctata	ctgcaatagg	gaagtattcg	60
aatgtagtta	ttcaattact	tgtaacagca	attcttagcc	ggattctctc	acctgtagaa	120
tatggtatcg	tagcagtagt	aaatgtat	cttttatttt	ttcaaatgtt	agcagattca	180
ggaataggac	ctgctattgt	tcaaaataaa	gaactgaata	agtcagattt	aatcagcatt	240
ttctcattaa	cgatttatag	tggaatcgta	ctttcttgta	tttttgcttt	actaggatat	300
cctatggggg	tggtatacgg	cgaaactatt	tatgttagtt	tatttccgct	tttaggtctt	360
tgtgttttat	tttataccat	tacaattgta	ccgcaagcta	ttctaataaa	aacgatgaac	420
tttaaaatag	ttaattttct	aactattttt	tctaacattg	ctagtggctt	gggtggcggt	480
attctagcgg	tatcacattt	tggtgtctat	tctctaattt	tttctaatat	tgtaaaagca	540
atgggtttat	ttatcgcttt	atattctaaa	gcaaagataa	atttctattg	gaaagtttca	600
aaaagttcta	ttggtaaaat	ttttgagttt	tcaaaattcc	aatttttgtt	taatttttgg	660
aattattttg	ctagaatatt	agataattta	ttaattggag	gattgattag	cccgtcagat	720
cttgggttatt	atgataaggc	ttatcaatta	tctttgtacc	ctaatacaat	tttatcacag	780
gttgtgacac	cagcattgca	tcctattatg	tccaattttc	aagataatat	cagtaagata	840
ggcgaagttt	atcttcagat	ttctagaata	ttcgtaatag	ttggcatacc	tatttcgggt	900
tatttatact	ttaatgctca	atatgttggt	acatttatgt	ttggagataa	ttgggtccaa	960
agcgttccgg	tgtttcaaat	attagcagca	acaatttggg	tacaaatggc	taatagccct	1020
actggtgcat	tttaccagc	aactaatcag	acaaagtatt	tgtttagaat	tggtctattg	1080
acatctttta	ttaatatttt	agctattgtt	attggtgtaa	tggtgcaaag	catccaatgt	1140
gttgcgtaca	tgcttttgat	ttctttcagt	cttagtttag	taatcaatac	tctttactta	1200
acaaaaaaag	tattaaatat	ttctgctcaa	aaatatataa	aaccgatatt	aattaatttg	1260
acaattatca	gtccctatat	tgtgtttaat	ttgtttatct	cggattttgt	aaacgacctt	1320
attttacatt	tatcagttca	gtttgttatt	ttatttttaa	tatggggaat	tggtgatgat	1380
attagcggag	agtatcgacg	agtcttcgcg	gttataagaa	aataa		1425

&lt;210&gt; 375

&lt;211&gt; 1413

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 375

atgaaagtac	taaaaaacta	cgcctataat	ctttcttata	agttattagt	gattatactc	60
ccaatcatta	cgactcccta	tgtaacacgg	gtcttttctt	cggatgattt	agggacgtat	120
ggatacttta	attccattgt	cacctacttt	atctctctag	cgacgctggg	agttgctaac	180
tatgggacta	aggtcatttc	agggcatcgc	gaggaaattc	aaaaaaactt	ttggggaatc	240

tactotctac	aattaggggc	aacagttcct	tctctggcct	tatatgttct	totttgtctg	300
atccttccct	ttatgcaaaa	tccggtagcc	tacattctag	gcttgagttt	agtttcaaaa	360
ggtttagaca	tttcctggct	ctttcaagg	ttggaagatt	ttogaaagat	tactgttcga	420
aatatcacgg	tcaagcttgt	tggagtcatt	tcaatcttcc	tctttgtcaa	atctgcaaat	480
gacctatctc	tctatgtttt	tttgctaacc	atatttgaac	tcttggggca	actaagtatg	540
tggttgcctg	ctcgtgagtt	tattgataga	cctcattttg	atttagaata	tgctaagcct	600
oatttgaagc	ccgtcatatt	attatttctt	cotcaagtag	caatctcttt	gtatgttacc	660
ttagatcgta	ccatgcttgg	agcattggct	tctacaaaag	atgtagggat	ttatgatcag	720
gctctaaagt	tggtaaatat	acttttgacc	ttggttaact	ccttgggaag	tgttatgttg	780
cctcgagtag	ctaactttat	agcaacagga	aatcatagag	cagtoaataa	gatgoatgaa	840
atattcctcc	tcattttata	tttagtgatt	ttcccaatga	tggcagggaat	tttaatcgtc	900
aatgatgatt	ttgttcagtt	tttccttggg	caggattttc	aggatgcacg	ttatgcaatt	960
gccattatga	gcttccgtat	gttctttatc	ggttggacca	atatcatggg	aactcagata	1020
ctgatctctc	acaatoaaaa	taaagagttc	atgatttcaa	caacagctcc	cgcaattgtc	1080
agtgtagttt	tgaactttac	attccttcc	aaacttggat	atataaggag	agccattgtt	1140
tctgtttcga	cagaggcggt	agtatggcg	atacaattat	actttaccog	tagataccta	1200
aaagaagtcc	caattatcgg	atctttgaca	aaaatagtc	tagcatcagc	tatcatgtat	1260
ggcattctgc	taggttcaaaa	aacacttata	caattttcgc	caactataaa	tgttatagta	1320
tttgacgtgc	ttggtggaat	catttatctt	tttgcaattc	tatctctaaa	agtggtagat	1380
atcaaaagaat	taaaacatat	tattaaaaaa	taa			1413

&lt;210&gt; 376

&lt;211&gt; 1416

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 376

atgaaggtat	taaaaaacta	cttatataat	ctctcttata	aactattagt	tattattctt	60
ccatcatta	cgactcccta	tgtgacggc	atattttctt	cagatgattt	agggacatac	120
ggttacttca	actccattgt	tacctacttc	attttacttg	ctactctggg	tattgtctac	180
tatggaacga	aggagatata	tgggaatagg	aagagtattc	agaaaaattt	ctggggaata	240
tatactttac	agtttggagc	gactactttt	tccatttttc	tctatatact	agcctgtctt	300
ttcatccag	ggatgaaaaa	cctagttgca	tatatcttgg	gattgggttt	agtctctaaa	360
ggactagata	tttcatgggt	gtttcaagg	ttagaagatt	ttcgtaaaa	tacggtcaga	420
aatatcacag	tgaagcttgt	tgggtgaagt	gccattttct	tgtttgtaaa	atcagcgagt	480
gatctatact	tgtatgtttt	tcttctaaca	gcatttgaat	tgttgggtca	gttaagtatg	540
tggtttccag	cccgtgaata	tattggaaaa	ccacattttg	atatagaata	tgctaggcat	600
catctgaagc	cagttatctt	gctattctta	ccacaaattg	ctatctcgct	ttatgtgact	660
ttagatcgta	caatgttagg	ggcgctagct	tctacaaaag	atgtcggcat	ttatgatcag	720
gctttgaagc	tggttaatat	tttactgacc	ttggtaactt	ccttgggaag	tgttatgtctg	780
ccacgcgttg	cgcattttgt	agcgacaggt	gatcataagg	tagtcaataa	gatgcatgag	840
gtatccttct	taatttataa	tttggttatt	tttccgatta	tggcagggat	gttgattgtg	900
aatgatgatt	ttgttcaatt	tttccttggg	caagactttc	aagatgcacg	ctatgcaatt	960
tccattatga	tcttccgtat	gttctttatc	ggttggacta	atataatggg	aattcagata	1020
ctgataacct	ataatcaaaa	taaagaattc	atgatttcaa	caacaactcc	cgcaattatc	1080
agtgtaggtt	tgaacttact	attccttcc	aaactgggat	atctcggggc	agccattgtc	1140
tctgtttcaa	cagaggcaact	tgtatgggca	atccaattat	tctatactcg	cagatattta	1200
aaagaagtcc	ctataatcgg	atcaatgtca	aaaattatac	tagcatctgc	cattatgtat	1260
ggccttttac	taagttcaaa	aacagttata	cattttttcac	cgaccttaaa	tgtgctagca	1320
tttgtagcgc	ttggtggaat	catttatctt	tttgcaattc	tatctctgaa	agtggtagat	1380
gtgaaagaat	taaaacaaat	tattaggaaa	aactag			1416

&lt;210&gt; 377

&lt;211&gt; 1416

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 377

atgaaggtac	taaaaaacta	tgcatacaat	ctatottatc	aattattggg	gattatactt	60
ccaatcatta	cgacccctta	tgtgacacgg	gtcttttctt	cgaatgatct	agggacatct	120
ggttattttt	actccatcgt	tacttatttt	atcctcttag	caacgctagg	ggttgccaac	180

tatgggacca	aggtcatttc	agggcatcgc	aaagaaattg	aaaaaaactt	ttggggaatc	240
tactctctgc	aattaggtgc	aacagttttt	tctctaacct	tgtattgtct	tctttgtcta	300
actcttcctt	ttatgcaaaa	tccagtagcc	tacattctag	gcttggcttt	ggtttctaaa	360
ggattagata	tatcctggct	ttttcaaggg	ctagaggatt	ttcgaaagat	tactgttcga	420
aatatcacag	tcaagttcgt	tgggtgaatc	tctatcttcc	tctttgtcaa	atctgcagat	480
gatctatacc	tctatgtctt	tttgctaacc	atatttgaac	tcttggggca	gctaagtatg	540
tgggtgcctg	ctcgtgagtt	tattggtaga	cctcattttg	atttagaata	tgctagacat	600
catttgaaac	çagtcataat	attgttcctt	ccgcaagtgg	cgatttcctt	gtatgttacg	660
ctagatcgta	ccatgcttgg	agcgttagct	tctacaaaag	atgtagggat	ttatgaccag	720
gctttaaagt	tggtaaatat	ccttctgacc	ttggtaactt	ccttgggaag	tgctatgttg	780
cctagagttt	caaattcttt	atcctcaggg	gatcataaag	cagttaacaa	aatgcattgag	840
atatcatttt	taatttataa	tttggttatt	ttccccatta	tggcaggaat	gctaattgta	900
aatgatgact	ttgttacctt	tttctcggg	caagattttc	aagaggcacg	ttatgcaata	960
gcaattatga	tttttagaat	gttctttatt	ggttggacca	atattatggg	gattcaaatt	1020
ttgatacctc	ataatcaaaa	taaagaattt	atgctgtcaa	caacaattcc	tgctattgtt	1080
agtgttggat	taaactcttct	cctgcttccc	aagtttggat	atataggagc	agcaattgtt	1140
tctgtcttaa	caagggcgct	agtatgggct	attcaattgt	actatattcg	tgcatacctt	1200
aaagatgttc	cgattattag	aactatgata	aagattattc	tagcctcagc	tatcatgtat	1260
agcgttttgc	tagtttctaa	gacatacata	catttttccc	caactataaa	tgtttttgta	1320
tttgtggtgt	taggtggaat	catttatctt	ttttcagttt	tatctctaaa	agtggtagat	1380
gtgatagaat	taaaacaagt	aattaggaaa	aattag			1416

&lt;210&gt; 378

&lt;211&gt; 1416

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 378

atgaaggtat	taaaaaacta	cttatataat	ctctcttata	aactattagt	tattattctt	60
cctatcatta	cgactcctta	tgtgacgcgc	atatcttctt	cagatgattt	agggacatac	120
ggttacttca	attccattgt	tacctacttc	attttacttg	ctactctggg	tattgctaac	180
tatggaacga	aggagatata	tgggaatagg	aagagtattc	agaaaaattt	ctggggaata	240
tatactttac	agtttggagc	gactactttt	tccatttttc	tctatatact	agcctgtctt	300
ttcatccag	ggatgaaaaa	cctagtgtga	tatatcttgg	gattgggttt	agtctctaaa	360
ggactagata	tttcatgggt	gtttcaaggg	ttagaagatt	ttcgtaaaat	tacggtcaga	420
aatatcacag	tgaagcttgt	tgggtgaagt	gccattttct	tgtttgtaaa	atcagcgagt	480
gatctatact	tgtatgtttt	tcttctaaca	gcatttgaat	tgttgggtca	gttaagtatg	540
tggtttccag	ccgtgaata	tattggaaaa	ccacattttg	atatagaata	tgctaggcat	600
catctgaagc	cagttatctt	gctattctta	ccacaaattg	ctatctcgct	ttatgtgact	660
ttagatcgta	caatgttagg	ggcgctagct	tctacaaaag	atgtcggcat	ttatgatcag	720
gctttgaagc	tggtaatat	tttactgacc	ttggtaactt	ccttgggaag	tgttatgctg	780
ccacgcgttg	cgcatttggt	agcgacaggt	gatcataagg	tagtcaataa	gatgcattgag	840
gtatccttct	taatttataa	tttggttatt	tttccgatta	tggcagggat	gttgattgtg	900
aatgatgatt	ttgttcaatt	tttcttggg	caagactttc	aagatgcacg	ctatgcaatt	960
tccattatga	tcttccgtat	gttctttata	ggttggacta	atataatggg	aattcagata	1020
ctgatacctc	ataatcaaaa	taaagaattc	atgatttcaa	caacaactcc	cgcaattatc	1080
agtgtagggt	tgaacttact	attccttctt	aaactgggat	atatacgggc	agccattgtc	1140
tctgttttaa	cagaggcact	tgtatgggca	atccaattat	tctatactcg	cagatattta	1200
aaagaagttc	ctataatcgg	atcaatgtca	aaaattatac	tagcatctgc	cattatgtat	1260
ggccttttac	taagttcaaa	aacagttata	catttttcac	cgaccttaaa	tgttctagca	1320
tttgtagcgc	ttggtggaat	catttatctt	tttgcaattc	tatctctgaa	agtggtagat	1380
gtgaaagaat	taaaacaaat	tattaggaaa	aactag			1416

&lt;210&gt; 379

&lt;211&gt; 1416

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 379

atgaaagtac	ttaaaaaacta	cgcttacaat	ctttcatata	agttactaat	cataatctta	60
ccgattatta	ccactcccta	cgttactagg	atttttagtt	cggataatct	agggacttat	120

ggttatttta	actcaattgt	aacctatfff	cttttgctgg	ctacttttagg	aataggaaat	180
tatggaacaa	aagagatttc	aggtaatagg	aaagctatcc	atcagaattt	ttgggggtatt	240
tatagtatac	aactgggagc	atctctatcc	tccactttcc	tttatgttat	tgtctgtcta	300
atftttaccag	ctatgcaaaa	tactgtagcc	tatatfttttag	gcttaagttt	gttttctaaa	360
ggtttagata	tttcttggtt	atfttcaagg	ttagaggatt	ttcggaaaaat	tacagtaaga	420
aatataactg	tgaagtcac	tgggataacc	tcgattttct	tatttgtaaa	atcagctagc	480
gacctctacc	tttatgtttt	tcttttaacg	atatttgagt	tatttagggca	acttagtatg	540
tgggtaccag	ctcgggaatt	tattgggaaa	cgcactttg	actggttgta	tgctaaacaa	600
catttgaagc	cagttatctt	attattttta	ccacaggtcg	ctatatcgct	ttatgtgact	660
ttagatagta	caatgcttgg	ttctctagcc	tcaataagag	atggttgaat	ttatgatcaa	720
tctctgaaac	ttgtcaaaa	attattaaca	ttagtaactt	cattagggaag	tgtcatgttg	780
cctagagttt	caaactcttt	atcctcaggg	gatcataaag	cagtcaacaa	aatgcatgag	840
atatcatttt	taatttataa	tttggttatt	ttccccatta	tggcagggaat	gctaattgta	900
aatgatgact	ttgtaacctt	tttctcggg	caagattttc	aagaggcacg	ttatgcgata	960
gcaattatga	tttttagaat	gttctttatt	ggttggacca	atattatggg	gattcaaat	1020
ttgataacct	ataataaaaa	taaagaattt	atgctgtcaa	caataattcc	tgctattggt	1080
agtgtaggct	taaatcttct	cttgcttcca	aagctgggct	atataggagc	agcaattggt	1140
tctgtcttaa	cagaggcgct	agtatgggct	attcaattgt	actatactcg	tacatactta	1200
aaagatgttc	cgattattag	aactatgata	aaaattatcc	tagcctcagc	tatcatgtat	1260
agcgttttgc	tagtttctaa	gacatacata	catttttccc	caactataaa	tgttttggta	1320
tttgtgggtg	taggtggaat	catttatctt	ttttcagttt	tatctctaaa	agtgatagat	1380
gtgatagaat	taaaacaagt	aattaggaaa	aattag			1416

&lt;210&gt; 380

&lt;211&gt; 1416

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 380

atgaagggtt	taaaaaatta	tgcatataat	ctctcttacc	agctactagt	gataattctt	60
cctattataa	caacacctta	tgtaactagg	gtatttagtt	caaatgattt	aggaactttt	120
ggctacttta	attcgattgt	tgcttatttt	atfttttttag	caacattagg	agtagcta	180
tatgggacaa	aagagatttc	agctcataga	aataatatcc	ctaataattt	ttgggggtatt	240
tatactttgc	agtttactgc	gacttgata	tcgatatttc	tatatattgg	tctgtgcttt	300
tcattttcat	ttatgcaaaa	tccagtagct	tatatattgg	tattatctct	attatctagg	360
ggattagata	ttacttggtt	ttttcaagga	ctagaagatt	ttaggaagat	aactgttaga	420
aatatcactg	tcaaactcat	aggtgttatt	tcaatatftt	tgttcataaa	gtctcagaat	480
gatttatatc	tatatgtctt	tttattaact	atatttgaat	ttttaggaca	attaagtag	540
tggctgccag	ctctagaatt	tataggtaag	ccacaatttg	atttcaatta	tgccaagaaa	600
catcttaaac	cgggtgatatt	actgttttta	cctcaaatag	cgatatcttt	atatgttacg	660
ttaaatagga	caatgcttgg	cgcttttagca	tcaacaacag	atggttgaat	ttatgatcaa	720
tctttaaagt	tggtaaatat	cctacttact	ttggtaactt	cactaggtag	tgttatgcta	780
ccacgtgttt	cgaatctttt	atcaacaggg	gataagaagt	ctgtgaatcg	catgaatcaa	840
ttatctttct	ttatatacaa	tcttggtgatt	tttccaacta	ttgcaggtag	gttaattatc	900
aataatgact	ttgtgaaatt	tttcttagga	aatgactttc	aagaagcaaa	atatgctatt	960
gcaatcatga	tttttaggat	gttttttatt	ggttggacga	acattatggg	gattcaaat	1020
ttgataacct	ataataagaa	caaagaattt	ttgacttcaa	caacggttcc	agcaattatt	1080
agtgttggtt	taaatfttgc	tttactgcct	gaatttggat	atattggggc	tgcgattggt	1140
tctgtattaa	cagaaatatt	tgtatgggtt	atccaattgt	atftttacaag	aaaatattta	1200
aaagatgtac	caatttttta	atcaactgtt	aaatatftt	cagcatcaat	tcttatgtat	1260
gttgctcttt	catttttgaa	gtcaattttg	actttttacac	ctattgttaa	tgttgttgta	1320
tgtgctattg	tggggcgat	actttatggt	ttactaattt	taatatftta	agtagtttagc	1380
ttaaaggaga	taaaagagca	gctgtttaat	aattag			1416

&lt;210&gt; 381

&lt;211&gt; 1416

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 381

atggaaacaa	aagaaaaacg	tttagttcat	aatacgatta	tttttacaat	tggaagtfta	60
------------	------------	------------	------------	------------	------------	----

```

ggttcaaaat ttattcagtt tttgttagtt cctttgtata cctatacttt aacagcttct 120
cagtttgga ttaccgaaat tttattaacc gctgttaatc ttttaatacc tgtattttct 180
atttccattg ctgatggatt attaagattt ggattagata agaccttaag aagagaaaat 240
gtcttgaaat cagcttttat catttcgata cttgggacta ttttatccat tatttcgatt 300
ccaatttttt cgctctatcc tactttgtca gagtgatgg tttattttat catcattttg 360
aacttgagaa tgtatcgga tgtttttgcg attcaattga aagttgaagg gaaaaataca 420
ttatttgctt gcgatagtat gatttataca tttgttttat ctttagcgag tattgtcttt 480
ctagtttcctt tttctttagg catttcaggt tattttttcg cttatattgt cagtaatgga 540
atttccattt tctttatcctt atttttcgga ggagctcgga aaagttttac tagcggaaga 600
tttgaaaaac aattgatgat acaactattg aaatattcag caccatgat tttaaatggt 660
attgcatggt ggattacaaa tgcctcagat cggtttatgt tgcaatggtt tatggatgat 720
agagcggtag gtttgatgg tgtgttgca aagttaccct tattaatcgg aacgtttact 780
ggagtattta atcaggcatg gattatttca gcagtagaag agtttgaga agaaaatgaa 840
gaatggtttt atcaaaaagt ttttcaccaa tattatgcag cactcttttt aagtgtttca 900
gtatttttgc ttctacttca accatttatg aaagtatatg ttagtccaag cttttatgaa 960
gcatggcaat atgctcggtt tttattattg tcaagtgtag tttcaggaat cgccgattt 1020
atgacaggtt tttatgttgc gcaaaagaaa aatttgaata ttatatacac gacgattgct 1080
ggtgcttttg cgaatatttt gttaaatgag atgtttatct ctatgcttgg agtattagtc 1140
gcttccattg cgacctttct atcatggttt gttattgcaa tctatcgtat gaaagatgtt 1200
gaaaactttg cttgttttcc attagataaa aaagtttttt ggtatttatt tctattatgt 1260
attcagacca ttacgatgac ttttctgcca atccttgcca ttgttttttc agtcgtattg 1320
attccttatt tcttttacca agaacaggaa tttctagcag ttttatttga taaaggaagg 1380
aaaaaagtat gttcattcaa aaaatcaaaa agataa 1416

```

&lt;210&gt; 382

&lt;211&gt; 1425

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 382

```

atgaaagtac taaaaaatta cgcgtataac ctctcttata aattattact cattatactt 60
cccatcatta caactcccta tgtgacacgg gtattttctg caaaggatct tggaacatat 120
ggatacttta attccattgt tagctatttt attttgtag ctactttggg ggtcgctagc 180
tatgggacta aggagatttc gagtaataga aaaaatatcc cgaagaattt ctgggggata 240
tatactcttc aatttggtgc aacatcatta tcaattctct tatacacttt attatgttta 300
ggaatttaca taatgagaaa tccgtgtgag tatatattag gaatgagttt gatttctaaa 360
ggattagata tatcctggct ttttcagggg ttggaagatt ttcgtaagat tatagtcaga 420
aacatattag tgaagctcgt tgggtgaatt tcaatatttt tattgataaa atcagcgaat 480
gatctttatc tttatgtctt tctcttaacg atatttgagt tattgggaca attaatgatg 540
tggttacctg ctgaaagtt tattggaaaa ccacattttg atatagatta tactaaatat 600
catttaaagc caattctttt attattttct cctcagattg ctatatcact atatgcaact 660
ttagaccgta cgatgttagg aatgatata tctacaaatg atgtcgggat ctatgatcaa 720
gcattaaaat tgatcaatat tttattaact gtagtaactt cgtaggaag tgtcatgttg 780
ccgagagtat ctaatctctt ggcgacagg aatcataagg cagttaataa aatgcatgag 840
atgtcatttc tgatctataa tttgattatt tttctatta tggcaggaat gctaattgta 900
aatgatgatt ttgttaactt tttcctcggg aaagattttc aagacgcacg ttatgcgata 960
gcaattatga tttttagaat gttctttatt ggttgagca atattatggg atttcaaatg 1020
ctaactcgta ataataagaa taaagaatat atgatctcaa caactgtgcc tgcaattctt 1080
agtgttgctt tgaatttggt atttcttctt aaactcggat atataggagc ggcaattgta 1140
tctgttttaa cagaggcggg agtttggggg atacagttat tctatactcg ttcttatttg 1200
agagaagttc ctattctagg ttcattgttt aaaattatag tttcatcggg atttatgtat 1260
gtcaatttat tatttgtaaa acatcttctg aacgtatcac ctatgataaa tgtagggatt 1320
tatgctgttc tgggagcaat gatttatctc atattaattt tgatttttag ggttataaat 1380
ccaatgagt taaaacaaca attattaaaa aataaaggag cttaa 1425

```

&lt;210&gt; 383

&lt;211&gt; 1458

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 383

atgagcatga	aagaaaaatc	aataaataaa	aatgctat	tgaatattat	tttaacacta	60
acaaatattg	tggttccatt	aattactttt	ccttatattt	ctagaattct	gaatccgtca	120
ggaataggtg	caatctcttt	tttttcatct	attgggttct	atgggtgttt	agttgcctcg	180
cttggaattt	caacttatgg	gattcgggtg	attgcaaagg	atcgttatca	taaagataag	240
ataactaaaa	tattccaaga	attgatagtt	attaatagtg	taatgtctat	tatagtgacg	300
ttcttccttg	ttttaatgag	tttccgatta	gagcagttaa	gttcagaaaa	agggtttatta	360
ataatcacat	gtattactat	tttgtcctct	ccttttaatt	tgaattgggt	ttatagtggg	420
atagaagagt	attcatatat	aacaaaacgt	tcaatatttt	ttaaattagt	ttcgttgata	480
ttaacctttt	tatttgttta	aagtaaagac	gatttatatt	tatatgctgt	gataacattg	540
ttttcaacat	tggttccaa	ttttataaat	attttggaga	gtagaaaata	catcaatttt	600
aatttgagaa	gggatttaga	atttagatat	catctaaaac	caatgtggta	tttatttgct	660
tcgttacttg	cagttaatat	ttatataaat	ttggattctg	tgatgttagg	aattattaat	720
ggaaatgatg	cggtaggtat	ttactcaatc	gcataaaaag	taaaatggat	tttattatca	780
gtcgttactt	cagttagttc	agttttatta	cccagattat	cattttatag	caataaatat	840
gacgaaacga	agtttaataa	tattttgaga	aagtcactta	caataatttt	tatgatttca	900
attcctctaa	caattttttt	tatgataaaa	gcgaaagaga	gtatattatt	gttaggtgga	960
gagcagtata	ttcaggcagt	tttagcaatg	caaataattaa	tgccgatcct	ggtaatatca	1020
ggtttttcta	atattacagg	taatcagata	ttgatcccta	ctggtaatga	gaaatatttt	1080
atgagagcag	tttctatagg	agcaatagta	aatttatggt	taaatttggt	gcttatgcct	1140
attttgggaa	ttatcggagg	tgcgatcgca	actctttgtg	cagaatcagt	ccaaatgatt	1200
attcaatttt	atttttctcg	taataaatta	atgggtaata	tttcattaaa	ttcaatcaaa	1260
aaaatagcct	attcatcaat	ttttgcgggt	atactgttaa	tagtaataca	aaatattata	1320
gagaatttta	atagcttctt	aaatttagct	gcacttagtt	ttctatat	ttggagtatat	1380
tttttcttat	tggtattggt	taaagaaagt	acaattaaga	aatttctaaa	tcaaattttt	1440
tataaggata	tttcatga					1458

&lt;210&gt; 384

&lt;211&gt; 1188

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 384

atgttacttg	ttagtatttg	cacggcaatg	atttcattct	ctttattaac	tgtttcttta	60
ctcctacctg	ctctatcaga	atatagaagt	cttattctaa	ttttttcaat	taccattata	120
tttaatgttg	tggggatgga	gtgggttttt	caattgatgg	aagactatca	atatataaca	180
cttcgtgcaa	ttatatttca	aattctatct	ttgatatttt	tattcatatt	tgtcaaaaat	240
aggaatgata	tttatgtgta	cgctctaatt	acagttgcag	caaatgcagg	ttctcaaata	300
ctgaatttat	ttagacttag	aaaagaagtt	gaaatattta	gatataaaga	ctataatatt	360
agaaattatt	ttaaaccgat	gtttctgata	tttttaacct	tattgtctat	gaatatgtat	420
agatatttag	atgttacttt	tctgggcttc	tttaaaaatg	atcgaagtgt	gggctactat	480
agcttagcta	caaaaataac	aagtgcata	atttcaatgt	tatcttctgt	tacagttatt	540
ttgacacctc	gtctagcata	tcattataag	aaggaggagt	ttgataaatt	ctataaaaatt	600
gcttatagtt	cctttgattt	gatttttatta	cttgctatac	cagttgttat	agggtgattt	660
agtttttagt	ctatttttagt	agattttttg	ggtgggagta	cttttgtttc	ttctgtgtta	720
acggtggaga	tattaagt	aacaattcta	ttctctaatt	tgaatgcttt	attaattaca	780
cctattttta	cggttatgaa	tcgtgagaaa	gcggttttta	aaatttttat	tatcgcat	840
attttcaatg	ttattacaaa	catgttactt	attccagtaa	tggtttttaa	tggttcagct	900
ttggttacag	ttttgacaga	aggaattatt	tgcatattat	ctttaattag	tataaaaagt	960
gtgtttaatg	ttagaaggct	atttaagaat	ctttttcaat	atctggtagc	tagtatcttt	1020
ataattgtta	tcaagattgt	tattttctcag	tacgtttcat	caaattatat	tattttttatt	1080
tcaactgctt	tactaagcgc	aatttttat	ttccttactt	tgatattatt	gagaaatgag	1140
ttagtactac	aattaataat	agaagttaga	aagaaaatat	atagatag		1188

&lt;210&gt; 385

&lt;211&gt; 1449

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 385

gtgattgtga	aaaggaaatc	cattgcccgga	aattattttac	tttaatttgat	aaaaacgacc	60
------------	------------	-------------	-------------	-------------	------------	----



ttgtctat	ttttccct	gatatcat	ccatatgt	cgcgat	atctgtgg	120
gggctggg	caatcaat	ttcaacct	tttgtaa	atttcgt	aattgca	180
tttgaatta	atgtctac	tgtagaga	ggtgctaa	atcgagat	taaaaagt	240
cttgggaag	ttgtaacg	gatgctact	gttagtatt	gcatggca	gatttcatt	300
tctttatta	ctatttcct	actattacc	gctctatc	aatataga	tcttattct	360
atttttcaa	ttaccatt	atthaatg	gtgggaat	agtgggtt	tcaattgat	420
gaagactat	aatatata	acttcgtg	attatat	aaattttat	tttgctat	480
ttattcat	ttgtcaa	caggaatg	atctatgt	acgctcta	tacagttg	540
gctaatagc	gttctcaa	gctgaatt	tttaggct	gaaaaga	tgaaatat	600
agatataa	actataat	tagacatt	tttaaacc	tgtttctg	attttta	660
ttattatct	tgaatat	tagatatt	gatgttact	ttctgggt	ctttaaaa	720
gatcaaat	tggtctact	tagtttag	acaaaaat	caaagtgt	aatttca	780
gtatcttct	ttacagtt	tttgacac	cgtctagc	accattata	gcaaaagg	840
tttgataaa	tctataaaa	tgcttatag	tcctttgat	ttattttat	acttgcata	900
ccagttgta	taggggtat	gagtttag	tctattttg	tggtttttt	gggagga	960
gcttttatt	cttctgtg	aacagtgg	atattaagt	taacaatt	attctcta	1020
ttgaatgct	tattaatt	acctattt	acagttat	atcatgag	agcggttt	1080
aaaattttt	ttatagc	gattttca	gttattgca	acatgttc	tattccag	1140
atggatttt	atggttc	tttggtta	gttttgac	aaggaatc	ttgcatat	1200
tctttaatta	gtataaaaa	tgtatttg	gttaaaag	tatttaag	tcttttca	1260
tatctagta	ctagtatat	tataattg	gtcaagatt	ttatttct	gtacgttt	1320
tcaaattata	ttattttat	ttcaactg	ttactaag	caattttat	tttcttt	1380
ttgatatt	tgagaaat	gttagtat	caattaata	tagaagtc	aaagaaa	1440
tatagata						1449

&lt;210&gt; 386

&lt;211&gt; 1416

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 386

atgaaggta	taaaaaact	cttatata	ctctcttat	aactattag	tattattct	60
cctatcatta	cgactcct	tgtagcgc	atattttct	cagatgatt	aggacata	120
ggttacttc	attccattg	tacctact	attttact	ctactctgg	tattgcta	180
tatggaacg	aggagatat	tggaatagg	aagagtatt	agaaaaatt	ctgggga	240
tatactttac	agtttgagc	gactacttt	tccattttt	tctatata	agcctgt	300
ttcatcccg	ggatgaaaa	cctagttgc	tatatcttg	gattgggtt	agtctctaa	360
ggactagata	tttcatggt	gtttcaagg	ttagaagatt	ttcgtaaa	tacggtcag	420
aatatcacag	tgaagcttg	tggtgtaag	gccattttt	tgtttgtaa	atcagcgag	480
gatctatact	tgtagtggg	tcttcta	gcatttga	tgttgggtc	gttaagtat	540
tggtttccag	cccgtgaat	tattggaaa	ccacatttt	atataga	tgctaggca	600
catctgaag	cagttatct	gctattctt	ccacaaatt	ctatctcgt	ttatgtgac	660
ttagatcgta	caatgttag	ggcgtagct	tctacaaa	atgtcggca	ttatgatc	720
gctttgaag	tggttaatat	tttactgac	ttggtaact	ccttggga	tggtatgct	780
ccacgcgtt	cgcatttggt	agcgacagg	gatcataag	tagtcaata	gatgatgag	840
gtatccttct	taatttata	tttggttatt	tttccgatta	tgccagggat	gttgattgt	900
aatgatgatt	ttgttcaatt	tttcttggg	caagacttt	aagatgcac	ctatgcaatt	960
tccattatga	tcttccgtat	gttctttat	ggttgga	atataatgg	aattcagata	1020
ctgatacctc	ataatcaaaa	taaagaatt	atgatttca	caacaactc	cgcaattat	1080
agtgtagggt	tgaacttact	attccttct	aaactggg	atatcgggc	agccattgt	1140
tctgttttaa	cagaggcact	tgtagggca	atccaattat	tctatactc	cagatattt	1200
aaagaagttc	ctataatcg	atcaatgtc	aaaattata	tagcatctg	cattatgtat	1260
ggccttttac	taagttcaaa	aacagttata	catttttcac	cgaccttaa	tggtctagc	1320
ttttagcgc	ttggtgga	catttatct	tttgcaatt	tatctctga	agtggtagat	1380
gtgaaagaat	taaaacaa	tattaggaaa	aactag			1416

&lt;210&gt; 387

&lt;211&gt; 1470

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 387

atgagggata	atatgacaag	ttataaagtt	aaatctatca	ggtataattt	tataatgaat	60
tttattttga	ctgtttcaaa	tttcatcttt	ccattgttaa	cttttcccta	tgtttctaga	120
gtacttcaag	ttgaggcgaa	tggtactgta	gcataatgtat	catctattgt	atcttatttt	180
atgatgattg	cttcacttgg	tattccaacg	tatggcatac	gtgctgcagc	aaaagtacgt	240
gatgataaaa	gaaaattatc	taccattgtc	caagaactat	tgattattaa	tgtaattcct	300
gtattcttag	tactcattgc	atattttata	atgttgttta	ctttacagtc	aatgtacgtc	360
tataaagaat	tattctatat	caatgcaata	ggtatactat	taaatgtcat	aggagttggt	420
tggttttttc	aagcaattga	acaatatgat	tataattactc	ttagatcgat	tttcttcaga	480
cttttatcat	tagctatgat	tttcttactt	atccatagtc	ctgaggatta	tattatgtat	540
gcaggaattt	ctgtttttgc	tagtggtgga	tcaaatattt	taaattttta	acgattattt	600
gaatatatat	catttaaaaa	gacagaaact	tatcatttta	aaccacatat	aaagccgatt	660
ttgattttat	ttgctcagac	attggtatgt	tcgattttata	ogaatcttga	taccgttatg	720
ctaggaagta	tgaaggaac	atatgatgtg	ggattatata	ctgcagcaac	aaaactaaag	780
gggattctct	tgagtgttgt	tacttcatta	ggaaatgttt	tgcttccaag	aatgtcctac	840
tatgtctaata	atcaaatgaa	agatcggttt	ttggaaatca	taacaaaagc	tttgaacttt	900
acgttatctt	tagcgttcc	attgtcagta	ttctttattt	cagtatcaaa	ggaaagtatt	960
ttgctacttg	ctggggaagg	atatttaggt	gctgttatag	gaatgcaatt	tttaattgttt	1020
gcagttattc	ctaattgact	tacgggttta	ttaggtattc	aagtattaac	acctttagaa	1080
aaagaaaagt	acgtattact	ttcagtgact	tcaggagcgt	taatagattt	actactaaac	1140
ttcattttta	ttccagctta	tggtgtaagt	ggagcagcat	ttgccactat	gattgcagaa	1200
ttcgttgat	tatgcgttca	gatttactat	acgagagatt	tgctattaaa	gaggctacat	1260
caaatagttg	gcattagata	tctatgctcg	gtaggggtga	gtactattgg	aattgttctt	1320
gtaaaagaaa	tacaattaa	tgattttttg	ttattatgtg	tggaaggaat	cattttcttt	1380
ggaagtacg	gtgtgattct	agtgtgtgta	aaggatgatt	tcattcttga	tttttttaaa	1440
attttctata	agaaattaaa	gaaaatttaa				1470

&lt;210&gt; 388

&lt;211&gt; 1545

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 388

atgagtcgtg	taaaaaatag	tttttttaat	attttagctg	gaatagttgg	tactatcata	60
tcgagtgttt	tagctttcat	agttagaaca	gtgtttatcc	gagttttggg	agagacttat	120
ctaggtttca	atggtctata	caccaatata	ttaacagttt	tatccctaac	tgaattaggg	180
atcggatcat	caattgctta	tttgatgtac	aaacctttag	cagaaaaaga	tggggacaaa	240
ttagctcaag	tagttcaatt	ctataaaaaa	atatacgag	tgattggat	cattattcct	300
attttaggtt	tggtctcgt	tcctttttta	ccagtcattg	taaattttaa	aaatgcagaa	360
gatttgaact	atacagcatt	gtatttgcct	tatttagcag	atacagtttc	tacttatcta	420
ttctttgcat	ataaaagagg	ggtattggct	gctgatcaaa	agatctatgt	tgcgaaatct	480
tttgatataa	ttataacgac	aattttatct	attttccaaa	ttatcacttt	gatgattttt	540
aaagactttt	atctatatata	tattttaaaa	attgctaaaa	atcttacttt	gaacctagta	600
attagtttaa	aagtagataa	aatgtatcca	agtattcata	aatttaaagg	gatagctccg	660
cttccaaaaa	tggaagacg	actagtgttg	aaaaatgtat	atgctacctc	tggtcgacaa	720
atctttaacg	aattaatgaa	ttcaacagat	agtatagtta	tttcatttgt	cttaggaata	780
gttatgggtg	gtaagtattc	gaactatgct	tatattttat	caatcgtata	tattttcttt	840
ggaggaattt	ttaatccgat	tcaggcttct	attggaaacc	tatctctgtt	agcttctata	900
gagaaaaaaa	atgaaatctt	caatagatta	cgttttataa	attttttctt	tttatcattt	960
tgctcaagtt	gtcttctagt	attggtaaat	ccttttatca	ctatttggat	tgagagaaat	1020
tacactttat	catttacagg	tgtgattgca	atagttggta	tgttattcgt	tagacaaact	1080
ggaaattgta	caaccatttt	tcgtttggga	gaaggatatt	ttagagatta	tcatttttct	1140
cctttaatcg	cgggcatttt	aaatttagtt	gtttcagtaa	ttttagttaa	ttatataggt	1200
attgcagggtg	tttttggttg	aacaatgtta	ggatttggtt	tccaatttat	actggtggat	1260
acaattgtta	cttataaaaa	agtacttagt	cgtccactat	cagagtttta	tttaagatgg	1320
ttgcagacga	tcttattaac	tgtagggtta	tgtattgoga	gttactattt	atctcgattg	1380
gttagagtga	atagtatata	tgatttgata	ctgttggttg	tagtggttat	tggaattaat	1440
ttttttgctt	tatgttttat	ttattggcga	aatgatgatt	ttcaatattt	tattcaattg	1500
gttaaaaatt	ttatgaaaaa	tttgaggaa	aaaaatcatg	attaa		1545

<210> 389  
 <211> 1395  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 389

gtggtagttt	taatatggcc	actattgatt	actccatatg	ttgctagaat	attaggcgca	60
caccagtttag	gaatttatga	ttatgtcaat	tcaatcggtta	ctttgattta	cacttttaggt	120
ttattaggta	ttggtcacta	tggaatcgcc	gaatgtgcct	atactagaga	tgataaagag	180
gaactatcag	agacattttg	gagtatttta	gctattcaga	ttattctagg	atttttttca	240
ctgttattct	tgtatatttt	ttctaacata	aattcaaatt	atcaagttaa	ctttcagctt	300
ttctctattt	ggctttttgg	gtctattctt	gattgtactt	ggctctatcg	tggtcttagag	360
gaaatgcagt	atgttgtgtt	aaaaaatatt	attgctaagt	tattattttac	gatagcgacc	420
ttcttatttg	taaaaagtga	aacagattta	actctatatg	tgctcatata	tggtctctct	480
gttttagtag	ccaattttatc	aacttatagt	caactaagga	tgtttattag	tagaccaaaag	540
ataaatatta	atcgtttttac	ggagattatt	ttagggagtc	tcaaactatt	ttaccaagt	600
atcatcacgc	aaattatggt	atctgctgat	aaaattgttc	tagggctctt	aagttctgga	660
atcagcaatg	tttcttacta	tagtaatgca	gagaagatta	tacagatacc	actctcttta	720
atagtagtat	taaattctgt	tatgatgcc	cgaatagcaa	atgaatttcg	taatagacgg	780
ttagaaaata	tgaaaaagta	tctgacaact	gcagctgaat	tttctttggt	cttagctgtt	840
ccattgtcga	ttggccttta	tgctattgca	gatacttttg	ttccgtgggt	tttaggcgaa	900
agttttatgc	catctatgga	tgctcttaaa	tggtctgctc	ctattgctgt	tggaatgct	960
ttgctaggag	tctcaggtag	tcagtatttt	gttgcaagta	ataaaacaaa	agtcttattt	1020
ttttcttaata	ctttagctgc	aattttaaat	attctattag	atttggttact	tgctccaatg	1080
tttgagtag	taggggtttg	tttagcaact	atagtatcac	ttacctcttc	tgttatagtg	1140
caatactata	taatgtcaaa	ggatatacct	attataccta	ttttgaagtc	attattttaaa	1200
tatctcattt	attctatgat	aatgggaatg	attattattg	tttcattcag	aggatatcca	1260
gcaaattata	gaacaactat	taagcaaatc	gttcttgagg	tagtagttta	ctttgggttg	1320
aacttgttga	cacgagatgt	atttggtttt	caaacattag	attttgtaaa	gaaaggattc	1380
aaaaaaagta	gatga					1395

<210> 390  
 <211> 1545  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 390

atgagtcgtg	taaaaaatag	tttttttaat	attttagctg	gaatagttgg	tactatcata	60
tcgagtgttt	tagctttcat	agttagaaca	gtgtttatcc	gagttttggg	agagacttat	120
ctaggtttca	atggtctata	caccaatata	ttaacagttt	tatccctaac	tgaattaggg	180
atcggatcat	caattgctta	tttgatgtac	aaacctttag	cagaaaaaga	tggggacaaa	240
ttagctcaag	tagttcaatt	ctataaaaaa	atatatcgag	tgattgggat	cattattctt	300
attttaggtt	tgtgtctcgt	tcctttttta	ccagtcattg	taaattttaaa	aatgcagaa	360
gatttgaact	atacagcatt	gtatttgctt	tatttagcag	atacagtttc	tacttatcta	420
ttctttgcat	ataaaagagg	ggtattggct	gctgatcaaa	agatctatgt	tgccaatata	480
tttgatataa	ttataacgac	aattttatct	attttccaaa	ttatcacttt	gatgattttt	540
aaagactttt	atctatatata	tatttttaaaa	attgctaata	atcttacttt	gaacctagta	600
attagtttaa	aagtagataa	aatgtatcca	agtattcata	aatttaaagg	gatagctccg	660
cttccaaaaa	tggaaagacg	actagtttgg	aaaaatgtat	atgctacctc	tggtcgacaa	720
atctttaacg	aattaatgaa	ttcaacagat	agtatagtta	tttccattgt	cttaggaata	780
gttatggttg	gtaagtattc	gaactatgct	tattttttat	caatcgata	tattttcttt	840
ggaggaattt	ttaatccgat	tcaggcttct	attggaaacc	tatctctgtc	agcttctata	900
gagaaaaaaa	atgaaatctt	caatagatta	cgtttttata	attttttctt	tttatcattt	960
tgctcaagtt	gtcttctagt	attggtaaat	cctttttatca	ctatttggtt	tgagaaaaat	1020
tacactttat	catttacagg	tgtgattgca	atagttggta	tgttattcgt	tagacaaact	1080
ggaaattgta	caaccatttt	tcgtttggga	gaaggatatt	ttagagatta	tcatttttct	1140
cctttaatcg	cgggcatttt	aaatttagtt	gtttcagtaa	ttttagttaa	ttatataggt	1200
attgcaggtg	tttttggtg	aacaatgta	ggattttggt	tccaatttat	actggtggat	1260
acaattgtta	cttataaaaa	agtacttagt	cgctcactat	cagagtttta	tttaagatgg	1320
ttgcagacga	tcttattaac	tgtaggttta	tgtattgcga	gttactattt	atctcgattg	1380
gttagagtga	atagtatata	tgatttgata	ctgttggttg	tagtggttat	tggaattta	1440

ttttttgctt	tatgttttat	ttattggcga	aatgatgatt	ttcaatat	tattcaattg	1500
gttaaaaaatt	ttatgaaaaa	tttggaggaa	aaaaatcatg	attaa		1545

&lt;210&gt; 391

&lt;211&gt; 1434

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 391

atgaaagttt	tgaaaaattt	tttatataat	ttttcatata	aaatcttaac	gatgattctt	60
ccttttgtaa	cggttcccta	tgtaactaga	gtttttaatc	caacattgat	gggtgaatat	120
aattataccg	cctctatagt	cgcctat	tcaacatttg	gtatgttagg	aattgttatt	180
tatggaagta	accaaattgc	aaaagtaagt	cataaggga	aaaaagaaat	atctcatgtt	240
ttttcttcag	tctattat	tcagttat	tcaacaactc	taacgatact	ggtatatcta	300
gcctataatt	ttctttttcc	aagtcaatac	caacaatatt	ttatagtaca	aatcttttct	360
ctcattgcaa	taatgtttga	tattagt	ctatttcaag	gattagaaga	ttttaagcga	420
attgttatgc	gaaatacagt	agtcaagcta	attgggtgcg	tttctatatt	tacattgata	480
aaatcccaat	cagatatcta	tttgtatgta	tttattatta	gtttttctac	gttaatttcg	540
caaggcatta	tgtgtgtaag	tgtaaagaac	tatgtcaatt	tgggttcgagt	tgagtaaaaa	600
gagatactat	caaacttta	acctaactta	tctttctttc	ttcccaa	ttcaatttcg	660
atttacaata	cgctagataa	aataat	ggctctttag	gtagtgtatt	tgatgttgga	720
atttataccc	aagctgtgaa	tataaactct	gttttagtta	atttagtagt	gactctcagt	780
gctgtacttc	aacctagaat	gaccaatttg	catgctcaag	gtaaaaagga	ggaagttcgc	840
agggtaattg	ccgcatcaat	gttattta	agcatactaa	cctttccggt	agtagttgga	900
atattacttg	ttagccaaga	atttgttcat	atgtttttgg	gaaaagagta	tgctgaaaca	960
tttattgctc	tcaacattgt	tgttttctct	ctaattccga	ttgctttttc	agagattgtg	1020
gggctgtaaa	ctctgattcc	gacggataat	gttcgatact	ttacaatttc	agtaattgtca	1080
gggtgctgtg	ttagcatttt	attaaat	attgtcatat	ccttcggagg	atataaagga	1140
gcggtgcttg	tacatgtact	cgttgagatt	attgtatgcg	cattaatgtc	atattatgct	1200
cgtaaatatt	tagatatttt	agctttactc	agaatagcaa	ttaaaccact	ggttacgagt	1260
gtagtactcg	ttattatagt	gcattttgatg	ttttcttata	tttggcctat	ttataatagc	1320
ttgcttagtt	tattattaaa	gataatagtt	tattcagtaa	tatatggtat	tctattatta	1380
ctgacaagaa	caataactca	gaaagagatt	tctatgataa	gaaaaacccc	ctag	1434

&lt;210&gt; 392

&lt;211&gt; 1416

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 392

atgaaagtac	ttaaaaacta	cgcttacaat	ctttcatatc	agttactaat	cataatctta	60
ccgattatta	ccactcccta	cgttactagg	attttttagtt	cggataatct	agggacttat	120
ggttatttta	actcaattgt	aacctat	cttttgctgg	ctacttttagg	aataggaaat	180
tatggaacaa	aagagatttc	aggtaatagg	aaagctatcc	atcagaattt	ttgggggtatt	240
tatagtatac	aactgggagc	atctctat	tccactttcc	tttatgttat	tgtctgtcta	300
attttaccag	ctatgcaaaa	tactgtagcc	tatatttttag	gcttaagttt	gttttctaaa	360
ggtttagata	tttcttggtt	atttcaaggt	ttagaggatt	ttcgga	tacagtaaga	420
aatataactg	tgaaagtcat	tgggggaacc	tcgattttct	tatttgtaaa	atcagctagc	480
gacctctacc	tttatgtttt	tcttttaacg	atatttgagt	tattagggca	acttagtatg	540
tgggtaccag	ctcgga	tattgggaaa	ccgcactttg	actggttgta	tgctaaacaa	600
catttgaagc	cagttatctt	attattttta	ccacaggtcg	ctatatcgct	ttatgtgact	660
ttagatagta	ctatgcttgg	ttctctagcc	tcaataagag	atggttgaat	ttatgatcaa	720
tctctgaaac	ttgtcaaaat	attattaaca	ttagtaactt	cattagggaag	tgctatgttg	780
cctagagttt	caaactcttt	atcctcaggg	gatcataaag	cagtcaacaa	aatgcatgag	840
atatcatttt	taatttataa	tttggttatt	ttcccat	tggcaggaat	gctaattgta	900
aatgatgact	ttgtaacctt	tttcctcg	caagattttc	aagaggcacg	ttatgcgata	960
gcaattatga	tttttagaat	gttctttatt	ggttggacca	atattatggg	gattcaaatt	1020
ttgatacctc	ataataaaaa	taaagaattt	atgctgtcaa	caataattcc	tgctattgtt	1080
agtgtaggct	taaatcttct	cttgcttcca	aagctgggct	atataggagc	agcaattgtt	1140
tctgtcttaa	cagaggcgct	agtatgggct	attcaattgt	actatactcg	tacatactta	1200
aaagatgttc	cgattattag	aactatgata	aaaattat	tagcctcagc	tatcatgtat	1260

agcgttttgc	tagtttctaa	gacatacata	catttttccc	caactataaa	tgttttggt	1320
tttgtggtgt	tagtggaat	catttatctt	ttttcagttt	tatctctaaa	agtgatagat	1380
gtgatagaat	taaaacaagt	aattaggaaa	aattag			1416

&lt;210&gt; 393

&lt;211&gt; 1416

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 393

atgaaagtac	taaaaaatta	cgctacaat	ctttcttacc	aattgttgg	gattatactc	60
cctatcatta	cgacgcccta	tgtaacaagg	gtcttttctt	cggatgattt	agggacgtat	120
ggttatttta	attccatcgt	tacttatatt	atcctcttag	cgacgctagg	agttgctaac	180
tatgggacca	aggtcatttc	agggcatcga	aagcaaatc	aaaaaaactt	tttgggaatc	240
tattctctgc	aattagggtgc	aacagttctt	tctctgtcct	tgtatgctct	tctttgtcta	300
actcttccct	ttatgcaaaa	tccggtagcc	tatattctag	gcttgagttt	agtttctaaa	360
ggtttagaca	tctcctggct	ctttcaagg	ttagaagatt	ttcgtaaaa	tacggtcaga	420
aatatcacag	tgaagcttgt	tggtgtaagt	gccattttct	tgtttgtaaa	atcagcgagt	480
gatctatact	tgatgtttt	tcttctaaca	gcatttgaa	tgttgggtca	gttaagtatg	540
tggtttccag	cccgtaata	tattggaaaa	ccacattttg	atatagaata	tgctaggcat	600
catctgaagc	cagttatctt	gctattctta	ccacaaattg	ctatctcgct	ttatgtgact	660
ttagatcgta	caatggttag	ggcgctagct	tctacaaaag	atgtcgcat	ttatgatcag	720
gctttgaagc	tggttaatat	tttactgacc	ttggttaact	ccttgggaag	tggtatgctg	780
ccacgcgttg	cgcatattgt	agcgacaggt	gatcataagg	tagtcaataa	gatgatgag	840
gtatccttct	taatttataa	tttggttatt	tttccgatta	tgccagggat	gttgattgtg	900
aatgatgatt	ttgttcaatt	tttccctggg	caagactttc	aagatgcacg	ctatgcaatt	960
tccattatga	tcttccgtat	gttctttatc	ggttggaaca	atatcatggg	aattcagatg	1020
ctgatacctt	ataatcaaaa	taaagaattc	atgatttcaa	caacagctcc	cgcaattatc	1080
agtgtagggt	tgaacttact	attccttctt	aaactgggat	atatcggggc	agccattgtc	1140
tctgttttaa	cagaggcact	tgtaggggca	atccaatatt	tctatactcg	cagatattta	1200
aaagaagttc	ctataatcgg	atcaatgtca	aaaattatac	tagcatctgc	cattatgtat	1260
ggccttttac	taagttcaaa	aacagttata	catttttcac	cgaccttaaa	tggtctagca	1320
tttgacgcgc	ttggtggaat	catttatctt	tttgcaattc	tatctctgaa	agtggtagat	1380
gtgaaagaat	taaaacaaat	tattaggaaa	aactaa			1416

&lt;210&gt; 394

&lt;211&gt; 1152

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 394

atggctttgt	tttcattgtc	actgtttttt	acctttacat	ttatttatag	agagtataca	60
actttcttat	atatacagtc	tattcaaate	cttgcaacag	caatagatat	ttcttggttt	120
tttacaggaa	tggaatat	taaaagaaca	gtcactagaa	atatattgac	aaagatatta	180
tctgcaattt	gtattattgg	atttggttaa	agtaggggag	atttatggtt	atatatatta	240
atttttagttc	tctcaacttt	tttaggggaa	tttaactttat	ggacatatgt	ttttgatgctg	300
attgaagtaa	ttaattttta	aagcttgcaa	cttaaagagc	atattaaacc	tgtattttgtg	360
ttattttatac	ctcaattggc	aacaactctt	tttctcacat	taaacaaatt	gttggttagga	420
aacttatcaa	cattatctca	atctggctat	tttgatagtg	cagacaaagt	gatacgaatt	480
ttactgacat	ttatcacagc	tattgggaca	gtaatttttc	caagactggc	gaatagcttt	540
aatagaggag	aaaaaagaaa	tgtcgaagaa	ttattaaaac	tatcttttgg	tgctattaat	600
attattgctt	tcccaatgat	tggttggtatt	atggtaatcg	gaaggccatt	ttcaatcctt	660
ttttttggaa	gtgaatttga	aggaattgaa	attgttttgg	ggatattatc	aatagaattg	720
gttttttatgg	gctggctatc	agtccttagt	aaccaatttt	tagtagctgt	taataagacg	780
aagggtctaa	ctgtttcagt	gtttattgct	tcattaatct	tgctcatatc	ctctttcata	840
ttgattccta	tgtagggagc	ttctggagct	tcaatttcat	cagttatagg	agaggcgaca	900
atagcttttg	tgcagttata	ttatgtttca	aaacatacta	gattatgttt	attattttagt	960
gatatttcta	aaatttttagt	ttctagtctc	ataatgggaa	cgacttggtt	ggtaattggg	1020
agttgttttt	atgatgggat	tatgaaactc	tggtgtcaag	gaacagttgg	tttaattggt	1080
tattgtataa	tgatttggtg	tagcaggact	gaaattgtaa	atactatact	taaaaaata	1140
aagatacagt	ag					1152

<210> 395  
 <211> 1434  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 395  
 atgggggatg ttatgaaaac aataaaaaat tatgcttata aatcttttta tcaactattt 60  
 ttgataatag taccttttat aacaatccca tatgtttcta gaatttttagg agcagagtta 120  
 atagggataa attctttatac aaacactata ataagttatt ttgtgttaat agcaaactctt 180  
 gggattttga tatatggtaa tagaaccata gcatatcata gagaaagtat tgaggagcgt 240  
 agtaaaaaat tttgggaaat tgtctcaatt aagttgctgg tagcaattgt tgcctatgtc 300  
 atattttatta tattttttatt cttttattca aaatatagtt gggtttttgt gattcaatct 360  
 gtacaaatta tagctacggc atttgatata tcttggtctt ttgatgggtg agaagatttt 420  
 aaacgtacag tagtgagaaa ttttctggtt aaaataattt ccattattct aattttttact 480  
 tttgtcaagt ctacagagga ctttgacaaa tacatatgga taacagtagg ctctacttta 540  
 atgggttaatt tgacattatg gagttattta caccattata ttattaaaa tccgataaaa 600  
 agccttaagt tgagtgaaac cttagttccc attttgactt tattcatacc acaaattgct 660  
 tctattgtat ttatgtcaat caataaaatt ttactaggta atatttcgac gatatcgcaa 720  
 gcaggctact ttgagaatgc ggataagggtg attagaattc ttctggcttt agtatcatct 780  
 attggagtag ttgtttttcc taaagttgct catgcgtata ggagtgggtg tatgaagaga 840  
 gtattagggt tgacttatat gacttttgat gcagttaata ttataactat tccaattgta 900  
 gttggaatag tttctattag ccctacattc tcttctattt tttttgggac ggaattccaa 960  
 ggaatagata aggttctgtc tgttctagta ttggagttaa ttttcatggg atatacttcg 1020  
 gttttaaggta gtcaatatct cattgttaaca gggcaaacctt actttttaag tatctcgggtg 1080  
 ttcttaggaa tattttctac agtgatatct tctttctttt tcattccgat atacggagcg 1140  
 cttggaagtg cgatttcacg tgtaattgga gaagcatcta ttatgattgg tgaatttac 1200  
 ttgttaagga atcaagttga tttctattat ctatataggg atgtaccgaa atacatgatt 1260  
 gctagcgctg ttatgtatat tagtatctcg tcattgaatt atttttattc ttccgccattt 1320  
 gtatctttgc tatcaagtat tgctatgggt gcagtgaact atgttactgt tgtcttatta 1380  
 ctatgcccaa gaatagtaat aaaattatta aataaaaaca caagattttt ttga 1434

<210> 396  
 <211> 1458  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 396  
 atgagcatga aagaaaaatc aataaataaa aatgctattt tgaatattat tttaacacta 60  
 acaaatattg tgtttccatt aattactttt ccttatattt ctagaattct gaatccgtca 120  
 ggaatagggtg caatctcttt tttttcatct attggttctt atgggtgttt agttgcttcg 180  
 cttggaattt caacttatgg gattcgggtg attgcaaagg atcgttatca taaagataag 240  
 ataactaaaa tattccaaga attgatagtt attaatagtg taatgtctat tatagtacg 300  
 ttcttccttg ttttaatgag tttccgatta gagcagttaa gttagaaaa aggtttatta 360  
 ataatacatg gtattactat tttgtcctct ccttttaatt tgaattgggt ttatagtggg 420  
 atagaagagt attcatatat aacaaaacgt tcaatatatt ttaaattagt ttcatgata 480  
 ttaacctttt tatttgtaa aagtaaagac gattatattc tatatgctgt gataacattg 540  
 ttttcaacat tggcttccaa ttttataaat attttggaga gtagaaaata catcaatttt 600  
 aatttgagaa gggattttaga atttagatat catctaaaac caatgtggta tttatttgct 660  
 tcgttacttg cagttaatat ttatataaat ttggattctg tgatgttagg aattattaat 720  
 ggaaatgatg cggtaggtat ttactcaatc gcatcaaaag taaaatggat tttattatca 780  
 gtcgtttact cagtgaattc agtttttata ccagattat cattttatag caataaatat 840  
 gacgaaacga agtttaataa tattttgaga aagtcactca caataatttt tatgatttca 900  
 attcctctaa caattttttt tatgataaaa gcgaaagaga gtatattatt gttaggtgga 960  
 gagcagtata ttcaggcagt ttttagcaatg caaatattaa tgccgatctt gataatatca 1020  
 ggtttttcca atattacagg taatcagata ttgatcccta ctggtaatga gaaatatttt 1080  
 atgagagcag tttctatagg ggcaatagta aatttatgtt taaatttggt gcttatgcct 1140  
 atttggggaa ttatcggagg tgccgatcgca actctttgtg cagaattagt ccaaatgatt 1200  
 attcaatttt atttttctcg taataaatta atgggtaata tttcattaaa ttcaatcaaa 1260  
 aaagtagcct attcatcaat ttttgcggtg atactgttaa tagtaataca aaatattata 1320  
 gagaatttta atagcttctt aaatttagct gcatctagtt ttctatattt tggagtatat 1380  
 tttttcttat tggatttatt taaagaaagt acaattaaga aattttctaaa tcaaattttt 1440

tataaggata tttcatga

1458

&lt;210&gt; 397

&lt;211&gt; 1434

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 397

atgggggatg	ttatgaaaac	aataaaaaat	tatgcttata	aatcttttta	tcaactatatt	60
ttgataatag	taccttttat	aacaatccca	tatgtttcta	gaatttttagg	agcagagtta	120
atagggataa	attccttatac	aaacactata	ataagttatt	ttgtgttaaat	agcaaatctt	180
gggattttga	tatatggtta	tagaaccata	gcatacata	gagaaagtat	tgaggagcgt	240
agtaaaaaat	tttgggaaat	tgtctcaatt	aagttgctgg	tagcaattgt	tgccatgtgc	300
atattttatta	tatttttatt	cttttattca	aaatatagtt	gggtttttgt	gattcaatct	360
gtacaaatta	tagctacggc	atltgatata	tcttggtctt	ttgatgggtg	agaagatttt	420
aaacgtacag	tagtgagaaa	ttttctggtt	aaaataattt	ccattattct	aattttttact	480
tttgtcaagt	ctacagagga	ctttgacaaa	tacatatgga	taacagtagg	ctctacttta	540
atgggtaatt	tgacattatg	gagttattta	caccattata	ttattaaaa	tccgataaaa	600
agccttaagt	tgagtgaaca	cttagttccc	atlttgactt	tattcatacc	acaaattgct	660
tctattgtat	ttatgtcaat	caataaaaat	ttactaggta	atatttcgac	gatatacgca	720
gcaggctact	ttgagaatgc	ggataagggtg	attagaattc	ttctgggttt	agtatcatct	780
attggagtag	ttgtttttcc	taaagttgct	catgctgata	ggagtgggtg	tatgaagaga	840
gtattagggt	tgacttatat	gacttttgat	gcagtttaata	ttataactat	tccaattgta	900
gttggaatag	tttctattag	ccctacattc	tcttctattt	tttttgggac	ggaattccaa	960
ggaatagata	aggttctgtc	tgttctagta	ttggagttaa	ttttcatggg	atatacttcg	1020
gttttaggta	gtcaatatct	cattgtaaca	gggcaactt	actttttaag	tatctcgggtg	1080
ttcctaggaa	tattttctac	agtgatatct	tctttctttt	tcattccgat	atacggagcg	1140
cttgggaagt	cgatttcac	tgtaattgga	gaagcatcta	ttatgattgg	tgaaatttac	1200
ttgttaagga	atcaagttga	tttctattat	ctatataggg	atgtaccgaa	atacatgatt	1260
gctagcgctg	ttatgtatat	tagtatctcg	tcattgaatt	atlttatattc	ttcgccattt	1320
gtatcctttgc	tatcaagtat	tgctatgggt	gcagtgaact	atgttactgt	tgtcttatta	1380
ctatgcccaa	gaatagtaat	aaaattatta	aataaaaaa	caagattttt	ttga	1434

&lt;210&gt; 398

&lt;211&gt; 1425

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 398

atggatataa	gtaataagtt	taaggtaggt	atcctatata	ctgcttttagg	taagtattct	60
aatgttataa	ttcaattatt	tgtaacggcg	gtattaagta	gaatattaac	acctgaagag	120
tatggcggtg	tagcggttgt	caatgtgttt	ttagtattct	ttcagatatt	ggcagattcg	180
ggaataggac	ctgcaattgt	acaaaataag	acattaaactc	aaaatgattt	aaatgatatt	240
tttactttta	caattttattc	aggttttaatt	ctttcgtttg	tttttgtatt	gataggctat	300
ccaattagta	tagtctatgg	gaatgaagtc	tatatcaaac	tgtactcatt	attaggtatg	360
tgtgtactat	tttatactat	gacaattggt	cctcagtcac	ttttaacaag	aaacatgaac	420
tttaaacgga	tgaacttatt	gagtctgatt	gccaatattt	ttagtggagt	tattgggtgtt	480
gtgctggcca	tacatgattt	cggggtatat	tctctgattt	tttctaatat	tatgaaggct	540
actatattat	tttttgtttt	tttttcaagt	gttgagttga	gttttaagaa	aaagatagag	600
aaaacttcgt	tagttaaaa	tctaaatttt	tctaaagttt	aattttatgtt	taattttcta	660
aactactttg	caagaaattt	agacaatctc	ttgattggta	gattcattaa	tcccgcgtcg	720
ttgggttatt	atgataaggc	ttaccagtta	tcattatata	ctaatacagat	tttattgcag	780
gtgatttcac	ctgtaattca	tccgataatg	tcgaattttc	aaaatgatag	acaaaaaatg	840
gaagaagttt	ttgcaaaaa	tttttaattat	ctacttttta	taggaatgcc	aatctcagtg	900
tatttgtttt	tcaatgcaag	tgatgtgata	acatttatgt	ttggaaataa	ttggtttcag	960
agcgttccag	tatttcaaat	actatctgct	agcatctgga	ttcaaatggc	taatagtcca	1020
ataggaattt	tttatcaagc	ttcgaatcgt	gttgatctgt	tatttaagggt	aggattatta	1080
gcgtcaggat	ttaattattat	agctatttgt	atagggtctat	tatcgaaaag	tatagtga	1140
attgtcgcta	tgtaatttat	ttcattttata	ataaggctat	caactgaatct	ctacgtttta	1200
tcacatgtag	tcttttaaaa	tgatataaatt	aaataattta	aaataatttt	agttcacctt	1260
gtaacagtta	tcccatatat	tatattcaat	atgattggct	ttagatttga	acagggtgta	1320

gttatcaatc	ttgtgttgca	aggactggta	ttgggactaa	tttggcttat	aggaatat	1380
gtaacaggtc	aatacaagca	gttaataatg	atgttttagta	ggtga		1425

&lt;210&gt; 399

&lt;211&gt; 1425

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 399

atgaatgttg	aaaaaaat	gaaacgtgga	attttctata	ctgcaatagg	gaagtattcg	60
aatgtagtta	ttcaattact	tgtaacagca	attccttagcc	ggattctctc	acctgtagaa	120
tatggtatcg	tagcagtagt	aaatgtat	cttttat	ttcaaagt	agcagattca	180
ggaataggac	ctgctattgt	tcaaaataaa	gaactgaata	agtcagatt	aatcagcatt	240
ttctcattaa	cgatttatag	tggaatcgta	ctttcttgta	tttttgctt	actaggatat	300
cctatggggg	tggtatacgg	cgaaactatt	tatgttagtt	tatttcgct	tttaggtctt	360
tgtgttttat	tttataccat	tacaattgta	cgcgaagcta	ttctaata	aacgatgaac	420
tttaaaatag	ttaat	tttct	taacattg	ctagtggct	ggtgggcgt	480
attttagcgg	tatcacatt	tggtgtctat	tctctaatt	tttctaata	tgtaagagca	540
atggttttat	ttatcgctt	atattctaaa	gcaaagataa	atttctattg	gaaagt	600
aaaagtctta	ttggtaaaat	ttttgagttt	tcaaaattcc	aattttt	taatttttgg	660
aattattttg	ctagaaat	agataat	tttaattggac	gattgattag	cccgtcagat	720
cttggttatt	atgataaggc	ttatcaatta	tctttgtacc	ctaatacaat	tttatcacag	780
gttgtagacac	cagcattgca	tcctattatg	tccaattttc	aagataatat	cagtaagata	840
ggcgaagt	ttcttcagat	ttctagaata	ttcgtaatag	ttggcatacc	tatttcggct	900
tatttatact	ttaatgctca	atatgttggt	acatttatgt	ttggagataa	ttgggtccaa	960
agcgttcggg	tgtttcaaat	attagcagca	acaatttggg	tacaaatggc	taatagtcct	1020
actggtgcat	tttaccagc	aactaatcag	acaagggtat	tgtttagaat	tggttattg	1080
acatctttta	ttaatat	agctattggt	attggtgtaa	tgttgcaaag	catccaatgt	1140
gttgcgtaga	tgcttttgat	ttctttcagt	cttagtttag	taatcaatac	tctttactta	1200
acaaaaaag	tattaaatat	ttctgctcaa	aaatatataa	aaccgatatt	aattaatttg	1260
acaattatca	gtccctatat	tggttttaat	ttgtttatct	cggattttgt	aaacgacctt	1320
attttacatt	tatcagttca	gtttgttatt	ttatttttaa	tatggggaat	tggtatgtat	1380
attagcggag	agtatcgacg	agtcttcgcg	gttataagaa	aataa		1425

&lt;210&gt; 400

&lt;211&gt; 1416

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 400

atgaaagtac	taaaaaatta	cgctacaat	ctttcttacc	aattgttggg	gattatactc	60
cctatcatta	cgacgccta	tgtaacaagg	gtcttttctt	cggatgattt	agggacgtat	120
ggttat	attccatcgt	tacttat	atcctcttag	cgacgtagg	agttgctaac	180
tatgggacca	aggtcatttc	agggcatcga	aagcaaattc	aaaaaaactt	tttgggaatc	240
tattctctgc	aattaggtgc	aacagttctt	tctctgtcct	tgtagctct	tctttgtota	300
actcttcct	ttatgcaaaa	tcggtagcc	tatattctag	gcttgagttt	agtttctaaa	360
ggttttagaca	tctcctggct	ctttcaaggg	ttagaagatt	ttcgtaaaat	tacggtcaga	420
aatatcacag	tgaagcttgt	tggtgtaagt	gccattttct	tgtttgtaaa	atcagcgagt	480
gatctatact	tgtagt	tcttctaaca	gcatttgaat	tgttgggtca	gttaagtagt	540
tggtttccag	cccgtgaata	tattggaaaa	ccacattttg	atatagaata	tgtaggcat	600
catctgaagc	cagttatctt	gctattctta	ccacaaattg	ctatctcgct	ttatgtgact	660
ttagatcgta	caatgttagg	ggcgtagct	tctacaaaag	atgtcggcac	ttatgatcag	720
gctttgaagc	tggttaatat	tttactgacc	ttggttaact	ccttgggaag	tggtatgctg	780
ccacgcgttg	cgcat	agcgacaggt	gatcataagg	tagtcaataa	gatgatgag	840
gtatccttct	taatttataa	tttggttatt	tttccgatta	tggtcaggat	gttgattgtg	900
aatgatgatt	ttgttcaatt	tttccctggg	caagactttc	aagatgcacg	ctatgcaatt	960
tccattatga	tcttccgtat	gttctttatc	ggttggaaca	atatcatggg	aattcagatg	1020
ctgatacctt	ataatcaaaa	taaagaattc	atgatttcaa	caacagctcc	cgcaattatc	1080
agtgtaggtt	tgaagttact	attccttctt	aaactgggat	atatcggggc	agccattgtc	1140
tctgttttaa	cgaggcact	tgtaggggca	atccaattat	tctatactcg	cagatattta	1200
aaagaagttc	ctataatcgg	atcaatgtca	aaaattatac	tagcatctgc	cattatgtat	1260



ggccttttac	taagttcaaa	aacagttata	catTTTTTcac	cgaccttaaa	tgttctagca	1320
tttgcagcgc	ttggtggaat	catttatctt	tttgcaattc	tatctctgaa	agtggtagat	1380
gtgaaagaat	taaaacaaat	tattaggaaa	aactaa			1416

&lt;210&gt; 401

&lt;211&gt; 1209

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 401

atgtcagtta	gaaaactatc	tttaatagat	atactggact	atatgtggat	aatattaatt	60
attgtacagt	gtcattcaat	atatacagta	aaatctgaac	ctcttaattt	aattgtgcca	120
tttttagtta	caacagcaat	gttgttgta	ctcaatttat	tacgattcac	tttgtcaata	180
aaatatatat	atatattagg	tctatatatt	atagcaatgg	ctacattttt	tttaactaac	240
ataggtgcta	atgttactcc	cttaaatatt	acgaagtatt	ttataatgct	tccttttatt	300
tttttaataa	atagtattta	tgtgaataaa	gaaatttttt	cagcgttact	atcaaaaatt	360
gtaaacgtag	tagtaatttt	agcaattttt	tccttattct	tttgatatt	tggaacactt	420
ctgaatgttg	tacaccctac	ctcaacagta	attaatcaat	ggtctggtgg	tcaattaata	480
aatagctact	ataatctata	ttttgaaact	caacagatga	tttttttttg	gttcggtata	540
atacggaatt	caggaatatt	tgcgtgaatct	cctatttggg	ggctaatact	aagtattgct	600
tatgttattg	atcttcttat	tttgaaattt	gataaaaaata	gcaagcgtaa	tataattatt	660
ctaactatgt	taagtacaat	ttcaacgaca	ggtattatta	ttgtcgggtt	agctatatta	720
tataaaataa	tgactactag	tcgttggtatg	acaaaactct	tacttctccc	tgtcacattg	780
agcttaggac	tctctttatt	gctcctattg	gctgagaaat	cagagacagt	ttcagctaatt	840
cttagagttg	atgattataa	tatttggtttt	atagtatgga	agacaagttt	gtggatagga	900
cacggattga	ataatggtat	attagcaatt	caatcacata	totcaacggt	tacaagaaat	960
ttaggctata	gtaacacatt	atctgttatt	ttggctcagg	gagggtttatt	attattcttg	1020
atctattttt	ctccaatgat	actattattg	tttaagaaaa	atatcaatct	tgatttttaag	1080
tttgccatta	tcttattctt	tatcttagta	acaacaatta	tttttgaagg	gacattttta	1140
tttctctgga	ttttaacatt	atcgtatagc	tacttttcct	ttgtaacatt	agataaaaact	1200
ggaacgtaa						1209

&lt;210&gt; 402

&lt;211&gt; 1251

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 402

atggttttgt	tattacttac	ttttgcattc	tttttagttt	tcctgtgtct	gtcaataagt	60
ttaagtgtta	tagggctagt	aaatgacaaa	aagcgttcaa	aaatctattt	acttctaatt	120
agttttgcaa	tatcaattgt	tgcgctgcgc	tatattcctc	atcctatgga	tgatggcgct	180
tttcattttc	gtgcgactac	ggcccttatt	cgctatgata	gtattttcga	aatgtttaaa	240
gcgttttcta	atggatggag	agtagggaac	tatgactatg	gttccatacc	aattttttact	300
tcattaatgt	atcttggtcg	aaatactcat	cactatagtt	tactgagttt	tatttcagct	360
tttataactt	actttagttt	tggttacgta	gttggtgagc	tatttaagga	cctgggcaag	420
gtttctaaac	tatcgtatgc	tacagtatta	attgctgtac	tatgtttaaa	taattataga	480
tatacaacta	gtggaatgag	atcttgatg	gcagttgcct	tgatgatgct	tttactatat	540
ttggagtcaa	aaaaaggcta	tactagttta	aaaacaacca	tatggtattt	gttgccgtga	600
ggtatccatt	cagcggttat	ttattttatt	ggttttaagg	tcctatttcc	attaatcaag	660
aaagtgcgc	ttgctaaaag	tttatttgta	ttattaggtt	ttcctgtttt	gttcaacctt	720
gttccatggt	tagcaaatct	gattgggttg	acttacttac	aatcatttat	tcggaaaatt	780
gaagtctact	ctgacaattc	atcctattcc	cagtttttta	ataccacatt	aacaatgagg	840
ctatatgttg	gaatagtgtc	gatgggttta	tttgatttgt	tatatttggg	aatagtaaat	900
tcattgaaaa	caactgatga	ttggcggttt	agttttgtta	caatgactta	ttatgtaact	960
ctgttatcta	tggttcaat	accatttcgt	aatatttatg	atagaaatct	tttcttgctc	1020
cttcctatga	ttgtagtctc	aacctacata	ttgtttacat	atagacatca	attgaaaatt	1080
cttactaatc	gtaatatgtt	ttatggatta	acgatgggta	ttctttgtct	atcctgtgca	1140
gttgggtgat	tttataataa	taatttcctt	tttgctttta	ttgatttttag	taagacagac	1200
ttactcctaa	aaaaattttt	tcaattcttt	tcaaattttac	cttttacata	a	1251

<210> 403  
 <211> 1251  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 403  
 atggttttgt tattacttgc ttttgcattc tttttagttt tccctgtgtt gtcaataagt 60  
 ttaagtgtta tagggctagt aaatgacaaa aagcgttcaa aaatctatct actactaatt 120  
 agttttgcaa tatcaattat tgcgctgcgt tatattcctc atcctacgga tgatggcgct 180  
 tttcattttc gtgcgactac tgccttatt cgctatgata gtattttcga aatgtttaaa 240  
 gcattttcta atgggtggat agtagggatc tatgactatg gctccatacc aatttttacc 300  
 tcattaatgt attttgttcg caacacccat cactatagtt tactgagttt tatttcagct 360  
 ttcataactt actttagttt tggttacgta gttgttgact tatttaagga tttgggcaag 420  
 ttttctaaac tatcgtatgc tacagtattc attgctgtac tatgtttaaa taattataga 480  
 tatacaacta gtggaatgag attttgtatg gcagttgcct tgatgatgct tttactatat 540  
 ttggagtcaa aaaaaggcta tactaggtta aaaacaacta tttggtatct gttaccatta 600  
 ggtatccatt cagcggttat ttattttatt ggtttaagggt tcttatttcc attaattagg 660  
 aaagtgcacac tcgctaaaag tttatttgta ttattaggtt ttcctgtttt gttcaaccta 720  
 gttccatggt tagcaaatct gattgggttg acttacttac aattttttat tcgaaaaatt 780  
 gaagtctatt ctgacaattc atcctattcc cagtttttta ataccacatt aacgatgagg 840  
 ctatatgttg gaatagtact gatggtttta tttgtattgt tatatttggg aatagtaaat 900  
 tcattgaaaa taagtatga ttggcgtttt agttttgtta caatgaccta ttatgtaact 960  
 ctgttatcta tgagttcaat accatttcgt aatatttatg atagaaatct tttcttgctc 1020  
 cttcctatga ttgtagtttc aacctacata ttatttacat atagacgtca gttgaaaaatt 1080  
 cttactaatc gtaatatgtt ttatggactg acgataggta ttctttgtct atcctgtgca 1140  
 gttggtgtat tttataataa taatttcctt tttggtttta ttgattttag taagacagac 1200  
 ttactcctaa aaaatatttt tcaattcttt tcaaattttac cttttacata a 1251

<210> 404  
 <211> 1251  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 404  
 atggttttgt tattacttgc ttttgcattc tttttagttt tccctgtgtt gtcaataagt 60  
 ttaagtgtta tagggctagt aaatgacaaa aagcgttcaa aaatctatct actactaatt 120  
 agttttgcaa tatcaattat tgcgctgcgt tatattcctc atcctacgga tgatggcgct 180  
 tttcattttc gtgcgactac tgccttatt cgctatgata gtattttcga aatgtttaaa 240  
 gcattttcta atgggtggag agtagggaac tatgactatg gctccatacc aatttttacc 300  
 tcattaatgt attttgttcg caacacccat cactatagtt tactgagttt tatttcagct 360  
 ttcataactt actttagttt tggttacgta gttgttgact tatttaagga tttgggcaag 420  
 ttttctaaac tatcgtatgc tacagtattt attgctgtac tatgtttaaa taattacaga 480  
 tatacaacta gtggaatgag attttgtatg gcagttgcct tgatgatgct tttactatat 540  
 ttggagtcaa aaaaaggcta tactagttta aaaacaacta tttggtatct gttaccatta 600  
 ggtatccatt cagcggttat ttattttatt ggtttaagggt tcttatttcc attaattagg 660  
 aaagtgcacac tcgctaaaag tttatttgta ttattaggtt ttcctgtttt gttcaaccta 720  
 gttccatggt tagcaaatct gattgggttg acttacttac aattttttat tcgaaaaatt 780  
 gaagtctact ctgacaattc atcctattcc cagtttttta ataccacatt aacaatgagg 840  
 ctatatgttg gaatagtact gatggtttta tttgtattgt tatatttggg aatagtaaat 900  
 tcattgaaaa taactgatga ttggcgtttt agttttgtta caatgacata ttatgtaact 960  
 ctgttatcta tgagttcaat accatttcgt aatatttatg atagaaatct tttcttgctc 1020  
 cttcctatga ttgtagtttc aacctacata ttatttacat atagacgtca attgaaaaatt 1080  
 cttactaatc gtaatatgtt ttatggactg acgataggta ttctttgtct atcctgtgca 1140  
 gttggtgtat tttataataa taatttcctt tttggtttta ttgattttag taaaacggat 1200  
 ttactcataa aaaatatttt tcaattcttt tcaaattttac cttttacgta a 1251

<210> 405  
 <211> 1173  
 <212> DNA  
 <213> Streptococcus pneumoniae

&lt;400&gt; 405

atgagaatat	caccttcgaa	gctgatattt	gcatttttta	gcagctttta	tattcttgta	60
atccttttcc	caagaggaat	tttctagga	cattctactt	tagcttctcg	attatggatt	120
atttacaatg	gaagtttata	tttatcaata	ttacttggtt	taatatatgt	tattttaaaa	180
atattatctc	gaaatatcgc	cattcatcag	catgcttttt	tcatcttaca	atattatttt	240
attgtaatta	ttttaacttt	catggtaagt	gggtcaatcg	gtggtgggct	acaatcgatt	300
ttctatccaa	tattcatcta	tttatttttt	aatgaagttc	gagataagaa	atcaatagtg	360
ttaatttttg	atatctttct	ttatatactt	actcctttat	tcgttatcaa	tacgattgat	420
gtttttctga	atttcacaaa	tatttttcat	attacttttt	taggacatgt	tcaggtgatt	480
tcccaatata	gtgttatcgg	atttctcgta	tcagcatatt	acttattaga	agaaaagaga	540
aatatattag	tggcacagtt	gctgttgatt	ttaacgatta	tcaattgttt	tttttcagat	600
gtctctctct	ctaaagttat	tgctttgttt	atgattgttt	atattatttc	atacaagtta	660
agaaaactat	tctggaaaag	aggaaggaag	atatctgttg	taacttttat	tgcactctgtt	720
gtgatgtag	cattagtaat	ttttggatat	tttttaccat	atcttagata	ttttgatttt	780
acttttaatg	gtcgatacca	aatttggcgc	atttgtgatg	ctaccattct	tcaagtgaag	840
tggtttggat	atggtttgtt	tggctttcaa	tttaaacttc	cgtggcagaa	attgggagaa	900
gttggaaata	attacactca	taatcaagtt	ttacagttag	cacttgatag	tggtattgtt	960
gggattatct	cattctttac	tatgattttt	tatatgatct	tttcaactaa	aaatattcaa	1020
aattccacaa	taagctctct	atttattttt	gcctattttt	gtctattttat	tataatgttt	1080
atagagagtg	tcacttatta	cccatactat	tttattataa	tagttcttca	gactttgtac	1140
ttaaaattgg	aaagagaaa	aatgtttaa	tag			1173

&lt;210&gt; 406

&lt;211&gt; 1173

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 406

atgagaatat	caccttcgaa	gctgatattt	gcatttttta	gcagctttta	tattcttgta	60
atccttttcc	caagaggaat	tttctagga	cattctactt	tagcttctcg	attatggatt	120
atttacaatg	gaagtttata	tttatcaata	ttacttggtt	taatatatgt	tattttaaaa	180
atattatctc	gaaatatcgc	cattcatcag	catgcttttt	tcatcttaca	atattatttt	240
attgtaatta	ttttaacttt	catggtaagt	gggtcaatcg	gtggtgggct	acaatcgatt	300
ttctatccaa	tattcatcta	tttatttttt	aatgaagttc	gagataagaa	atcaatagtg	360
ttaatttttg	atatctttct	ttatatactt	actcctttat	tcgttatcaa	tacgattgat	420
gtttttctga	atttcacaaa	tatttttcat	attacttttt	taggacatgt	tcaggtgatt	480
tcccaatata	gtgttatcgg	atttctcgta	tcagcatatt	acttattaga	agaaaagaga	540
aatatattag	tggcacagtt	gctgttgatt	ttaacgatta	tcaattgttt	tttttcagat	600
gtctctctct	ctaaagttat	tgctttgttt	atgattgttt	atattatttc	atacaagtta	660
agaaaactat	tctggaaaag	aggaaggaag	atatctgttg	taacttttat	tgcactctgtt	720
gtgatgtag	cattagtaat	ttttggatat	tttttaccat	atcttagata	ttttgatttt	780
acttttaatg	gtcgatacca	aatttggcgc	atttgtgatg	ctaccattct	tcaagtgaag	840
tggtttggat	atggtttgtt	tggctttcaa	tttaaacttc	cgtggcagaa	attgggagaa	900
gttgaataa	attacactca	taatcaagtt	ttacagttag	cacttgatag	tggtattgtt	960
gggattatct	cattctttac	tatgattttt	tatatgatct	tttcaactaa	aaatattcaa	1020
aattccacaa	taagctctct	atttattttt	gcctattttt	gtctattttat	tataatgttt	1080
atagagagtg	tcacttatta	cccatactat	tttattataa	tagttcttca	gactttgtac	1140
ttaaaattgg	aaagagaaa	aatgtttaa	tag			1173

&lt;210&gt; 407

&lt;211&gt; 1212

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 407

atgatgaaaa	gaatttatta	tcaccttttg	gctatttttg	cttggactct	tccaaattct	60
tatgctttta	ttgattcggt	aaaggtgttt	tttccgaata	ttagttttaca	aattgcagggt	120
tctcttttgg	ctgttatctc	gataggaatt	tttatcacta	gaatatatta	tacaggatac	180
gaagttttta	tctcttatt	ggtttgatt	tttattttta	ttttttattc	aactcgcttt	240
ttttattcga	ttaatgtaga	gttgatcag	tctttcttca	attcctttct	gattcgtcca	300
gttctctggga	tatttagtagc	gatgctgtta	gctaagaata	atcatataaa	aggtttcata	360

aaatggtcag	aacctatgat	gcttttctat	acattgacat	catttttagc	agccctatct	420
cctagaaata	gcattattat	ttaccaatct	ttatcttatt	atgccatgac	agcttatatg	480
attaatgtgt	ttaataattat	atacaaagag	aaaatattgg	aggagcaact	gacgtatttc	540
agattctcag	cgtggaattt	tattagatat	tttttacttt	tgattcaagc	ttttaatgca	600
ctctcaggag	gtgggagagg	tgccctttatc	ttattaatta	tttttacagg	aatattatta	660
ataagaattg	ctatgaattt	taagttcctt	ttctcattca	ttggaggcct	atctgctata	720
gctctagtgt	ttttttgtat	aaaagatttg	gatttcacat	ggctcttgaa	tatggacggg	780
ggagagcgat	tggtgaactt	cttcggcaga	cctgaacgta	tatctacaga	taatagacta	840
ttgatttatg	atactgtttg	gtctgcaata	caggaaaaac	ccttttttagg	atggggaggt	900
ggttcaactt	ttttaaaatt	taatggatat	tcacataata	ttgtattgga	tttattgcat	960
gatatgggaa	gttttgggtt	attaattatt	ctttcggcct	tctttgcttc	ttcagtaata	1020
ttgtacaaat	tacgtaaaat	agattggaaa	gtgaatttat	ttattctgat	gtttctagaa	1080
gtatatgttc	acatgagttt	cagtgggaagc	tatcttgacg	atggtagact	atgggttttg	1140
gtgatcttta	cttattgtta	ctacaggtgg	aaagtgcagg	aaaaggatga	agtttagcaat	1200
tttattatct	ga					1212

&lt;210&gt; 408

&lt;211&gt; 1212

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 408

atgatgaaaa	gaatttatta	tcaccttttg	gctatttggg	cttggactct	tccaaattct	60
tatgctttta	ttgattcggt	aaaggtgttt	tttcogaata	ttagcttaca	aattgcagggt	120
tctcttttgg	ctgttgtctc	aataggaatt	tttatcacta	gaatatatta	tacaagatat	180
gaagttttta	tatctctatt	ggtttgattt	tctattttta	ttttttattc	aactcgcttt	240
ttttattcga	ctaactgtaga	gttgatcag	tctttcttca	attcctttct	gattcgtcca	300
gttcctgcga	tattagtagc	gatgctgtta	gctaagaata	atcatataaa	aggtttcata	360
aaatggtcag	aacctatgat	gcttttctat	acattgacat	catttttagc	agccctatct	420
cctagaaaca	gcattattac	ttaccaatct	ttatcttatt	atgccatgac	agcttatatg	480
attaatgtgt	ttaataattat	atacaaagag	aaaatattgg	aggagcaact	gacgtatttc	540
agattctcag	cgtggaattt	tattagatat	tttttacttt	tgattcaagc	ttttaatgca	600
ctctcaggag	gtgggagagg	tgccctttat	ttattaatta	tttttacagg	aatattatta	660
ataagaactg	ctatgaaatt	taagttcctt	ttctcattta	ttggaggcct	gtctgctata	720
gctctagtgt	ttttttttac	aaaaggtttg	gatttgacat	ggctcttgaa	tatggacggg	780
ggagagcgat	tggtgaactt	cttcggcaga	cctgaacata	tatctacaga	taatagacta	840
ttgatttatg	atactgtttg	gtctgcaata	caggaaaaac	ccttttttagg	atggggaggt	900
ggttcaactt	ttttaaaatt	taatggatat	tcacataata	ttgtattgga	tttattgcat	960
gatatgggaa	gttttgggtt	attaattatt	ctttcggcct	tctttgcttc	ttcagtaata	1020
ttgtacaaat	tacgtaaaat	agattggaaa	gtgaatttat	ttattctgat	gtttctagaa	1080
gtatatgttc	acatgagttt	cagtgggaagc	tatcttgacg	atggtagact	atgggttttg	1140
gtgatcttta	cttattgtta	ctacaggtgg	aaagtgcagg	aaaaggatga	agtttagcaat	1200
tttattatct	ga					1212

&lt;210&gt; 409

&lt;211&gt; 1212

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 409

atgatgaaaa	gaatttatta	tcaccttttg	gctatttggg	cttggactct	tccaaattct	60
tatgctttta	ttgattcggt	aaaggtgttt	tttcogaata	ttagcttaca	aattgcagggt	120
tctcttttgg	ctgttgtctc	aataggaatt	tttatcacta	gaatatatta	tacaagatat	180
gaagttttta	tatctctatt	ggtttgattt	tctattttta	ttttttattc	aactcgcttt	240
ttttattcga	ctaactgtaga	gttgatcag	tctttcttca	attcctttct	gattcgtcca	300
gttcctgcga	tattagtagc	gatgctgtta	gctaagaata	atcatataaa	aggtttcata	360
aaatggtcag	aacctatgat	gcttttctat	acattgacat	catttttagc	agccctatct	420
cctagaaaca	gcattattac	ttaccaatct	ttatcttatt	atgccatgac	agcttatatg	480
attaatgtgt	ttaataattat	atacaaagag	aaaatattgg	aggagcaact	gacgtatttc	540
agattctcag	cgtggaattt	tattagatat	tttttacttt	tgattcaagc	ttttaatgca	600
ctctcaggag	gtgggagagg	tgccctttat	ttattaatta	tttttacagg	aatattatta	660

ataagaactg	ctatgaaatt	taagttcctt	ttctcattta	ttggaggcct	gtctgctata	720
gctctagttg	ttttttttac	aaaagggttg	gatttgacat	ggctcttgaa	tatggacggt	780
ggagagcgat	tgttgaaactt	cttcggcaga	cctgaacata	tatctacaga	taatagacta	840
ttgatttatg	atactgtttg	gtctgcaata	caggaaaaac	ccttttttagg	atggggagtt	900
ggttcaactt	ttttaaaatt	taatggatat	tcacataata	ttgtattgga	tttattgcat	960
gatatgggaa	gttttggttt	attaattatt	ctttcggcct	tctttgcttc	ttcagtaata	1020
ttgtacaaat	tacgtaaaat	agattggaaa	gtgaatttat	ttattctgat	gtttctagaa	1080
gtatatgttc	acatgagttt	cagtgggaagc	tatcttgacg	atggtagact	atggtttttg	1140
gtgatcttta	cttattgtta	ctacaggttg	aaagtgcagg	aaaaggatga	agtttagcaat	1200
tttattatct	ga					1212

&lt;210&gt; 410

&lt;211&gt; 1152

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 410

atgagtagta	taaaagtaag	tatatatcag	ttactttttt	acgtatcttt	tattattata	60
gttggttcaa	aatattttaag	ggaaacggtt	tttgtaaag	catatcctct	gttaagttaa	120
ttgataaaag	ttttaataat	tatagcatgt	atctttttat	tattaaaata	tatattagaa	180
ccacatacta	aaaagttcat	tattttttcg	atagttattt	taacgatagg	agtagtagta	240
tcttataaatt	cagatagttt	ttttatttta	atgccagtag	tagcactaat	attaaatatg	300
agtaatatag	atataacca	ggttataaaa	gtttggctta	tagagattat	agcattaatg	360
atttttctag	caatatgtta	tagactaaat	atagtagggg	aagttataaa	ctcagcaatt	420
agatcagatg	ggaaaatacg	atatgctcta	gggtataaat	attcaacatt	tagctcaaat	480
tactttttcc	atgttacgat	tttctattta	tatttaagaa	aacatatgat	taagtatgta	540
gagataataa	ctttatttct	tataaatttg	tatctatatg	ctttaactga	tacgagggca	600
gtattctact	actctacagc	agctattgtt	atttgtttgt	tgttaaagat	gtttaagata	660
aaaacatata	gcattatttt	gaataaatac	agtatgttat	tttcagcaat	aatagctgga	720
gttttgtcat	ggagttatcg	gtatagacta	ccattttttg	atcagttaga	tttaatatata	780
acaggtagat	tacgacttg	aagtgtctgt	tttaataaatt	ttcacataac	attttttgga	840
caaaaaataa	gatggattta	tgaacaaaat	atgttttctg	aattgatata	taattatgtg	900
gactcttcat	acctaaatat	tttattttgga	tttggaataa	taatttttact	attaatatata	960
gttggtatatt	atattatttg	agaaaaaaaa	ctaagtagag	atacatatta	tacaatgatg	1020
attgtgttct	tatcactaca	ttctacattt	gatcctcaat	taatagacat	agtggtataat	1080
ccagcgattt	tgtttttggg	atatgttata	tataatgaag	atgagataaa	aaatctaaat	1140
aaaatttact	aa					1152

&lt;210&gt; 411

&lt;211&gt; 1173

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 411

atgaaaatta	gaatagaacc	tcagtatttt	ctttataaat	accttttggtt	tattatccta	60
cttccaaaac	agtttatgca	attaatatata	ttcttttttaa	ttgcttttaac	tctttttacca	120
acctatataa	aagaaaaaca	agttttttaa	atagatacac	cgtcttttttg	tatggtgcta	180
tggactatta	tatattctat	atctataata	tttaattctc	tgattgatgg	attggctgtt	240
caagtgttat	tttcagattt	gagtaaagca	tttaattggc	taatagcagt	atttttttat	300
aattattatt	tgaaaatgcc	aatcaatatt	gacaggataa	agagatatat	gtattataat	360
tttactatct	tagttgtttt	tgtcggttta	ttctatatac	aaagaggctc	caatgtaatt	420
ttgtttggaa	gaagtttggt	agactgggac	ggatttacat	tagctactag	ttatgggtga	480
agatatacag	gttttttaga	atacgcaact	ttaaattggtc	agtttaattct	ttttttatta	540
ccgttaatta	gattgttttag	atttagattt	tttacacaaa	ctatcatttt	tgtttttctt	600
ctagagggtt	tggtagtaag	caaacttaga	atagcgattg	ttgcaatgct	tatatatata	660
gcatttgcag	tagtcaatga	gattaattca	aacaataaat	ggcttatttg	aattttctgt	720
ccaattattc	cttttatggt	atttttacaat	tttgaaaaaa	ttaaacagat	tttttttcaa	780
atgttttagtt	ctagatcggt	tagcaatgct	acacgcttta	gagtgtatga	ggaatcccta	840
aaagctatta	atggaatgga	aatgttactt	ggcgcaggtg	tcagaattcc	ctctacagta	900
gatataattt	tggggtcaca	ttctatgtat	ataagtttta	tttataggac	aggagtttta	960
ggaagtataa	taataacagt	aatgttttat	tatctgtttt	ctaaattttt	aaaatgtgat	1020

tcatctgaga	gactaagaag	tattggctat	attctagctt	tgtcagtatt	ttggcttttt	1080
gaagagttag	atccacatta	ttggtgttta	atcttatttt	tttcaacaat	aagtattttc	1140
ataaacaata	gaaaagagga	aatagttgga	tga			1173

&lt;210&gt; 412

&lt;211&gt; 1200

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 412

atgactaagt	acataaatag	ctgtatcaag	ttgttattca	tatattcgtt	atttagtgaa	60
ttgctatact	catattattc	tgtatctcta	ttatttacga	tacctgactt	attattgttg	120
gcagcagcag	taattgtttt	tgtagattct	tattctgcag	ggaaaataag	agttaaaaat	180
cctcacatta	gtttaatgct	cttttttata	ttgctgatat	ttctattaat	tagttttact	240
tggggtagctc	ttaatatata	tggatttggt	atgagaggaa	gatataatac	gggagcattt	300
ctagtttatt	ttatgacaaa	tagctatcta	gatgatagaa	ccttttcac	attgataaac	360
attgcttatt	ttatgcagat	attgaacctt	ttattagttt	tacatcaaaa	tatagtatta	420
catttgacc	ctgacttcac	taatgggatt	tttggtttta	ctaattatgc	aaatggaatc	480
caaggatttt	attgcttagc	cttaagtgtt	ttatctactg	tatattatct	gtatggtaaa	540
tggggaacaa	tgaagtcatt	aatattgatt	gctatttcgt	gtataatttg	tgcatagca	600
gaaataaaga	ttttttttgt	cattttttata	ttttctatta	ttctaatttt	tatatttcaa	660
aagtcagaaa	cagtaaaaaa	aatacgaata	attagtagag	ctgctggaat	atctcttctt	720
tttttaattg	cctataaaact	cattgagata	gttttacctg	ataatttgta	tacttttttt	780
aatgttacaa	aggcattatc	atatgagaat	aggacagagt	ttgcgggacg	aacaaatact	840
atttccttcc	tatgggacaa	cttattttat	catgattata	ttagtgtctat	atttgggaaa	900
ggactagggt	catactctgt	taattatatt	tatgaacttg	gtaaaatgct	tgcatgtgt	960
ggttttattt	cagtgtattt	gctttattca	ttttgtttgt	cattattcat	acggggaact	1020
attactagag	gaaaaaataa	gcaaagtga	agactaattg	tatccatcat	agcttttgtg	1080
gtgatgatta	gcattattgt	ttggaatagt	acgttcacta	gatcaactta	tcttgtattt	1140
ttctttctag	caataggtaa	tgacgcgtat	aagtctacta	aattaataag	aagggttgta	1200

&lt;210&gt; 413

&lt;211&gt; 1173

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 413

atgaaaatta	gaatagagcc	tcaatatttt	ctttataagt	acctttggct	tatcatactg	60
ctcccaaaac	agttttatgca	atcaatatta	ttttctttta	ttgtcttaat	tctattaccg	120
gtctatataa	aagatagaca	aatttccaaa	atagatgcac	cgtcttttta	tatagttcta	180
tgggtcatga	tgtattctat	atcaataatt	tgggaatttt	taattagtgg	cttacctatt	240
caagtgttgt	tttcagattt	gagtaaggca	ttcaattgga	tatttagcagt	atctttttat	300
aattattatt	tgaaaaatcc	cattaacgtt	gacaagataa	agaaatatat	gttttataat	360
ttcgctatat	tagttattat	tggtgcttta	ttctatgttc	aaagaggcgc	taatgtagta	420
ttgttttgaa	gaagcttatt	aggttgggac	ggattcgtat	cagctaccag	ttacggagta	480
agatattgag	gatttttaga	atattcaaca	ttaaatgggc	agttgattct	ttttttgtta	540
cgttaatta	ggttatttta	acttagtttt	tttacacaag	taactattct	tgcttttttg	600
ctacagggtt	tagtattgag	taaatctaga	atagctatta	ttgctctgat	tatatacata	660
gtattttag	taatgggtca	gattacttca	attaataaag	ggatgattgt	agcgttttat	720
ccaactatac	ctcttatatt	gctttataat	tgggaaaaaa	ttaaacatat	cttttttcaa	780
atgtttaatt	caagaacagg	tagtaattgt	acacgtttta	tagtgtacga	agaatctctt	840
aaagctatta	atgggctggg	aattttactt	ggagcaggaa	tcagaacaca	atctacagta	900
ggatatttat	taggatcaca	ttcaatgtat	attagtttta	tttataggac	agggatttta	960
ggaagtataa	taatatgaat	actgttctat	tattgttttt	ctaaattttt	aaaaagtgcc	1020
ccatctggaa	agttaatcag	tataggctat	atcttagctt	tattgggtgt	ttggcttttt	1080
gaagaattag	atccacatta	ttggtgttta	atcttatttt	tttcaacaat	aagtattttc	1140
ataaacaata	gaaaagagga	aatagttgga	tga			1173

<210> 414  
 <211> 1173  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 414  
 atgaaaatta gaatagagcc tcaatatttt ctttataagt acctttggct tatcactg 60  
 ctcccaaac agtttatgca attaatatta ttttcttta ttgtctta tctattaccg 120  
 gtctatataa agatagaca aatttccaaa atagatgcac cgtcttttta tatagtctta 180  
 tgggtcatga tgtattctat atcaataatt tggaattttt taattagtgg cttacctatt 240  
 caagtgttgt tttcagattt gagtaaggca ttcaattgga tattagcagt atttttttat 300  
 aattattatt tgaaaaatcc cattaacgtt gacaagataa agaaatataat gttttataat 360  
 ttcgctatat tagttattat tgttgcttta ttctatgttc aaagaggcgc taatgtagta 420  
 ttgtttggaa gaagcttatt aggttgggac ggattcgtat cagctaccag ttacggagta 480  
 agatatgcag gatttttaga atattcaaca ttaaattggc agttgattct tttttgtta 540  
 ccgttaatta ggttatttaa acttagtttt ttacacaa taactattct tgcttttttg 600  
 ctacaggttt tagtattgag taaatctaga atagctatta ttgctctgat tatatacata 660  
 gtattttagt taatggttca gattacttca attaataagc ggatgattgt agcgttttat 720  
 ccaactatac ctcttatatt gctttataat tgggaaaaa ttaacatat cttttttcaa 780  
 atgtttaatt caagaacagg tagtaatgtg acacgtttta tagtgtagca agaactctct 840  
 aaagctatta atgggctggg aattttactt ggagcaggaa tcagaacaca atctacagta 900  
 ggtatattat taggatcaca ttcaatgtat attagtttta tttataggac agggatttta 960  
 ggaagtataa taatagtaat actgttctat tatttgtttt cttaattttt aaaaagtgcc 1020  
 ccactctgaa agttaatcag tataggctat attttagctt tattggtgtt ttggcttttt 1080  
 gaagaattag atccacatta ttggtgttta atttattttt tttcaacaat aagtattttc 1140  
 ataaacaata gaaaagagga aatagttgga tga 1173

<210> 415  
 <211> 1200  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 415  
 atgactaagt acataaatag ctgtatcaag ttgttattca tatattcggt atttagtgaa 60  
 ttgctatact catattattc tgtatctcta ttatttacga tacctgactt attattgttg 120  
 gcagcagcag taattgcttt ttagattctt tttctgcag ggaaaataag agttaaaat 180  
 cctcacatta gtttaatgct cttttttata ttgctgatat ttctattaat tagttttact 240  
 tgggtactc ttaatatata tggatttgtt atgagaggaa gatataact gggagcattt 300  
 ctagtattat ttatgacaaa tagctatcta gatgatagaa ccttttcac attgataaac 360  
 attgcttatt ttatgcagat attgaacctt ttattagttt tacatcaaaa tatagtatta 420  
 catttgcacc ctgacttcac taatgggatt tttgggttta ctgattatgc aaatggaatc 480  
 caaggatttt attgcttagc cttaagtgtt ttatctactg tatattatct gtatggtaaa 540  
 tggggaacaa tgaagtcatt aatattgatt gctatttcgt gtataatttg tgcattagca 600  
 gaaataaaga tttttttgt catttttata ttttctatta ttctaatttt tatatttcaa 660  
 aagtcagaaa cagtaaaaaa aatacgaata attagtacag ctgctggaat atctcttatt 720  
 tttttaattg cctataaaact cattagata gttttacctg ataatttgta tacttttttt 780  
 aatgttacaa aggcattatc atatgagaat aggacagagt ttgcgggacg aacaaatact 840  
 atttccttcc tatgggacaa cttattttat tatgattata ttagtgctat atttgggaaa 900  
 ggactagggt cactactctg taattatatt tatgaacttg gtaaaatgct tgcagatggg 960  
 ggttttattt cagtgtattt gctttattca tttttgttgt cattattcat acggggaact 1020  
 attactagag gaaaaataa gcaaatgaa agactaatg tatccatcat agcttttgtg 1080  
 gtgatgatta gcattattgt ttggaatagt acgttctcta gaccaactta tcttgatttt 1140  
 ttctttctag caataggtaa tgcagcgtat aagtctacta aattaataag aagggattga 1200

<210> 416  
 <211> 996  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 416  
 atgttaggta aatctaagat aaaatcgata atcattactc caattatact tcttataggt 60

tttattgtaa	ggtatgataa	tggtaacgcc	tcctttgtag	catatacttt	gactcttata	120
tattcttcaa	gggatattaa	ttttcgtaat	ttggtaagga	atacaatgtt	ctgccagatt	180
ggagttgtag	gaactgttat	agtaagctct	ttacttggtg	ttattccctaa	cgagctagcc	240
ttacatatt	cagaaggtgt	gatccgctca	cggtatggac	taggttttca	ctacacatca	300
tttactccga	attatttcct	gagtatatgt	ctggaatatg	tgtattttaa	aggtgaaaaa	360
tattggacaa	taaaagagct	ttttatgtgt	gtactattaa	atatagttat	ttataaatac	420
acagataccc	gtcttacttt	tattatggta	tttatccctc	ttttgatatc	gttttcgaga	480
agatttgat	caatcaatat	gaattttaaa	tttctaaaat	atttacttac	tottatttat	540
ccaatttg	cgtatatgac	ttattggctg	acagcaaaat	ttgatagtag	aaatagttaa	600
ttatctttaa	taaaataactt	attgagtcaa	aggttgagat	tcggtcaaga	aggttttaagg	660
agataccctc	taagattatt	tggaactcat	attcaatggg	atgcttcggc	gaattcttat	720
ctttatgtag	attcgctgta	cattaatata	cttataagct	atggaacaat	aatttttttc	780
cttacgttaa	taagctattc	aattataatg	aaaaaagtta	taattaatca	aaataaaaact	840
ttattgattg	tgtaattttt	ttggtcagta	agagcttgta	ttgaccacac	attattttta	900
ttgtggttca	atccattttt	gtttttaatt	gcgagaacgt	ttttagatga	aagagaggaa	960
attggagatg	atatcactta	tatgtgtatc	gaataa			996

&lt;210&gt; 417

&lt;211&gt; 1038

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 417

atgggaggaa	ttggtttagt	ttatactatc	tgttcagata	ggccatttac	agcttttaaat	60
cttttttagaa	tttatatgtt	tcctgctgta	atataatttta	taataataaaa	ttgtaattttt	120
cgcaaggaga	gattactgat	attgaagcaa	gcgcagtgtat	atactgcttg	catatttagct	180
ttatggggaa	tttttcaggc	gtgggtgtta	aaagatcagt	ttttgattaa	aataggatat	240
ccttcccaag	gaaattttct	aaagagtaca	gctttttata	ttggtggttt	tttcggtcaa	300
caacgagtta	ctagcacttt	ttctgctcct	aatttagctg	gagtttattt	tggaatatct	360
ttgatcattt	tactctctat	atttgatact	ataaagagta	atagattggg	attgttttca	420
attgtagcag	ctttgttctt	tacatttagc	cgtagtgtca	ttataagtac	tcttgtagga	480
atcgtattct	ttcaacgtaa	gaaattgttt	tcaacgacga	agattaatgt	tatgaccttg	540
gtaatcttcc	ccttaatttt	tttgattgtt	ttagtataat	tttatcttta	tcctgagaat	600
gttattataa	atatgctcta	tagcagttat	tcttcaacac	ttaatttgac	agattcttca	660
gcggttaagc	atttggaaga	cttatggctt	cctcttctaa	aagttattga	ttatcctttg	720
ggacttggtg	ttggttaata	tggtcccaat	gttctgtcac	tctatcactc	agcaaattta	780
gtagaatctt	ctatttatct	tcttgcatat	gatttttggt	tttttaggaat	gttcataatat	840
ttgttccttt	atttttatac	gatttttgta	tataaaaaat	atttgcttag	cggtgctata	900
tgctgcttag	ttcttataac	ttatctattt	cttccaaatg	tagaaaaatt	tgaaatcata	960
ttttttattt	accttttcat	tgggatggat	gaactagcac	tatatacaaa	aggaatgaat	1020
gtacatgaaa	ttgattaa					1038

&lt;210&gt; 418

&lt;211&gt; 1158

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 418

atgattaaag	tgtctaaaca	gaatgctata	ttattcttat	tactgctccc	gttttttatg	60
ccaacttatt	ttgaaatttt	accatttgga	tacttggtgt	atagattagg	catgatgttt	120
agcataggat	atatttcttt	atcttaccta	atattaaaga	aaaatttttc	ttccatcacc	180
tggttgattg	ttatctatga	gatattagta	gtttctttta	caattttaca	aaaagggtgaa	240
atctatactg	caatatggaa	tcagaaaaaa	attattggac	tggtttttatt	agtagattac	300
taccaagaaa	atattattag	cttcttaaaa	gttgtagctg	tacattttga	gtggttgatt	360
tatatcaatt	ttattacaat	tttattattt	tcagagcgct	ttttttctag	attcacttct	420
gcttatgggt	ttacccaaga	atgggttcta	ggttccgtca	ataactttat	tttctggttt	480
tttccagctc	ttgtagtagc	gtggttgat	tattttttgt	caggtaaaat	ttttagaacg	540
tgtagtttaa	cagtgtttat	tgctttaaca	gaatttaatta	gaggctcagc	aacggggagg	600
attgcagtat	ttctatttat	cttatttggt	acctcgctct	ggttacgtaa	gattatttcg	660
ccaaagttag	tatttatagg	tgttactgtc	ctaggaattt	ttgttgattt	tctccaaaat	720
gtagacttct	tagagcctat	tggtgtacag	ttacttggtg	aaaaaatgac	atttagcaat	780



cgtacctata	tctgggtcgaa	tgctgtgaca	gtaattcaaa	agaatttcgt	tggtctaggt	840
ttacaatcat	ctgattatgt	cattcgattg	cttggaata	ttaatggta	ttacaacct	900
acggtaaccc	acgcccataa	tgagttttta	caagtttgctt	ttcaaacagg	aatttttagga	960
tttattcttt	attgttgat	atatattaaa	gtcttgatca	atgcagtaaa	gttgagtggga	1020
ccaatagcgc	aaactgttat	gctgtttttt	gctgtttata	atgttattgc	tataacagaa	1080
acgttagaac	tgagtcaa	atatatgtta	tttcctttga	tttattttgt	aatgcaatat	1140
actgcagaaa	gaaagtaa					1158

&lt;210&gt; 419

&lt;211&gt; 1194

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 419

atgttttcgtt	ttcagaatgg	gacagtatca	ataaacatga	gaggatttct	gatgttcatt	60
gcaatgctca	tttactgtca	accagaatat	ttgaaatcaa	ttccagttac	gggacgtatt	120
tatagagatt	tcattgcatgt	aggaattatg	tttgtgacgt	tttcgtacat	ttcaaaaaaa	180
cggttttccaa	aattttttgt	atggctagtt	cttctatata	actccttggt	tactttttta	240
actattcaaa	ataacggaga	tataaaaagg	gcgatatttc	aactcctgct	gtttacaggc	300
tttgtatcta	tgatagacat	attctctgaa	aatatgcagg	atttaataga	atcattgtta	360
ttcacttttg	agatgggtgt	gtatctaaac	tttgtcactg	tactattttt	cccagatggg	420
tttttccatc	gtgtaaatga	tgcatacgga	ataacaaaag	aatgggtttt	gggagctgat	480
aataattttc	tattttacct	gtttcctgca	acacttatag	ctttattgta	taagaattta	540
ggtggagtaa	aaatcagagc	atattcattg	atttcaatca	ttttagctac	tcaattgatt	600
aaaggatcgg	gaacggcaaa	ggttgggatt	gttgcgttga	tactatttga	tttagtacct	660
cttgtcaaat	acatacttac	cccttacaga	ggtttgggta	tatcgtctac	gttgagtttt	720
ctaattgtag	ttactggtaa	agtggaattt	ttaagaggga	ttgttgaagg	tattctagaa	780
aaagatttga	cgttcacttc	ccgaactttt	atttgggata	acgctatgtc	agcaattcga	840
gagaagccat	ttgggttacgg	aatgatgatg	ttcactgata	acgtccatat	attagggaat	900
tttcctgggt	ggatttggaa	aggagccacc	catgctcata	ataactttct	tcaagtttta	960
tttcagggag	gatatttagg	atttgggtgt	tcttttttaa	taattctaaa	gggagcaatg	1020
ctatgtcgca	aatattggga	tgatagaaat	gcgagactac	tcttttatgg	actttttatt	1080
tttacaataa	tatctataac	agaaaactta	gagatgcaga	tgatgtattt	ggtgattata	1140
ctaccgtttt	tattgcctaa	tatattgggt	aaagaaaggg	gaaaaaatga	atag	1194

&lt;210&gt; 420

&lt;211&gt; 1170

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 420

atgacaaaat	atttatattgg	tatttttaac	actgtgttgt	ttgttttggt	attagtaggc	60
cgtgggaagc	ttatttttgt	taataaaaaa	ttatttatatc	ttgctaagat	attagctata	120
ccaacaattg	ttcttttcct	gtactcagtc	ttactagacg	taatgaaccc	agttgaattt	180
gatggatatt	ttagttaggt	atcaagtacg	actatttttg	gtttgttagc	tatctttcaa	240
gctatagttg	tttttcaatt	ttttggacaa	aaagtagtag	attacacttt	tacagctatc	300
tccctcagct	acttaaccag	tatcattggt	gccttttaggc	agggaggact	tagtcaattt	360
atcttgatgc	taacagatga	tagtttcaat	ggttcggtac	tagaaatgca	tgaagttgca	420
cctattacag	ctctctttat	tctgtactat	ttgtacaaat	attttataaa	agaaaatagt	480
ttttcttcag	tatttcgtaa	tatcttaata	gctctcatta	ttcttttttt	aagccttaaa	540
cgaatcgttt	ttttgagtgt	attaattatc	ataccagtat	ttttgataat	ttattgggtat	600
gataaaaaag	taagcaaaact	agggaaagaa	cgaaaaattt	taagtttatt	aaatagcttt	660
tccttaatat	tataaacagg	aatttctcct	tatgtttata	gtgtaaaatc	tggttttata	720
tatacattta	ttcaagaaca	taatattaat	tcgatggcta	gaacagattt	atggaaggga	780
attgaatcaa	cctatagttt	cgccctata	tttatgggga	gagggatagg	gtttgtaaca	840
aatggatgg	ataataattg	gatgactttg	aatatcaatg	gtcttacaga	gtcaacgggg	900
ctccataatg	atattttgaa	gtactacatt	gagataggat	ttgtaggatt	atttatttat	960
ttttacactc	ttctttatag	aaatgctaaa	cgtatatattg	taaaaattgg	tcataaagaa	1020
tcactttat	attttgtatt	gataatgttt	cagatgctga	tatggttttac	agataatatt	1080
tcaacttacc	ataatttttt	atggattcta	aatctactgc	tcttttcttt	aactaatacg	1140
gatgcagaat	tggaaactca	gaaattataa				1170

<210> 421  
 <211> 1179  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 421  
 atgacaaaat attatattgg tattttaatc attgtgtgtg ttgttttatt attagtaggc 60  
 cgtgggaagc ttatttttgt taataaaaaa ttattatatac ttgctaagat attagctata 120  
 ccaacaattg ttcttttcct gtactcagtc ttactagacg taatgaaccc agttgaattt 180  
 aatggatatt ttagtagatt atcaagtacg actatttttg gtttgtagc tatctttcaa 240  
 gctatagttg tttttcaatt ttttgacaa aaagtagtag attacacttt tacagctatc 300  
 tccctcagct acttaaccag tatcattgtt gccttttagc agggaggact tagtcaattt 360  
 atcttgatac taacagatga tagtttcaat ggttcggtac tagaaatgca tgaagttgca 420  
 cctattacag ctctctttat tctgtactat ttgtacaaat attttataaa agaaaatagt 480  
 ttttcttcag tattttataa tatcttaata gctctcatta ttcttttttt aagccttaaa 540  
 cgaatcggtc ttttgagtgt attaattatc ataccagtat ttttgtaat ttattggtat 600  
 gataaaaaag taagtaaaact agggaaagaa cgaaaaattt taagtttatt aaatatcttt 660  
 tccttaatat ttataacagg aatattcctt tatgtttata gtgtaaaatc tgattttata 720  
 tatacattta ttcaagaaca taatattaat tcatgggcta gaacagattt atggaaggga 780  
 gttgaatcaa cctataattt cgccctata tttatgggga gagggatagg gtttgtaaca 840  
 aaatggatgg ataataattg gatgactttg aatatcaatg gtcttacagg gacaatgggg 900  
 atccataatg atattttgaa gtactacatt gagataggat ttgtaggatt atttatttat 960  
 ttttactc ttctttatag aaatgctaaa cgtatatttg taaaaattgg tcataaagaa 1020  
 tcattcatat attttgtatt gataatgttt cagatgctga tatggtttac agataatatt 1080  
 tcaatttacc ataatttttt atggatccta aatctactac tcttttcttt aactaattcg 1140  
 gatacagaat tggaaaattt agattttaaa aatttttaa 1179

<210> 422  
 <211> 1179  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 422  
 atgacaaaat attatattgg tattttaatt attgtgtgtg ttgttttatt attagtaggc 60  
 cgtgggaagc ttatttttgt taataaaaaa ttattatatac ttgctaagat attagctata 120  
 ccaacaattg ttcttttcct gtactcagtc ttactagacg taatgaaccc agttgaattt 180  
 aatggatatt ttagtaggtt atcaagtacg actatttttg gtttgtagc tatctttcaa 240  
 gctatagttg tttttcaatt ttttgacaa aaagtagtag attacacttt tacagctatc 300  
 tccctcagct acttaaccag tatcattgtt gccttttagc agggaggact tagtcaattt 360  
 atcttgatac taacagatga tagtttcaat ggttcggtac tagaaatgca tgaagttgca 420  
 cctattacag cctctttat tctgtactat ttgtacaaat attttataaa agaaaatagt 480  
 ttttcttcag tatttcataa tatcttaata gctctcatta ttcttttttt aagccttaaa 540  
 cgaatcggtt ttttgagtgt attaattatc ataccagtat ttttgtaat ttattggtat 600  
 gataaaaaag taagcaaaact agggaaagaa cgaaaaattt taagtttatt aaatatcttt 660  
 tccttaatat ttataacagg aatattcctt tatgtttata gtgtaaaatc tgattttata 720  
 tatacattta ttcaagaaca taatattaat tcatgggcta gaacagattt atggaaggga 780  
 gttgaatcaa cctataattt cgccctata tttatgggga gagggatagg gtttgtaaca 840  
 aaatggatgg ataataattg gatgactttg aatatcaatg gtcttacagg atcaatgggg 900  
 atccataatg atattttgaa gtactacatt gagataggat ttgtaggatt atttatttat 960  
 ttttactc ttctttatag aaatgctaaa cgtatatttg taaaaattgg tcataaagaa 1020  
 tcattcatat attttgtatt gataatgttt cagatgctga tatggtttac agataatatt 1080  
 tcaatttacc ataatttttt atggatccta aatctactac tcttttcttt aactaattcg 1140  
 gatacagaat tggaaaattt agattttaaa aatttttaa 1179

<210> 423  
 <211> 1245  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 423  
 atgaagagac agaagtttga atttatagag attctatact attttacagt gatgttatca 60

gtgggaatgt	ttcttatgtt	taccctcaac	ttatatgggc	acagaaactt	attaactatt	120
ttatctattg	ctctctcatt	tttaatgctt	cctatactga	ttgttaatgc	taaaagaatt	180
tctaaatctg	cttttatcta	tggtactttt	ttatctatat	gtattatata	tgagatatta	240
agagctaaaa	cactgtataa	ttacagtgtg	agtaatat	ttttggcctc	tagacaatat	300
atatggattt	ttctattttt	tgtattgatt	taccttttta	aaaacaaaca	agaaaatatg	360
agaaaaat	tagataatac	actcaatatt	tttatgtttt	ctcttggaat	tagagcattt	420
acttggtttt	tatatacggt	atttcaagtt	gaattatttc	catctatttt	aagagaattc	480
ggagatttgt	ggtatcgaaa	tgaattttca	gtacgaatag	atggaacacc	attaattata	540
ataggtttgt	taattttccac	ttttttctat	tttaaatttg	gaaataggaa	atacttttat	600
tatttgttct	tgatattaat	gtatataaca	tttgtaaatc	agacaagagt	gctactgggt	660
tctgttttga	tttcaatttt	tcttatgttt	gtattttcta	gaagaacttc	tagattgtct	720
acctctttaa	gttttgaac	tataattata	gcattcgttt	atggaggtgg	attggattat	780
attaaagcat	atttaaatat	agatgctgga	acatttgatc	tgggattagg	atttagatac	840
tgggagttga	aatactatct	gggtttatta	gctaagtatg	tatggaaact	tggggttgga	900
attctaacat	caagtaatat	aaatagtaat	tttattttgg	ctgggccaaag	tgctgttaag	960
atgtatctag	atgatttagg	tttttttagag	ttattcgttc	aatttgggtg	agccgcaatt	1020
tttatgtatg	gttatataat	ttataaatta	atcaatttaa	ttctaagaat	gtcaaattgat	1080
aaatatagag	ttgaccgcgc	cttttttatt	gcactcttaa	ctaatttaat	aattacttca	1140
atttctttaa	atatctttgg	agcgcagaga	agtttctcat	tggcaattgt	tcttgcat	1200
atattctact	atgactatag	gctgaaaaat	gacatagaaa	attag		1245

&lt;210&gt; 424

&lt;211&gt; 1050

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 424

atgcttctct	caatgttgat	aattactttt	atcaagtatt	ttagaatata	aaaaaatgg	60
aaagaggcag	tttatttttg	gggtttttatt	cctcttatct	tgataggagc	acttagagct	120
tatgtaggaa	tagattatac	cacatatagt	ttggatcaga	taccggctgt	attagctggt	180
agtcagacag	tcaaatttga	attgttagat	aaattagtag	tgtacatagg	ttactatcta	240
gctaatacag	agcattattt	ctatattttt	gcaattttc	acattatcct	gatgtgggtt	300
ctgtataaat	atattgttca	acagtcgtct	aatgtaattg	tgagtgtgtt	ttttcttcta	360
accactgttt	tttttacttt	ttcttttatca	ggaatacgcc	aatcaatagc	tacagcgatt	420
gttttttatg	cgttgaagta	tattaaacaa	aaaaaaagtt	tacattatat	aattttattta	480
gggattgctt	gtttatttca	ttctagtcca	gtaattctata	tacttttttt	agtttttaggg	540
aaaattaata	ttaatagggt	cgttggcttt	gcattaccga	tgattgcata	attattttct	600
ttttctgggt	ctgaatttgt	atctcgaata	atactacatt	taaattttta	ttcagaatac	660
gctaattctc	gttatatac	aggagcatat	gataaacaac	accaactatt	cacaactcgt	720
atgtgtttat	cggatattct	attatattat	attgttccga	aaaaagagtg	gggttaattta	780
aaattatata	tgaatattaa	ttttgtgcta	ttactagtgt	caataatcat	gccaaacttt	840
cctactccat	caagaactat	ttatatgttt	gttcttgtac	atgttattct	aattcctaag	900
ttgatttcag	ttattaaaga	ttataggtct	aaggtaatca	taacaatgtt	ctttgtttta	960
ggttatttta	tattcttttc	tataacggtt	ctacagagga	atgcatatga	aacactaccg	1020
taccacacaa	tctttgagta	tttatggtaa				1050

&lt;210&gt; 425

&lt;211&gt; 1269

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 425

atgttagcct	tgacaatagg	atcagtggta	tttggttaaaa	aaacgtatag	gacgtttctc	60
aatcccataa	ttttatttgc	aatttttggt	tttattataa	caactttgtc	aaatttataa	120
ctattccaac	ttttcgagat	tagtactcat	acacaacaaa	ttattttgct	tgggacttct	180
ctatttggtta	tagggggagg	gatagcaatt	tgggttcggg	ataaatttta	ttttaaagtt	240
ggcggttaact	catattttac	aacagacttt	gaaatttaatt	ataatttggt	ctttttgcta	300
ggtatcat	gtcttttcta	ttatttgcca	gatttctttt	cctcactggt	atcattaata	360
agaggtggga	atttaaactt	agtttagacaa	tctgcgagg	atgcagtaga	taccagtggg	420
ttaaagaatt	tcattggaac	atttattggt	attccttagtg	ccatgggtatt	agaaatatta	480
ggaatattag	atttctggag	caataaaaaa	ggcagaaaac	tattttatct	taatttagct	540

gtcatttttg	taagagttgt	tgacagatgct	ggtagaacgc	ctctatttta	tggtgtcata	600
tattttattac	ttactgtttt	agcaaatagg	ttctctgaaa	aaactgaaaa	gaagagaaaa	660
gtagtagaaaa	ttaagatagt	aaattatggt	atgctagggt	caattatctt	atggctatca	720
actttatcta	ggacaacaac	ctccgtttat	aggattcttt	atttttat	cgcaatgtcc	780
ccaatactat	tagaaaagtg	gagtagtata	cttgattctg	aaaaattagt	aacaaagggg	840
ttggtttcgt	tgaacgggtt	ctttttttca	atctcatatg	tacttaaaaa	tctgtttaga	900
ataggttatt	ctcaaagagt	attagaagca	tacacaatga	ttgcgaatac	tgatgcaatc	960
tggtataata	ttgcacctgg	tttgaccaag	gcaaatgcat	atgtctctct	gttttggttt	1020
ttttatgcgg	atggacgttt	attaggagtt	ttaataggat	cccttctata	tggtgccttt	1080
tggtggctata	tcctttgcag	gtatatccag	caacaaaata	aaaagaattt	ggctatgtta	1140
ctattttatt	atcaaggtgt	ttttttctct	tttattagat	ttccgttttc	aaaatcaaat	1200
tatgcaattg	cattcgtact	cttattattt	tttgctttta	agaagaaagg	aatagagaaa	1260
agtgttttaa						1269

&lt;210&gt; 426

&lt;211&gt; 1269

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 426

atgttagcct	tgacaatagg	atcagtggtta	tttgttaaaa	aaacgtatag	gacgtttctc	60
aatcccataa	ttttatttgc	aattttgtgg	tttattataa	caactttgtc	aaatttaaaa	120
ctattccaac	ttttcgagat	tagtactcat	acacaacaaa	ttattttgct	tggtgactct	180
ctatttggtta	tagggggagg	gataagcaatt	tggtttcggg	ataaatttta	ttttaaagtt	240
ggcggtaact	catattttac	aacagacttt	gaaatttaatt	ataatttggt	ctttttgcta	300
ggtatcatit	gtcttttcta	ttatttgcca	gattttcttt	cctcactggt	atcattaata	360
agaggtggga	attttaaactt	agtttagaca	tctgcgcagg	atgcagtaga	taccagtggga	420
ttaaagaatt	tcatttgaac	atctattgtt	attcctagt	ccatgggtatt	agaaatatta	480
ggaatattag	atctctggag	caataaaaaa	ggcagaaaac	tattttatct	taatttagct	540
gtcatttttg	taagagttgt	tgacagatgct	ggtagaacgc	ctctatttta	tggtgtcata	600
tattttattac	ttactgtttt	agcaaatagg	ttctctgaaa	aaactgaaaa	gaagagaaaa	660
gtagtagaaaa	ttaagatagt	aaattatggt	atgctagggt	caattatctt	atggctatca	720
actttatcta	ggacaacaac	ctccgtttat	aggattcttt	atttttat	cgcaatgtcc	780
ccaatactat	tagaaaagtg	gagtagtata	cttgattctg	aaaaattagt	aacaaagggg	840
ttggtttcgt	tgaacgggtt	ctttttttca	atctcatatg	tacttaaaaa	tctgtttaga	900
ataggttatt	ctcaaagagt	attagaagca	tacacaatga	ttgcgaatac	tgatgcaatc	960
tggtataata	ttgcacctgg	tttgaccaag	gcaaatgcat	atgtctctct	gttttggttt	1020
ttttatgcgg	atggacgttt	attaggagtt	ttaataggat	cccttctata	tggtgccttt	1080
tggtggctata	tcctttgcag	gtatatccag	caacaaaata	aaaagaattt	ggctatgtta	1140
ctattttatt	atcaaggtgt	ttttttctct	tttattagat	ttccgttttc	aaaatcaaat	1200
tatgcaattg	cattcgtact	cttattattt	tttgctttta	agaagaaagg	aatagagaaa	1260
agtgttttaa						1269

&lt;210&gt; 427

&lt;211&gt; 1392

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 427

atgagaatta	gttttagtaa	aaaaactatg	ctgtgtggtt	tattgtatat	tggtttaatt	60
ttatccgtag	taacaatacc	tacaattgta	acatttttat	attctttgct	attcatcggt	120
attgtaacag	tccttaaatta	taattctatt	ctagcaagtg	acgaagatgc	gaactctttt	180
tttggtgcat	tacctattat	tttatcttct	tttcaaaatg	tatatgtggg	atttgagcgg	240
gatcgattaa	attctgtcac	actacaagtt	ctgctatcta	ttagcattgc	tattattaca	300
attacagttt	ttctagggtat	tatcttaaat	agattcaaat	caaaagaatt	tagttgggtta	360
gttttaagta	ttcttgtaat	tataattcaa	tcagtaattc	ttttaatatt	ctttccact	420
accttgccag	catattttatc	atctatgaga	aataactatg	ccccactact	gattttttat	480
ttttctatct	atgggtttta	aaatattaat	ttacaaaaat	tttataaata	tatgttcata	540
attatattag	ttgttctaatt	ttttggattt	attgagtata	tatacggaat	tagtttatgg	600
acaagattga	atattaaaaa	gctttggggt	ttgaaggggc	tggtgattga	gaataggggt	660
gttcctggga	attggcactc	ttctgaatta	attggcggta	aacaattaag	gcgtatggtt	720

tcaacatttg	ccgatcccgt	aaatctaggt	tcgtatctct	ttgcggcatt	tatgttagct	780
tggtacaaaa	ataagaaact	acttcaagtt	ttattgctcg	cttcttttgt	actcagtgtg	840
agtaaaagcag	cgtttttaag	catgttggtg	tataataata	tttataacctg	ggttggtggat	900
aaaaataaaa	ttttatcgat	ttttggaata	ataatttcaa	ctgtattggg	ggtgtatttt	960
tataatttta	gtcaagttag	cagttatggt	agtataaatg	cacatatcga	tggttttttt	1020
agtgcgttaa	gtactcccct	ccattaccca	tttggtatgg	gagtagggag	tgtgggagtt	1080
ctagcttcaa	aattaggttc	acaaacagca	ctttcttcag	aggttttaga	aacagggaatt	1140
ggaatgataa	ttgtcgaatt	aggattcgtg	ggtgtgataa	tatatttgat	tttctttgta	1200
aaactctccg	taataggaaa	gaatattaat	aataaaagag	ataaaatttt	atggtttact	1260
ttaatTTtata	gctttttggc	taatgccttt	tttaacgagg	ttgcactttc	tcctaactca	1320
tgcaccttat	atTTTTttaa	tttaggactg	ctttataata	aaaataaaat	tagaagcaca	1380
gagtttagtt	aa					1392

&lt;210&gt; 428

&lt;211&gt; 1188

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 428

atgactatta	aaattaatta	tatgtttttt	gtttgtctct	cttttttcgg	tatagtttta	60
agtagttcac	aggtaaatag	gaatctgggt	ttgtccagta	tagttcagta	tatagcttat	120
tttttattgt	tgctatgtat	atTTTTtacc	tttaataaaa	atagtcggga	tgtaatcgct	180
aatagaattg	cttatttttc	tattatttca	tttttgttta	tcatagggat	taatttacia	240
aatcttcctt	tctcaacaaa	gatttatTTa	tcgttttcca	tgcttattat	ttctagtcta	300
tcgactttac	cgattaaatt	aataaataat	ataaatgatt	ttagaagaat	atcctatttt	360
ttattaaatg	gcacccatt	atcaacattt	ttaggttggc	tatttaatat	ttcattagta	420
actgttgctg	ttgaggggat	tggttttgca	tatggattta	atgggtgggt	gacgcataag	480
aatttttatg	caattacaat	tttagtttcc	tatatcctat	tgttttattag	tagaaaaaat	540
ggtacgaagt	accaagttga	tagcttagta	ttatggtttg	atcttttttt	acttttagta	600
tctaacacac	ggacaatata	tataatatta	gttgtttttt	ggatcggttg	tcatagcgga	660
tttatTTaat	atataagaa	aaatcacaga	ccagtaatta	taacgacatg	gttagtaatt	720
tctttattat	ctataatatt	ttttttcaaa	cacattataa	ataatagtga	atcctatact	780
catcggtgtt	tggttattgt	taattttttt	aaatactacg	aatctagcaa	atttcattta	840
ttttttgggtg	atgctgagtt	agcctttggg	gatatgacga	aagggtatac	tcacaatata	900
agaagtgttt	taggttgagg	tggaactgtg	gaaatgccgt	tgctaagtgt	tatgataaaa	960
aatggttatg	tcggcttaat	agggtatgga	gtagctttat	ttaaatttat	atcctctgta	1020
ttatctatgg	aagatagaag	agtaaaaaat	attggcttat	ccattctaatt	acctctactt	1080
ctatcagcaa	tggttgaaaa	ttatatcggt	aatattagct	ttgtattcat	gccggtctgt	1140
ttttgtattt	tatgctcaat	aaaaaatata	gaattttaaaa	ataattga		1188

&lt;210&gt; 429

&lt;211&gt; 1251

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 429

atgattgacg	gagattttat	gaatagaaga	cttgtaataa	aaaagaaaag	tataatgttt	60
ttcatgctta	tgttatgtgt	tacggcattt	tatgggacaa	attattggta	tacaaatata	120
tatatatatg	atTTTTatgat	tataacatca	tgcttattat	caataatagt	atTTgtatgt	180
aatggtatta	gaattgataa	aacatattat	aaagggacaa	taatactggg	tattgtaagt	240
tggttttcag	gacttattgc	tgcaacaagg	aaagggctcc	ctgctattgt	aatctttaaa	300
gagagtttat	atactattac	tccaataatg	atatTTTTtag	ctttccgacc	tatgataaag	360
tcaataaaaag	acacttcatt	attccttcgt	actattttctg	ctgccggtgt	tatatgtaat	420
tttaattgctt	gtattgaaat	gttctttgcc	aaaagaggat	ttgattttct	aaatataagt	480
gtatttgaaa	aacttagaaa	tggtactcct	agatttacia	ttggagaaac	aataatagtt	540
cttagttttt	ttatctcctg	tagtggtgtt	tttagtaaaag	ggggaaagag	aaatagacgc	600
atTTtccatg	ttctaaatat	agctctcaca	gctataaaat	tagtgatat	tattaaaaaa	660
aggacactga	atTTtatata	tttatcaaca	cttatgatgg	tgccgtgttt	aaaaaaaaat	720
gtaaagaaac	aacttaagtt	ttggattgtg	tttttgatat	ctataattct	tacttttgtt	780
tctgcagaat	atTTttatcc	aatagtcaaa	aatttaattc	atagtgatca	tggtgattcaa	840
attagattct	tgacgataga	atactatata	gagtatttta	aaaatcatta	cttattttgga	900

gcgggatata	tttcttctag	tccatatttt	gaaacttatt	ctattgttac	cggtccatta	960
ggacgttatt	atccaagcga	tgtaggtttg	attggactta	tgtttagaag	tgggattatc	1020
gggctaattt	ggttaataag	ttggttttat	acaagcttga	agataattaa	agataatacg	1080
attagaattc	cagctcatta	tgacttatta	atgaagctag	ttatagtttt	tttgatgttt	1140
tcttgatatta	atttgataat	cactgatgca	cctagattcc	catatattgc	attagctatg	1200
ttactttttg	aatcaagtta	taccttgagt	tatgaaaaca	gttctaatta	g	1251

&lt;210&gt; 430

&lt;211&gt; 1182

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 430

atgaaaatag	taatacaaaag	aaggtctttg	ccagaaattt	tagctcttag	tgactaact	60
atattttttag	ttatgtcaat	ttttgatgtg	actttttatg	ttcagtatct	gccgaaaatt	120
gttcacagga	tactgatagc	tattttgctt	attctgcttg	ttataaaaga	gtcgtacaaa	180
agaaaagcttg	attatagaac	tatcataagt	ctattttcta	ctgttttaat	ttatctcctt	240
ataggaaga	tgagtacttt	tagttctaatt	attgcaatag	gtttcatttt	tatttatgtt	300
ttacgcgata	tcccttttaa	aagtgtggca	aaaatttctt	tagcggtaag	tgtgttcacg	360
ttactctttg	ttatagctag	cgcaaagttg	ggagttatta	taaattattt	agagatttct	420
gggccccgag	tccgtagcta	tctaggtttc	agatatgcct	tgtatccatc	aatcctactt	480
atgaatgtca	ttgcgattac	actttattta	aagcaaaaaca	atataaggta	ttggcagtg	540
ttactactaa	ccttgtctgt	ttactgggta	tatggacaaa	ctgattctcg	cttaacattt	600
tacaattott	gtatattatt	agtcttcaat	atactaataa	agtggttccc	tgatattttg	660
tctaagttag	gaaatgtggt	taaaattttt	aggctgacct	ttattataaa	tgcaataatt	720
agcttttgga	tttcaataaa	ttatctcgga	tcaacaatt	cttttgtaaa	cagtttctta	780
ttcaagttaa	atcacatgtt	aggtggtcga	cttttcttag	ctaataaatc	tctagaatta	840
ttcggttttg	gtttgtttgg	aaaacagggt	gactggaatg	gaaatggtct	gaccattgaa	900
ggagtcagga	attatcagac	ctatctttat	gtcgataatt	tgtatattca	aattctacaa	960
aaatttggtt	tactcgttct	agttttaatg	ttagcgttgt	taacgttaac	actgtttaaa	1020
gctataaaga	aagatcagtg	ggtcattgct	tttattttaa	tcgtaatgag	ttttcaatcc	1080
atgatagacg	atctaacaat	gtaccttcat	tacaatatct	tttggtttt	gataggaagt	1140
ttaatatata	ctcagtatca	ctatttcta	gaggggactt	aa		1182

&lt;210&gt; 431

&lt;211&gt; 1431

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 431

gtgagtgaag	gatgtgaaaa	agtgaaaata	caaattgata	aaatatacta	tctatttttt	60
tggctggtag	tttccttttg	atattttttt	atgatgcaa	cctttacaga	agatttagaa	120
ggcgttgta	gtgctagttt	agtacaattg	ttattattta	ttataggata	tgtatatgta	180
tcttatttaa	atcgttcttt	tatctcactg	tatagtatct	ttatgattgt	gttttacctt	240
tttcaaaatg	gacaggtatt	gttatattca	cttgagtag	agtatgatta	cttttatgtt	300
ttaaagatatg	atgaaaccat	cgtactacaa	tcagttattt	tttcaacaca	atgtcttatt	360
gcagccttta	tggctggagt	cttttctacg	aagaaagagg	tatcaaaaacc	cctttattct	420
tatatggatc	aattagaacg	agaaaaactg	attactgctg	gaaagttatt	ttgggggtgcg	480
tttgcgattt	ttgctttacc	ctttatgatg	atgaagtttg	ttatcaccag	tacatctggg	540
tattttgcga	tgatacgttt	cgttggaagc	ctacctacaa	taacagtgtt	atttgaaaaa	600
atgttcattg	cttcaagtgt	ttttttggtt	gtttatttaa	aatctgagga	aacttgagac	660
aagtttttaa	aagtgtttat	cttaggttgg	agtataatgg	ctgctttaac	aggagataga	720
accgtagggt	tagcagggat	tgttacgtta	gctttaattc	aaacattaat	tggtaatcgt	780
aaaaaaaaga	ttaagttttc	tcagtatgcc	ttgttagttg	gggcagctgt	tgtagtgatg	840
tatttaattg	cctttgcttt	tcaatttagg	atgcaacaag	attctaaagt	ttcaggacta	900
caaaactgcg	tagtagaaat	gataggaact	ctagggttta	gttttttccc	actcgtatta	960
acgattagaa	ttgttccaac	ttctattaac	tttttttagag	gaaaatcata	tattgcagcc	1020
atcattacag	gactaattcc	atctaatttt	gattttttac	atttaacaaa	gacattatca	1080
gaatggaatg	catatccaac	ggaattatta	gatacaatct	atcattatgg	tttcggatta	1140
gattattctt	taattgcgga	agcctatatt	aattttggtt	cttatggatg	gatagcgatt	1200
tttttccttt	gttctcta	agcttatttt	gtaagagatg	tggattttta	aaggaaggac	1260

aacttattct	cacaatatgc	tagcttgatt	ttgctgtatt	catgggttac	ccttccaaga	1320
agaaaaatctt	atattttttt	taataatttt	ttttgggtatg	tattattttt	tggactagca	1380
ctcatacttg	tctctcgctc	tattaaacaa	cgaagggaat	ttaaaaaatg	a	1431

&lt;210&gt; 432

&lt;211&gt; 1233

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 432

atggttatta	actttagtaa	atataattgg	attttaattt	taattttatc	gagctcagaa	60
ctgttttcta	aagaacaaaa	tctattttta	ttactattta	ttctactata	ctatgtttta	120
gttcgtggag	gtagactacc	aatttcaatt	ccaggagcga	aattattattt	tactttatta	180
atggtggggc	tatttatagg	tattgggaat	gtaataatta	acgaaaatac	agtatttaat	240
tttgtaaagc	attttatcta	ttacttatta	cctctatttt	tttggcagtt	tggatgtgtt	300
ctgtcaaata	acgataattt	atcttacaag	caaaacaata	ttaaggaatc	aattgtttata	360
acagcatttc	tattatcttc	ttatgattta	ataggttcaa	tcattagttt	cttgtctaga	420
actaaggaaa	ttgttgattt	atatagttta	cggtcagagt	ttggtcgagg	ttcctatata	480
ccaattattg	cactgtattt	agttcttggt	tattctagag	aaataaagtt	gagcaaaaat	540
tttaagggat	ttttgttatt	actgtttaca	atctcgattt	tgatacattt	ttctaggaca	600
cattttatta	ttttattgat	tctagtattt	ttttcaggat	ttgaaaaaaa	tatgaaaagt	660
attaaaaaaa	taatgtttgc	aggaacattg	atattagcag	gtgtaggtgt	tttatattta	720
tattttccaa	atttagttat	agatttttat	aataaaaatat	ctcaatcaac	gacggaaatc	780
acgttttcta	aatcgctcatg	gtcccataaa	gatatcatat	ggaattggcg	tggatatgaa	840
atgtactctg	ccttaaatca	ttttaaatct	tcaactttat	tagagcaaat	tttaggagga	900
ggatttggaa	cagttttata	cataggcgaa	tatgcgtatt	tcgtaagcga	tttaccgtat	960
cttctttttt	tacataatgg	atatttcact	actttacttg	tttttggtgt	tagtggggtc	1020
atactattcg	ttttatgggt	acttagttta	tttagttata	gcaagtatgt	taatgatacc	1080
caagattcaa	attttataaa	aggtcttgct	gtggttatat	tattttaccac	atattttgta	1140
aatggctctc	ttttttctgt	ttcacaagcc	accttcttgc	tttattttgc	acttttttagt	1200
aataatcatg	gagaattaga	tgaagatttt	taa			1233

&lt;210&gt; 433

&lt;211&gt; 1233

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 433

atggttatta	actttagtaa	atataattgg	attttaattt	taattttatc	gagctcagaa	60
ctgttttcta	aagaacaaaa	tctattttta	ttactattta	ttctactata	ctatgtttta	120
gttcgtggag	gtagactacc	aatttcaatt	ccaggagcga	aattattattt	tactttatta	180
atggtggggc	tatttatagg	tattgggaat	gtaataatta	acgaaaatac	agtatttaat	240
tttgtaaagc	attttatcta	ttacttatta	cctctatttt	tttggcagtt	tggatgtgtt	300
ctgtcaaata	acgataattt	atcttacaag	caaaacaata	ttaaggaatc	aattgtttata	360
acagcatttc	tattatcttc	ttatgattta	ataggttcaa	tcattagttt	cttgtctaga	420
actaaggaaa	ttgttgattt	atatagttta	cggtcagagt	ttggtcgagg	ttcctatata	480
ccaattattg	cactgtattt	agttcttggt	tattctagag	aaataaagtt	gagcaaaaat	540
tttaagggat	ttttgttatt	actgtttaca	atctcgattt	tgatacattt	ttctaggaca	600
cattttatta	ttttattgat	tctagtattt	ttttcaggat	ttgaaaaaaa	tatgaaaagt	660
attaaaaaaa	taatgtttgc	aggaacattg	atattagcag	gtgtaggtgt	tttatattta	720
tattttccaa	atttagttat	agatttttat	aataaaaatat	ctcaatcaac	gacggaaatc	780
acgttttcta	aatcgctcatg	gtcccataaa	gatatcatat	ggaattggcg	tggatatgaa	840
atgtactctg	ccttaaatca	ttttaaatct	tcaactttat	tagagcaaat	tttaggagga	900
ggatttggaa	cagttttata	cataggcgaa	tatgcgtatt	tcgtaagcga	tttaccgtat	960
cttctttttt	tacataatgg	atatttcact	actttacttg	tttttggtgt	tagtggggtc	1020
atactattcg	ttttatgggt	acttagttta	tttagttata	gcaagtatgt	taatgatacc	1080
caagattcaa	attttataaa	aggtcttgct	gtggttatat	tattttaccac	atattttgta	1140
aatggctctc	ttttttctgt	ttcacaagcc	accttcttgc	tttattttgc	acttttttagt	1200
aataatcatg	gagaattaga	tgaagatttt	taa			1233

<210> 434  
 <211> 996  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 434  
 atggttaggta aatctaagat aaaatcgata atcattactc caattatact tcttataggt 60  
 tttattgtaa gttatgataa tggtaacgcc tcctttgtag catatacttt gactcctata 120  
 tattcttcaa gggatattaa ttttcgtaat ttggtaagga atacaatgtt ctgccagatt 180  
 ggagttgtag gaactgttat agtaagctct ttacttggtta ttattcctaa cgagctagcc 240  
 ttaacatatt caggagggtgt gatccgctca cggtatggac taggttttca ctacacatca 300  
 tttactcga attatttcct gagtatatgt ctggaatatg tgtattttaa aggtgaaaaa 360  
 tattggacaa taaaagagct ttttatttgt gtactattaa atatagttat ttataaatac 420  
 acagataccc gtcttacttt tattatggta tttatccttc ttttgatact gttttcgaga 480  
 agatttgtag caatcaatat gaatttttaa tttctaaaat atttacttac tcttatttat 540  
 ccaattatgg cgtatatgac ttattggctg acagcaaaat ttgatagtag aaatagttta 600  
 ttatctttta taaataactt attgagtcac aggttgagat tcggtcaaga aggtttaagg 660  
 agataccctc taagattatt tggaaactcat attcaatggg atgcttcggc gaattccttat 720  
 ctttatgtag attcgtcgta cattaatata cttataagct atggaacaat aatttttttc 780  
 cttacgttaa taagctattc aattataatg aaaaaagtta taattaatca aaataaaaact 840  
 ttattgattg tgtaattttt ttggtcagta agagcttgta ttgaccaca attattttta 900  
 ttgtggttca atccattttt gtttttaatt gcgagaacgt ttttagatga aagagaggaa 960  
 attggagatg atatcactta tatgtgtatc gaataa 996

<210> 435  
 <211> 1182  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 435  
 atgaaaaatag taatacaaag aaggtctttg ccagaaattt tagctcttag tgcactaact 60  
 atatttttag ttatgtcaat ttttgatgtg actttttatg ttcagtatct gccgaaaatt 120  
 gttcacagga tactgatagc tattttgctt attctgcttg ttataaaaga gtcgtacaaa 180  
 agaaagcttg attatagaac tatcataagt ctattttcta ctgttttaatt ttatctcctt 240  
 atagggaaga tgagtacttt tagttctaatt attgcaatag gtttcatttt tatttatggt 300  
 ttacgcgata tcccttttaa aagtgtggca aaaatttctt tagcggtaag tgtgtcatg 360  
 ttactctttg ttatagctag cgcaaagttg ggagttatta taaattattt agagatttct 420  
 gggccccgag tccgtagcta tctaggtttc agatatgcct tgtatccatc aatcctactt 480  
 atgaatgtca ttgcgattac actttattta aagcaaaaaca atataaggta ttggcagtg 540  
 ttattactaa ccttgctgtt ttactgggta tatggacaaa ctgattctcg ctttaacattt 600  
 tacaattctt gtatattatt agtcttcaat atactaataa agtgggttccc tgatattttg 660  
 tctaagttag gaaatgtgtt taaaattttt aggctgacct ttattataaa tgcaataatt 720  
 agcttttgga ttcaataaaa ttatctcgga tcaacaatt cttttgtaa cagtttctta 780  
 ttcaagttaa atcacatgtt aggtggtcga cttttcttag ctaataaatc tctagaatta 840  
 ttcggttttg gtttggttg aaacaggtt gactggaatg gaaatggtct gaccattgaa 900  
 ggagtcagga attatcagac ctatctttat gtcgataatt tgtatattca aattctacaa 960  
 aaatttggtt tactcgttct agtttttaag tttagcgttg taacgttaac actgtttaaa 1020  
 gctataaaga aagatcagtg ggtcattgct tttattttta tcgtaatgag ttttcaatcc 1080  
 atgatagacg atctaaacat gtaccttcat tacaatatct tttggatttt gatagggaag 1140  
 ttaatatata ctacagtatc ctattctaatt gaggggactt aa 1182

<210> 436  
 <211> 1263  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 436  
 atgattaatt cgtctaagta tcttaaattt gtcttatatt atcagataat atcattttat 60  
 ttttttaggta ttttttatag gctatctact tttaatcaat atttatatgt aatagcagat 120  
 atagttttta tatcagtata cttattgata tttgagcgta aaatcgctta tactaatata 180  
 aaactattta ttatctttat tttattctat ctatttggaa gttttcaagg atatgatagt 240



```

ggtggtgcat ttattatatt ttactaatt tatttaaaat atattttatt caaattttata 300
attataaata taccgcaatc caatttaata agagcattta caaacatagg tatttttaa 360
acggtcattt tattagcaga agttttaagt cacggacata ttaattttatt tgtgaatcat 420
tatacttttg cgcagaaaat agaaacctta aataagggtg ggacaaacct tgcggtttta 480
cgtggggggt ttgaaaatcc cttagtgcac tctgtaatgc tatcttctac attattattt 540
tttatgacta ttgagaaggc tctcttacgt aatatactaa ttatgtctaa cttatttttg 600
attatggcaa cagaaaaaag aacaggaatt ctaattagta tcgcgttggt gttctgttac 660
tatttcagaa aaaattttaa aacaaagagt gttagtaagt ttataataaa attcttggga 720
ggattgtttt tcttgggatt tgctttatta gccataaata tgataacaat ttctggctgt 780
agcattttct agatgataat agagagggtt tcatcattaa gtagtggttc agacttttct 840
gctatacata ggtcaatggc ttttaaaata ggcatagaaa taatttggag taggaatata 900
ttgaatatat tattcggtaa tgggtttctac tttttgcaa cttttatgta caataataat 960
attacgatta caaagtggg ttttttagta atagataatt cttatttatt ttttttagcc 1020
gattttggca tgatgccttt aataagtata atgttttatt ttatagggg tatctttaag 1080
aatcttggtt cgaatgagac tgataatatt tcagaagtag ttatgttag cttaatgca 1140
ttgcttttat cggcagagtgt gttcgatatt ttaaactggt atcagagtag tcttttaaca 1200
tgcttttttg ttgcttattt aagtgtatat catgattcta gcaaaaggaa agggaataaa 1260
tga 1263

```

&lt;210&gt; 437

&lt;211&gt; 1230

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 437

```

atgaacaaaa ttacaataag agaattgata atactatttg tgtaattct ttttatattt 60
caaaatcttt tagaaaagta ttttgatat gctcagtata ttgatgaaat agttgcatta 120
ttatttctca ttcattactt tttaagagta gtgttaaata agagtatttc aaaaaattt 180
tcccgaacttg ttcttctttt attaaactatc atattaatta ctttaatttc aaatttttg 240
aataatgtgc aaactaatat tttaattatc tccattgatt tatttagtat ttttaaattt 300
atthttatat ttttgggggc acaatctttt ctcaatgact taacgcataa agaaataaaa 360
agaataattt tacgagttta ctttattagt aatatatact tatctgtttt gattgtctta 420
gcatttttaa atatttttat aggccttaga atgcataag aatatcgcta tggtttacca 480
actttttctt ttatttttg tacgccaggt caagtaatta atctctcgat tatattctta 540
cttctatata agttaaataa actttataat tctaaaaata atctcattca tttagtatta 600
atthttttat tactgtgtc tacattaaaa acacgggcaa ttgtcttagc aattgtgttt 660
gtctatattc tctatctatt tgaaatacga aatatttcat caatgaaaaa gagagtactt 720
cctgttctag gcttgggagc agtggttggt tttgaacaat ttaaaactta ttttttgact 780
tctgatactc caaggctcac attatttaaa tccggtatgc ttacaatgag acgctatttt 840
cctctgggaa gtggttttg tacatatgga tccgatattg ctgctaaaaa ctattctctg 900
ttatattatc aatatggatt tcataacaga tatggaatga atccatatga tattagattt 960
ttaaatgata atthtttatcc aatgattttt gcacaatttg gatttttagg aggaataactt 1020
tatgtatttc tactattaga ttattttaga ttattattac gtgttgcaag tataaatgat 1080
aaggttatta aaacttcagt atthtttat atctttaatg ttgtcttata gtctattcaa 1140
tcactttatc cgggaacgaa ttcaatggta ataacaacgt ttctaactctg tttaatattg 1200
agatatagtg acaagtggag gattttatga 1230

```

&lt;210&gt; 438

&lt;211&gt; 1230

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 438

```

atgaacaaaa ttacaataag agaattgata atactatttg tgtaattct ttttatattt 60
caaaatcttt tagaaaagta ttttgatat gctcagtata ttgatgaaat agttgcatta 120
ttatttctca ttcattactt tttaagagta gtgttaaata agagtatttc aaaaaattt 180
tcccgaacttg ttcttctttt attaaactatc atattaatta ctttaatttc aaatttttg 240
aataatgtgc aaactaatat tttaattatc tccattgatt tatttagtat ttttaaattt 300
atthttatat ttttgggggc acaatctttt ctcaatgact taacgcataa agaaataaaa 360
agaataattt tacgagttta ctttattagt aatatatact tatctgtttt gattgtctta 420
gcatttttaa atatttttat aggccttaga atgcataag aatatcgcta tggtttacca 480

```

acttttttctt	ttatttttgg	tacgccaggt	caagtaatta	atctctcgat	tatattctta	540
cttctatatac	agttaaataa	actttataat	tctaaaaata	atctcattca	tttagtatta	600
attttttttat	tactgctgtc	tacatttaaa	acacgggcaa	ttgtcttagc	aattgtgttt	660
gtctataatc	tctatctatt	tgaatacga	aatttttcat	caatgaaaaa	gagagtactt	720
cctgttctag	gcttggggagc	agtgggttggg	tttgaacaat	ttaaaactta	ttttttgact	780
tctgatactc	caaggctcac	attattttaa	tacggtatgc	ttacaatgag	acgctatttt	840
cctctgggaa	gtggttttgc	tacatatgga	tccgatattg	ctgctaaaaa	ctattctctg	900
ttatattatc	aatatggatt	tcataacaga	tatggaatga	atccatatga	tatttagattt	960
ttaaatgata	atttttatcc	aatgattttt	gcacaatttg	gattttttag	aggaatactt	1020
tatgtatttc	tactattaga	ttattttaga	ttattattac	gtgttgcaag	tataaatgat	1080
aaggttatta	aaacttcagt	atttatttat	atctttaatg	ttgtcttctc	gtctattcaa	1140
tcactttatc	cggaacgaa	ttcaatggta	ataacaacgt	ttctaactctg	tttaatatgt	1200
agatatagt	acaagtggag	gatttttatga				1230

&lt;210&gt; 439

&lt;211&gt; 1224

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 439

atgcatgtta	gatttagatgg	tttgctggac	tatatatttc	tatttagtgt	gattattact	60
tgtaatacta	tgtattcaac	tagtcaagga	tttgatggac	tagggaaatg	ggcgactctg	120
ttacttgtgg	tatcagtttt	tctgaaattg	cttatctcta	gaatatctat	gaaggcaatc	180
aatgtgattg	tgtcgcgttc	tttaatat	atattaatta	ttctactcat	agtaataatta	240
aatggtttta	agatttctga	gacaagtttc	gtctattatt	ttgtattatt	tccgattttt	300
atgatgattt	tgcagatgta	ctatgatgtt	aatgaaatcg	caaactctgat	acggaaaattt	360
gttcgtataa	tatttctttt	agcaattggc	tctctcctat	tttggcttat	tggtagtgta	420
tttcatatta	tatccccaac	ggtttatgtg	ttgaattatt	ggaatgggtg	gggaatagta	480
gaagggtagt	ataatcttca	ttttgaagca	caaaaaatag	agattttggg	ggcgatactg	540
ataagaaata	cggggatgtt	tgctgaagca	cctatgtgga	gtttgggtatt	gagccttgca	600
ttgatatttc	aaacgcttca	tataaaaaaa	tggaatttca	caacttggac	tcttattatt	660
acaattatga	caactacgtc	aacaacaggg	gtttatataa	taggtttgat	tttccatat	720
gttttatattt	caaaaaacaag	tgggtgtgaag	agatatgttt	ctagtattatt	tattttagcg	780
attatatgtt	gtttttcaat	attatgggat	aataaatctg	gaactgggtc	agcaactata	840
cgctttgatg	attataaggc	tgggtttttg	gcatggcaga	aaagtcctat	ttggggatta	900
ggtatttcag	acggtcttag	aaccattgaa	caacatatgg	atagaactgt	tagatataat	960
cttgggtata	gcaatagctt	ttttgttgtt	ttagctcaag	gagggataat	gttggcttcg	1020
tattactttt	atccagtaat	taaaattatt	ttgaataaat	ttagttcgaa	tgatttgaa	1080
ttttctgcgc	tattaataat	tttccctatg	ataactacta	tatttataga	gacctatatg	1140
tttttatattg	tcatttcttt	atactattct	cttgattttg	gggacgatag	agattgtcat	1200
gagaaacagt	acattactaa	ttaa				1224

&lt;210&gt; 440

&lt;211&gt; 1251

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 440

atggttttgt	tattacttac	ttttgcattc	tttttagttt	tccctgtgct	gtcaataagt	60
ttaaagtgtta	tagggctagt	aaatgacaaa	aagcgttcaa	aaatctattt	acttctaatt	120
agttttgcaa	tatcaattgt	tgcgctgcgc	tatattcctc	atcctatgga	tgatggcgct	180
tttcattttc	gtgcgactac	gacccttatt	cgctatgata	gtattttcga	aatgttttaa	240
gcgtttttcta	ttggatggag	agttagggaac	tatgactatg	gttccatacc	aatttttact	300
tcattaatgt	atcttgttcg	aaatactcat	cactatagtt	tactgagttt	tatttcagct	360
tttataactt	acttttagttt	tggttacgta	gttgttgagc	tatttaagga	cctgggcaag	420
gtttctaaac	tatcgatgac	tacagtatta	attgctgtac	tatgttttaa	taattataga	480
tatacaacta	gtggaatgag	attttgtatg	gcagttgcct	tgatgatgct	tttactatat	540
ttggagtcaa	aaaaaggcta	tactagttta	aaaacaacca	tatggtattt	gttgccctgta	600
ggtatccatt	cagcgggttat	ttattttatt	ggtttaagggt	tcttattttcc	attaatcaag	660
aaagtgcgc	ttgctaaaag	tttatttgta	ttattagggt	tccctgtttt	gttcaacctta	720
gttccatggt	tagcaaat	gattgggttg	acttacttac	aatcattttat	tcggaaaaatt	780

gaagtctact	ctgacaattc	atcctattcc	cagtttttta	ataccacatt	aacaatgagg	840
ctatatgttg	gaatagtgct	gatggtttta	tttgtattgt	tatatgtggg	aatagtaa	900
tcattgaaaa	caactgatga	ttggcgtttt	agttttgtta	caatgactta	ttatgtaact	960
ctgttatcta	tgggttcaat	accatttcgt	aatattttatg	atagaaatct	tttcttgctc	1020
cttcctatga	ttgtagtttc	aacctacata	ttgtttacat	atagatatca	attgaaaatt	1080
cttactaatc	gtaatatgt	ttatggatta	acgatgggta	ttctttgtct	atcctgtgca	1140
gttggtgcat	tttataataa	taatttcctt	tttactttta	ttgatttttag	taagacagac	1200
ttactcctaa	aaaatatttt	tcaattcttt	tcaaattttac	cttttacata	a	1251

&lt;210&gt; 441

&lt;211&gt; 1140

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 441

atgataaaaa	gaaaaatata	tataatctgt	gtattactgt	cgtatttttt	acctagtttt	60
tttacagttg	gatcaatggc	gacttttatt	gctttgcttt	ctacttttagt	taagctattt	120
gtaacttttg	attatatcc	caaagttctt	ttacagcata	aagtaacact	gattgatatt	180
ctagtgttgc	tatttttatt	ttttcaagca	tttgcagctt	ttcaaagcca	aacggtgtac	240
cttaactatg	ttggaggtea	gtttttcctt	ttaggactat	attcattttt	gaaacacttt	300
ttattgttgg	attgtaaaac	aacaataaaa	agcctctttt	taacctttat	cttgtttttg	360
tgtgttcaag	taataactca	attgcttttt	ccggtcgggt	tcgattcttt	gcaccctaca	420
ggagataata	gactttactt	tttaggaaga	agaacatag	ctaccccgta	tatcattgtt	480
ggattagggtg	gtttttactt	attaaataaa	aaaatgaatg	agttttatc	actaaaggag	540
attatttttt	taggattgtt	cggaatttta	tcatttttaa	cacaatccag	tacagcgatt	600
atatgttatg	ggctttttat	tttcatacgt	ctattgggat	taaaggaaaa	tataggaaaa	660
ctatatcttt	tagtcagtat	ggctgtatat	gtttgttttt	ctctttctat	aatcttttca	720
caaagtacaa	ttttatcaac	ttttacagcg	attttttcca	aaaatgcaac	tttttcagga	780
cgtatcaata	tttggcaatt	agcgattcgt	atttttgaag	agaatttttg	gtttggacga	840
ggcctcaacg	ttaattttta	tgcttggaca	aatgggatta	tcgttaattc	agcacacaat	900
accttattag	atatacttgc	tcgaactggg	atatttccag	gtgttttatt	tatagtgcct	960
cttatgaate	tgtttcttgg	aaaatataga	atagaatcaa	aaacactgtt	ggctatgtta	1020
gcctcattta	tgatttatat	tacaatggag	acttcatcta	tgagcatatt	gctgctaatt	1080
attgttcttt	gtgtatattg	gccacgtgga	gaggagaagt	tgcatgagca	agttacttaa	1140

&lt;210&gt; 442

&lt;211&gt; 1209

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 442

atgtcagtta	gaaaactatc	tttaatagat	atactggact	atatgtggat	aatattaatt	60
attgtacagt	gtcattcaat	atatacagta	aaatctgaac	ctcttaattt	aattgtgcca	120
tttttagtta	caacagcaat	gttgttggtta	ctcaatttat	tacgattcac	tttgtcaata	180
aaatatatat	atatgttagg	gctatatatt	atagcaatgg	ctacattttt	tttaactaac	240
atagggtgcta	atgttactcc	cttaaatatt	acgaagtatt	ttataatgct	tcctttattt	300
tttttaataa	atagtattta	tgtgaataaa	gaaatttttt	cagcgttact	atcaaaattt	360
gtaaacgtag	tagtaatttt	agcaattttt	tccttattct	tttggatatt	tggaacactt	420
ctgaatggtg	tacaccctac	ctcaacagta	attaatcaat	ggctctgggtg	tcaattaata	480
aatagctact	ataatctata	ttttgaaact	caacagatga	tttttttttg	gttcctgata	540
atacgggaatt	caggaatatt	tgctgaatct	cctattttggg	ggctaatact	aagtattgct	600
tatgtttattg	atatttcttat	tttgaaattt	gataaaaaata	gcaagcgtaa	tataattatt	660
ctaactatgt	taagtacaat	ttcaacgaca	ggattattta	ttgtcgggtt	agctatatta	720
tataaaataa	tgactactag	tcgttggatg	acaaaactct	tacttctccc	tgctacattg	780
agcttaggac	tctctttatt	gctcctattg	gctgagaaat	cagagacagt	ttcagcta	840
cttagaggtg	atgattataa	tattggtttt	atagtatgga	aggcaagt	gtggatagga	900
cacggattga	ataatgggat	attagcaatt	caatcacata	tctcaacgtt	tacaagaa	960
ttaggctata	gtaacacatt	atttgttatt	ttggctcagg	gaggtttatt	attattcttg	1020
atttattttt	ctccaatgat	actattattg	tttaagaaaa	atatcaatct	tgatttttaag	1080
tttgctatta	tcttattctt	tatcttagta	acaacaatta	tttttgagg	gacattttta	1140
tttctctgga	ttttaacatt	atcgtatagc	tacttttctt	ttgtaacatt	agataaaact	1200

ggaacgtaa

1209

&lt;210&gt; 443

&lt;211&gt; 1371

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 443

atgctttata	tattatttta	tttattatta	ttatttttta	ttataaatta	tgcttttgta	60
agaggagatt	atthtcaccc	aacaattatc	tttaacttta	cttttttgat	agcaacactg	120
ttttgcattt	taaatgctca	agagtatgct	attgagttca	atggaggtag	agtttttatt	180
gtgacgattt	caatgctcgt	ttttacaata	ataacagtat	tatcaaagaa	aatattttaag	240
actaatactt	tcacctttta	gaataaatta	aaatatctat	atgtcagtaa	aagtctaatt	300
tttacaataa	ttattattca	gatttttaaat	cttattttct	tttatcgata	cgaacaagct	360
ttattcagcg	cttatgttgg	cggcgtgga	agtttctcgc	aaataattaa	taactatgac	420
caattagtaa	agttttttac	tgaagactta	gtcggattgg	gggtcaggte	tccgtttttt	480
tatagagtgt	ttaatagctt	catatctcct	atttcttacg	tgattatata	cattatttgt	540
cacaatttatg	tggaacaag	aagaatagat	aaatttcaac	tcctagtcc	ttgtttattt	600
gcaattcaaa	tttttatgac	tggtagtaga	gggtccttgt	ttaaaatttt	gactttttata	660
ttagtgtgtt	tttatatttt	actactgcgt	aataaaggac	ttagtaaatt	gagttctcgc	720
tttgctttta	aggtccttat	tggttagtg	gcagttgctc	ctctatttgt	actttattta	780
aatgcaacgg	ggcgttccgg	tggtagtagt	caagatggga	ttattgaagc	tcttaatcga	840
gaactattca	agtacattgg	cgctccgtta	ttaaatttta	acaattttat	tgctggatat	900
gatccgtata	gaagtgactc	agtatattgg	ggagaacaga	ctttttatgg	cttttataaa	960
ttcttgata	gtaaaactaca	cttgatagat	tttaatttta	aaagtattat	tggtagtgt	1020
tcttttgta	agagtaccaa	tggtattgct	acagggaaatg	tctttacaac	tttttatacg	1080
tttttttatg	acttcactta	tttcggcatt	attccattag	tatctgtaat	tgcatatat	1140
tttgttccaa	cttatagtag	gatattgggt	acagaatatt	gtgcaaaaaa	atattttattt	1200
gattataagt	tatttatcta	tgcttatttg	tttaattgatg	ttataatgtt	gattttttca	1260
aatcgatttt	ttgaaagtat	attaacagtt	ggttttttac	gttttttaat	aactagtgcc	1320
atthtagtct	ggataataaa	acaaaatatt	gttttttaagt	ataaaaaata	g	1371

&lt;210&gt; 444

&lt;211&gt; 1194

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 444

atgaaaatca	ccatcaaaag	gtattcactg	ccagaaattt	taggactagc	agcattagct	60
atattcctac	tattttcgtt	attaagtata	actctttatg	cccaatatat	atctattaaa	120
gtatatttta	ttgacttttt	tggtattatt	ttattaatat	ttctgaagga	acttatatct	180
gagagttata	atcttaaatc	tgtagttgga	ttattcgtga	tttttactct	ctgcttcac	240
ataggtaacg	tcacaaatta	cgcatacttt	tttatttttag	gtctgttttt	gatttatagt	300
cttagaaatc	tccctttttc	agacgtagcc	aaagtctcct	ttatcattag	tattagtgt	360
ttgctcctag	tagtattgag	tagtaagctt	ggtattatct	ctgattatgt	tgagatttgg	420
cctaccagag	ttagacacta	tcttggtttc	cgatattcat	tacttccatc	aacgcttatg	480
atgaatatca	tagctatatc	atthttttta	aagcaagaaa	atgcttcata	tccgcgtctt	540
cttgatttgt	ttttactttc	aggatgggtta	tacgtagaaa	cagattcacg	tttgactttt	600
attaattcgt	gtttgtttct	actggttaat	tttaaatga	aattgtcacc	ttccatcatt	660
gaaaaggtag	ggagactatt	aaaacttttt	tcgttcacct	actttattaa	tgctgtttg	720
agttactgga	ttgcgaagac	ttacttaaac	acctcaaatg	ttgttttgaa	tcaattcttt	780
taccaagtgg	atcaatttct	tggaaggacgt	atttatatt	ctaactgttc	gttatcttta	840
tatggatata	agttgttagg	tcaaaagatt	gattggattg	gaaatggctt	gagcatcaaa	900
ggggagcgta	gcacagaaac	atatttgtat	gtggataatt	tatatatcca	gattcttcaa	960
cattttgggt	tgatagtttc	ggtaattatt	ttaagcctat	taactataac	tttagtaaag	1020
cttttgaaaa	aggggcagat	ggtattagga	attatttttag	ttattttgag	ttttcatgct	1080
tttaattgatg	atttgatact	aaatctatat	tataatatat	tttgggtttt	gatagggaatg	1140
ttgatataata	aaaagtatca	atthttatgac	aaaaagcagt	tgacaataga	ataa	1194

<210> 445  
 <211> 1230  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 445  
 atgaaaatca ctatcaaaag gtattcactg ccagaaatth taggactagc agcatttagct 60  
 atattcctcc tattttcgct attggatgta agtttttacg ttcagtatat atctcctatg 120  
 ctatataaag ctgcaatctt tttgataaatt atgctaataa ttttgaagga atttgatatct 180  
 gggagtaata gctttgagtc tctattgggt ttactagggg tttctacgct ctattttatc 240  
 ataggtagtg taacgagcta tacttctttt atagtcttag ggctatctct gatatatagc 300  
 ttgagggata ttcccttttc aaaagtagtc aaagtagcct ttatcattag tgttgctatg 360  
 ttgttccttg tgatattgag tagtaagata ggttttatct ctgattacat tgagttttca 420  
 tctactagag ttcgacacta tcttggttc cgatattcat tatttccatc aacgatcatg 480  
 atgaatatta tagctatatc attttttttg aagcaagaaa cagtatcgta tcagcgcctt 540  
 tttatattat ttttagtttc aatgtacctt tatttagaaa ctgattcacg actgactttt 600  
 atcagttcga gtttgttact attagctaat ttggctatga agctaattccc tactgttatt 660  
 gaaaaattta gtcttttatt aaaatttttc acgcttacct attttggtta tgcctattta 720  
 agttattgga tttcaaaaaa ttacttaagg acatcaaatg ccttggtgaa tcattttttt 780  
 catcaagcag atcaattctt aggggggctg atttatttat ctaatcgctt gtttaagtta 840  
 tatggttatg ggattccttg gcagaaaatt gcttggttg gaaacgcctt gaatgcgcaa 900  
 ggagaacgaa gtacggatgc atatttatat gtagataatc tatatatcca gattcttcaa 960  
 cattttgggc tgatagcttt aattattatt ttaagtttac tgactgcgac tttagtgaag 1020  
 cttttgagaa agggacaaat tgtcttaagt attattatag tttctctgag tttccatgct 1080  
 ttgattgacg atttgatatt gagtatccat tataatattt tttggatatt attaggtagt 1140  
 ttaatctact caaattatca gttttctgaa gaaaggtagt gagaagttga gaatgattcc 1200  
 ttacgtagaa ctgtaaggga aggttattaa 1230

<210> 446  
 <211> 1194  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 446  
 atgaaaatca ctatcaaaag gtattcactg ccagaaatth taggattagc agcatttagct 60  
 atattcctac tattttcggt attaagtata actctttatg cccaatatat atctattaaa 120  
 gtataattta ttgactttt tggcattatt ttattaatat ttctgaagga acttatatct 180  
 gagagtata atcttaaata tgtgattgga ttattcgtga tttttactct ctgcttcac 240  
 ataggtaccg tcacgaatta cgcatacttt tttatttttag gtctgtttt gatttatagt 300  
 cttagaaatc tccctttttc agacgtagcc aaagtctcct ttatcattag tattagtgt 360  
 ttgctcctag tagtattgag tagtaagctt ggtattatct ctgattatat tgagatttcg 420  
 cctaccagag ttagacacta tcttggttcc cgatattcat tacttccatc aacgcttatg 480  
 atgaatatca tagctatatc atttttttta aagcaagaaa acgcttcata tccgcgtctt 540  
 cttgtattgt ttttactttc aggatgggtt tacgtagaaa cagattcacg tttgactttt 600  
 attaatctgt gtttgtttct actgggtta ttaataatga aattgtcacc ttccatcatt 660  
 gaaaaggtag ggagactgtt aaaacttttt tcgttcacct actttattaa tgcctgtttg 720  
 agttactgga ttgcgaagac ttacttaaac acctcaaatg ttgttttgaa tcaattcttt 780  
 taccaagcgg atcaatttct tggaggacgt atttattatt ctaatcgctt gttatcttta 840  
 tatggatata agttgttagg tcaaaagatt gattggattg gaaatggctt gagcatacaa 900  
 ggggagcgtg gcacagaaac atatttgtat gtggataatt tatatatcca gattcttcaa 960  
 cattttgggt tgatagtttc ggtaattatt ttaagtctat taactataac tttagttaaag 1020  
 cttttgaaaa aggggcagat ggtattagga attatttttag ttattttgag ttttcatgct 1080  
 ttaattgatg atttgatact aaatctatat tataatatct tttgggtttt gataggaatg 1140  
 ttgatataata aaaaatatca attttatgat aaaaagcagt tgacaataga ataa 1194

<210> 447  
 <211> 1218  
 <212> DNA  
 <213> Streptococcus pneumoniae

&lt;400&gt; 447

atgaaagttag	taataaaaag	aaagtctttg	ccagagattt	tagctcttag	tgcactaact	60
atatttttag	tttgttcaat	tttagatgtg	actttttatg	ttcagtatct	tccaaaagt	120
gtttataaga	tactgatagc	tatttcgctt	attctgctag	ttataaaaaga	gttgtacaaa	180
agaaagttag	attatagaac	tatcataagt	ctatttgcta	cagttttgat	gtatctcctt	240
atagggagg	tgagtactct	taactcta	attgcaatag	gaattat	catttatgct	300
ttacgcgata	ttccttttaa	aagcgtggca	aaaacttctt	tagcagtaag	tgtactcata	360
ttactgtttg	ttataactag	cgcaaaattg	ggagttatta	taaattat	agagatttct	420
gggactcgag	tccgtagtta	tttaggattt	aggtacgcac	tattcccatc	tatcttgatg	480
atgaacatag	tcgctattgt	attttattta	aagcaaaata	aaatacaata	ttggcaatgg	540
ttattgttat	ctttatctgc	ttattggctg	tatgatgaaa	cggattctcg	attaacattt	600
tatagttcct	gtatattgtt	gatatgcagt	ttattaataa	gatggatccc	agaactattc	660
tctaagttcg	gatataat	ttaaagctttt	aaactcacct	ttattataaa	tgcagttgtt	720
agtttttggg	tctcctttac	ctatctcaat	ttgagtcatt	cttatatcaa	taatcttttt	780
ttaaaattag	actataat	aggtggtcgt	atatacttga	tgaataaatc	gttgaatttg	840
tatggttttg	gattattcgg	acgaccagtt	gaatggaatg	gaaatggtct	gaccattgaa	900
ggagttagaa	actatcagac	ctatctgtat	gttgataatt	tgtatgttca	aattttacaa	960
aaatttggtt	tactcgtct	aggaataatg	ctcctagtcc	taactttaac	cttgtttaaa	1020
gtgattaaga	gacgcgaatg	ggttctgtct	tttattttga	tattgatgag	ttttcattcc	1080
atgattgatg	atttgaattt	gtaccttcat	tacaatattt	tttggatatt	attaggtagt	1140
ttaatctacc	cgcattatca	attttctgat	gaaagtgatg	aagagttagg	ggaaaattct	1200
tttgaagaaa	ttatatag					1218

&lt;210&gt; 448

&lt;211&gt; 1197

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 448

atgttcattc	tatattat	tttactaaat	aataatatga	taaaaattaa	atttgaaaat	60
ctactgggta	gtattgtgt	atctgtagtg	atatttttta	atactatatc	tactacaatg	120
ctggatagaa	ctttttttca	agctaaagca	aattatcttt	tattagtagt	tttgttatta	180
ggtctctggt	ttatgtttcc	aacacgtatt	tcatTTaaat	atctaataat	ttcttctttg	240
ctattattat	caggaatttt	agtataattt	cagactggaa	aacttaattt	tottgtctat	300
tcagcccttc	tggttttatt	agttaatgta	gatatgaaag	tagttttgaa	aacgtatctc	360
attgtagcgg	gcattcttgt	actaagtgt	tttcttttat	ctctcttagg	tgcagttccc	420
aatttacaat	ataatcgoga	aggagttatt	cggaattcat	ttggatttat	ttatcctaca	480
gattttgcat	cccactgttt	ctatcttttc	ttggcttttt	cttatttatt	aaaagataaa	540
tttatatgga	ttaggctct	aataggtgta	cttttatctt	tctttattat	aaaatattgt	600
gatgcacgtt	taaatgcctt	atcaattatt	ttagcaacaa	ttatttttat	atttttctac	660
tttaatgaag	ataagaaatt	cggatcttat	tcaatttccc	cttattctgt	agttctatgt	720
tcgtcaataa	tgatgtattt	atcttatatt	ttctcttggg	gatctccatt	tttagtatct	780
atcaataaat	taattacagg	tagattagct	ttggggaaaa	atgcatttaa	tacttttgat	840
gtacatctat	ttggaactag	agacgtatta	tttaaggggt	caggaggtaa	aacggaggct	900
gttattgatt	ataactacgt	agattcatcg	tatgttcaaa	tgttattttac	atatggtgtt	960
atacctcttg	tactgcttat	atgtatgtat	gttgtaattt	cgagagaaca	gtataaacag	1020
ggtcaatatt	tatatgtagt	aatattatct	ttagtggtc	taaactgcat	gattgaagct	1080
ttttggtttg	tccctactta	caatatattc	atgtttttgt	tattcacaaa	aaatactttt	1140
cttaataagt	cgttgaataa	ttttaatcct	ttggataaaa	cggaattgtt	gaactga	1197

&lt;210&gt; 449

&lt;211&gt; 1431

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 449

gtgagtgaag	gatgtgaaaa	agtgaataa	caaattgata	aaatatacta	tctattttttt	60
tggtctgtag	tttcttttgg	atattttttt	atgatgcaa	cctttacaga	agatttagaa	120
ggcgttgta	gtgctagttt	agtacaattg	ttattattta	ttataggata	tgtatatgta	180
tctattttaa	atcgttcttt	tatctcactg	tatagtatct	ttatgattgt	attttacctt	240
tttcaaaatg	gacaggtatt	gttatattca	cttgagtag	agtatgatta	cttttatgtt	300

ttaagatatg	atgaaacccat	cgtactacaa	tcagttat	tttcaacaca	atgtcttatt	360
gcagccttta	tggctggagt	cttttctacg	aagaaagagg	tatcaaaacc	cctttattct	420
tatatggatc	aattagaacg	agaaaaactg	attactactg	gaaagttatt	ttgggggtcg	480
tttgcgattt	ttgctttacc	ctttatgatg	atgaagcttg	ttatcaccag	tacatctggg	540
tattttgcga	tgatacgttt	cgttggaagc	ctacctacaa	taacagtgtt	atgtgaaaaa	600
atgttcattg	cttcaagtgt	ttttttgatt	gtttatttaa	aatctgagga	aacttggagc	660
aagtttttaa	aagttgttat	cttaggttgg	agtataatgg	ctgctttaac	aggagataga	720
accgtaggtt	tagcagggat	tgttacgtta	gctttaattc	aaacattaat	tggtaatcgt	780
aaaaaaaaa	ttaagttttc	tcagtatgcc	ttgttagttg	gggcagctgt	tgtagtgatg	840
tatttaattg	cctttgcttt	tcaatttagg	atgcaacaag	attctaaagt	ttcaggacta	900
caaactgcgg	tagtagaaat	gataggaact	ctagggttta	gttttttccc	actcgtatta	960
acgattagaa	ttgttccaac	ttctattaac	tttttttagag	gaaaatcata	tattgcagcc	1020
atcattacag	gactaattcc	atctaatttt	gattttttac	atttaacaaa	tacattatca	1080
gaatggaatg	catatccaac	ggaattatta	gatacaatct	atcattatgg	tttcggatta	1140
gattattctt	taattgcgga	agcctatatt	aattttgggt	cttatggatg	gatagcgatt	1200
tttttccttt	gttctcta	agcttatttt	gtaagagatg	tggtatttaa	aagaaaggac	1260
aaattattct	cacaatatgc	tagcttgatt	ttgctgtatt	catggtttac	ccttccaaga	1320
agaaaatctt	atttttattt	taataatttt	ttttggtatg	tattattttt	tggtactagca	1380
ctcatacttg	tctctcgttc	tattaaacaa	cgaagggaat	ttaaaaaatg	a	1431

&lt;210&gt; 450

&lt;211&gt; 1278

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 450

atgttttttag	tttttttact	gttttttggt	gtatttctat	tatttccaat	tataactaca	60
ccagtcttat	tactccaat	agtttataga	tttagatata	gcagatatta	tttaatgtta	120
tttgttatag	gtatttcctt	aattgcgcta	aggtatattc	cgtattttac	tgatgatgga	180
gcctatcatt	ataaagcagc	ttatttattt	cagttttatg	ataatgtttt	tgattgggtt	240
gggaacttga	tgtctaaaaa	tattccgacg	gaagagtatg	gttattataa	ttatccctta	300
tttctcttat	tgctatatat	attcagtaag	acaggtacct	attcactagt	tagttttaca	360
gtcattctga	ttgtttattt	cttatatact	aaaataatat	atgaaatcta	tcgggaatat	420
aatatctcaa	aatttttatt	tttattagct	ttattaacaa	tggttgcaat	cgtaaatggt	480
cgttttacaa	ctagtgggat	gaggtatcat	ttagcagggg	ccattattgt	tttcttattc	540
tataaagaaa	taaaagaatg	atttgaacta	aataaaactt	tattttatta	tcttattcca	600
atattaatcc	attctagtgc	agtaatat	gtagcgacta	gattaatatt	tccatgggtt	660
aaagatgcga	gtttttttta	gaaaataatt	attctatttt	ctttaccaat	ttttacgctc	720
ttatctccat	tggtgcaaac	tctcaatggt	gaatttttat	catttttatt	agagaagttt	780
aatgcttata	aaaaaacaga	aatatattata	aaattatata	gtacatctga	tttaataaat	840
gtatatttag	gtgttcttat	ttctttatta	tatatatttt	tataccatac	aacatttcgt	900
tttcagaaga	atcttaatat	gaaacttttt	ttatcttttg	ttttgtacat	ttgtttatta	960
actttatcag	tactcccatt	tttaacaata	ttagatcggt	ttgtttgggt	tgtttatcct	1020
ttagttgcca	tttcgatgat	tttacaat	ggctacaata	aaaccat	tgaaagagta	1080
caatacatta	gaaataatta	tttaccattt	ttcattgtat	taaccctatg	ctttattggg	1140
ggagttatcg	gaaataggag	attttttagat	tttttaagat	tggtagattt	caatacaatg	1200
gagatactca	ctaaaaatgt	atttgattat	ttttctgatt	tgccaccattt	ctctttgagt	1260
gaagttttta	gacgataa					1278

&lt;210&gt; 451

&lt;211&gt; 1233

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 451

gtgaaaaaaa	gtagtacgtt	acatataggg	cttattcttt	ttttgattgt	actgagtaaa	60
aaacttcttta	atttagtacc	aaatatagca	ctgttttctg	attttaaatct	tatgattatt	120
ataatcatca	tgacagttgt	taatatataa	tactataatc	gctcaaccaa	atatcagtat	180
cgttgggtata	ttattttcac	attgatattt	gtgttgata	gtgcaattaa	tgagaaacta	240
ttatatggcc	aaccatttct	attaggttta	cttcctcaaa	gacaattttt	tttatgttta	300
atgacttatt	tcccttttaag	aaagtatttc	caagaacaaa	atattagttt	aaaaaaactt	360

tatgttggt	ttatgaattt	gggatctatt	tcacgttaa	tttacatttt	acaaaagata	420
gtaataatt	atgggggaac	acaatttggt	aacgtaagt	atagttttgc	cggatatttt	480
agcgggtata	gattgtatgt	aggtagttct	ttaattattt	tagcaacatt	aatttctacc	540
gcttattttt	tagaaaacatt	aaaactcaag	tatctgtgtc	accttatatt	aggttggttt	600
actcaaattt	ggataacgca	aggtcgaata	gagatgattg	ttttgcta	ttcaacgata	660
gtttgcataa	tagttcaagg	aagattaact	agaaagaaaa	taatttattg	gttgctgaca	720
attttgggac	tgtggatgat	tactctaaca	cctatttttg	aaaatattgt	tggagctatt	780
ttaaaagtag	atggagcagg	tagagggaagt	gattcattga	ctattcgagc	aattggacga	840
cagttatatt	gggatcaatt	gaatgagaca	acttcaaaac	ttcttttttg	aacaggatat	900
cctaattata	attatgcttt	agcctttcaa	cgtacagggt	tttcaagcaa	tattttttta	960
acagacaatg	gttttatgac	acatatatat	atatattgta	ttgtgggttc	ctcaattatg	1020
ggattattat	ttttaaaata	tcttaaaat	tcaataaagt	atgctagaca	atctgcagat	1080
atgattccgt	tgatgtatat	tatttcttta	ctaattgtag	cctataatat	tattcttttg	1140
tattggaatg	cggacggtac	ttttatatta	gtaatcatga	tttgcgcatt	ggagcatgga	1200
gaacaattat	tacatcagag	gaatggagtg	tga			1233

&lt;210&gt; 452

&lt;211&gt; 1260

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 452

atgattaaat	ttaattatc	taaattagca	ttaatttacc	agtttataat	aatttttttt	60
ctgggtgctt	ggtataagaa	tagcattcag	tttaaaattt	ttttgatata	tattgatact	120
atcatttctt	tattttattt	atataaaat	aatttatcta	gaagtgaact	aaaaaaagt	180
tatatcttga	taactacagt	gttagtaagc	ttatttttac	catcgtttat	gaatagagta	240
tcttttatac	ttctcatatt	gcaaaaatta	tatatattta	accatattat	taatgatata	300
aagtttgaat	atttgctctc	agtctttcta	caatttattg	tactactaac	cttttgtatg	360
ggattagaat	tcatttcatt	aggacaattt	aatccgttta	aaacatttta	tgcaccaaga	420
gttcttcttg	atatgagttt	taaagtcgga	acacctttat	attttttgag	atcaagttta	480
gagcatcctc	taataacttc	gattgtatta	gtagttaact	gccctttctt	attcctttta	540
gaaaagaaat	ggttgagata	tgtatgtgtg	tttctaaata	ttagttta	cttttttatt	600
cagaagagaa	ctgcgtatat	attggtatcg	attggagttg	tatgttttgc	tttgatttat	660
ctaaaatata	ttaatcgtag	atttcaattg	aataaaataa	cttcagtgat	atttttaatg	720
acactattta	taattgcttt	atcctttata	aggggtcaag	gtgattatgt	attaaatatt	780
attttttagta	aattttctgc	tttacaagat	gcagatagtt	tctcgctaaa	taatcgtgta	840
attaatgcta	aaactggatt	agatgtaatt	ttcgatcaaa	atgttatata	tatatctatt	900
gggaatggat	atgacttttt	acctaatttt	tttgaacaat	acaatgtgta	tgtaattcgg	960
aatggttttt	atgtgattga	caatacatat	atttcatttc	ttgcccacta	tggaatgatt	1020
ggtctgttct	tagtattgtt	atatattata	aatgcgatcc	gaaaaagtat	gactaatatt	1080
tacaaaataa	agagtaaaaa	agaacaatta	tttatgttgt	atagtattat	aggattatct	1140
aatttaatgg	tatcaatagc	tttttttgat	atatatgctt	ggtacacgct	attaacgtta	1200
ttgatttttt	taatatcagt	agtgacttct	tattgtaaat	ttcattccaa	taagtttttag	1260

&lt;210&gt; 453

&lt;211&gt; 1260

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 453

atgattaaat	ttaattatc	taaattagca	ttaatttacc	agtttataat	aatttttttt	60
ctgggtgctt	ggtataagaa	tagcattcag	tttaaaattt	ttttgatata	tattgatact	120
atcatttctt	tattttattt	atataaaat	aatttatcta	gaagtgaact	aaaaaaagt	180
tatatcttga	taactacagt	gttagtaagc	ttatttttac	catcgtttat	gaatagagta	240
tcttttatac	ttctcatatt	gcaaaaatta	tatatattta	accatattat	taatgatata	300
aagtttgaat	atttgctctc	agtctttcta	caatttattg	tactactaac	cttttgtatg	360
ggattagaat	tcatttcatt	aggacaattt	aatccgttta	aaacatttta	tgcaccaaga	420
gttcttcttg	atatgagttt	taaagtcgga	acacctttat	attttttgag	atcaagttta	480
gagcatcctc	taataacttc	gatttatatta	gtagttaact	gccctttctt	attcctttta	540
gaaaagaaat	ggttgagata	tgtatgtgtg	tttctaaata	ttagttta	cttttttatt	600
cagaagagaa	ctgcgtatat	attggtatcg	attggagttg	tatgttttgc	tttgatttat	660



ctaaaatata	ttaatcgtag	atttcaattg	aataaaataa	cttcagtgat	atttttaatg	720
acactattta	taattgcttt	atcctttata	agggtgcaag	gtgattatgt	attaaatatt	780
attttttagta	aattttctgc	tttacaagat	gcagatagtt	tctcgctaaa	taatcgtgta	840
attaatgcta	aaactggatt	agatgtaatt	ttcgatcaaa	atgttataaa	tatatccatt	900
gggaatggat	atgacttttt	acctaatttt	tttgaacaat	acaatgtgta	tgtaattcgg	960
aatgggtttt	atgtgattga	caatacatat	atttcatttc	ttgccgacta	tggaatgatt	1020
ggtctgttct	tagtattggt	atatattata	aatgcgatcc	gaaaaagtat	gactaatatt	1080
tacaaaataa	agagtaaaaa	agaacaatta	tttatgttgt	atagtattat	aggtattatc	1140
aatttgatgg	tatcaatagc	tttttttgat	atatatgctt	ggtacacgcc	attaacgtta	1200
ttgatttttt	taatatcagt	agtgacttct	tattgtaaat	ttcattccaa	taagttttag	1260

&lt;210&gt; 454

&lt;211&gt; 1194

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 454

atgaaaatca	ctatcaaaag	gtattcactg	ccagaaattt	taggattagc	agcattagct	60
atattcctac	tattttcggt	attaagtata	actctttatg	cccaatatat	atctattaaa	120
gtatatttta	ttgcactttt	tggtattatt	ttattaatat	ttctgaagga	acttatatct	180
gagagttata	atcttaaatc	tgtgattgga	ttattcgtga	tttttactct	ctgcttcac	240
ataggtaccg	tcacgaatta	cgcatacttt	tttatttttag	gtctgttttt	gatttatagt	300
cttagaatac	tccctttttc	agacgtagcc	aaagtcctct	ttatcattag	tattagtgtg	360
ttgctcctag	tagtattgag	tagtaagcgt	ggtattatct	ctgattatat	tgagatttcg	420
cctaccagag	ttagacacta	tcttggtttc	cgatattcat	tacttccatc	aacgcttatg	480
atgaatatca	tagctatatc	atttttttta	aagcaagaaa	acgcttcata	tccgcgtctt	540
cttgatttgt	ttttactttc	aggatgggta	tacgtagaaa	cagattcacg	tttgactttt	600
attaattcgt	gtttgtttct	actggttaat	tttaataatga	aattgtcacc	ttccatcatt	660
gaaaaggtag	ggagactggt	aaaacttttt	tcgttcacct	actttattaa	tgccgtgttg	720
agttactgga	ttgcgaagac	ttacttaaac	acctcaaatg	ttgttttgaa	tcaattcttt	780
taccaagcgg	atcaatttct	tggaggacgt	atttattatt	ctaactgttc	gttatcttta	840
tatggatata	agttgttagg	tcaaaaagatt	gattggattg	gaaatggctt	gagcatacaa	900
ggggagcgta	gcacagaaac	atatttgtat	gtggataaatt	tatatatcca	gattcttcaa	960
cattttgggt	tgatagtttc	ggtaattatt	ttaagtctat	taactataac	tttagtaaa	1020
cttttgaaaa	aggggcagat	ggtattagga	attatttttag	ttattttgag	ttttcatgct	1080
tttaattgatg	atttgatact	aaatctatat	tataatatct	tttgggtttt	gataggaatg	1140
ttgatataata	aaaagtatca	attttatgat	aaaaagcagt	tgacaataga	ataa	1194

&lt;210&gt; 455

&lt;211&gt; 954

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 455

atgcatagtc	ttaaatatgg	aataaataga	ttaaaactaa	cttccttaat	attgtttttt	60
ttacatttta	ttttgaatct	ttttaatggg	tctacatttc	tagaaataac	gtacttcttc	120
ttattatata	caattatatt	aaaagataat	aaaaaatttt	tcaaaataca	ttttattaca	180
cttacagtat	tcgtgttaac	aattatatta	ttgtcccata	ttggctatat	tagtaatttt	240
gtgatataata	gatcaaatgg	tggatttagg	aatagttttag	gatttgtaca	cccgaattca	300
ttagggttaa	tgatctattc	cttaaccgtt	tgtagtttta	atctttttga	aataaaaaga	360
ttcaaattct	tcttctattt	atttttatta	ttgatgaatt	tatggatatt	acagtttagca	420
gactctagaa	cactcaggata	tataagtatt	ttagtaattg	tcttttggtta	cttttttgat	480
aaaataggta	agttaaatag	accgttgagt	agttttttta	ttaatgtggc	tattacaatg	540
tctgttttgt	ttataacttt	aatgtcaatt	aattttgaag	ccagtcatat	tttccaattc	600
ttaaataaat	tgttcactaa	tcgaattttt	agtagttatg	tatttttttag	agaatatggg	660
gttactctat	ttggcaaaa	aattgatgga	attgtctcat	tagttcaagg	aacagtcata	720
attgacagtg	gttatatagg	attgctatta	caaaaaggaa	ttattttttt	tgtgttattt	780
ttgctattta	ttttttctag	aataaaaagaa	tactcattta	cactaaagaga	aggtatttcta	840
ctgattagtg	tattttattc	tcttatgttt	gagagctatg	gttacaccgt	atttctattc	900
ccaatattat	tttttgatta	tttaggaaaa	aggaaggaaa	gtattaatga	ataa	954

<210> 456  
<211> 1212  
<212> DNA  
<213> Streptococcus pneumoniae

<400> 456  
atgatgaaaa gaatttatta tcaccttttg gctattttggg cttggactct tccaaattct 60  
tatgctttta ttgattcggt aaaggtgttt tttccgaata ttagcttaca aattgcaggt 120  
tctcttttgg ctgttgtctc aataggaatt tttatcacta gaatatatta tacaagatat 180  
gaagttttta tatctctatt ggtttgtatt tctattttta ttttttattc aactcgcttt 240  
ttttattoga ctaacgtaga gttgtatcag tcttcttcca attcctttct gattcggtcca 300  
gttcctgcga tattagtagc gatgctgtta gctaagaata atcatataaa aggtttcata 360  
aaatggtcag aacctatgat gcttttctat acattgacat catttttagc agccctatct 420  
cctagaaca gcattattac ttaccaatct ttatcttatt atgccatgac agcttatatg 480  
attaatgtgt ttaataattat atacaaagag aaaatattgg aggagcaact gacgtatttc 540  
agattctcag cgtggaattt tattagatat tttttacttt tgattcaagc ttttaattgca 600  
ctctcaggag gtgggagagg tgcctttatt ttattaatta tttttacagg aatattatta 660  
ataagaactg ctatgaaatt taagtctctt ttctcattta ttggaggcct gtctgctata 720  
gctctagtgt ttttttttac aaaagggttg gatttgacat ggctcttgaa tatggacggt 780  
ggagagcgat tgttgaactt cttcggcaga cctgaacata tatctacaga taatagacta 840  
ttgatttatg atactgtttg gtctgcaata caggaaaaac cctttttagg atggggaggt 900  
ggttcaactt ttttaaaatt taatggatat tcacataata ttgtattgga tttattgcat 960  
gatatgggaa gttttggttt attaatattt ctttcggctt tctttgcttc ttcagtaata 1020  
ttgtacaaat tacgtaaaat agattggaaa gtgaatttat ttattctgat gtttctagaa 1080  
gtatatgttc acatgagttt cagtggaaag tatcttcagc atggtagact atgggttttg 1140  
gtgatcttta cttattgtta ctacagggtg aaagtgcagg aaaaggatga agttagcaat 1200  
tttattatct ga 1212

<210> 457  
<211> 1089  
<212> DNA  
<213> Streptococcus pneumoniae

<400> 457  
atgatttcag ctttatttta tataagtttt ttaacaaatc tattagtcgt tgtcaatagg 60  
atgcgtataa attccctagc atttttatct tgggttaattt tgttttttat ctatgcagga 120  
aatacccgag aaggattttc agatttaatt cattatcgtg caagatatgc tggtagggaaa 180  
agtagtctgt atttttcaga ccatgcgtat aatttttttg cagattgggt ttcacatcac 240  
tccatctctt ttcaagtttt tttagcatgt atttttctat tctcctcagc atgtttctat 300  
tttgttgcta aaaaattgca ttgtaattat aatcttctga ttttattatt atctcttttt 360  
tatttctttt atactttaga agttctaagg ttcttttttag caactagtgt agcacttata 420  
gcacactatt atctttcaca aaatcatcga ttcataattca taggattgat gttcatagcg 480  
tttctgtttc acggatctat cattttattc ttaccattta ttatttttta tagacaaaaa 540  
aatactagta agatgctatg ggcattggta tttatatcta tgggtgttaat tgtgacaaat 600  
ctattggtag gtaataattc tagctacttg actaaaatat ttgaactgct agggagcgag 660  
gtcactaaaa gtcgtgttat gtattatata gcgaaatcga ctcgtcttgg ttttatattg 720  
tatgatagtt actatatttt caacctacta attagtatta accttaaaaa gattgcaaaa 780  
acagtttcaa atgcacctca ggaagtgacc aattttataa atctgggtgta tcaacatagt 840  
tttttttagta caattttttt accactaatt atgttttagta cagcatttac tcgctattta 900  
atttttactg ttgtttttaa ttttatagct attgcagctt tacaaccatt tatgcaacaa 960  
tcatttataa aattaagagag tgggctttat attattttcg gagtttttagg tgctacttgt 1020  
ttttggtggt atctaagaga aaatgtcctt tatttttatg aggcactttt gccaaattta 1080  
tttaactga 1089

<210> 458  
<211> 1212  
<212> DNA  
<213> Streptococcus pneumoniae

<400> 458  
atgatgaaaa gaatttatta tcaccttttg gctatttttg cttggactct tccaaattct 60

tatgctttta	ttgattcgtt	aaaggtgttt	tttccgaata	ttagttttaca	aattgcaggt	120
tctcttttgg	ctgttatctc	gataggaatt	tttatcacta	gaatatatta	tacaggatac	180
gaagttttta	tatctctatt	ggtttgtatt	tttattttta	ttttttattc	aactcgcttt	240
ttttattcga	ctaagttaga	gttgtatcat	tctttcttca	attcctttct	gattcgtcca	300
gttcctggga	tattagtagc	gatgctgtta	gctaagaata	atcatataaa	aggtttcata	360
aaatgggtcag	aacctatgat	gcttttctat	acattgacat	catttttagc	agccctatct	420
cctagaaata	gcattattat	ttaccaatct	ttatcttatt	atgccatgac	agcttatatg	480
attaatgtgt	ttaatatatt	atacaaagag	aaaatattgg	aggagcaact	gacgtatttc	540
agattctcag	cgtggaattt	tattagatat	tttttacttt	tgattcaagc	ttttaatgca	600
ctctcaggag	gtgggagagg	tgcttttctc	ttattaatta	tttttacagg	aattattatta	660
ataagaattg	ctatgaattt	taagttcctt	ttctcattca	ttggaggctt	atctgctata	720
gctctagtgt	ttttttgtat	aaaagatttg	gatttcacat	ggctcttgaa	tatggacggt	780
ggagagcgat	tgttgaactt	cttcggcaga	cctgaacgta	tatctacaga	taatagacta	840
ttgattttatg	atactgtttg	gtctgcaata	caggaaaaac	cctttttagg	atggggagtt	900
ggttcaactt	ttttaaaatt	taatggatat	tcacataata	ttgtattgga	tttattgcat	960
gatatgggaa	gttttgggtt	attaattatt	ctttcggtt	tctttgcttc	ttcagtaata	1020
ttgtacaaat	tacgtaaaat	agattggaaa	gtgaatttat	ttattctgat	gtttctagaa	1080
gtatatgttc	acatgagttt	cagtgggaagc	tatcttgacg	atggtagact	atggtttttg	1140
gtgatcttta	cttattgtta	ctacaggtgg	aaagtgcagg	aaaaggatga	agtttagcaat	1200
tttattatct	ga					1212

&lt;210&gt; 459

&lt;211&gt; 1023

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 459

atgctgaaat	ttgtaaatat	tgcgaaaagt	ggtagtttaa	atatcttaat	tttagctagt	60
tcagtatttt	tattgctact	tcacacagtg	atttacggct	ttaataaatt	gaagctattt	120
tgtctatcct	tcgtattatt	tttatgtttt	ctaatttatt	ttcaaggatt	agtttatctg	180
gaattgctta	attttttctc	gattttactca	actctaagag	tgagtaatat	tcaatttaac	240
aagactcatt	ggtcagtggt	ttttattttt	tttatattag	tagttttatt	tgctaattgca	300
ggaattatta	aaagtgtatt	cattttttcga	actggagggt	tagtaagagg	atcattaggg	360
tttgtccatc	cgaattcact	aggtctcatg	gcttatgcaa	ttacattaaa	tacattgtac	420
gtctttaacc	ccaatagata	caaaattatt	ttctactgcg	gtcttcttat	atttaattat	480
tttatatttg	ccataacgga	ctctagaact	tctttctcaa	taagtttatt	gattatttta	540
agttgtttta	tttttgattt	tagagggtatt	ctatacaagg	ttgttaaaaa	ttcattttatt	600
tatatagtaa	ttgttagtaag	ttcgctattt	attatttttag	caactaccta	ttttgaagtg	660
agggaacctt	tcattttttt	gaataaaact	tttaccataa	gaattttacag	tggtaatggt	720
tttgttagctg	aatatggata	taatcttttt	gggaatttta	tagagggaac	actacctact	780
ttagcaggag	atgtaattat	tgatagtggg	tatgtgggtt	taattcttcg	tttaggtgta	840
ttatttttta	taggctactt	gttggtttatg	ttgttaagaa	taaaacaaaa	tattttttta	900
ttgaaggaag	caatcttgat	tagcagtgcc	tttatttcat	taatgtttga	atcctatggg	960
ttttctgggt	ttattttccc	agtttttatt	gtggattttg	tgggtagaag	aaaggaatta	1020
taa						1023

&lt;210&gt; 460

&lt;211&gt; 1218

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 460

atgaaagtag	taataaaaaag	aaagtctttg	ccagagattt	tagctcttag	tgcaactaact	60
atattttttag	ttgtgtcaat	ttttaaagtgtg	acttttttatg	ttcagtatct	tccaaaaagtt	120
gtttataaga	tactgatagc	tatttcgctt	attctgctag	ttataaaaga	gttgtaaaaa	180
agaaagtttg	attatagaac	tatcataagt	ctatttgcta	cagttttgat	gtatctcctt	240
atagggaggg	tgagtactct	taactctaatt	attgcaatag	gaattatttt	cattttatgct	300
ttacgcgata	ttccttttta	aagcgtggca	aaaacttctt	tagcagtaag	tgtactcata	360
ttactgtttg	ttataactgg	cgcaaaattg	ggagtattta	taaattattt	agagattttct	420
gggactcgag	tccgtagtta	tttaggattt	agggtacgac	tattcccatc	tatcttgatg	480
atgaacatag	tcgctattgt	attttatttta	aaqcaaaata	aaatacaata	ttggcaatgg	540

ttattgttat	ctttatctgc	ttattggctg	tatgatgaaa	cggattctcg	attaacattt	600
tatagttcct	gtatattgtt	gatatgcagt	ttattaataa	gatggatccc	agaactattc	660
tctaagttcg	gatatatatt	taaagctttt	aaactcacct	ttattataaa	tgacgttggt	720
agtttttggg	tctcctttac	ctatctcaat	ttgagtcatt	cttatatcaa	taatcttttt	780
ttaaaattag	actatatatt	aggtggctcg	atatacttgg	tgaataaatc	gttgaatttg	840
tatggttttg	gattattcgg	acgaccagtt	gaatggaatg	gaaatgggtc	gaccattgaa	900
ggagtttaga	actatcagac	ctatctgtat	gttgataatt	tgtatgttca	aattttacaa	960
aaatttggtt	tactcgctct	aggaataatg	ctcctagtcc	taactttaac	cttgtttaaa	1020
gtgattaaga	gacgcgaatg	ggttctgtct	tttattttga	tattgatgag	ttttcattcc	1080
atgattgatg	atttgaattt	gtaccttcac	tacaatattt	tttggaatatt	attaggtagt	1140
ttaatctacc	cagattatca	attttctgat	gaaagtgatg	aagagtttag	ggaaaattct	1200
tttgaagaaa	ttatatag					1218

&lt;210&gt; 461

&lt;211&gt; 1209

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 461

atgtcagtta	gaaaactatc	tttaatagat	atactggact	atatgtggat	aatattaatt	60
attgtacagt	gtcattcaat	atatacagta	aaatctgaac	ctcttaattt	aattgtgccca	120
tttttagtta	caacagcaat	gttggttgta	ctcaatttat	tacgattcac	tttgtcaata	180
aaatatatat	atatgttagg	gctatatatt	atagcaatgg	ctacattttt	tttaactaac	240
ataggtgcta	atgttactcc	cttaaatatt	acgaagtatt	ttataatgct	tcctttattt	300
tttttaataa	atagtattta	tgtgaataaa	gaaatttttt	cagcgttact	atcaaaattt	360
gtaaactgtg	tagtaatttt	agcaattttt	tccttattct	tttggaatatt	tggaacactt	420
ctgaatgttg	tacaccctac	ctcaacagta	attaatcaat	ggctctgggtg	tcaattaata	480
aatagctact	ataatctata	ttttgaaact	caacagatga	tttttttttg	gttccgtata	540
atacgggaatt	caggaatatt	tgctgaatct	cctatttggtg	ggctaatact	aagtattgct	600
tatgttattg	attttcttat	tttgaaattt	gataaaaaata	gcaagcgtaa	tataattatt	660
ctaactatgt	taagtacaat	ttcaacgaca	ggtattatta	ttgtcgggtt	agctatatta	720
tataaaataa	tgactactag	tcgttggtatg	acaaaactct	tacttctccc	tgctacattg	780
agcttaggac	tctctttatt	gctcctattg	gctgagaaat	cagagacagt	ttcagctaatt	840
cttagagttg	atgattataa	tattggtttt	atagtatgga	aggcaagttt	gtggatagga	900
cacggattga	ataatggtat	attagcaatt	caatcacata	tctcaacgtt	tacaagaaat	960
ttaggctata	gtaacacatt	atttgttatt	ttggctcagg	gaggtttatt	attattcttg	1020
atttattttt	ctccaatgat	actattattg	tttaagaaaa	atatcaatct	tgatttttaag	1080
tttgctatta	tcttattctt	tatcttagta	acaacaatta	tttttgaagg	gacattttta	1140
tttctctgga	ttttaacatt	atcgtatagc	tacttttcct	ttgtaacatt	agataaaact	1200
ggaacgtaa						1209

&lt;210&gt; 462

&lt;211&gt; 1182

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 462

atgaaaattt	caattacaaa	tttatatata	tggtatgttg	cagtaatggt	tatattaatg	60
tggtatccaa	gtgttcctat	atttaattat	gtagatgaac	tattaacgtt	gatgatactt	120
ccgtatgtga	ttatgaattt	tagagctctt	ctactaaaaa	gtagattagt	aattataggt	180
gcaattgggt	ttttattaat	aggattaata	tcaacatacc	tttcagatct	tagccgccct	240
ttgatagcta	tagtatacga	ttttttcaca	tttattaagt	ttcctattac	ctattttatat	300
tttagattat	tatttacaaa	acaaaattca	acttattttt	tgaatatttt	atatattctt	360
agtaagtgtg	ttgtggttat	tgctttttatt	tgctgtttat	taaattatag	ttttgaaacta	420
ggcatgacct	atgatatccg	ctttggaata	ggtagttttc	agttttatata	taataaccca	480
ggattttttc	tagccttgat	ggttgtttgt	tattcactta	taaattactc	taataattca	540
ggtaatttta	aatataaaa	tttagctatt	ttaaatatgg	ttgcaactct	acgatcagtg	600
gcatttggtg	ttattgccct	actgctagtt	ttgagtgtgt	ttataggaag	aaattttaaga	660
ttatatcact	tatttatatt	gattccgtcg	attatttttg	taggtaatgg	tgctataagt	720
acatatttcg	gtgatttgga	aacacctaga	aaacttctat	tccaggagg	tataaagggt	780
tttcagaaat	ttttccatt	aggggcaggt	tttgcttcat	atgggagcaa	cgctgcttat	840

gtgtattact	ctcccctgta	ttttcaattt	ggttttcatc	atatttgggg	tcttaattta	900
gaatatggga	atatagctaa	tgataacttt	tgcccgatga	tttttgca	gtttggtttt	960
attggttcta	tattttatat	actgatgttc	atggctatta	tgaaggattt	attcattaaa	1020
tctatgtata	aaaatcaagt	ggtatcttta	tctttaatta	taggtcattt	gttaatttcc	1080
tcagttgggtg	caaataata	tactgggtgtg	ttaggtgtaa	gtatgatatg	tgcatatgcc	1140
tcaatggctc	atgttttaga	tgatgtagag	gtaaattatt	ga		1182

&lt;210&gt; 463

&lt;211&gt; 1416

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 463

atgattataa	aactagataa	acaaaaatgt	tattttatta	tgttactttt	attgatgtgc	60
gtagtacagt	tgactgcaag	tgtttcaatg	ggagtaataa	gtatagctct	aacagtatta	120
ccaatattgt	ggaatttaaa	taatccatcc	aaattattat	tttcacagat	tctttatttg	180
tttcagttcc	aattctatgt	aagttattta	tcatttccgt	taggaatttc	ctttatctgt	240
gatattatta	atttattttt	gttattcaat	atttttaaag	attccaaact	attacagtgg	300
gaattacgga	atattaattt	aaaaacaatt	atttttgttt	gggtcttggt	ttttttgata	360
ggatattttt	caaatttttt	gtatgattta	aatattgcgc	ttattgtatg	gtccctccgt	420
aattatataa	gatttatcat	ttttttcatt	tcttggtgtt	tgtatattga	taaatacagt	480
ataaatctag	gtgaatactt	aataaagcta	ttctattggt	ttaatatatt	ttttacctcg	540
ttccaatatt	ttgtgctttt	aaaatcagga	gattttcttg	gaggaatttt	tggaacgaa	600
ttgggaattt	ctaataccta	cttgcatatt	cttttaattc	tcactctgat	attatctggt	660
gttaattatg	tatcagataa	ttcgagttaa	gttattttta	caagttatat	cgtttcaact	720
ctatacgtag	ctgctttgtc	agagttaaag	attatttttg	tggaattacc	tattattatt	780
attttgactt	tactatttaa	aagattagga	ataaaaaaac	tgcttaaaat	aatatctatc	840
acttgcatag	tggtggctgc	tttggcaatc	tcaattccta	ttttatatga	attattccct	900
atatttgaca	atttttttta	attagaaaaa	ttatttggct	attcaacagc	aaactattca	960
actagtctcg	attttggctg	gttaagttca	attgttcaaa	taatctcaac	tattttttat	1020
ggagatgttt	ggcagacttt	atttggattt	ggtttaggag	aggcggaat	ttcaaaaaat	1080
ccgatattta	gtggttccct	ttattataat	tacgaatata	cccattacta	tctgttcaact	1140
ttatcatatg	tttttattga	gaatggattt	ataggattgt	tcctattcat	gtttatgcca	1200
atttaccttg	ctttaaagat	gatttttgag	cgaggagcat	ctaaatatga	tcttcttctg	1260
atagtattat	ctatttcttt	atttatgctc	ttgttgata	ataatacaat	gaggtcagag	1320
atatattatc	tttatttatt	tgttctttca	tggggagttg	caatcaatag	aggaaatggg	1380
ggatgttatg	aaaacaataa	aaaattatgc	ttataa			1416

&lt;210&gt; 464

&lt;211&gt; 1122

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 464

atgattatta	taatcatcat	gacagttggt	aatattaaat	actataatcg	ctcaacccaa	60
tatcagtatc	gttggatat	tattttcaca	ttgatatttg	tgttgtatag	tgcaattaat	120
gagaaactat	tatatgggca	accatttcta	ttaggtttac	ttcctcaaag	acaatttttt	180
ttatgtttta	tgacttattt	ccctttaaga	aagtatttcc	aagaacaaaa	tattagttta	240
aaaaaacttt	atgttgggtat	tatgaatttg	ggatctattt	catcgtaaat	ttacatttta	300
caaaagatag	taatattata	tgggggaaca	caatttggtt	acgtaataa	tagttttgcc	360
ggatatttta	gcgggtatag	attgtatgta	ggtagtctt	taattatttt	agcaacatta	420
atttctaccg	cttatttttt	agaaacatta	aaactcaagt	atctgtgcca	ccttatatta	480
ggttggttta	ctcaaaattg	gataacgcaa	ggtcgaatag	agatgattgt	tttgctaatt	540
tcaacgatag	tttgcataat	agtccaagga	agattaacta	gaaagaaaat	aattttattg	600
ttgctgacaa	ttttgggact	gtggatgatt	actctaacac	ctatttttga	aaatattggt	660
ggagctattt	taaaagtaga	tgagcaggt	agaggagtg	attcattgac	tattcgagca	720
attggacgac	agttatattg	ggaacaattg	aatgagacaa	cttcaaaaact	tctttttgga	780
acaggatacc	ctaattataa	ttatgcttta	gcctttcaac	gtacaggttt	ttcaagcaat	840
atttttttta	cagacaatgg	ttttatgaca	tatatataa	tatttgggtat	tgtgggttcc	900
tcaattatgg	gattattatt	tttaaaatat	cttaaaaatt	caataaagta	tgctagacaa	960
tctgcagata	tgattccggt	gatgtatatt	atctctttac	taattgtagc	ctataatatt	1020

attcctttggt attggaatgc ggacggtact tttatattag taatcatgat ttgcgcattg	1080
gagcatggag aacaattatt acatcagagg aatggagtgt ga	1122

&lt;210&gt; 465

&lt;211&gt; 1416

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 465

atgattataa aactagataa acaaaaatgt tattttatta tgttactttt attgatgtgc	60
gtagtacagt tgactgcaag tgtttcaatg ggagtaataa gtatagctct aacagtatta	120
ccaatattgt ggaatttaaa taatccatcc aaattattat ttccacagat tctttatttg	180
tttcagttcc aattctatgt aagttattta tcatttccgt taggaatttc ctttatctgt	240
gatattatta atttattttt gttattcaat atttttaaag attccaaact attacagtgg	300
gaattacgga atattaattt aaaaacaatt atttttgttt gggctctgtt ttttttgata	360
ggtatttttt caaatttttt gtatgattta aatattgcgc ttattgtatg gtccctccgt	420
aattatataa gatttatcat ttttttcatt tcttggtgtt tgtatattga taaatacagt	480
ataaatctag gtgaatactt aataaagcta ttctattggg ttaatatatt ttttacctcg	540
ttccaatatt ttgtgctttt aaaatcagga gattttcttg gaggaatttt tggaaacgaa	600
ttgggaattt ctaataccta cttgcatatt cttttaattc tcactctgat attatctgtt	660
gttaattatg tatcagataa ttcgagttaa gttattttta caagttatat cgtttcaact	720
ctatacgtag ctgctttgtc agagttaaag attatttttg tggaaattacc tattattatt	780
attttgactt tactatttaa aagattagga ataaaaatac tgcttaaaat aatatctatc	840
acttgcatag tgggtgtgc tttggcaatc tcaattccta ttttatatga attattccct	900
atatttgaca atttttttta attagaaaaa ttatttggct attcaacagg aaactatca	960
actagtctcg attttggctg gttaagttca attgttcaaa taatctcaac tattttttat	1020
ggagatgttt ggcagacttt atttggtatt ggtttaggag aggcggaaat ttcaaaaatt	1080
ccgatattta gtggttcctt ttattataat tacgaataca cccattacta tctgttcact	1140
ttatcatatg tttttattga gaatggattt ataggattgt tcctattcat gtttatgcca	1200
atttaccttg ctttaaagat gatttttgag cgagggacat ctaaataatga tcttctctcg	1260
atagtattat ctatttcttt atttatgctc ttgttgata ataatacaat gaggtcagag	1320
atatattatc tttatttatt tgttctttca tggggagtgt caatcaatag aggaaatggg	1380
ggatgttatg aaaacaataa aaaattatgc ttataa	1416

&lt;210&gt; 466

&lt;211&gt; 1140

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 466

atgataaaaa gaaaaatata tataatctgt gtattactgt cgtatttttt acctagtttt	60
tttacagttg gatcaatggc aactatattt accctactct ccacagtaat taggctattc	120
gtaactatat atcatgttcc taaagttttt tcacagtata aggtaacgct gattgacatt	180
ttggttggtc tgtttttgtt ttttcaagtg tttgtggggg ttcaaagtca gacagtgaat	240
cttaactata ttggaggaca gtttttcttt ttaggattat attcattttt gaaatacttt	300
ttattgtttg attgtaaaac aacaattgaa agcctctttt taacctttat cttgtttttg	360
tgtgttcaag taataactca attgcttttt cgggttgggt tcgactcttt gtaccctaca	420
ggagataata gactttactt tttaggaaga aaaaacatag ccaccccata tatcattgtt	480
ggattaggta gtttttactt attaaataaa aaaatgaatg agtttatatc actaaaggag	540
attatttttt taggattgtt cggaatttta tcatttttaa cacaatccag tacagcgatt	600
atatgttatg tgctttttat ttttatgctg atgttaggtt taaaggaaaa tataggaaaa	660
ccatattctt tagtcagtat aactgtgtat atttgtttta gttttctat aattttttca	720
caaggtacaa ttttatcaac ttttacagca attttttcca aaaatgcaac cttttcagga	780
cgtatcaata tttggcagtt agcgattcgt atttttgaag aaaatttttg gtttgaaaaa	840
ggacttaata ttgatttcaa tgcttggaac aatgggatta tcgttaactc cgcacacaat	900
accttactag atatacttgc tcgaacgggt atatttccgg gtattttatt ttagtggtt	960
cttctaagtc tatttcttgg aaaatataga gtaaaatcaa aaacgctact gacaatgttg	1020
atttcattca tggtttatat tacgatggag gctacatctg taagtattct tctattaata	1080
attgctattt gtgtgtattg gtcttttggg gaggagaagt tatatgagca agttacttaa	1140

<210> 467  
 <211> 1140  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 467  
 atgataaaaa gaaaaatata tataatctgt gtattactgt cgtatTTTTT acctagTTTT 60  
 tttacagttg gctcaatggc gactttatTT gctttgctTT ctacttttagt taagctatTT 120  
 gtgactTTTg attatattcc caaagtTcTT ttacaacata aagtaaacact gattgatatt 180  
 ctagtTgtTc tatttttatt ttttcaagca tttgcagctt ttcaaagcca aacgtTgtac 240  
 cttaaactacg ttggaggTca gtttttctTT ttaggactat attcattTTT gaaacactTT 300  
 ttattgtTgg attgtaaaaa aacaataaaa agcctcTTTt taacctTTtatt cttgtTTTtg 360  
 tgtgtTtcagg taataactca attgctTTTt ccggtcggtt tCGattcTTt gcacctaca 420  
 ggagataata gactttactt tttaggaaga aagaacatag ctaccccgta tatcattgtt 480  
 ggattaggTg gtttttactt attaaataaa aaaaatgaatg agttcatatc actaaaggag 540  
 attatTTTTt taggattgtt cggaaTTTta tcattTTTtaa cacaatccag tacagcgatt 600  
 atatgtTatg ggctTTTtatt tttcatacgt ctattgggat taaaggaaaa tataggaaaa 660  
 ctatattcTT tagtcagtat ggctgtatat gttgtTTTTt ctctttctat aatctTTTca 720  
 caaagtacaa ttttatcaac ttttacagcg attttttoca aaaaatgcaac tttttcagga 780  
 cgtattaata tttggcaatt agcgattcgt atttttgaag agaattTTTT gtttggacga 840  
 ggctcgacg ttaattTTaa tgcttggaac aatgggatta tcgttaattc agcacacaat 900  
 acctatttag atatactTgc tcgaactggc atatttccag gtgttttatt tatagtTcTT 960  
 cttatgaatc tgtttctTgg aaaatataga atagaatcaa aaacactgtt ggctatgtta 1020  
 gcctcattta tgatttatat tacaatggag acttcatcta tgagcatatt gctgctaatt 1080  
 attgttctTT gtgtatatTg gccacgtgga gaggagaagt tgcattgagca agttacttaa 1140

<210> 468  
 <211> 1233  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 468  
 atggcagTta gaaaactatc tttagtaaat atactagatt atgtatggTt aacattaatt 60  
 attttacagt gttattctat atacaccgta aagtctgaac ctcttactTT aatcgtgcca 120  
 ttattaatta caaccgtaac gttgtTgtta ttcaatttat tacgtTTTtac tttatcatta 180  
 aattttatac ataaatttat ctatatgtta gggctgtatt ttacagcaat agttacattt 240  
 tttttaacta acattggTgc taatgttact atcttaaaata ttacgaagta ctttatattg 300  
 ttccctTTat tttttttaat aaatagcatg tatatgaata gaaagattct tccagcatta 360  
 ctttctaatt ttgtaaatgt ggtagtaatt ttagcaatgt tttccttatt tttttggata 420  
 tttgggacac ttctgaaTgt tgtacatcct acctcgacag taattaatca gtggtctggt 480  
 ggtcgattaa taaatagcta ctataaccta tattttgaaa cccaacagat gactttTTTT 540  
 gggatccata taatacgaac ttcaggaata tttgctgaat ctctattTtg ggggttaata 600  
 ctaagtatcg cttatgttat tgattactt attttaaaat ctgataaaaa taataagcgt 660  
 aatataatta ttctaacaat gttaagcagc atttcaacgg caggataaag tattatcggg 720  
 ttagctatat tatataaaat agctacgaat cgtcataagg caaaactTTt actattccct 780  
 gtcacagtag gtttaggctt ctctttgtta ctctattTga ctgagaaatc agagacagtt 840  
 tcagcaaaatc ttagagTtga tgattataat attggtTTta tagtatggaa gacaagtTtg 900  
 tggataggac acggattgaa taatggtata ttagcaattc aatcacatat tccaacgttt 960  
 ataagaggTg taggctatag taacacatta tttgttattt tggctcaggg aggattattt 1020  
 ctatttctaa tctattTTTc tcctatgatc ctattattat ttaagaaaaa aattaatttt 1080  
 gattttaaat ttgcgattat cctattTTTta attttagtaa caacaattat ttttgaggga 1140  
 acgtacttat ttttctggat tttagcatta tcttatagct atttgttctt tatgatttta 1200  
 gataaaaaa gatttcaaaa tagacaatta taa 1233

<210> 469  
 <211> 1425  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 469  
 atggatataa gtaataagtt taaggtaggt atcctatata ctgctttagg taagtattct 60

aatgttataa	ttcaattatt	tgtaacggcg	gtattaagta	gaatattaac	acctgaagag	120
tatggcggtg	tagcggttgt	caatgtgttt	ttagtattct	ttcagatatt	ggcagattcg	180
ggaataggac	ctgcaattgt	acaaaataag	acattaactc	aaaatgattt	aaatgatatt	240
tttactttta	caattttatt	aggttttaatt	ctttcgtttg	tttttgtatt	gataggctat	300
ccaattagta	tagtctatgg	gaatgaagtc	tatatcaaac	tgtactcatt	attaggtatg	360
tgtgtactat	tttatactat	gacaattggt	cctcagtcac	ttttaacaag	aaacatgaac	420
tttaaacgga	tgaacttatt	gagtcctgatt	gccaatatct	ttagtgaggt	tattgggtgtt	480
gtgctggcca	tacatgattt	cgggggtatat	tctctgattt	tttctaatat	tatgaaggct	540
actatattat	tttttgtttt	tttttcaagt	gttgagttga	gttttaagaa	aaagatagag	600
aaaacttcgt	tagttaaaat	tctaaatttt	tctaagtttc	aatttatggt	taattttcta	660
aactactttg	caagaaattt	agacaatctc	ttgattggta	gattcattaa	tcccgctgcg	720
ttgggttatt	atgataaggc	ttaccagtta	tcattatata	ctaatacagat	tttattgcag	780
gtgatttcac	ctgtaattca	tcogataatg	togaattttc	aaaatgatag	acaaaaaatg	840
gaagaagttt	ttgcaaaaat	ttttaatat	ctacttttaa	taggaatgcc	aatctcagtg	900
tatttgtttt	tcaatgcaag	tgatgtgata	acatttatgt	ttggaaataa	ttgggtttcag	960
agcgttccag	tatttcaaat	actatctgct	agcatctgga	ttcaaattgc	taatagtcca	1020
ataggaattt	tttatcaagc	ttcgaatcgt	gttgatctgt	tatttaaggt	aggattatta	1080
gcgtcaggat	ttaatatatt	agctattgtg	atagggctat	tatcgaaaag	tatagtgaca	1140
attgctgcta	tgtttaattat	ttcattttata	atagggctat	caatgaatct	ctacgtttta	1200
tcacatgtag	tcttttaaaa	tgatataatt	aaatatttta	aaataatttt	agttcacctt	1260
gtaacagtta	tcccatatat	tatattcaat	atgattggct	ttagatttga	acaggggtgta	1320
gttatcaatc	ttgtgttgca	aggactggta	ttgggactaa	tttggctctat	aggaatatatt	1380
gtaacaggtc	aatacaagca	gttaataatg	atgttttagta	ggtga		1425

&lt;210&gt; 470

&lt;211&gt; 1446

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 470

atggggaata	aatccataaa	gttgaatgca	ttattaaata	ttgtcctgac	gctatcaaat	60
atcattttcc	cattaatcac	ttttccttat	atatctagaa	tattgaatcc	aaatgggtata	120
ggtttaactt	catttttttag	ttcaataggg	aattatggta	ttttacttgc	ttctctggga	180
atttcaactt	atgggtatcaa	agcagtagca	agtgttagag	atgatagaga	taagttgtca	240
aaagtagtac	aggagttaat	gattataaac	gttgctatgt	ctataataac	aactgcaata	300
ctattattta	tgactatact	tataacacaa	ttgaatagag	aatttttact	cctattgatc	360
acatgtggga	ctattttatc	ttctcctttc	gccttaaat	ggttgatatag	tggaatggaa	420
gaatatacgt	atattactac	taggtcagta	gtgttttaaa	ttctatcatt	aatattgatt	480
tttctacttg	tgaaaaggcc	agaggattat	attgtttttg	ctagtatttc	attgttttct	540
tctctaagtt	caaataatctt	aaatctatgg	catagccgac	atttcattaa	tattaaatta	600
tataaaaatt	tacaatttaa	atatcatttt	aaaccaatgt	ggtattttatt	tgccctcatta	660
cttgacagtaa	atattttatac	taattttagat	acagtgatgc	tcgggttttat	taatggtaat	720
gaggctgtgg	gatactattc	tgtggcatca	aagggttaagt	ggattttgct	ttctcttatt	780
acatctatta	gtgcagtttt	gctaccgaga	ctttcatttt	atattagtaa	aaatgacacc	840
tcgaatttta	taaaaatggt	aaaggagtca	tctgcggtta	tattttttat	tgcgattcca	900
ttgatgggtat	tctttattgt	agaggcgaaa	gatagtatct	tattactagg	aggaagtacag	960
tatcttctctg	cgacttttagc	gatgcaaata	cttatgccaa	ttttactttat	ttctgggtttc	1020
tcgaatatta	caggaaatca	aatattgatt	ccaatgaata	gagaaaaata	ttttatgggtt	1080
gcagtaacga	ttggtgctgt	gattaatctt	attttgaatc	tactgttaat	gcctaagttt	1140
ggaattattg	gtgcttctgt	cgcaactctt	tttgcggaat	tgctgcagat	gacggtacaa	1200
ttacattttt	caaaaagaata	tttagtatca	aatatatcga	taaagagttt	ggttaatgtg	1260
ataattgcaa	cagttgtttc	tataatacca	ctaatacttt	tgaatcagct	gataacgata	1320
actataccat	tttattctct	aatgctagca	ggttttgctt	tcttttcatt	atatttagta	1380
attctgcttt	tattaaagga	ggaagtgcag	attcaattat	tttctcttct	tgcaaagaag	1440
aagtaa						1446

&lt;210&gt; 471

&lt;211&gt; 1446

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae



&lt;400&gt; 471

atggggaata	aatccataaa	gttgaatgca	ttattaaata	ttgtcctgac	gctatcaaat	60
atcattttcc	cattaatcac	tttcccttat	atatctagaa	tattgaatcc	aaatgggtata	120
ggtttaactt	catttttttag	ttcaataggg	aattatggta	ttttacttgc	ttctctggga	180
atttcaactt	atgggtatcaa	agcagtagca	agtgttagag	atgatagaga	taagttgtca	240
aaagtagtac	aggagttaat	gattataaac	gttgctatgt	ctataataac	aactgcaata	300
ctattattta	tgactatatt	tataacacaa	ttgaatagag	aatttttcaact	cctattgatc	360
acatgtggga	ctattttatc	ttctcctttc	gccttaaat	ggttgtatag	tggaatggaa	420
gaatatacgt	atattactac	taggtcagta	gtgtttaaaa	ttctatcatt	aatattgatt	480
tttctacttg	tgaaaaggcc	agaggattat	attgtttttg	ctagtatttc	attgttttct	540
tctctaagtt	caaatatctt	aaatctatgg	catagccgac	atttcattaa	tattaaatta	600
tataaaaatt	tacaatttaa	atatcatttt	aaaccaatgt	ggtattttatt	tgccctatta	660
cttgacagtaa	atatttatac	taatttagat	acagtgatgc	tcggttttat	taatggtaat	720
gaggctgtgg	gatactatct	tgtggcatca	aagggttaagt	ggattttgct	ttctcttatt	780
acatctatta	gtgcagtttt	gctaccgaga	ctttcatttt	atattagtaa	aaatgacacc	840
tcgaatttta	taaaaatggt	aaaggagtca	tctgcggtta	tattttttat	tgcgattcca	900
ttgatgggtat	tctttattgt	agaggcgaaa	gatagtatct	tattactagg	aggaagtcag	960
tatcttctctg	cgacttttagc	gatgcaaata	cttatgccaa	ttttacttat	ttctggtttc	1020
tcgaatatta	caggaaatca	aatattgatt	ccaatgaata	gagaaaaata	ttttatgggt	1080
gcagtaacga	ttggtgctgt	gattaatctt	attttgaatc	tactgttaat	gcctaagttt	1140
ggaattattg	gtgcttctgt	cgcaactctt	tttgcggaat	tgctgcagat	gacggtacaa	1200
ttacattttt	caaaagaata	tttagtatca	aatatatcga	taaagagttt	ggtaaatgtg	1260
ataattgcaa	cagttgtttc	tacaatacca	ctaatacatt	tgaatcagct	gataacgata	1320
actataccat	tttttctct	aatgctagca	ggttttgctt	tcttttcatt	atatttagta	1380
attctgcttt	tattaaagga	ggaagtgcag	attcaattat	tttctcttct	tgcaaaagaag	1440
aagtaa						1446

&lt;210&gt; 472

&lt;211&gt; 1422

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 472

atgaatacta	aaattaaaaa	tataataact	agtttttctt	atgttatttc	ttcaaactctg	60
ctcatagttt	taacctcatc	actagttggt	ttgatttttc	ctaaaaataat	gggggtaact	120
gagtacagtt	actggcaact	ttatattttt	tatctgacct	atatcggttt	tttccacttg	180
ggttggattg	atgggattta	tctcaaata	ggtggcttag	aatatacaaa	tttagataga	240
aaacagtttt	attctcagat	gattctatct	tctagtttct	taatgctaata	ctcgctggta	300
ttattttactt	tgaacctaat	aactgtaagg	gatgaaaacg	caagatatat	ttataatatg	360
gctatcatta	gcatgatagt	cacaaactta	agaacactct	atgtttatat	cttgcatagtg	420
acaaatcgct	tgaaggatag	ttcagtcatt	ctaattagtg	atcgcgtttt	atatgtactc	480
ctttttattca	tgtttattgt	atttggtatg	catgagtaca	aggtcatgat	ttgggctgat	540
attctaggtc	gaacattttc	tctcatgctt	tccttctgga	tttgtaaaga	tattgtgttt	600
cagcctttgt	caaaatttat	cttagatttc	aaggagtccc	ttgataatat	ccgtgttgga	660
atcaatttaa	tgctatctaa	cattgcgagt	agcatgatta	taggcattgt	tcgtatggga	720
attcaatgga	attggaatat	tgaaacattc	gggaaagtgt	cattaaacttt	gagtatatct	780
aatttattaa	tgacttttat	taatgccatt	ggattagtta	tctttccttt	gataaagcga	840
acaaagactg	agaattttacc	taaaatttat	tctaatttaa	gaaatgcttt	gatgttggtt	900
atgttcgcaa	tcttgctctt	ctactatcct	ttaaaattta	ttcttgatat	ttggcttctt	960
gcttataagg	atgccttagt	tttcatggcc	ctaatttttc	ctatgtcagt	ttatgaaggg	1020
aaaatggctt	tggtgataaa	tacatattta	aaagcaatga	gaatggaaaa	agacattctc	1080
aaaattaatg	cttttggttat	gttaactagt	atagtagtga	cattagtgc	tactatacta	1140
ctaaataatt	tggggctgac	agttgtatct	atagttattt	tacttgcttt	aagaagtata	1200
atagctgaat	taattttatc	caaaaaactg	aagatatcag	tcaagcaaga	cattgcttta	1260
gagttactta	tgacgattat	atttatttct	tcaagttggg	atctctctat	ttggattgca	1320
gtaataattt	atttattggc	gtatacttta	tatttgtatt	taaagcacia	agatatcaga	1380
atgtatatag	aatactttta	aatcataaa	aaaatatcat	aa		1422

<210> 473  
 <211> 1326  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 473  
 atggttccgt tatatacaag cgtactatct acatctgatt atggaacata tgattttattt 60  
 aatacagacaa tctcattgct aattccaatt atttcaatta atatttctga aggggttctt 120  
 cgattttgcat tagatgaaaa aaatgacagt agtatagtat attcaattgg ctggaatatt 180  
 ataataaaaag gtttcttagt tgtagtatta ggaattattt tcaataatat ctttaataata 240  
 ttcccattac ttaaagaaaa ttccataact tttttattac tttatttatc aactattgtt 300  
 tatcaatttc tttcttcatt tattagaggt atagataaag tttctatatt atcaattgct 360  
 gctattctca atacaatttc tatattggg ttttaacattc tatttcttat aattatacct 420  
 ctagggttgg ttggatattt ttggtctaatt atattgggtt tgggtgctacc tagttttatac 480  
 ttgatataata agatatctca atataacatt aagtacacta gccttcagaa taaaaagtta 540  
 cagcaaagac ttgtagtta cagtattccc tpaatcttaa attcattagg ttggtggatt 600  
 aataatgcaa tagatagata cgtagtattt gcattttgtg gtgtagcggg gaatggcatc 660  
 tattcagttg gttataaaat cccatcaatt ttaaatattt ttgcaaatat atttaaccac 720  
 gcgtggatat tatcatctgt aaagtcttat cgtgatgaag atagtgaata tttcttttct 780  
 caagtttata ataagtataa catgattatg gtattaatc cggggtact aatttcttgt 840  
 agtaaaatac ttgctaagtt tctatatatg aatgaatttt atgatgcttg gaagtttgtt 900  
 ccgtttttac taattgcaaa tgtttttggg gctatttccag gatttgcctg tggaattttt 960  
 tcgcgggtta aagattcaaa aatatatagt cagtcaacct tagtaggagc gatagtgaat 1020  
 attattttca catttgtttt tgtatattat tatggagcta taggtgctgc tattgccact 1080  
 atgatattctt actttgttgt ttggataata cgtgttcata caatgagaaa atataaaag 1140  
 ttaaaaattt ttattagaag agatgtattt tcctatgtat tgcttatttt tcagtcaata 1200  
 gtcttatggg ttgaaaatag ttatattctt tatcctatac aagttgtgtt attcttatta 1260  
 ttagttatgt tattttataa agaaataaag agtattattg gtgaattaaa aaagtttcta 1320  
 acataa 1326

<210> 474  
 <211> 1386  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 474  
 atgagtaaat ataaggaatt agcaaaaaat acagggtattt ttgctttggc taacttttca 60  
 tcaaagattt taattttttt gtagtacct atatacacac gggacttac cactacggaa 120  
 tatggttttt atgacttagt ctatacaact attcagcttt ttgtaccaat cttgacatta 180  
 aatatatctg aagccgttat gaggttccta atgaaagatg gtgtttctaa aaaatcagtc 240  
 ttttcaattg ctgtttttaga tatatttatt ggatcaattg cttttgcttt attgttgta 300  
 gtaaataacc tgttttcttt atcagattta atttctcaat acagtattta catatttgta 360  
 atctttgttt tctataccct aaataatttt ttgatacaat tttctaaggg aattgataaa 420  
 attgggtgta cagctatctc tggggtcata agtacagcag ttatgcttgc catgaatgtc 480  
 attcttctag tagtatttga ttggggattg ttaggtttct ttattgctaa tgttttgga 540  
 tatgtttatac cttgtattta tatagtttct agattaagat tgtgggaatt atttgaaatt 600  
 aagattgata aaaaattaca atgggaaatg gtttactatg ctttgccatt agttttaaat 660  
 atattaagct ggtgggtaaa taatacttca gatagatata ttgtgactgc aatagtaggt 720  
 atacaagcta gtgcaattat ttcagtcgct tataaaattc cacagatttt gtctacgatt 780  
 agtgcaattt ttattcaatc atggcaaatc tctgcaatta aaatacaaga agataagagc 840  
 gatacatat ttgtatcaaa catgctccta tactataatg cacttctatt gattatagcg 900  
 agtggtatca tatttttgtt caaacctatt tctaataat tgtttgggtat ttccttctat 960  
 tctgcgtggg agctgggtacc atttttaata attagcagtc tattcaatgc aatttcagggt 1020  
 tgtataggag caattatggg agctaaaatg gatactcata acattgcaaa gtcggcttta 1080  
 gttgggatga ttgcaaatat ttttttaaat atagtgttaa cattcttaat ggggtccacag 1140  
 ggaattacaa tttctaccct gatagctagt tttcttattt tttatatgag aaaagatagt 1200  
 gtaaaagaaa ttaattcaga aacatataga gcaatttatt tatcgtggat actattagtt 1260  
 gtagaggcct gtctgctaatt ttatattggt tttattattg gtgctttaat agcaatggta 1320  
 ataaacttat ttttactaaa agatgttatc aaacctttat atttaaaaaa tttcaaaaga 1380  
 aattag 1386

<210> 475  
 <211> 1416  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 475  
 atgaaaatac taaaaaacta tgcctacaat ctttcttatac aattgttggg gatcatactc 60  
 cctatcatta cgactcccta tgtaacgagg gtttttagtt ctgacgattt aggaacgtat 120  
 ggctacttta gctccattgt tacctatttt accttgcttg caactcttgg tgttgccaac 180  
 tacggtacca aagagatttc agcacatcgt aaggaaattg ggaagaattt ctggggaatt 240  
 tattctctcc agtttgggtgc aacttggcta tccattttgc tttatcttgc ctttgtttc 300  
 ttatttactt caatgcaaaa tccggtagct tatatatagg gattaagttt agtgtcaaaa 360  
 ggtttggata tttcttgggt atttcaagggt ttggaggatt ttagaaagat tacagttcgg 420  
 aacatcactg ttaagttagt tgggtgcaatc tctattttcc tatttgtaaa atcagctaata 480  
 gacttatact tatatgtatt tcttcttacc attttcgaat tggtagggca attaagcatg 540  
 tggttaccog caagacaatt tatttgtaaa tcatattttg attggaaata cgctaagaag 600  
 catttgaac cagttatctt gttattcttg ccacagattg ccatctcgct ttatgtgact 660  
 ttggaccgta cgatgctggg ggtgttggct tgcacaaagg atgttggaat ttatgatcaa 720  
 gctttgaagc ttgttaatat tttactgact ttggttacct cactggggag tgttatgttg 780  
 ccacgagtat ctagcctttt atcgtctggg gattacaaag ccgttaataa gatgcacgag 840  
 atgtcttttt taatctataa cttggtgatt ttcccaatca tagcaggaat gttgattgtc 900  
 aacgatgatt ttgttcggtt cttccttggg caaaattttc aagatgctcg ctatgcgatt 960  
 gctattatga ccttccgtat gttctttatt gggttgacca atataatggg aattcaaatac 1020  
 ttgattccgc acaataaaaa taaggaattt atggtttcaa cgacagttcc cgctattctg 1080  
 agtgtgggat tgaatttggt gcttcttccc caatttgggt atataggtgc tgcgattgtt 1140  
 tcagttttga ctgaggcgtt tgtatggggg attcagttat tctatacacg tttttattta 1200  
 aaagaagttc ctattatcgg ttcaatgaca aaaactgcac ttgcatctgc tgttatgtat 1260  
 ggtctcttgc taggttcaaa aacatctata catttttcgc caaccataaa tgttttaata 1320  
 ttttcggtgc taggcggaat tatctatctt tttgcaattc tatctctgaa agtggttagat 1380  
 gtgaaagaat taaaacaaat aatcaggaaa aattag 1416

<210> 476  
 <211> 1416  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 476  
 atgaaaatac taaaaaacta tgcctataat ctttcttatac aattgttggg gatcatactc 60  
 cctatcatta cgactcccta tgtaacgagg gtttttagtt ctgacgattt aggaacgtat 120  
 ggctacttta gctccattgt tacctatttt accttgcttg caactcttgg tgttgccaac 180  
 tacggtacca aagagatttc agcacatcgt aaggaaattg ggaagaattt ctggggaatt 240  
 tattctctcc agtttgggtgc aacttggcta tccattttgc tttatcttgc ctttgtttc 300  
 ttatttactt caatgcaaaa tccggtagct tatatatagg gattaagttt agtgtcaaaa 360  
 ggtttggata tttcttgggt atttcaagggt ttggaggatt ttagaaagat tacagttcgg 420  
 aacatcactg ttaagttagt tgggtgcaatc tctattttcc tatttgtaaa atcagctaata 480  
 gacttatact tatatgtatt tcttcttacc attttcgaat tggtagggca attaagcatg 540  
 tggttaccog caagacaatt tatttgtaaa tcatattttg attggaaata cgctaagaag 600  
 catttgaac cagttatctt gttattcttg ccacagattg ccatctcgct ttatgtgact 660  
 ttggaccgta cgatgctggg ggtgttggct tgcacaaagg atgttggaat ttatgatcaa 720  
 gctttgaagc ttgttaatat tttactgact ttggttacct cactggggag tgttatgttg 780  
 ccacgagtat ctagcctttt atcgtctggg gattacaaag ccgttaataa gatgcacgag 840  
 atgtcttttt taatctataa cttggtgatt ttcccaatca tagcaggaat gttgattgtc 900  
 aacgatgatt ttgttcggtt cttccttggg caaaattttc aagatgctcg ctatgcgatt 960  
 gctattatga ccttccgtat gttctttatt gggttgacca atataatggg aattcaaatac 1020  
 ttgattccgc acaataaaaa taaggaattt atggtttcaa cgacagttcc cgctattctg 1080  
 agtgtgggat tgaatttggt gcttcttccc caatttgggt atataggtgc tgcgattgtt 1140  
 tcagttttga ctgaggcgtt tgtatggggg attcagttat tctatacacg tttttattta 1200  
 aaagaagttc ctattatcgg ttcaatgaca aaaactgcac ttgcatctgc tgttatgtat 1260  
 ggtctcttgc taggttcaaa aacatctata catttttcgc caaccataaa tgttttaata 1320  
 ttttcggtgc taggcggaat tatctatctt tttgcaattc tatctctgaa agtggttagat 1380  
 gtgaaagaat taaaacaaat aatcaggaaa aattag 1416

<210> 477  
 <211> 1413  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 477  
 atgaaattga agtttcttat aacaaatttg tttcatgtct ttttgtctaa tctgattaca 60  
 attgtcacat cggttatagt tgtactaatc ttacccaaaa ttatgggagt aactgagtat 120  
 agttattggc aactatataat tttttaccta acatatattg gtttttttca tctgggttgg 180  
 attgatggaa tttatcttaa atatggtgga ttagagtacc agaatttaga taagaaacag 240  
 ttttattctc aaatacttca atttttcagt tttttaattt taatttcttt tctattattt 300  
 ggttttaact tattgattgt gacagatcca aatgcaaaat atatttataa catgactatt 360  
 attagtatga tagttacaaa ttttaagaatg ttattcgttt atattttgca gatgacaaat 420  
 cgattaaagg atagctctat aattctgata agtgatcgcg ttatatatat ttttctttta 480  
 tttctgttta ttatatttaa atggcatgaa tacaaggtaa tgatttgggc ggatgtttta 540  
 ggaaggacat tttctctcct actttctttt tggatttcta aagatattgt ttttcaatcc 600  
 ttatccgagt tcatattgga tctgagagag tcttttgaca atatccgtgt tggaaatcaat 660  
 ttaattgttat ccaatattgc aagtagtatg attattggta ttgttcgaat gggaattcaa 720  
 tggaaattgga atatcgaaac attcgggaaa gtatcactga cgctaagcat ctctaattta 780  
 ttaatgactt ttattaatgc gattggttta gttgtctttc ctttggttaa acggacaaaa 840  
 acggaaaatt tatctaaaat ttattccaac ttaagaaatg ttttgatgct gatcatgttt 900  
 gcaatattgc tcttttatta tcctttaaaa attattctag atctttggtt gccagcttat 960  
 cgggatgcgt tgatttttat ggctcttatt tttcctatgt caatttatga agggaagatg 1020  
 gccttgggtga ttaatacata tttaaaggcg ctaaggatgg aaagagatat tctcaaaata 1080  
 aatactttga ttatgttggt cagtatgta gttaccctaa taactactct attattaaat 1140  
 aatttagagc taacggttat atctatagtt gttttgctag ctttacgtag tataatagca 1200  
 gaactaattc tatctaaaaa acttgatata tcagttgagc aagacattgt gttagaatta 1260  
 cttatgacaa ttatatttat ttcttcaagt tggtaactac cgatttggct cgcagtaata 1320  
 gtttatttgt tagcgtatac tttatacttg tatctaaagc gtaaagatac aaaaatgtat 1380  
 atagaatatt ttagaaagaa aatatttgaa taa 1413

<210> 478  
 <211> 1413  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 478  
 atgaaattga agtttcttat aacaaatttg tttcatgtct ttttgtctaa tctgattaca 60  
 attgtcacat cggttatagt tgtactaatc ttacccaaaa ttatgggagt aactgagtat 120  
 agttattggc aactatataat tttttaccta acatatattg gtttttttca tctgggttgg 180  
 attgatggaa tttatcttaa atatggtgga ttagagtacc agaatttaga taagaaacag 240  
 ttttattctc aaatacttca atttttcagt tttttaattt taatttcttt tctattattt 300  
 ggttttaact tattgattgt gacagatcca aatgcaaaat atatttataa catgactatt 360  
 attagtatga tagttacaaa ttttaagaatg ttattcgttt atattttgca gatgacaaat 420  
 cgattaaagg atagctctat aattctgata agtgatcgcg ttatatatat ttttctttta 480  
 tttctgttta ttatatttaa atggcatgaa tacaaggtaa tgatttgggc ggatgtttta 540  
 ggaaggacat tttctctcct actttctttt tggatttcta aagatattgt ttttcaatcc 600  
 ttatccgagt tcatattgga tctgagagag tcttttgaca atatccgtgt tggaaatcaat 660  
 ttaatgttat ccaatattgc aagtagtatg attattggta ttgttcgaat gggaattcaa 720  
 tggaaattgga atatcgaaac attcgggaaa gtatcactga cgctaagcat ctctaattta 780  
 ttaatgactt ttattaatgc gattggttta gttgtctttc ctttggttaa acggacaaaa 840  
 acggaaaatt tatctaaaat ttattccaac ttaagaaatg ttttgatgct gatcatgttt 900  
 gcaatattgc tcttttatta tcctttaaaa attattctag atctttggtt gccagcttat 960  
 cgggatgcgt tgatttttat ggctcttatt tttcctatgt caatttatga agggaagatg 1020  
 gccttgggtga ttaatacata tttaaaggcg ctaaggatgg aaagagatat tctcaaaata 1080  
 aatactttga ttatgttggt cagtatgta gttaccctaa taactactct attattaaat 1140  
 aatttagagc taacggttat atctatagtt gttttgctag ctttacgtag tataatagca 1200  
 gaactaattc tatctaaaaa acttgatata tcagttgagc aagacattgt gttagaatta 1260  
 cttatgacaa ttatatttat ttcttcaagt tggtaactac cgatttggct cgcagtaata 1320  
 gtttatttgt tagcgtatac tttatacttg tatctaaagc gtaaagatac aaaaatgtat 1380  
 atagaatatt ttagaaagaa aatatttgaa taa 1413

<210> 479  
 <211> 1461  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 479  
 atgactaaaa aatctattac tagaaatfff attttcaata caattctaac tatgtccagt 60  
 tttatttttc cactcatcag tttcccatat gtttcaaggg ttctgatggc agatgggttg 120  
 ggacgagtaa cgttcgcttc ttcaattatt gattatgccc taacatttgc aatgttaggg 180  
 atgccattat atgggtgtaa agtctgtgca ggatatatta aaaataagga gaagctaagt 240  
 cagactgtca gagaattggt agtcattaat ttattagtag gatttcttgt gatgcttctt 300  
 ttagcaacta tggtaataat aattcctcgt tttagacagg aatggcagct tattattatc 360  
 acgtcatcta caattcctct caatattata ggaatagagt gggtatacaa agcattggaa 420  
 gactattcgt atatttcaat tagaacattg acttttataa tattaggttt ccttttgatg 480  
 tttttagtcg tccgaacaaa agatgactat atggatatag cggcaattac agtttttagct 540  
 agtcatgggt cttttatttt gaattttttt agatctagaa ctttcctact agaaaatatt 600  
 tctcaaagat tgaattttaa gcaacatata aagccgttat taattttatt ttttttatct 660  
 gtatcatgga ctatttataa gaatacagat gtcgttatga tgggatttct aactagtgt 720  
 acagaaattg gttactattc aacagcatta aaaattcgtt ctatagtgtc cagtgtagta 780  
 acttcttttag ggacagttgt actacctcgt ttagtcaaat attataaaga aggaaagtat 840  
 aatgaagcaa agaaaatact aaacaaaagt tcttcattta ttatgctaag ttctttatat 900  
 tttattggct atattgtaat taatgccaga gaaattattc tttttattgc gggtaggaat 960  
 tacttagggg ctatcccgac acttcaagta tctattttta gtgcaatatt tgttggctac 1020  
 tctattatgt atggaaccaa tctcctagta tctataggta aagaaaatgt aaccattcag 1080  
 gcaagtatta ttggtgttgt tttaaatatt tgtttgaatt ttattatgat acccaaattt 1140  
 gctgcactag gggcaggtat tgcaactctc ataggagaag ctgttatggg attatatgaa 1200  
 ataataact tgggaaagga tgggtggagc tattttgaaa gattaaatat tttaaagatt 1260  
 attgtagtat ttatatttag tacgtttatg ttatatatta tgaaagattt tttgttggc 1320  
 tatcctttat ttatttatat tgtaatttca ggggttattt atagtattat atatatattt 1380  
 ggtcttatga tactaagaga aaatttgctt tcaagtggga aaatatcaat actaaatcgg 1440  
 tttaatatta ttaaagaatg a 1461

<210> 480  
 <211> 1305  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 480  
 atgattctgt ccatgttggg aatttctaatt tatgggaatc ggacaatagc acaggtacga 60  
 acaagtagag aacatttgaa tcaagaatft tcaaatatft acgcagttca gttgacgtgt 120  
 tctactagta tgacctctc atatttgatt tatgcaacag tattttgtga tagttttcag 180  
 attgtagcct atatccaagt attacatggt ttatcgtatg caacagatgt tagttgggtt 240  
 ttttatggtc ttgaagagtt tcgtattacg gttgctagga attcatttgt taagttatta 300  
 actttaatat ctatctttac atttgtaaaa agccctaattg atatctattt atataccttt 360  
 ataattggcag ggagtaacct gcttggtcag ttgattacat ggcaattttt gctaaaacaa 420  
 gtaaaactttg tgcgccctaa tcttggaata ataaagaacc acatgaaacc tattattatt 480  
 ttatttttcc ccgtcttagc ggtagtatt ttttcgtttc tagataaaat aatgcttggg 540  
 atgtatagta gtttgaagga aactgctttt tatgagaatt cagataagat aattagtatt 600  
 ccaaaagctc tgattcaagc ctttggagct gtaatgttgc ctgcaacagt acatttactg 660  
 agtatagggt atgaacaaa aagtttagaa tatgttgata aaacgatgtg ggttggttta 720  
 gtgattacaa tgggctgtgc tttcggttta gcaggagttt ctgcaacctt tgctcctgtt 780  
 tattggggtg aagaatttag ggccagtagc caaattattg caggaaatgac accggcttta 840  
 gtattttcgg cttttgaaa tgtcatccga acccagtttt taattccacg aagttttgac 900  
 aaggaaatata cggtaatttt gctttatgga gccgtagtta atatcttgat taatatctt 960  
 ttgattccga agatgggagc aatgggagct gttatcggaa taattgttgc agagttagtt 1020  
 ctatgttgct atcaaacatg gattgctaga aattatttac atatcagaga atatctgata 1080  
 aatgctggga tattatttct tattggttca gtaatgtata tggttttaat tcttatttca 1140  
 agtattttac ctacatcgtt acttacactt attattgaaa ttatagtcgg agctttcatt 1200  
 tatattagtt tactggttct gtatatcttt tcttcaaaaa acagggtaat tattggttta 1260  
 cgaacaaatt ttttagaaca tactcattta tttaaaagga aataa 1305

<210> 481  
 <211> 1140  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 481  
 atgataaaaa gaaaaatata tataatctgt gtattactgt cgtatTTTTT acctagTTTT 60  
 tttacagttg gatcaatggc aactatatTT accctactct ccacagtaat taggctattc 120  
 gtaactatat atcatgttcc taaagTTTT tcacagtata aggtaacgct gattgacatt 180  
 ttggttggtc tgTTTTgtt ttttcaagt tttgtggggg ttcaaagtca gacagtgaat 240  
 cttaactata ttggaggaca gtttttcttt ttaggattat attcattttt gaaatacttt 300  
 ttattgTTTg attgtaaaac aacaattgaa agcctctttt taacctttat cttgTTTTtg 360  
 tgtgttcaag taataactca attgctTTTT ccggttggtt tgcactcttt gtaccctaca 420  
 ggagataata gactttactt tttaggaaga aaaaacatag ccaccccata tatcattggt 480  
 ggattaggta gtttttactt attaaataaa aaaatgaatg agtttatatc actaaaggag 540  
 attatTTTTt taggattggt cggaatTTTt tcattTTTta cacaatccag tacagcgatt 600  
 atatgttatg tgctTTTTat ttttatgctg atgttaggtt taaaggaaaa tataggaaaa 660  
 ccatactctt tagtcagtat aactgtgtat atttgTTTTt gtttttctat aatttttcca 720  
 caaagtacaa ttttatcaac ttttacagca attttttcca aaaatgcaac cttttcagga 780  
 cgtatcaata tttggcagtt agcgattcgt atttttgaag aaaattTTTT gtttgaaaa 840  
 ggacttaata ttgatttcaa tgcttggaac aatgggatta tcgttaactc cgcacacaat 900  
 acctacttag atatacttgc tcgaacgggt atatttccgg gtattttatt ttagtggtt 960  
 cttctaagtc tatttcttgg aaaatataga gtaaaatcaa aaacgctact gacaatgttg 1020  
 atttcattca tggtttatat tacgatggag gctacatctg taagtattct tctattaata 1080  
 attgctattt gtgtgtattg gtcttttgggaggagaaat tatatgagca agttacttaa 1140

<210> 482  
 <211> 1245  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 482  
 atgaagagac agaagtttga atttatagag attctatact attttacagt gatgttatca 60  
 gtgggaatgt ttcttatgtt taccctcaac ttatatggc acagaaactt attactatt 120  
 ttatctattg ctctctcatt tttaatgctt cctatactga ttgttaatgc taaaagaatt 180  
 tctaaatctg cttttatcta tggactttt ttatctatat gtattatata tgagatatta 240  
 agagctaaaa cactgtataa ttacagtgtg agtaatatTT ttttggcctc tagacaatat 300  
 atatggattt ttctatTTTT tgtattgatt tacctTTTTa aaaacaaaca agaaaatatg 360  
 agaaaaattt tagataatac actcaatatt tttatgtttt ctctcggaat tagagcattt 420  
 acttggtttt tatatacgtt atttcaagtt gaattatttc catctatttt aagagaattc 480  
 ggagatttgt ggtatcgaaa tgaattttca gtacgaatag atggaacacc attaatata 540  
 ataggtttgt taatttccac ttttttctat tttaaatttg gaaataggaa atacttttat 600  
 tatttggtct tgatattaat gtatataaca tttgtaaatc agacaagagt gctactgggt 660  
 tctgttttga tttcaatttt tcttatgttt gtattttcta gaagaacttc tagattgctc 720  
 acctctttaa gttttgtaac tataattata gcattcgttt atggaggtgg attggattat 780  
 attaaagcat atttaaataat agatgctgga acatttgatc tgggattagg atttagatac 840  
 tgggagtga aatactatct gggtttatta gctaagatg tatggaaact tggggttggg 900  
 attctaacat caagtaatat aaatagtaat tttatttttg ctgggccaag tgctgttaag 960  
 atgtatctag atgatttagg ttttttagag ttattcgttc aatttggtgt agccgcaatt 1020  
 tttatgtatg gttatatatt ttataaatta atcaatttaa ttctaagaat gtcaaagat 1080  
 aaatatagag ttgaccgcgc cttttttatt gcaactctta ctaatttaat aattacttca 1140  
 atttctttaa atatcttttg agcgacagaga agtttctcat tggcaattgt tcttgcatta 1200  
 atattctact atgactatag gctgaaaaat gacatagaaa attag 1245

<210> 483  
 <211> 1338  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 483  
 atgagttatt tatttttact ttgccttaca ttattcttat tgactatatt ctatttcttt 60

gctttttatc	aagattttaat	tgctcctcca	gtagttatgt	ctgtaatggt	tctaattagt	120
tcagttattg	cactgggttaa	ttcaaaaaac	tggaatatgt	aatatagtgg	aatagcctat	180
attctcataa	ttagtgggtat	tattatatatt	tcgattcctt	taatggcatt	aaaatcacct	240
aatttttaata	ctgagggttaa	gattgctgat	cgattaattg	atatccaatt	ttggaaaaatt	300
gctctaacta	ttataattga	tctctttatt	ttgtatottt	acaggaagga	aatatacaac	360
cttgttctta	gtaattggata	tacgggggtca	aatattcagt	ggtttttttag	aaatgcaacg	420
agtattgaag	gtgaattgac	agtgcgaact	tttattcgag	ttctcattcg	tgttattgac	480
gtatctgctt	atattttttg	atatactttt	attaataaatt	ttcttatcta	tcgccataaa	540
cgccctaaag	acataattact	tttagtacct	ttattaatat	ttatttcaaa	aactttaata	600
tcaggaggcc	ggcaagatat	tattaaaatt	ctgattgcct	atgtaatcat	gatgtatata	660
caacaaaaac	ggaaagtgtg	atggaataga	ctgatatctc	ataaatatat	tcaccttgga	720
tttgttggtt	taatgacagg	tattccagca	ttttactact	ctttgttttt	agccgggtcg	780
tcaacgacta	ggacgctatt	tgagagtgtt	tcgacctatc	taggaggctc	aattcagcat	840
tttaatcagt	atattgaaaa	tccattagat	cctgggtgaag	tttttggcag	tgaaacattg	900
gtgcctatat	taaaatatatt	aggggaaatg	ggcctagtta	attatcgtag	tacaattcat	960
ttagaatttc	ggacactagg	agttactgta	ggaaatgttt	atactttttt	tagaagaccc	1020
ttgcatgatt	ttgggtctagt	tggtatgtat	gtatttgtct	ttgctgtagg	tgcttttttt	1080
gctattttatt	atttagttct	gagaaagaaa	caggttggtt	ttaatgtgga	tattcatacc	1140
attattttatt	cttatgtctt	ttattggatt	tttttatcat	caatcgagca	atactcgttc	1200
acaatgatta	gtctatatac	acttgtatct	atttgtgttg	tttactttat	ggctatcttt	1260
tactggtgta	cagattttta	aagaggaaaa	ctgattttta	aaattttctga	ctcaagtatc	1320
aaattaaaag	aagaataa					1338

&lt;210&gt; 484

&lt;211&gt; 1164

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 484

atgctctctc	tatatacagg	aaatgggtgtt	actcctgtta	ttgttatttt	attttttttg	60
tcggcattgt	attcttttata	tcgaaaaagc	aaattaagta	taaattttaa	ttttttgttt	120
atatatatatt	tttttagccta	ctattttgtta	ttaacagtta	tattcacaca	agattttattg	180
gtgatgactt	ctaaaatttat	attattttcca	atattttgtt	attatataat	acctaaaaat	240
ataaatggcg	ttataagaat	actatctatt	tttaaatctt	tcattgggtt	tactgctatt	300
tttggattat	atgaatatat	gcaacatttc	aatcttatgg	tgaattttgt	aaaaatagat	360
gcagttaaatt	ggatacaaac	gatgaatttg	aatagtgtgt	attatcccag	ttcaatatatt	420
ctccactaca	cctatttttgc	atatgtttttg	ttactagctt	ttatttttgt	aattgtttatc	480
ccatataaga	accgagtgtt	aaatttagtt	tataaaacac	ttattgcaat	ttcaattttt	540
ttgccccaat	ctcgtatagt	ttggatagct	tttggggtaa	tttaattctt	ttcgtttata	600
ctaaatagac	aggggatatt	aacctataga	aagtttgagt	ttatagtact	tatttttaatt	660
atagtagtct	ctctctgcct	atattttgat	gtgtttgcgt	ttattttctaa	ttatataagt	720
ttaagatttt	cttcacttta	tcgttatgga	ctggctgatg	gttctctagg	tcaacgtatt	780
ggaactctta	gaaattggga	aaattattta	gactctgata	ctataaaggc	tattattggg	840
tcaggatttg	gtggtgtcaa	tagttacttg	agtacttatt	cattttttta	tggtctatact	900
acagctgatt	caacagtgc	aagtttctct	attgatactg	gggttatttg	cttatttatc	960
ttttttattat	ctatgtttca	gatattagta	atagtggtaa	aaggaaaagg	aattttttaga	1020
gaattagcgt	tatatactat	tgtagcttct	tctatagtta	gtttaacaat	tgattttttg	1080
gcaaattatg	ttattcttca	tatatatttac	gtggttatta	tctgtgcatt	tataggaatg	1140
agattgacta	agcaagaaa	ataa				1164

&lt;210&gt; 485

&lt;211&gt; 1071

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 485

atggtgatgt	tgtgtgtatt	tttaacatta	attaagaata	ctctcaacgt	gtttgcaaat	60
agaatcatat	attttttgat	tattttcattt	ttgtttatta	ttgggattaa	tttacaaaat	120
cttcattat	caagaaagat	ttatttatca	ttctctatgt	taattatttc	tagcttatcc	180
accttaccga	taaagctaatt	aaataatctc	agtgatttaa	gaaggatatc	atattactta	240
ttgcacagca	tattttttatc	tgtattttta	ggtttgggtt	ttaaaaatc	tttagtaaca	300

gttgctgtag	aggggaattgg	cttttcatat	ggttttaatg	gagggttgac	tcataaaaaat	360
ttttatgcaa	ttacaatttt	agtttcctat	attctactat	atgtcagcag	aaaatatgac	420
gctaaacatc	agattgatag	ttttgtatta	tgggttagatc	tttttttact	tttaatatct	480
aatacgcgaa	cagtttataat	aatactagtt	gttttttggga	ttattattaa	tagaaatttt	540
ataaataata	ttaaaaaaga	gcatagactg	gtagtgcacag	caacgacaat	agtcactctct	600
ttactggcgt	taacattttt	tttcaaacat	ataattaata	atagtgaatc	atatagccat	660
cgagtgttag	gtgttgtgaa	tttttttaaa	tattatgaat	cagatagggt	tcatttggtt	720
tttggggatg	ctgaattagc	ctttggaaat	acgacgaagg	gttatggaca	caatattaga	780
agtgtgttag	gttgggatgg	aacggtagag	atgcctttac	tcagtgtaat	gattaaaaat	840
ggttatgttg	ggttagttgg	ttacattata	gtgctgttta	agtttatatc	ttcaataatc	900
tcagttaaaa	atagcacaaa	aaaaaatatt	ggattatcaa	tctttattcc	gttacttcta	960
tctgcaacag	ttgaaaatta	tatcgtcaac	attagctttg	tattcatgcc	tgtctgcttt	1020
tgtattttat	gttcaattaa	aaatataaaa	ttagtaaata	acagaaagta	a	1071

&lt;210&gt; 486

&lt;211&gt; 1224

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 486

atgcatgtta	gattagatgg	tttgctggac	tatatatttc	tatttagtgt	gattattact	60
tgtaatacta	tgtattcaac	tagtcaagga	tttgatggac	tagggaaatg	ggcgactctg	120
ttacttgtgg	tatcagtttt	tctgaaattg	cttatctcta	gaatatctat	gaaggcaatc	180
aatgtgattg	tgtcggttc	tttaaatatt	atattaatta	ttctactcat	agtaatatata	240
aatggtttta	agatttctga	gacaagtttc	gtctattatt	ttgtattatt	tccgattttt	300
atgatgattt	tgcagatgta	ctatgatgtt	aatgaaatcg	caaactctgat	acggaaattt	360
gttcgtataa	tatttctttt	agcaattggc	tctctcctat	tttggcttat	tggtagtgtta	420
tttcatatta	tatccccaac	ggtttatgtg	ttgaattatt	ggaatggtgg	gggaatagta	480
gaagggtagt	ataatcttca	ttttgaagca	caaaaaatag	agattttggg	ggcgatactg	540
ataagaaata	cggggatttt	tgctgaagca	cctatgtgga	gtttggtatt	gagccttgca	600
ttgatatttc	aaacgcttca	tataaaaaaa	tggaatttca	caacttggac	tcttattatt	660
acaattatga	caactacgtc	aacaacaggg	gtttatataa	taggtttgat	tttctatat	720
gttttatttt	caaaaacaag	tggtgtgaag	agatatgttt	ctagtttatt	tatttttagcg	780
attatatgtt	gtttttcaat	attatgggat	aataaatctg	gaactgggtc	agcaactata	840
cgttttgatg	attataaggc	tggttttttg	gcattggcaga	aaagtcctat	ttggggatta	900
ggtatttcag	acggtcttag	aaccattgaa	caacatatgg	atagaactgt	tagatataat	960
cttgggtata	gcaatagctt	ttttgttgtt	ttagctcaag	gagggataat	gttggcttcg	1020
tattactttt	atccagtaat	taaaattatt	ttgaataaat	ttagttcgaa	tgatttgaag	1080
ttttctgcgc	tattaataat	tttccttatg	ataactacta	tatttataga	gacctatatg	1140
tttttatttg	tcatttcttt	atactattct	cttgattttg	gggacgatag	agattgtcat	1200
gagaaacagt	acattactaa	ttaa				1224

&lt;210&gt; 487

&lt;211&gt; 1224

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 487

atgcatgtta	gattagatgg	tttgctggac	tatatatttc	tatttagtgt	gattattact	60
tgtaatacta	tgtattcaac	tagtcaagga	tttgatggac	tagggaaatg	ggcgactctg	120
ttacttgtgg	tatcagtttt	tctgaaattg	cttatctcta	gaatatctat	gaaggcaatc	180
aatgtgattg	tgtcggttc	tttaaatatt	atattaatta	ttctactcat	agtaatatata	240
aatggtttta	agatttctga	gacaagtttc	gtctattatt	ttgtattatt	tccgattttt	300
atgatgattt	tgcagatgta	ctatgatgtt	aatgaaatcg	caaactctgat	acggaaattt	360
gttcgtataa	tatttctttt	agcaattggc	tctctcctat	tttggcttat	tggtagtgtta	420
tttcatatta	tatccccaac	ggtttatgtg	ttgaattatt	ggaatggtgg	gggaatagta	480
gaagggtagt	ataatcttca	ttttgaagca	caaaaaatag	agattttggg	ggcgatactg	540
ataagaaata	cggggatttt	tgctgaagca	cctatgtgga	gtttggtatt	gagccttgca	600
ttgatatttc	aaacgcttca	tataaaaaaa	tggaatttca	caacttggat	tcttattatt	660
acaattatga	caactacgtc	aacaacaggg	gtttatataa	taggtttgat	tttctatat	720
gttttatttt	caaaaacaag	tggtgtgaag	agatatgttt	ctagtttatt	tatttttagcg	780



actatatgtt	gtttttcaat	attatgggat	aataaatctg	gaactgggtc	agcaactata	840
cgctttgatg	attataaggc	tgggtttttg	gcatggcaga	aaagtcctat	ttggggatta	900
ggtatttcag	acgggtcctag	agccattgaa	caacatatgg	atagaactgt	tagatataat	960
cttgggtata	gcaatagctt	ttttgttgtt	ttagctcaag	gagggataat	gttggcttcg	1020
tattactttt	atccagtaat	taaaattatt	ttgaataaat	ttagttcgaa	tgatttgaag	1080
ttttctgcgc	tattaataat	tttccttatg	ataactacta	tatttataga	gacctatatg	1140
tttttatttg	tcatttcttt	atactattct	cttgattttg	gggacgatag	agattgtcat	1200
gagaaacagt	acattactaa	ttaa				1224

&lt;210&gt; 488

&lt;211&gt; 1344

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 488

atgcttttaa	atttcttatt	catatctatt	tttctattaa	ttatcattac	atttatatta	60
tttgaggggg	atttttttca	acctgcagta	attttaacaa	tcgcttattt	tatttcgatt	120
gcaagtgtc	tagttaatag	aaatgtttgg	ggaacagAAC	tccatttcaa	aaccttttat	180
ttgatattgt	taggggttgc	tacatttggt	atagtttcct	tgttgacaaa	attgtcgtac	240
aggcctaaag	tggagggaaat	ttcgcataaa	gaattgaaag	aaataaatcc	ttcaaagata	300
atctatgtca	ttcttctgac	tctaaatctt	gttatgttat	ttctttatat	ccgtgaaatt	360
cagaaagtag	tattgttttc	aggtagaagt	ttttctaata	ttacagattt	gataagtaac	420
tataggtacc	tatcttatta	ttcaaataaa	gtagaaatac	gtgtaagtgg	aatgattaat	480
caactatcta	aaattattcc	agcgactaca	cttatttctt	tatatatatt	tatgaataat	540
tattttataa	ctaaacaaat	aaagaaaaat	ttcatttatt	tgattccaat	agctatatcc	600
tttgtctatg	caatcattag	tgggtgtaga	ttgcccctta	taagggttagt	tgttggatct	660
ctgttgatat	tgtatatata	ctctgtgtac	gggagtccta	aatctcaact	taccaaaggt	720
tttaaaatga	tcactcgctc	tctgtttaca	tttcttattt	tgatagtttt	attctttctt	780
ttaaaatttg	tattagggcg	ctcctctcag	gaagatttta	tcagttacat	cactcgttat	840
atgggaggtt	caattcaact	atttgattta	tttggttatag	atccgatacg	acgtaacaaa	900
gaactaggtg	cagaaacttt	ttcgggaatt	tatgagatgc	ttgcaaaatt	aggatttgac	960
aataatatta	taaaaggcct	agaatggaga	gtgtctccta	attattattc	tttagggaaat	1020
gtgtatactg	caattagacg	ttattattca	gactttggtg	taattgggtat	tgtaatttgt	1080
cagagtttta	cagcgtgggt	atatacttta	ggttatgaaa	aagttagaca	ttattcttta	1140
gttacaaatg	ttcaaagatt	taggttgatc	ctattagcag	cttcat'ttta	tccaatattt	1200
ttaaatggta	tcgaggatgt	gttttatatt	tcaatgggta	ccattgggata	tggaatacaa	1260
attgttatct	tttatctggg	cttttgggtt	cttctgaaag	ttcaggttga	ctttaacaaa	1320
ggtaaaattaa	cgataaatag	atga				1344

&lt;210&gt; 489

&lt;211&gt; 1344

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 489

atgcttttaa	atttcttatt	catatctatt	tttctattaa	ttatcattac	atttatatta	60
tttgaggggg	atttttttca	acctgcagta	attttaacaa	tcgcttattt	tatttcgatt	120
gcaagtgtc	tagttaatag	aaatgtttgg	ggaacagAAC	tccatttcaa	aaccttttat	180
ttgatattgt	taggggttgc	tacatttggt	atagtttcct	tgttgacaaa	attgtcgtac	240
aggcctaaag	tggagggaaat	ttcgcataaa	gaattgaaag	aaataaatcc	ttcaaagata	300
atctatgtca	ttcttctgac	tctaaatctt	gttatgttat	ttctttatat	ccgtgaaatt	360
cagaaagtag	tattgttttc	aggtagaagt	ttttctaata	ttacagattt	gataagtaac	420
tataggtacc	tatcttatta	ttcaaataaa	gtagaaatac	gtgtaagtgg	aatgattaat	480
caactatcta	aaattattcc	agcgactaca	cttatttctt	tatatatatt	tatgaataat	540
tattttataa	ctaaacaaat	aaagaaaaat	ttcatttatt	tgattccaat	agctatatcc	600
tttgtctatg	caatcattag	tgggtgtaga	ttgcccctta	taagggttagt	tgttggagct	660
ctgttgatat	tgtatatata	ctctgtgtac	gggagtccta	aatctcaact	taccaaaggt	720
tttaaaatga	tcactcgctc	tctgtttaca	tttcttattt	tgatagtttt	attctttctt	780
ttaaaatttg	tattagggcg	ctcctctcag	gaagatttta	tcagttacat	cactcgttat	840
atgggaggtt	caattcaact	atttgattta	tttggttatag	atccgatacg	acgtaacaaa	900
gaactaggtg	cagaaacttt	ttcgggaatt	tatgagatgc	ttgcaaaatt	aggatttgac	960

aataatatta	taaaaggctt	agaatggaga	gtgtctccta	attattattc	tttagggaat	1020
gtgtatactg	caattagacg	ttattattca	gacttttggtg	taattgggtat	tgtaatttgt	1080
cagagtttta	cagcgtgggt	atatacttta	ggttatgaaa	aaagttagaca	ttattcttta	1140
gttacaaatg	ttcaaagatt	taggttgatc	ctttagcag	cttcatttta	tccaatattt	1200
ttaaatggta	tcgaggatgt	gttttatatt	tcaatgggtta	ccattggata	tggaatacaa	1260
attgttatct	tttatctggt	cttttggtt	cttctgaaag	ttcaggttga	ctttaacaaa	1320
ggtaaattaa	cgataaatag	atga				1344

&lt;210&gt; 490

&lt;211&gt; 1164

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 490

atgccgtatc	taaataatgt	accgcaaaat	aaattttcta	taagattatt	tgatattgct	60
atagttttat	tgactttaaa	gatgttagtt	tcttcgattc	cagtttttga	ctttgtgttt	120
cctcaaaaat	ttcaaaatat	cottgttatt	ttaggttata	tattgatttt	tttacaatatt	180
tttgagaaaa	gaaagtacac	attacaattt	ataattagta	taattctaata	tactacatta	240
ctgctttata	atgtatata	aatgcacaaat	tatgtttact	ttacgagttg	gtttatgttg	300
attggtacga	ttcattatga	tttaagaaga	gtaataaaaa	ttatatttat	tgtatcatta	360
agtattatgt	tcatatcaat	ttttatatca	cttcttatgt	atataattga	ttataaacga	420
gaaattctta	ttaatatccg	aagaaacgaa	actgtcagag	cattttacatt	tggtttttata	480
catcccaata	aattttactat	tgtactatct	aacttatgtc	ttatgtttat	ttggttaatc	540
aaagatcggt	tgaaatatta	tcatgttaact	ttttgtcttt	ttattcagtt	attccttttat	600
tttttcacgc	agactagaac	agctctacta	gtatctatag	taatttttgc	tctttttatat	660
attttatgt	ttgttgaaaa	tcttgaaact	agatggatag	gatactcatt	cttttgattt	720
tctacttttt	taggagtttt	ggcatttcaa	ttttatcctt	ctaataataa	gtttttcaatt	780
tttattgata	atatacctgac	tggtacgtatt	aaattagctg	catacgcaag	aacctttttt	840
ggttatacat	tctgggggtca	atatgttgat	aaagaaattg	tttgggatcc	tatttggggga	900
ttactagtt	tcacttttga	ttcgttttat	tccttcttga	tgagtaatgc	tggtcatcata	960
tggtacttta	tcttatcagt	cttattttga	aaactacaaa	aatattttaga	caataaaaagt	1020
ttgattttat	tattagcttg	gtctatgtat	gcggtaacag	aaactgattt	aatattttcca	1080
agttatggat	tccagttctt	atttttaagt	atacttttta	ctaatactag	tacatgttct	1140
acaataatgt	taaagaataa	ttaa				1164

&lt;210&gt; 491

&lt;211&gt; 1179

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 491

atgacaaaat	attatattgg	tatttttaac	attgtgttgt	ttgtttttatt	attagtaggc	60
cgtgggaagc	ttatttttgt	taataaaaaa	ttattatata	ttgctaagat	attagctata	120
ccaacaattg	ttcttttctt	gtactcagtc	ttactagacg	taatgaaccc	agttgaattt	180
aatggatatt	ttagtagatt	atcaagtacg	actatttttg	gtttgttagc	tatctttcaa	240
gctatagtgt	tttttcaatt	ttttggacaa	aaagtagtag	attacacttt	tacagctatc	300
tccctcagct	acttaaccag	tatcattgtt	gcctttaggg	agggaggact	tagtcaattt	360
atcttgatag	taacagatga	tagtttcaat	ggttcggtac	tagaaatgca	tgaagtgtga	420
cctattacag	ctctctttat	tctgtactat	ttgtacaaat	attttataaa	agaaaatagt	480
ttttcttcag	tattttataa	tatcttaata	gctctcatta	ttcttttttt	aagccttaaa	540
cgaatcggtc	ttttgagtgt	attaattatc	ataccagtat	ttttggtaat	ttattgggtat	600
gataaaaaag	taagtaaact	agggaaagaa	cgaaaaat	taagtttatt	aaatatcttt	660
tccttaatat	ttataacagg	aatattcctt	tatgtttata	gtgtaaaaatc	tgattttata	720
tatacattta	ttcaagaaca	taatattaat	tcgatggcta	gaacagattt	atggaaggga	780
gttgaatcaa	cctataaatt	cgccctata	tttatgggga	gagggatagg	gtttgttaaca	840
aaatggatgg	ataataattg	gatgactttg	aatatcaatg	gtcttacagg	gacaatgggg	900
atccataatg	atattttgaa	gtactacatt	gagataggat	ttgtaggatt	attttatttat	960
ttttacactc	ttcttttatag	aaatgctaaa	cgtatatttg	taaaaatttg	tcataaagaa	1020
tcattcatat	attttgtatt	gataatgttt	cagatgctga	tatgttttac	agataaatatt	1080
tcaatttacc	ataatttttt	atggatccta	aatctactac	tcttttcttt	aactaattcg	1140
gatacagaat	tggaataatt	agatttttaa	aattttttaa			1179

<210> 492

<211> 800

<212> DNA

<213> Artificial Sequence

<220>

<223> Consensus sequence of the 3' end of the cpsA gene and the 5' end of the cpsB gene of *Streptococcus pneumoniae*

<400> 492

tttcttgaaa	atgattgact	tattgggagg	ggtagatggt	cataatgac	aagagttttc	60
agctctacat	gggaagttcc	atttcccagt	agggaaatg	catctagact	ctgagcaggc	120
tctaggtttt	gtacgtgaac	gctactcact	agccgatgga	gaccgtgacc	gtggtcgcaa	180
ccaacaaaag	gtgattgtgg	ctatccttca	aaaattaacg	tcaaccgaag	cactgaaaaa	240
ttatagtacg	atcattaata	gcttgcaaga	ttctatccaa	acaaatatgc	cacttgagac	300
tatgataaat	ttgggtcaatg	ctcagttaga	aagtggagg	aattataaag	taaattctca	360
agatttaaaa	ggtacaggtc	ggatggatct	tccttcttat	gcaatgccag	acagtaacct	420
ctatgtgatg	gaaatagatg	atagtagttt	agctgtagtt	aaagcagcta	tacaggatgt	480
gatggagggt	agatgaaatg	atagacatcc	attcgcatat	cgtttttgat	gtagatgacg	540
gtcccaagtc	aagagaggaa	agcaaggctc	tcttggcaga	atcctacagg	caggggggtgc	600
gaaccattgt	ctctacctct	caccgtcgca	agggcatggt	tgaaactccg	gaagagaaga	660
tagcagaaaa	ctttcttcag	gttcgggaaa	tagctaagga	agtggcgagt	gacttagtca	720
ttgcttacgg	ggctgaaatt	tactacacac	cagatgttct	ggataagctg	gaaaaaaagc	780
gagattccga	ccctcaatga					800

# INTERNATIONAL SEARCH REPORT

International application No. .  
PCT/AU2004/000480

<b>A. CLASSIFICATION OF SUBJECT MATTER</b> Int. Cl. <sup>7</sup> : (C12Q 1/68, 1:46) According to International Patent Classification (IPC) or to both national classification and IPC					
<b>B. FIELDS SEARCHED</b> Minimum documentation searched (classification system followed by classification symbols) See Electronic Database Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched See Electronic Database Electronic data base consulted during the international search (name of data base and, where practicable, search terms used) WPIDS, CA, Medline: Streptococcus pneumoniae, cps, cpa, capsular polysaccharide antigen, cpsA, cpsB, wzg, wzh, wzx, wzy, serotype?, antigen?					
<b>C. DOCUMENTS CONSIDERED TO BE RELEVANT</b>					
<b>Category*</b>	<b>Citation of document, with indication, where appropriate, of the relevant passages</b>	<b>Relevant to claim No.</b>			
<b>X</b>	Jiang et al "Molecular characterisation of Streptococcus pneumoniae Type 4, 6B, 8 and 18C capsular polysaccharide gene clusters" Infection and Immunity (2001). Vol 69(3): 1244-1255 (see the whole document) GENBANK ACCESSIONS AF316639, AF316640, AF316641 and AF316642 19 March 2001	1-31			
<div style="display: flex; justify-content: space-between;"> <span><input checked="" type="checkbox"/> Further documents are listed in the continuation of Box C</span> <span><input type="checkbox"/> See patent family annex</span> </div>					
<table style="width: 100%; border: none;"> <tr> <td style="width: 33%; vertical-align: top;"> <p>* Special categories of cited documents:</p> <p>"A" document defining the general state of the art which is not considered to be of particular relevance</p> <p>"E" earlier application or patent but published on or after the international filing date</p> <p>"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)</p> <p>"O" document referring to an oral disclosure, use, exhibition or other means</p> <p>"P" document published prior to the international filing date but later than the priority date claimed</p> </td> <td style="width: 33%; vertical-align: top;"> <p>"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention</p> <p>"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone</p> <p>"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art</p> <p>"&amp;" document member of the same patent family</p> </td> <td style="width: 33%;"></td> </tr> </table>			<p>* Special categories of cited documents:</p> <p>"A" document defining the general state of the art which is not considered to be of particular relevance</p> <p>"E" earlier application or patent but published on or after the international filing date</p> <p>"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)</p> <p>"O" document referring to an oral disclosure, use, exhibition or other means</p> <p>"P" document published prior to the international filing date but later than the priority date claimed</p>	<p>"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention</p> <p>"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone</p> <p>"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art</p> <p>"&amp;" document member of the same patent family</p>	
<p>* Special categories of cited documents:</p> <p>"A" document defining the general state of the art which is not considered to be of particular relevance</p> <p>"E" earlier application or patent but published on or after the international filing date</p> <p>"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)</p> <p>"O" document referring to an oral disclosure, use, exhibition or other means</p> <p>"P" document published prior to the international filing date but later than the priority date claimed</p>	<p>"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention</p> <p>"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone</p> <p>"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art</p> <p>"&amp;" document member of the same patent family</p>				
Date of the actual completion of the international search 28 July 2004		Date of mailing of the international search report <div style="text-align: right;">- 4 AUG 2004</div>			
Name and mailing address of the ISA/AU AUSTRALIAN PATENT OFFICE PO BOX 200, WODEN ACT 2606, AUSTRALIA E-mail address: pct@ipaustalia.gov.au Facsimile No. (02) 6285 3929		Authorized officer  <b>LEXIE PRESS</b> Telephone No : (02) 6283 2677			

# INTERNATIONAL SEARCH REPORT

International application No.

PCT/AU2004/000480

C (Continuation). DOCUMENTS CONSIDERED TO BE RELEVANT		
Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	Lawrence et al. "Evaluation of serotype prediction by cpsA-cpsB gene polymorphism in <i>Streptococcus pneumoniae</i> " Journal of Clinical Microbiology (2000) Vol 38(4): pages 1319-1323 (see the whole document)	1-11, 18-22, 25-31
P,X	Kong and Gilbert. "Using cpsA-cpsB sequence polymorphism and serotype-/group-specific PCR to predict 51 <i>Streptococcus pneumoniae</i> capsular serotypes" Journal of Medical Microbiology (2003) Vol 52: pages 1047-1058 (see the whole document)	1-31

# INTERNATIONAL SEARCH REPORT

International application No.

PCT/AU2004/000480

## Box No. II Observations where certain claims were found unsearchable (Continuation of item 2 of first sheet)

This international search report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:

1. ☐ Claims Nos.:  
because they relate to subject matter not required to be searched by this Authority, namely:
2. ☐ Claims Nos.:  
because they relate to parts of the international application that do not comply with the prescribed requirements to such an extent that no meaningful international search can be carried out, specifically:
3. ☐ Claims Nos.:  
because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a)

## Box No. III Observations where unity of invention is lacking (Continuation of item 3 of first sheet)

This International Searching Authority found multiple inventions in this international application, as follows:

See Extra Sheet

1. ☐ As all required additional search fees were timely paid by the applicant, this international search report covers all searchable claims.
2. ☒ As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.
3. ☐ As only some of the required additional search fees were timely paid by the applicant, this international search report covers only those claims for which fees were paid, specifically claims Nos.:
4. ☐ No required additional search fees were timely paid by the applicant. Consequently, this international search report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:

### Remark on Protest

- ☐ The additional search fees were accompanied by the applicant's protest.
- ☐ No protest accompanied the payment of additional search fees.

# INTERNATIONAL SEARCH REPORT

International application No.

PCT/AU2004/000480

## Supplemental Box

(To be used when the space in any of Boxes I to VIII is not sufficient)

### Continuation of Box No: III

Rule 13.1 of the PCT requires that an International Application should relate to one invention only, or if there is more than one invention, that the inclusion of those inventions in one International Application is only permitted if all inventions are so linked as to form a single general inventive concept. Unity of invention exists only when there is a technical relationship among the claimed inventions involving one or more of the same or corresponding "special technical features". The expression "special technical features" is defined in Rule 13.2 as meaning those technical features that define a contribution that each of the inventions, considered as a whole, makes over the prior art. Accordingly the following three inventions have been found.

#### Invention 1

Claims 4-11, 16, 17, 23, 24 and 27 completely and claims 1-3, 15, 18-21, 26 and 28-31 in part, recite methods for serotyping *Streptococcus pneumoniae* based on analysis of the nucleotide sequence between the 3' end of the *cps A* gene and the 5' end of the *cpsB* gene, and polynucleotide sequences spanning the region between the 3' end of the *cps A* gene and the 5' end of the *cpsB* gene.

#### Invention 2

Claims 1-3, 12-15, 18-22, 25, 26, 28-31 in part, relate to methods of serotyping *Streptococcus pneumoniae* based on analysis of the *wzy* gene or portion thereof, and nucleotide sequences comprising at least the *wzy* gene from different *S. pneumoniae* strains.

#### Invention 3

Claims 1-3, 12-15, 18-22, 25, 26, 28-31 in part, relate to methods of serotyping *Streptococcus pneumoniae* based on analysis of the *wzx* gene or portion thereof, and nucleotide sequences comprising at least the *wzx* gene from different *S. pneumoniae* strains.

Although the claims share the feature that they relate to *S. pneumoniae* capsular (*cps*) genes, these genes and their use in molecular serotyping of *S. pneumoniae* are known. Jiang et al teaches serotype variation in the *wzg*, *wzh*, *wzx* and *wzy* genes. Therefore methods of serotyping *Streptococcus pneumoniae* or *cps* sequences can not be regarded as a unifying technical feature.